



Weekly Quality of Cotton Classed by Classing Office: Week Ending - 1/15/2026

Agricultural Marketing Service
Cotton Market News

Volume 67, No.24

January 16, 2026

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	30	68.2	54.2	76,620	31	82.5	61.7	927,082
Corpus Christi	5	89.3	70.7	9,071	42	88.1	72.5	1,519,782
Dumas*	-	-	-	-	33	53.0	25.2	951,045
Florence	12	93.5	79.6	10,019	40	90.5	79.2	1,088,333
Lamesa	16	77.2	55.6	39,628	24	84.4	60.1	529,733
Lubbock	39	68.3	46.9	133,073	54	79.3	59.2	2,333,645
Macon	43	89.0	78.8	54,038	68	88.6	74.9	2,118,153
Memphis	5	93.6	80.3	25,241	65	83.3	59.9	2,297,281
Rayville*	-	-	-	-	16	69.5	47.6	280,154
Visalia	15	84.8	73.7	26,215	26	85.4	68.9	254,676
United States	167	75.4	58.5	383,425	399	82.1	63.0	12,299,884
AMERICAN PIMA								
Visalia	10			15,404	18			336,987
United States	10			15,404	18			336,987
United States all cotton	177			398,829	408			12,636,871

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.govcottonmn@ams.usda.gov>

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 15, 2026

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	18.3	39.9	3.4	14.3	-	0.9	0.1	0.5	70.1	72.5
	3	2.9	7.1	14.0	14.3	-	0.8	0.4	0.5	4.5	6.6
	4	0.1	0.4	1.0	1.4	-	*	-	*	0.2	0.3
	5	*	*	*	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	21.3 47.4	18.4 30.1	- 1.7	0.5 1.0	74.8 79.4				
31	1 - 2	15.1	8.2	7.0	5.0	-	2.2	3.2	5.2	6.8	2.0
	3	15.8	11.3	24.3	22.1	-	16.1	25.2	21.7	2.6	1.5
	4	4.1	3.5	10.4	9.4	-	7.9	10.6	6.1	0.4	0.4
	5	0.7	0.6	0.6	1.0	-	0.5	0.5	0.3	0.2	0.1
	6	*	0.1	-	*	-	*	-	*	*	*
	7	*	*	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	35.7 23.6	42.2 37.6	- 26.8	39.6 33.4	9.9 4.0				
41	1 - 2	1.0	0.3	1.4	0.6	-	0.6	1.1	2.6	*	*
	3	3.4	1.0	12.1	5.3	-	19.0	28.3	29.2	*	*
	4	4.4	1.4	2.2	5.0	-	32.8	24.8	25.0	*	*
	5	4.5	1.3	0.1	1.3	-	9.1	4.3	4.2	*	*
	6	2.0	0.6	*	0.1	-	0.6	0.3	0.3	*	*
	7	0.4	0.1	-	*	-	*	-	*	*	*
	8	*	*	-	-	-	-	-	*	-	-
	Total	----	15.9 4.8	15.8 12.4	- 62.2	58.7 61.2	0.1 *				
51	1 - 2	-	*	-	*	-	*	*	0.1	-	-
	3	*	*	0.1	0.2	-	1.1	0.2	0.9	-	-
	4	0.1	*	0.1	0.4	-	3.0	0.6	1.6	-	-
	5	0.4	*	*	0.1	-	1.5	0.1	0.7	-	-
	6	1.2	0.1	*	*	-	0.2	-	0.1	*	*
	7	0.7	0.1	-	*	-	*	-	*	-	-
	8	0.2	*	-	-	-	-	-	*	-	-
	Total	----	2.6 0.4	0.3 0.8	- 5.8	0.8 3.4	* *				
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- *	- *	- *	- -				
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- -	- -	- -	- *	- -				
12 & 22	1 - 2	2.1	9.3	1.8	4.0	-	*	-	*	8.6	10.7
	3	1.4	3.1	7.1	3.8	-	*	-	*	1.0	2.4
	4	0.5	0.4	0.6	1.0	-	*	-	*	0.1	0.2
	5	*	*	-	0.1	-	-	-	-	-	*
	6	*	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	4.0 12.9	9.5 8.9	- *	- *	9.7 13.3				
32	1 - 2	3.6	1.3	0.5	0.6	-	*	*	*	0.6	0.2
	3	4.4	2.5	4.7	2.7	-	0.1	0.1	0.1	0.9	0.5
	4	2.0	1.3	5.8	2.4	-	0.1	0.1	0.1	0.3	0.3
	5	0.7	0.5	0.8	0.6	-	*	*	*	*	0.1
	6	0.2	0.1	*	*	-	*	-	*	-	*
	7	*	*	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	10.9 5.7	11.7 6.3	- 0.3	0.2 0.2	1.8 1.1				
42	1 - 2	0.1	*	0.1	0.1	-	*	-	*	*	*
	3	0.6	0.3	0.6	0.9	-	0.5	*	0.2	*	*
	4	1.4	0.7	0.6	1.1	-	1.2	0.1	0.3	*	*
	5	1.5	0.8	0.1	0.6	-	0.6	-	0.1	*	*
	6	1.3	0.6	*	0.1	-	0.1	-	*	-	*
	7	0.4	0.2	-	*	-	*	-	*	-	*
	8	0.1	*	-	-	-	-	-	*	-	-
	Total	----	5.5 2.6	1.4 2.8	- 2.5	0.1 0.6	* *				

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 15, 2026

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	*	-	*	-	*
	3	*	*	*	*	-	0.1	-	*	*	*
	4	*	*	*	0.1	-	0.2	*	*	-	-
	5	*	*	-	0.1	-	0.2	-	*	-	*
	6	0.1	*	-	*	-	0.1	-	*	-	-
	7	0.1	0.1	-	*	-	*	-	*	-	-
	8	0.1	*	-	-	-	-	-	*	-	-
Total	----	0.3	0.1	*	0.2	-	0.6	*	0.1	*	*
62	1 - 2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	*	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	*	-	-
13 & 23	1 - 2	0.3	0.6	-	0.1	-	-	-	*	1.7	0.9
	3	0.7	0.5	-	0.1	-	-	-	*	0.5	0.4
	4	0.2	0.1	-	*	-	-	-	*	*	*
	5	*	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	1.3	1.2	-	0.2	-	-	-	*	2.2	1.3
33	1 - 2	0.2	0.1	0.1	*	-	*	-	*	0.3	0.1
	3	0.6	0.4	0.2	0.1	-	*	*	*	0.6	0.2
	4	0.6	0.2	0.1	0.1	-	*	-	*	0.2	0.2
	5	0.3	0.1	*	*	-	-	*	*	0.1	0.1
	6	0.1	*	-	*	-	-	-	*	*	*
	7	*	*	-	*	-	-	-	-	*	*
	8	-	*	-	-	-	-	-	-	-	-
Total	----	1.7	0.9	0.4	0.3	-	*	*	*	1.3	0.6
43	1 - 2	*	*	-	*	-	-	-	*	-	*
	3	0.1	*	*	0.1	-	*	*	*	-	*
	4	0.2	0.1	0.1	0.1	-	*	0.1	*	*	*
	5	0.2	0.1	*	0.1	-	*	*	*	*	*
	6	0.2	0.1	-	*	-	*	-	*	0.1	*
	7	0.1	*	-	*	-	-	-	*	0.1	*
	8	*	*	-	-	-	-	-	*	-	-
Total	----	0.7	0.4	0.2	0.3	-	*	0.1	*	0.2	*
53	1 - 2	-	-	-	*	-	*	-	-	-	-
	3	-	*	-	*	-	*	-	*	-	-
	4	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	-
	6	*	*	-	*	-	*	-	*	-	*
	7	*	*	-	*	-	*	-	*	-	-
	8	*	*	-	-	-	-	-	*	-	-
Total	----	*	*	-	*	-	*	-	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	-	-	-
24 - 54	1 - 8	0.1	0.1	*	*	-	-	-	*	0.1	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	*	-	-	-	-	*	*
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		*	*	-	-	-	-	-	-	-	*
31		*	0.1	-	*	-	*	-	*	*	0.2
32		0.5	0.5	0.1	*	-	*	0.1	*	1.4	1.8
33		3.4	2.8	0.3	0.1	-	0.1	0.8	0.1	6.8	7.3
34		11.0	8.2	0.4	0.7	-	1.3	2.1	1.4	23.0	20.7
35		13.8	14.7	3.9	3.7	-	8.2	10.4	8.0	30.6	27.9
36		16.1	18.7	26.9	15.5	-	25.2	38.3	26.4	24.4	21.7
37		25.0	24.1	55.3	46.0	-	42.7	35.0	48.1	12.8	15.7
38		14.9	14.9	9.6	25.3	-	16.4	10.8	12.9	0.8	4.0
39		8.1	10.2	3.2	7.8	-	4.9	2.4	2.7	*	0.6
40 & Longer		7.2	5.8	0.3	0.7	-	1.1	0.1	0.3	-	*
Average Staple		36.62	36.67	36.79	37.17	-	36.84	36.47	36.72	35.12	35.26
Average Length		1.14	1.14	1.15	1.16	-	1.15	1.14	1.15	1.09	1.10

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 15, 2026

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	42.4	58.7	2.6	1.7	-	0.4	-	3.9	20.6	23.1
	3	12.5	15.4	3.4	1.1	*	0.4	-	2.6	4.3	6.5
	4	0.5	0.8	0.2	*	-	*	-	0.1	0.1	0.3
	5	*	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	55.4 74.9	6.1 2.9	* 0.8	-	6.6	25.1 29.9			
31	1 - 2	6.7	2.8	6.0	8.1	1.5	2.7	-	8.0	6.3	11.6
	3	7.1	4.9	23.3	21.8	11.5	12.2	-	33.1	15.2	14.0
	4	1.7	2.0	6.0	4.2	2.2	3.4	-	11.6	3.5	3.4
	5	0.2	0.3	0.3	0.2	0.1	0.2	-	0.9	0.5	0.4
	6	*	*	*	*	-	*	-	*	*	*
	7	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	15.7 10.0	35.7 34.3	15.3 18.5	-	53.6	25.6 29.6			
41	1 - 2	*	*	2.7	5.1	4.4	2.3	-	0.7	1.9	2.5
	3	0.1	0.1	21.9	31.7	39.1	30.7	-	12.2	14.7	12.2
	4	0.3	0.1	13.0	16.7	18.5	26.6	-	16.2	14.6	9.3
	5	0.4	0.1	1.6	2.1	2.8	5.1	-	4.5	5.1	3.0
	6	0.3	0.1	0.1	0.1	0.1	0.4	-	0.4	0.8	0.4
	7	*	*	*	*	-	*	-	-	0.1	*
	8	*	*	-	-	-	-	-	-	*	*
	Total	----	1.1 0.4	39.3 55.7	64.9 65.2	-	34.1	37.1 27.4			
51	1 - 2	-	*	1.0	0.2	0.4	0.1	-	*	*	0.1
	3	-	*	7.5	2.2	9.3	2.9	-	*	1.0	0.8
	4	*	*	5.8	2.2	6.2	4.7	-	0.3	3.2	1.9
	5	*	*	0.9	0.5	0.4	1.7	-	0.3	1.9	1.5
	6	0.1	*	0.1	0.1	*	0.3	-	0.1	0.5	0.6
	7	*	*	-	*	-	*	-	-	0.1	0.2
	8	*	*	-	*	-	-	-	-	*	*
	Total	----	0.1 *	15.3 5.1	16.3 9.8	-	0.7	6.7 5.1			
61	1 - 2	-	*	0.1	*	-	*	-	-	*	*
	3	-	*	0.2	*	*	*	-	*	*	*
	4	-	*	0.2	*	*	*	-	*	*	*
	5	-	-	*	*	-	*	-	-	-	*
	6	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	- *	0.5 *	* *	-	*	0.1 *			
71	1 - 2	-	*	-	-	-	*	-	-	-	-
	3	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	- *	- -	- *	-	-	- -			
12 & 22	1 - 2	9.4	5.9	*	*	-	*	-	0.1	0.1	2.4
	3	6.1	3.8	0.3	*	-	*	-	0.1	0.2	1.2
	4	0.8	0.5	0.1	*	-	*	-	0.1	*	0.2
	5	*	*	-	-	-	*	-	*	-	*
	6	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	16.3 10.2	0.4 0.1	- *	-	0.3	0.3 3.8			
32	1 - 2	0.9	0.3	*	0.1	-	*	-	0.1	0.1	0.2
	3	1.9	0.9	0.3	0.3	*	0.2	-	0.5	0.6	0.6
	4	1.1	0.6	0.4	0.1	*	0.1	-	0.8	0.3	0.4
	5	0.4	0.2	*	*	-	*	-	0.4	0.1	0.2
	6	0.1	*	-	*	-	*	-	0.1	*	*
	7	*	*	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	4.4 2.0	0.7 0.4	0.1 0.3	-	1.8	1.2 1.5			
42	1 - 2	*	*	*	*	0.2	0.2	-	*	*	*
	3	*	*	0.2	0.5	1.0	1.8	-	0.4	0.5	0.5
	4	0.1	0.1	0.5	0.4	1.4	1.5	-	1.2	1.2	0.5
	5	0.1	0.1	0.1	0.1	0.3	0.4	-	0.7	0.8	0.4
	6	0.1	*	*	*	*	0.1	-	0.3	0.1	0.1
	7	*	*	*	*	-	*	-	-	*	*
	8	*	*	-	-	-	-	-	-	-	-
	Total	----	0.3 0.2	0.8 1.1	2.8 3.9	-	2.6	2.7 1.6			

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 15, 2026

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	*	*	-	-	-	*
	3	-	-	0.2	*	0.2	0.4	-	*	*	0.1
	4	*	*	0.1	0.1	0.2	0.6	-	0.1	0.3	0.2
	5	*	*	*	*	*	0.3	-	0.1	0.5	0.2
	6	*	*	*	*	*	0.1	-	*	0.2	0.1
	7	*	*	-	*	-	*	-	-	*	*
	8	*	*	-	*	-	-	-	-	-	*
Total	----	*	*	0.3	0.2	0.5	1.4	-	0.1	1.1	0.7
62	1 - 2	-	-	*	*	-	-	-	-	-	-
	3	-	-	*	*	-	*	-	-	-	*
	4	-	-	*	*	-	*	-	-	-	*
	5	-	-	*	*	-	*	-	-	-	*
	6	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	*	-	*	-	-	*	*
	8	-	-	-	*	-	-	-	-	-	*
Total	----	-	-	*	*	-	*	-	-	*	*
13 & 23	1 - 2	2.0	0.7	*	*	-	-	-	-	-	0.2
	3	1.3	0.6	*	*	-	-	-	-	-	*
	4	0.2	0.1	*	*	-	-	-	-	-	*
	5	*	*	*	*	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	3.5	1.3	*	*	-	-	-	-	-	0.2
33	1 - 2	0.4	0.1	-	*	-	*	-	*	*	*
	3	1.1	0.3	*	*	-	*	-	*	*	*
	4	0.7	0.2	*	*	*	*	-	*	*	*
	5	0.4	0.1	*	*	*	*	-	*	*	*
	6	0.1	*	*	*	-	*	-	*	-	*
	7	*	*	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	2.7	0.7	0.1	*	*	*	-	0.1	*	0.1
43	1 - 2	*	*	*	*	-	*	-	*	-	*
	3	*	*	0.1	*	*	*	-	*	*	*
	4	*	*	0.2	*	0.1	*	-	*	0.1	*
	5	*	*	0.2	*	*	*	-	*	*	*
	6	*	*	0.1	*	-	*	-	*	*	*
	7	*	*	*	*	-	*	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	----	0.1	*	0.5	0.1	0.1	0.1	-	0.1	0.1	0.1
53	1 - 2	-	-	*	*	-	*	-	-	-	*
	3	-	-	0.1	*	-	*	-	-	*	*
	4	-	-	*	*	*	*	-	-	*	*
	5	-	-	*	*	*	*	-	-	-	*
	6	-	*	*	*	-	*	-	*	-	*
	7	*	*	-	*	-	*	-	-	*	*
	8	*	*	-	-	-	-	-	-	-	-
Total	----	*	*	0.1	*	*	*	-	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	-	-	-	-	-
24 - 54	1 - 8	0.4	0.1	*	*	-	*	-	0.1	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	*	*	-	*	-	-	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	-	-	-	-	-
31		0.1	0.1	*	*	-	*	-	-	-	*
32		0.7	0.5	0.2	0.1	-	*	-	*	*	*
33		3.0	2.6	2.1	0.8	*	0.1	-	0.2	0.5	0.2
34		10.6	8.4	8.1	4.6	0.3	0.8	-	1.6	0.4	0.8
35		22.2	17.8	17.8	15.3	1.5	4.2	-	11.3	1.7	3.5
36		28.0	25.6	29.4	30.1	15.0	15.1	-	29.0	10.1	13.5
37		26.4	29.7	30.5	36.0	52.1	47.6	-	39.9	43.9	41.2
38		7.3	10.9	8.2	10.3	26.1	26.8	-	13.8	24.1	24.9
39		1.4	3.3	2.9	2.5	4.3	4.7	-	3.7	8.1	9.0
40 & Longer		0.3	1.1	0.6	0.3	0.7	0.5	-	0.4	11.2	6.9
Average Staple		35.91	36.21	36.17	36.38	37.18	37.12	-	36.65	37.90	37.61
Average Length		1.12	1.13	1.13	1.13	1.16	1.16	-	1.14	1.19	1.18

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending Jan 15, 2026

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	21.7	7.1	0.2	0.5	-	*	1.6	2.0	1.0	1.4
Bark - Level 2	*	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.2	0.1	0.1	0.3	-	0.1	-	*	*	0.3
Grass - Level 2	-	-	-	*	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	-	*	-	1.5	0.8	0.8	0.1	0.1
Seed Coat - Level 2	*	*	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	*	-	*	-	*	-	*
Other - Level 2	-	*	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	0.1	0.1	-	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	-	*	-	-	-	-	0.1	*
23	*	*	-	*	-	-	-	-	0.1	0.1
24	*	*	-	*	-	*	0.1	*	0.4	0.2
25	0.1	0.1	-	*	-	*	0.5	*	0.9	0.8
26	0.8	0.7	0.1	0.2	-	0.1	2.8	0.5	3.7	2.4
27	2.8	2.7	1.5	1.2	-	0.5	6.6	2.9	12.6	7.0
28	7.0	8.0	6.7	5.2	-	3.9	14.9	12.5	19.7	13.4
29	12.8	14.6	12.3	14.8	-	15.4	26.0	30.4	23.5	19.7
30	18.1	17.4	13.8	21.7	-	28.5	26.2	30.3	20.8	22.2
31	16.9	16.9	21.3	17.7	-	26.8	15.4	15.4	12.3	18.3
32	14.8	14.3	24.4	12.5	-	15.8	5.6	5.8	4.2	9.9
33	12.7	11.4	13.7	11.5	-	6.3	1.3	1.6	1.2	3.9
34	6.8	7.5	4.6	9.7	-	2.1	0.4	0.3	0.3	1.4
35	4.0	3.9	1.3	4.0	-	0.5	0.1	0.1	0.1	0.5
36	2.0	1.4	0.3	1.1	-	0.1	*	*	*	0.2
37	1.0	0.7	*	0.2	-	*	-	*	-	*
38	0.3	0.2	-	*	-	*	-	-	-	*
39	*	*	-	*	-	*	-	-	-	-
40 & Above	*	*	-	-	-	*	-	-	-	-
Average	31.59	31.48	31.52	31.59	-	31.09	29.87	30.12	29.47	30.22
Mike										
2.4 & Below	0.2	*	-	-	-	-	-	-	0.1	*
2.5	0.8	0.2	-	*	-	-	-	*	0.3	0.1
2.6	0.5	0.2	-	*	-	-	-	-	0.3	0.2
2.7	0.6	0.2	-	*	-	-	-	*	0.5	0.3
2.8	0.7	0.3	-	*	-	-	-	*	0.8	0.4
2.9	0.7	0.4	-	*	-	-	-	*	1.3	0.6
3.0	0.9	0.5	-	0.1	-	-	*	*	1.3	0.8
3.1	1.1	0.7	-	0.1	-	-	-	*	1.5	0.9
3.2	1.6	1.0	*	0.3	-	*	0.1	0.1	3.1	1.3
3.3	1.6	1.3	0.1	0.5	-	*	0.2	0.2	3.3	1.6
3.4	2.1	1.8	1.0	0.9	-	*	0.2	0.3	3.3	2.0
3.5	2.9	2.4	2.4	1.3	-	*	0.3	0.5	3.4	2.5
3.6	4.2	3.4	3.9	1.9	-	0.1	0.6	0.9	3.6	3.1
3.7	4.5	4.4	6.2	2.7	-	0.1	1.5	1.7	4.3	3.8
3.8	4.9	5.4	7.2	4.4	-	0.1	3.4	2.6	5.1	4.7
3.9	6.2	7.1	9.1	6.7	-	0.2	5.0	4.1	5.2	5.5
4.0	8.0	8.6	9.9	9.0	-	0.4	6.0	5.7	6.5	6.2
4.1	9.0	10.1	13.0	11.1	-	0.6	7.6	7.7	6.4	7.0
4.2	11.2	10.8	19.1	12.8	-	1.0	11.0	9.8	6.7	8.0
4.3	11.6	10.8	18.3	12.9	-	1.7	14.9	11.6	7.6	8.7
4.4	9.6	9.6	7.7	11.3	-	2.8	11.2	11.9	9.0	9.2
4.5	7.3	7.7	1.7	8.8	-	4.1	8.1	10.8	8.8	9.0
4.6	4.6	5.7	0.3	6.0	-	6.5	7.3	9.4	7.3	8.2
4.7	3.1	3.6	*	3.7	-	9.5	9.3	7.8	4.6	6.6
4.8	1.4	2.1	*	2.3	-	13.4	6.0	5.6	2.7	4.6
4.9	0.8	1.0	-	1.3	-	16.0	4.1	3.9	1.3	2.7
5.0	0.2	0.5	-	0.8	-	16.3	2.3	2.6	1.1	1.4
5.1	*	0.2	-	0.4	-	12.9	0.3	1.4	0.5	0.6
5.2	*	0.1	-	0.3	-	8.2	0.5	0.7	0.2	0.3
5.3	*	*	-	0.2	-	4.0	0.1	0.3	*	0.1
5.4	-	-	-	0.1	-	1.5	-	0.1	-	*
5.5 & Above	-	*	-	0.2	-	0.5	-	*	-	*
Average	4.05	4.12	4.07	4.23	-	4.88	4.36	4.38	4.06	4.19

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending Jan 15, 2026

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	15.7	6.9	4.6	1.3	*	*	-	1.6	0.2	0.2
Bark - Level 2	*	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.2	0.1	0.1	0.1	-	*	-	0.1	*	0.4
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	-	*	-	-	0.1	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	1.4	0.3	0.1	0.3	-	0.1	-	2.9	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 2	-	*	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	*	*	*	*	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	*	*	-	-	-	*	-	-	*	*
23	*	*	*	*	-	*	-	-	-	-
24	0.1	0.1	0.1	*	*	*	-	-	-	*
25	0.3	0.2	0.4	0.1	*	*	-	*	*	0.1
26	0.8	0.7	3.1	0.5	*	*	-	0.2	0.1	0.4
27	2.9	2.5	11.0	3.0	0.1	0.2	-	1.8	0.7	1.6
28	9.7	6.9	20.5	10.3	1.9	1.8	-	6.6	6.1	7.0
29	19.6	14.3	24.0	20.5	14.2	12.4	-	18.0	14.9	14.5
30	24.8	20.1	18.9	25.2	46.1	36.1	-	29.9	20.8	20.0
31	19.7	19.9	11.8	20.2	23.3	32.5	-	19.9	22.4	18.9
32	11.6	15.3	7.2	11.7	8.7	12.1	-	12.7	13.7	12.5
33	6.3	10.0	2.3	5.4	5.0	3.7	-	6.1	8.5	8.4
34	2.9	5.7	0.5	2.2	0.7	0.9	-	3.1	6.5	7.1
35	0.9	2.6	0.1	0.7	*	0.1	-	1.6	3.4	5.4
36	0.3	1.1	*	0.2	*	*	-	0.2	1.8	2.9
37	0.1	0.4	*	*	*	*	-	*	0.6	1.0
38	*	0.2	*	*	-	*	-	*	0.2	0.1
39	-	*	-	*	-	-	-	-	0.1	0.1
40 & Above	-	-	-	*	-	-	-	-	*	*
Average	30.72	31.32	29.68	30.66	30.85	31.00	-	30.93	31.51	31.60
Mike										
2.4 & Below	0.1	*	-	-	-	-	-	-	-	-
2.5	0.1	*	-	*	-	-	-	*	-	-
2.6	0.1	0.1	-	*	-	-	-	*	*	*
2.7	0.2	0.2	-	*	-	*	-	*	0.1	*
2.8	0.4	0.4	*	*	-	*	-	*	0.3	0.1
2.9	0.9	0.6	*	*	-	*	-	*	0.3	0.2
3.0	1.4	0.9	0.1	*	-	*	-	*	0.3	0.2
3.1	1.9	1.3	0.1	*	-	*	-	*	0.4	0.5
3.2	2.4	1.8	0.3	0.1	-	*	-	0.1	1.0	0.7
3.3	2.7	2.3	0.9	0.2	*	*	-	0.1	1.3	0.6
3.4	3.3	3.0	1.6	0.3	-	0.1	-	0.1	1.2	0.6
3.5	4.0	3.8	1.6	0.6	0.1	0.1	-	0.2	1.7	1.2
3.6	4.5	4.4	2.3	1.1	0.1	0.2	-	0.4	2.1	1.6
3.7	4.7	5.0	3.8	1.8	0.2	0.4	-	0.5	2.6	2.4
3.8	5.0	5.5	7.0	2.7	0.7	0.6	-	0.7	2.2	3.2
3.9	5.3	6.1	8.7	4.0	0.8	1.0	-	1.1	2.7	4.2
4.0	5.6	6.5	9.5	5.5	2.8	1.7	-	1.9	5.5	5.5
4.1	6.8	6.9	9.5	7.3	4.4	2.6	-	3.4	9.6	7.4
4.2	6.9	7.3	10.3	9.0	7.4	4.0	-	4.4	11.1	9.1
4.3	7.6	7.7	10.0	10.0	9.5	5.7	-	5.5	12.8	9.1
4.4	7.4	7.8	8.7	10.3	12.8	8.2	-	6.6	12.8	9.0
4.5	7.0	7.4	8.8	10.0	18.6	11.0	-	8.6	8.9	10.1
4.6	6.6	6.7	7.4	9.3	15.3	14.0	-	9.7	7.0	9.5
4.7	6.0	5.4	4.7	8.3	10.7	15.2	-	10.6	5.3	7.9
4.8	3.9	3.8	2.2	6.6	8.2	13.9	-	11.5	3.3	6.0
4.9	2.4	2.4	1.2	5.0	5.3	10.1	-	10.6	2.4	4.5
5.0	1.4	1.3	0.6	3.5	2.3	6.3	-	8.4	1.5	2.9
5.1	0.9	0.7	0.3	2.2	0.5	3.1	-	7.0	0.9	1.6
5.2	0.4	0.4	0.2	1.2	0.1	1.2	-	4.1	0.8	0.9
5.3	0.1	0.2	*	0.6	*	0.4	-	2.2	0.4	0.6
5.4	0.1	0.1	*	0.3	-	0.1	-	1.1	0.3	0.3
5.5 & Above	*	0.1	*	0.1	*	*	-	1.1	1.2	0.3
Average	4.09	4.12	4.19	4.42	4.50	4.62	-	4.68	4.29	4.36

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 15, 2026

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	0.2	*	-	-	-	-	-	-	0.1	*
2.5 - 2.6	1.3	0.3	-	*	-	-	-	*	0.6	0.3
2.7 - 2.9	2.0	1.0	-	0.1	-	-	-	*	2.6	1.2
3.0 - 3.2	3.6	2.2	*	0.5	-	*	0.1	0.2	5.9	3.0
3.3 - 3.4	3.7	3.1	1.1	1.4	-	*	0.4	0.5	6.6	3.6
3.5 - 3.6	7.1	5.8	6.3	3.1	-	0.1	0.9	1.5	7.0	5.5
3.7 - 4.2	43.7	46.4	64.5	46.6	-	2.5	34.5	31.6	34.2	35.0
4.3 - 4.9	38.3	40.5	28.1	46.4	-	54.0	61.0	61.1	41.3	48.8
5.0 - 5.2	0.2	0.7	-	1.4	-	37.4	3.1	4.7	1.8	2.3
5.3 & Above	*	*	-	0.5	-	6.1	0.1	0.4	*	0.1
Average	4.05	4.12	4.07	4.23	-	4.88	4.36	4.38	4.06	4.19
Leaf										
1 - 2	40.7	59.7	14.1	24.8	-	3.8	4.4	8.4	88.1	86.5
3	29.9	26.2	63.1	49.6	-	37.7	54.2	52.7	10.1	11.7
4	13.6	8.3	21.0	21.1	-	45.4	36.3	33.2	1.2	1.4
5	8.4	3.5	1.7	4.0	-	12.0	4.9	5.3	0.4	0.3
6	5.0	1.6	0.1	0.5	-	1.1	0.3	0.4	0.1	0.1
7	1.8	0.6	-	0.1	-	*	-	*	0.1	*
8	0.5	0.1	-	*	-	-	-	*	-	-
Average	3.05	2.45	3.11	3.03	-	3.69	3.42	3.37	1.73	1.74
HVI Trash 1/										
00	*	*	-	*	-	-	-	-	0.6	0.7
01	17.6	30.2	0.6	5.2	-	0.3	0.2	0.6	62.0	60.2
02	27.1	32.8	19.0	22.5	-	4.6	6.1	10.1	29.0	29.0
03	16.8	15.5	33.3	27.9	-	14.9	23.2	24.7	5.8	6.9
04	10.8	7.9	25.9	20.4	-	22.9	28.0	26.2	1.4	2.0
05	6.5	4.4	13.3	12.1	-	22.0	21.2	18.7	0.5	0.7
06	4.1	2.6	5.6	6.5	-	15.8	11.7	10.6	0.3	0.3
07	3.3	1.7	1.5	3.1	-	9.7	5.4	5.1	0.2	0.1
08	3.0	1.3	0.7	1.4	-	5.2	2.6	2.2	0.1	0.1
09	2.6	0.9	0.1	0.6	-	2.6	0.9	0.9	0.1	*
10	2.1	0.7	0.1	0.3	-	1.2	0.4	0.4	*	*
11	1.7	0.5	*	0.1	-	0.5	0.2	0.1	*	*
12	1.4	0.4	-	0.1	-	0.2	0.1	0.1	*	*
13	1.0	0.3	-	*	-	0.1	*	*	*	*
14	0.7	0.2	-	*	-	*	-	*	*	*
15	0.5	0.1	-	*	-	*	*	*	-	-
16	0.3	0.1	-	*	-	-	-	*	-	*
17	0.2	0.1	-	*	-	-	-	*	-	*
18 & Above	0.3	0.1	-	*	-	-	-	*	-	-
Average	0.39	0.27	0.36	0.36	-	0.50	0.44	0.43	0.15	0.15
UNIFORMITY 2/										
74 & Below	*	*	-	*	-	-	-	*	*	*
75	0.1	0.1	-	*	-	-	*	*	0.1	0.1
76	0.2	0.2	0.1	*	-	*	0.1	*	0.4	0.5
77	1.0	0.7	0.3	0.1	-	*	0.3	*	1.7	2.4
78	3.4	2.9	1.1	0.7	-	0.2	1.2	0.5	8.4	10.1
79	12.2	12.3	6.5	3.7	-	1.0	2.4	2.9	21.9	25.0
80	26.8	27.5	20.4	13.4	-	7.0	15.3	11.8	42.7	35.8
81	28.7	29.6	37.9	30.0	-	28.1	32.1	28.6	21.2	21.3
82	17.8	17.5	27.3	31.2	-	37.9	33.1	35.2	3.3	4.3
83	8.2	7.3	6.1	16.1	-	20.5	13.5	18.4	0.2	0.5
84	1.6	1.7	0.4	4.3	-	5.1	2.0	2.4	*	*
85 & Above	0.1	0.1	*	0.4	-	0.2	0.1	0.2	-	*
Average	81.18	81.18	81.48	82.00	-	82.30	81.86	82.05	80.27	80.22
Tenderable 3/	68.2	82.5	89.3	88.1	-	53.0	93.5	90.5	77.2	84.4
SAMPLES CLASSED										
Week	76,620		9,071		-		10,019		39,628	
Season	927,082		1,519,782		951,045		1,088,333		529,733	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 15, 2026

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	0.1	*	-	-	-	-	-	-	-	-
2.5 - 2.6	0.2	0.2	-	*	-	-	-	*	*	*
2.7 - 2.9	1.5	1.1	*	*	-	*	-	0.1	0.6	0.3
3.0 - 3.2	5.6	3.9	0.5	0.1	-	*	-	0.1	1.7	1.4
3.3 - 3.4	6.0	5.3	2.5	0.5	*	0.1	-	0.2	2.5	1.2
3.5 - 3.6	8.5	8.2	3.9	1.7	0.2	0.3	-	0.6	3.9	2.8
3.7 - 4.2	34.3	37.3	48.8	30.3	16.4	10.4	-	12.0	33.8	31.7
4.3 - 4.9	40.8	41.2	43.0	59.5	80.5	78.0	-	63.1	52.5	56.0
5.0 - 5.2	2.7	2.4	1.1	6.9	2.8	10.6	-	19.5	3.2	5.5
5.3 & Above	0.2	0.3	0.1	1.0	*	0.6	-	4.4	1.9	1.2
Average	4.09	4.12	4.19	4.42	4.50	4.62	-	4.68	4.29	4.36
Leaf										
1 - 2	62.1	68.5	12.5	15.2	6.5	5.8	-	12.7	29.1	40.1
3	30.2	26.0	57.5	57.8	61.1	48.7	-	48.9	36.6	36.0
4	5.4	4.4	26.5	23.8	28.6	37.0	-	30.4	23.4	16.4
5	1.6	0.8	3.3	3.0	3.7	7.6	-	6.9	9.0	5.8
6	0.6	0.2	0.2	0.2	0.1	0.8	-	1.0	1.7	1.4
7	0.1	*	*	*	-	0.1	-	-	0.2	0.2
8	*	*	-	*	-	-	-	-	*	*
Average	2.39	2.21	3.21	3.15	3.30	3.49	-	3.34	3.12	2.86
HVI Trash 1/										
00	*	*	-	-	-	*	-	-	-	*
01	24.4	33.4	0.8	1.6	0.2	0.5	-	1.6	12.8	15.5
02	45.5	41.5	16.7	19.7	9.7	7.3	-	14.0	20.2	30.1
03	17.4	15.5	29.9	31.3	29.1	21.2	-	24.1	20.2	20.4
04	6.2	5.5	25.0	23.6	30.0	26.2	-	23.3	16.1	13.2
05	2.7	2.2	14.6	12.9	17.7	20.2	-	16.3	11.6	8.2
06	1.3	1.0	7.5	6.1	8.2	12.2	-	9.7	8.3	5.2
07	0.8	0.5	3.1	2.7	3.3	6.5	-	5.3	4.7	3.2
08	0.6	0.2	1.4	1.1	1.2	3.2	-	2.7	2.9	1.9
09	0.4	0.1	0.5	0.5	0.4	1.5	-	1.5	1.6	1.1
10	0.3	0.1	0.2	0.2	0.2	0.7	-	0.8	0.7	0.6
11	0.2	*	0.1	0.1	*	0.3	-	0.4	0.5	0.3
12	0.1	*	0.1	*	*	0.1	-	0.2	0.1	0.1
13	0.1	*	*	*	*	0.1	-	0.1	0.1	0.1
14	*	*	*	*	-	*	-	*	0.1	*
15	*	*	*	*	-	*	-	-	*	*
16	*	*	*	*	-	-	-	-	*	*
17	*	*	*	*	-	-	-	-	*	*
18 & Above	*	*	*	*	-	-	-	-	-	*
Average	0.24	0.21	0.38	0.37	0.40	0.46	-	0.42	0.37	0.32
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	-	-	-	-
75	0.1	*	-	*	-	-	-	-	*	*
76	0.3	0.2	*	*	-	*	-	-	*	*
77	1.3	1.0	0.2	0.1	*	*	-	-	*	*
78	5.8	4.3	1.8	0.8	0.1	0.1	-	0.2	0.4	0.5
79	16.9	13.9	9.9	5.0	0.2	0.5	-	1.8	2.3	3.1
80	30.3	29.8	23.3	20.0	2.7	3.9	-	10.4	14.6	14.8
81	28.6	32.0	34.6	36.5	26.1	20.9	-	31.9	33.7	31.8
82	13.4	15.0	22.3	28.0	50.2	45.7	-	37.7	35.3	35.0
83	2.9	3.2	7.0	8.4	19.5	26.1	-	15.9	10.7	12.2
84	0.4	0.4	0.9	1.2	1.3	2.7	-	2.1	2.5	2.3
85 & Above	0.1	0.1	0.1	0.1	*	0.2	-	0.1	0.3	0.2
Average	80.77	80.92	81.35	81.61	82.35	82.47	-	82.07	81.90	81.89
Tenderable 3/	68.3	79.3	89.0	88.6	93.6	83.3	-	69.5	84.8	85.4
SAMPLES CLASSED										
Week	133,073		54,038		25,241		-		26,215	
Season		2,333,645		2,118,153		2,297,281		280,154		254,676

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Jan 15, 2026

Color Grade	Leaf	VISALIA			Quality Designation	VISALIA	
		Week	Season			Week	Season
01	1	9.9	6.3		MIKE	-	-
	2	10.0	7.6		2.4 & Below	-	-
	3	0.4	0.2		2.5 - 2.6	-	-
	4	-	-		2.7 - 2.9	0.1	0.2
	5	-	-		3.0 - 3.2	1.1	1.6
	6	-	-		3.3 - 3.4	3.0	2.9
	7	-	-		3.5 - 3.6	7.5	8.7
Total -----		20.3	14.1		3.7 - 4.2	80.2	82.7
02	1	9.7	6.7		4.3 - 4.9	8.0	3.9
	2	25.9	34.6		5.0 - 5.2	-	*
	3	4.8	8.3		5.3 & Above	-	-
	4	*	0.2		Average	3.93	3.88
	5	-	*		ALL RANGE MIKE		
	6	-	-		2.4 & Below	-	-
	7	-	-		2.5	-	-
Total -----		40.4	49.8		2.6	-	-
03	1	0.4	0.5		2.7	*	*
	2	15.7	13.1		2.8	0.1	*
	3	18.2	16.3		2.9	0.1	0.1
	4	0.6	1.7		3.0	0.1	0.3
	5	-	*		3.1	0.5	0.5
	6	-	*		3.2	0.6	0.8
	7	-	-		3.3	0.7	1.1
Total -----		35.0	31.7		3.4	2.2	1.9
04	1	*	*		3.5	3.1	3.1
	2	0.5	0.6		3.6	4.4	5.5
	3	2.0	2.1		3.7	7.8	9.8
	4	0.2	0.8		3.8	12.1	15.5
	5	-	0.1		3.9	18.0	20.6
	6	-	*		4.0	19.2	19.0
	7	-	-		4.1	15.3	11.9
Total -----		2.8	3.7		4.2	7.8	6.0
05	1	-	*		4.3	4.0	2.5
	2	0.1	0.1		4.4	2.5	0.9
	3	0.4	0.2		4.5	1.0	0.4
	4	0.3	0.2		4.6	0.5	0.1
	5	*	*		4.7	*	*
	6	-	*		4.8	*	*
	7	-	-		4.9	-	*
Total -----		0.8	0.6		5.0	-	-
06	1	-	-		5.1	-	*
	2	0.1	*		5.2	-	-
	3	0.3	0.1		5.3 & Above	-	-
	4	0.1	*		Average	3.93	3.88
	5	*	*		STRENGTH 1/		
	6	-	*		36 & Below	3.0	2.9
	7	-	-		37	2.0	5.2
Total -----		0.6	0.1		38	1.9	4.0
07	1	-	-		39	2.5	1.8
	2	-	-		40	1.5	2.0
	3	*	*		41	2.2	5.8
	4	*	*		42	8.6	11.3
	5	-	*		43	15.9	16.9
	6	-	*		44	15.6	19.6
	7	-	-		45	16.7	16.2
Total -----		*	*		46	15.3	9.0
STAPLE	44 & Shorter	2.6	2.9		47	8.7	3.7
	46	9.5	11.7		48 & Above	6.0	1.7
	48	48.2	46.4		Average	44.37	43.39
	50	38.6	37.2		UNIFORMITY		
	52 & Longer	1.2	1.8		83 & Below	2.1	1.7
	Average Staple	48.53	48.46		84	11.2	12.4
	Average Length	1.41	1.41		85	41.1	35.1
EXTRANEEOUS MATTER	Bark	-	*		86	40.4	45.1
	Grass	*	0.3		87	4.8	5.3
	Spindle Twist	0.3	0.1		88 & Above	0.3	0.4
	Preparation	-	*		Average	85.80	85.86
	All Other	*	*		Samples Classed		
					Week	15,404	
					Season		336,987

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.