



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	4	78.2	66.1	6,171	21	90.0	78.0	545,942
AR*	-	-	-	-	26	70.1	42.3	1,385,725
AZ	7	87.0	71.7	16,208	9	86.4	68.6	187,616
CA	2	97.9	93.3	6,655	10	87.1	76.7	80,029
FL	-	-	-	-	4	91.0	76.3	90,067
GA	12	88.9	71.9	12,747	53	88.4	74.2	1,720,963
KS	3	25.2	17.1	5,498	3	35.6	27.2	134,274
LA	-	-	-	-	14	71.5	47.6	223,299
MO*	-	-	-	-	16	86.7	65.1	673,714
MS	-	-	-	-	30	63.7	36.5	706,510
NC*	-	-	-	-	26	90.7	78.7	653,675
NM*	-	-	-	-	2	84.9	75.2	10,327
OK	10	78.9	62.0	5,413	10	92.0	80.2	395,908
SC	5	77.8	76.3	4,044	10	86.4	73.5	283,887
TN	-	-	-	-	17	82.3	63.4	340,307
TX	52	72.3	49.3	33,898	144	82.4	62.3	5,088,872
VA	-	-	-	-	4	96.1	90.4	172,921
United States	101	78.1	61.9	94,308	399	81.8	62.8	12,694,036
AMERICAN PIMA								
AZ	2			2,607	2			16,325
CA	4			9,036	10			296,836
NM	-			-	-			-
TX	2			1,612	5			32,739
United States	8			13,255	18			365,147
United States all cotton	108			107,563	408			13,059,183

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 29, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	2.2	-	0.1	6.8	18.3	12.6	20.2	-	1.7	2.7	1.5
	3	0.1	1.3	-	0.1	0.8	3.8	0.4	7.7	-	0.5	4.1	1.1
	4	-	*	-	*	*	0.2	-	0.4	-	*	0.1	*
	5	-	*	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.13.5	-	0.2	7.7	22.2	12.9	28.4	-	2.2	6.8	2.7
31	1 - 2	1.0	9.4	-	1.1	9.7	9.8	17.1	15.1	-	3.1	6.7	7.8
	3	6.5	27.9	-	9.1	13.2	11.9	8.1	11.9	-	12.5	26.7	21.9
	4	0.6	7.1	-	3.4	1.2	2.3	0.3	4.0	-	2.8	6.2	4.2
	5	-	0.5	-	0.1	0.1	0.2	-	0.7	-	0.1	0.8	0.2
	6	-	*	-	*	-	*	-	0.1	-	-	*	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	8.144.9	-	13.7	24.1	24.1	25.4	31.9	-	18.4	40.4	34.1
41	1 - 2	1.9	3.2	-	0.8	5.0	2.6	14.9	6.2	-	2.8	3.3	5.3
	3	19.9	22.6	-	26.2	26.7	15.6	37.7	19.6	-	37.0	24.6	32.4
	4	13.9	15.6	-	35.2	12.2	13.2	6.6	6.3	-	28.9	12.0	16.4
	5	2.6	2.8	-	8.5	2.4	3.8	0.2	1.7	-	4.0	1.7	2.1
	6	0.1	0.2	-	0.7	0.2	0.5	-	0.4	-	0.2	0.1	0.1
	7	-	*	-	*	*	*	-	-	-	*	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total		----	38.544.4	-	71.3	46.4	35.8	59.4	34.3	-	72.9	41.6	56.2
51	1 - 2	6.8	0.3	-	*	0.4	0.1	0.1	0.1	-	0.1	0.2	0.2
	3	28.8	2.3	-	2.3	5.0	1.6	0.7	0.4	-	1.7	5.0	2.2
	4	7.5	1.8	-	4.8	8.1	3.4	0.5	0.3	-	2.3	3.5	2.2
	5	0.6	0.4	-	2.2	5.1	2.5	*	0.1	-	0.6	0.3	0.5
	6	*	*	-	0.4	1.4	1.0	-	*	-	0.1	*	0.1
	7	-	*	-	0.1	0.1	0.2	-	-	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
Total		----	43.94.8	-	9.9	20.0	8.9	1.3	0.9	-	4.8	9.0	5.2
61	1 - 2	0.3	*	-	*	-	*	-	-	-	-	-	*
	3	3.2	0.1	-	*	*	*	-	-	-	*	0.1	*
	4	1.9	0.1	-	*	*	*	-	-	-	*	0.1	*
	5	0.4	*	-	*	*	*	-	-	-	*	-	*
	6	*	*	-	*	*	*	-	-	-	*	*	*
	7	-	-	-	-	*	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total		----	5.80.2	-	*	0.1	*	-	-	-	*	0.2	*
71	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	-	*	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	0.1	-	*	*	3.2	*	0.2	-	*	-	*
	3	-	*	-	*	-	1.5	-	0.3	-	*	-	0.1
	4	-	*	-	*	-	0.2	-	*	-	-	-	*
	5	-	-	-	*	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	0.1	-	*	4.9	*	0.5	-	*	-	0.1
32	1 - 2	-	0.1	-	*	*	0.1	0.1	0.3	-	*	*	*
	3	-	0.4	-	0.1	*	0.5	0.2	0.7	-	0.2	0.3	0.2
	4	-	0.1	-	0.1	*	0.3	*	0.6	-	*	0.2	0.1
	5	-	*	-	*	-	0.1	-	0.4	-	-	*	*
	6	-	*	-	*	-	*	-	0.1	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	-	0.6	-	0.2	1.0	0.3	2.1	-	0.3	0.5	0.4
42	1 - 2	-	*	-	*	-	*	*	0.1	-	0.1	*	*
	3	0.1	0.4	-	1.0	0.1	0.4	0.4	0.7	-	0.7	0.5	0.6
	4	*	0.5	-	1.5	0.4	0.7	0.1	0.4	-	0.4	0.4	0.4
	5	*	0.1	-	0.6	0.1	0.4	-	0.3	-	*	0.1	0.1
	6	-	*	-	0.1	*	0.1	-	0.1	-	*	*	*
	7	-	*	-	*	-	*	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total		----	0.2	1.1	-	3.2	0.6	0.5	1.6	-	1.2	1.0	1.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 29, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	0.2	*	-	*	-	*	-	*	-	*	-	*
	3	1.2	0.1	-	0.2	0.2	0.1	-	0.1	-	0.1	*	*
	4	0.4	0.1	-	0.6	0.5	0.3	-	*	-	0.1	0.1	0.1
	5	-	0.1	-	0.3	0.2	0.3	-	*	-	*	0.1	*
	6	-	*	-	0.1	0.1	0.2	-	-	-	*	*	*
	7	-	*	-	*	*	*	-	-	-	*	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	*
Total	----	1.9	0.2	-	1.3	0.9	1.0	-	0.2	-	0.2	0.3	0.2
62	1 - 2	-	*	-	-	-	-	-	-	-	-	-	-
	3	0.1	*	-	*	-	-	-	*	-	*	*	*
	4	*	*	-	*	*	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	-	-	*	-	*
	6	-	*	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	*
Total	----	0.1	*	-	*	*	*	-	*	-	*	*	*
13 & 23	1 - 2	-	*	-	-	-	0.2	-	*	-	-	-	*
	3	-	*	-	-	-	*	-	*	-	-	-	*
	4	-	*	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	0.2	-	*	-	-	-	*
33	1 - 2	-	*	-	-	-	*	-	*	-	-	-	*
	3	-	*	-	*	*	*	-	*	-	-	*	*
	4	-	*	-	*	-	*	-	*	-	-	*	*
	5	-	*	-	*	-	*	-	*	-	-	-	*
	6	-	*	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	*	0.1	-	0.1	-	-	0.1	*
43	1 - 2	-	-	-	*	-	-	-	*	-	-	-	*
	3	-	*	-	*	*	*	*	*	-	*	*	*
	4	-	*	-	*	*	*	*	0.1	-	*	*	*
	5	-	*	-	*	*	*	-	*	-	-	*	*
	6	-	*	-	*	-	*	-	*	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	0.1	0.1	0.1	*	0.1	-	*	0.1	0.1
53	1 - 2	*	*	-	-	-	*	-	-	-	-	-	-
	3	0.8	*	-	*	-	*	-	*	-	*	-	*
	4	0.6	*	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.4	*	-	*	-	*	-	*	-	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	-
	4	*	*	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	*	-	*	-	*	-	*	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		-	*	-	*	-	*	-	-	-	*	-	*
32		-	*	-	*	-	*	-	-	-	*	*	0.1
33		1.2	0.6	-	0.1	*	*	-	*	-	0.2	0.4	0.8
34		6.4	3.6	-	0.3	0.3	0.5	-	0.3	-	2.4	3.9	4.8
35		22.3	12.3	-	2.7	3.0	3.0	1.6	2.4	-	12.4	13.3	16.0
36		36.2	24.6	-	13.9	14.9	12.4	24.6	19.1	-	29.2	23.4	31.1
37		31.7	41.0	-	50.6	47.0	45.1	56.7	45.6	-	35.5	35.3	34.6
38		2.2	14.3	-	26.8	24.0	28.0	17.0	21.0	-	15.3	15.4	9.7
39		*	3.1	-	5.1	9.0	9.1	-	10.4	-	4.4	5.1	2.5
40 & Longer		-	0.5	-	0.5	1.7	1.9	-	1.3	-	0.6	3.1	0.4
Average Staple		35.97	36.60	-	37.18	37.25	37.32	36.89	37.21	-	36.64	36.72	36.34
Average Length		1.12	1.14	-	1.16	1.16	1.17	1.15	1.16	-	1.14	1.15	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 29, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.9	4.5	-	4.5	-	*	-	2.0	-	0.4	-	44.5
	3	4.3	5.3	-	2.6	-	*	-	1.8	-	0.3	-	10.8
	4	0.6	1.2	-	*	-	*	-	*	-	*	-	1.0
	5	*	0.1	-	-	-	-	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	5.7	11.1	-	7.1	-	*	-	3.8	-	0.8	-	56.3
31	1 - 2	0.1	1.0	-	9.2	-	1.5	-	3.4	-	5.7	-	8.8
	3	3.3	8.0	-	36.6	-	8.9	-	20.3	-	20.2	-	17.4
	4	2.3	10.0	-	12.3	-	1.8	-	8.6	-	5.8	-	7.7
	5	0.4	2.9	-	0.8	-	*	-	0.6	-	0.3	-	1.2
	6	*	0.4	-	*	-	*	-	*	-	*	-	0.1
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	6.1	22.3	-	58.9	-	12.2	-	32.9	-	32.0	-	35.2
41	1 - 2	*	*	-	0.5	-	2.4	-	0.9	-	3.1	-	*
	3	3.1	1.4	-	10.1	-	38.0	-	18.8	-	30.0	-	0.7
	4	11.8	6.2	-	16.2	-	26.7	-	26.1	-	24.6	-	1.3
	5	14.2	9.1	-	4.9	-	3.2	-	7.3	-	4.5	-	1.4
	6	3.4	4.3	-	0.3	-	0.1	-	0.6	-	0.4	-	0.7
	7	0.3	0.8	-	-	-	*	-	*	-	*	-	0.1
	8	-	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	32.8	21.8	-	32.0	-	70.3	-	53.6	-	62.5	-	4.2
51	1 - 2	-	-	-	*	-	0.2	-	*	-	*	-	-
	3	-	-	-	*	-	4.5	-	1.1	-	0.8	-	-
	4	0.3	*	-	0.4	-	6.0	-	3.3	-	1.7	-	*
	5	1.1	0.5	-	0.3	-	1.4	-	1.5	-	0.8	-	*
	6	1.1	1.3	-	0.1	-	0.1	-	0.2	-	0.2	-	*
	7	0.2	0.9	-	-	-	*	-	*	-	*	-	-
	8	*	0.2	-	-	-	-	-	-	-	*	-	-
Total	----	2.8	2.9	-	0.7	-	12.2	-	6.1	-	3.6	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	*	-	-	-	*	-	-
12 & 22	1 - 2	1.5	1.3	-	0.1	-	-	-	*	-	*	-	0.3
	3	5.3	3.9	-	*	-	*	-	*	-	*	-	0.1
	4	2.0	2.0	-	*	-	-	-	*	-	*	-	0.2
	5	0.1	0.2	-	*	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	8.8	7.4	-	0.1	-	*	-	*	-	*	-	0.6
32	1 - 2	0.3	0.1	-	0.1	-	*	-	*	-	*	-	0.7
	3	6.4	2.7	-	0.3	-	0.1	-	0.2	-	0.1	-	0.5
	4	9.2	5.1	-	0.2	-	*	-	0.1	-	0.1	-	0.9
	5	4.8	3.1	-	*	-	*	-	*	-	*	-	0.6
	6	0.5	0.6	-	*	-	-	-	*	-	-	-	0.2
	7	-	0.1	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	21.1	11.8	-	0.5	-	0.1	-	0.3	-	0.3	-	2.8
42	1 - 2	-	*	-	*	-	0.1	-	*	-	*	-	-
	3	0.3	0.8	-	0.1	-	1.3	-	0.6	-	0.3	-	*
	4	2.3	3.3	-	0.4	-	1.4	-	1.2	-	0.3	-	0.1
	5	3.6	5.5	-	0.1	-	0.4	-	0.5	-	0.1	-	*
	6	1.3	4.2	-	*	-	0.1	-	0.1	-	*	-	*
	7	0.2	1.5	-	-	-	*	-	*	-	*	-	*
	8	0.1	0.2	-	-	-	-	-	-	-	*	-	-
Total	----	7.9	15.5	-	0.6	-	3.4	-	2.4	-	0.7	-	0.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 29, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	*	-	*	-	*	-	-
	3	-	-	-	*	-	0.5	-	0.1	-	*	-	-
	4	-	*	-	*	-	0.8	-	0.2	-	*	-	-
	5	-	0.1	-	*	-	0.3	-	0.3	-	*	-	-
	6	0.1	0.3	-	*	-	*	-	0.1	-	*	-	-
	7	0.2	0.5	-	-	-	*	-	*	-	*	-	-
	8	0.8	0.4	-	-	-	-	-	-	-	*	-	-
Total	----	1.1	1.3	-	*	-	1.6	-	0.7	-	0.1	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	*	-	*	-	*	-	-
13 & 23	1 - 2	*	0.1	-	-	-	-	-	-	-	*	-	-
	3	0.2	0.7	-	-	-	-	-	-	-	*	-	*
	4	0.1	0.5	-	-	-	-	-	-	-	*	-	*
	5	-	0.1	-	-	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.3	1.5	-	-	-	-	-	-	-	*	-	*
33	1 - 2	0.1	*	-	-	-	*	-	*	-	*	-	*
	3	2.3	0.2	-	*	-	*	-	*	-	*	-	0.1
	4	1.7	0.8	-	*	-	*	-	*	-	*	-	0.3
	5	0.7	0.5	-	*	-	-	-	-	-	*	-	0.2
	6	0.1	0.1	-	-	-	-	-	-	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	4.8	1.7	-	*	-	*	-	*	-	*	-	0.6
43	1 - 2	-	-	-	*	-	*	-	-	-	*	-	-
	3	0.9	0.1	-	*	-	*	-	*	-	*	-	*
	4	1.6	0.4	-	*	-	*	-	*	-	*	-	-
	5	3.3	0.9	-	*	-	*	-	*	-	*	-	*
	6	1.5	0.8	-	-	-	*	-	*	-	*	-	*
	7	0.3	0.3	-	-	-	-	-	-	-	*	-	-
	8	*	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	7.5	2.6	-	*	-	0.1	-	*	-	*	-	*
53	1 - 2	-	-	-	-	-	*	-	*	-	-	-	-
	3	-	*	-	-	-	*	-	*	-	*	-	-
	4	-	*	-	-	-	*	-	*	-	*	-	-
	5	0.1	*	-	-	-	*	-	*	-	*	-	-
	6	0.5	*	-	-	-	*	-	*	-	*	-	-
	7	0.4	0.1	-	-	-	-	-	*	-	*	-	-
	8	0.1	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	1.0	0.2	-	-	-	*	-	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	-	0.1	-	-	-	*	-	-	-	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	*	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	*	-	-	-	-	-	*	-	*	-	-
32		-	*	-	-	-	*	-	*	-	*	-	-
33		0.4	0.2	-	0.1	-	*	-	0.2	-	0.1	-	*
34		4.4	1.1	-	1.1	-	0.2	-	2.1	-	1.4	-	2.5
35		11.8	4.4	-	10.0	-	1.8	-	11.5	-	8.3	-	11.5
36		17.6	12.4	-	26.9	-	10.5	-	27.7	-	24.4	-	15.0
37		38.6	32.0	-	42.1	-	49.0	-	36.4	-	48.7	-	31.6
38		24.6	32.5	-	15.0	-	33.2	-	15.0	-	14.1	-	32.7
39		2.5	15.4	-	4.4	-	4.9	-	5.4	-	2.7	-	5.7
40 & Longer		0.1	2.1	-	0.4	-	0.3	-	1.5	-	0.3	-	0.9
Average Staple		36.74	37.45	-	36.75	-	37.29	-	36.72	-	36.74	-	37.02
Average Length		1.15	1.17	-	1.15	-	1.17	-	1.15	-	1.15	-	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Jan 29, 2026											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	30.7	44.8	-	0.3	-	0.4	46.5	44.4	-	0.9
	3	3.0	7.1	*	0.4	-	0.1	6.8	13.1	-	1.3
	4	0.3	0.2	-	*	-	*	0.1	0.9	-	0.1
	5	*	*	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	33.9	52.1	*	0.8	-	0.5	53.4	58.4	-	2.2
31	1 - 2	10.1	14.2	1.9	2.3	-	6.9	13.7	4.1	-	8.7
	3	19.1	18.2	11.2	15.3	-	14.5	11.0	10.2	-	38.2
	4	4.7	3.6	3.5	5.7	-	3.2	1.7	4.0	-	8.3
	5	0.4	0.2	0.1	0.3	-	0.2	*	0.5	-	0.5
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	34.3	36.2	16.7	23.6	-	24.8	26.4	18.8	-	55.6
41	1 - 2	1.5	0.4	0.1	1.9	-	7.7	0.6	0.2	-	1.7
	3	6.0	1.9	11.9	31.3	-	35.8	1.6	1.7	-	21.6
	4	3.3	1.5	37.7	31.4	-	14.2	0.4	1.7	-	15.7
	5	0.2	0.5	25.6	5.0	-	1.8	0.1	0.5	-	2.6
	6	-	0.1	4.2	0.2	-	0.1	0.1	0.1	-	0.1
	7	-	*	0.2	*	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	-	-
Total	----	11.0	4.3	79.8	69.9	-	59.6	2.8	4.3	-	41.8
51	1 - 2	-	*	-	0.1	-	0.2	-	*	-	*
	3	*	*	0.3	1.7	-	2.4	*	0.1	-	*
	4	-	*	1.6	2.3	-	2.2	*	0.1	-	0.1
	5	-	*	0.3	0.6	-	0.5	-	*	-	*
	6	-	*	0.1	0.1	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
Total	----	*	0.1	2.3	4.9	-	5.3	*	0.2	-	0.2
61	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	*	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	3.3	2.2	-	-	-	*	9.7	6.8	-	-
	3	1.3	1.0	-	*	-	*	1.0	3.7	-	*
	4	0.4	0.1	-	-	-	*	0.1	0.6	-	*
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	5.0	3.3	-	*	-	*	10.8	11.1	-	*
32	1 - 2	3.3	0.4	-	*	-	0.2	0.9	0.6	-	*
	3	3.7	1.3	-	0.1	-	0.5	1.1	1.7	-	*
	4	0.8	0.5	-	0.1	-	0.1	0.4	1.2	-	*
	5	*	0.1	-	*	-	*	*	0.3	-	*
	6	-	*	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	7.8	2.3	-	0.1	-	0.8	2.4	3.9	-	0.1
42	1 - 2	0.1	*	-	*	-	0.9	*	*	-	*
	3	0.2	0.1	-	0.2	-	5.0	0.1	0.3	-	*
	4	0.4	0.2	0.5	0.4	-	1.5	0.3	0.5	-	*
	5	0.4	0.1	0.5	0.1	-	0.1	0.1	0.3	-	*
	6	0.1	*	-	*	-	*	*	0.1	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	1.2	0.5	1.0	0.7	-	7.5	0.5	1.2	-	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Jan 29, 2026											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	*	-	*	-	-
	3	-	*	-	*	-	0.7	-	*	-	-
	4	*	*	-	0.1	-	0.5	-	*	-	*
	5	-	*	*	*	-	0.1	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	*	*	*	0.1	-	1.3	-	0.1	-	*
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	*	-	-	-	*	-	*	-	-
13 & 23	1 - 2	1.5	0.2	-	-	-	-	1.8	0.6	-	-
	3	1.0	0.2	-	-	-	-	0.4	0.4	-	*
	4	*	*	-	*	-	-	0.1	0.1	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	2.6	0.4	-	*	-	-	2.3	1.1	-	*
33	1 - 2	1.3	0.1	-	-	-	*	0.3	0.1	-	-
	3	2.4	0.3	-	*	-	*	0.2	0.3	-	*
	4	0.2	0.1	-	*	-	*	0.4	0.2	-	*
	5	*	*	-	*	-	-	0.2	0.1	-	*
	6	-	*	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	3.9	0.6	-	*	-	*	1.0	0.7	-	*
43	1 - 2	-	*	-	*	-	*	*	*	-	-
	3	-	*	-	*	-	*	*	*	-	*
	4	-	*	*	*	-	*	*	*	-	*
	5	-	*	0.1	*	-	*	*	*	-	*
	6	-	*	-	-	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	0.1	0.1	*	-	*	*	0.1	-	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	*	-	*	-	*	-	-
	4	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	-
	6	*	*	-	-	-	-	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	*	*	-	*	-	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	*	-	-
24 - 54	1 - 8	0.2	0.1	-	*	-	-	0.5	0.1	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	*	-	-
30		-	-	-	-	-	-	-	*	-	-
31		-	*	-	-	-	-	-	*	-	-
32		*	*	-	*	-	*	1.4	0.6	-	*
33		6.5	0.4	0.2	0.2	-	0.1	6.9	2.7	-	*
34		7.5	1.9	4.1	2.0	-	2.6	15.9	8.3	-	0.6
35		16.2	6.8	44.5	10.1	-	9.5	27.3	15.5	-	5.4
36		16.1	13.6	29.1	33.7	-	30.9	24.6	22.0	-	23.0
37		21.2	27.2	12.4	40.7	-	44.3	16.7	31.7	-	55.4
38		20.1	19.7	5.6	10.2	-	11.3	3.0	13.8	-	12.8
39		8.1	17.8	3.1	2.7	-	1.3	0.4	4.2	-	2.6
40 & Longer		4.3	12.6	0.9	0.4	-	0.1	3.7	1.1	-	0.1
Average Staple		36.52	37.61	35.83	36.56	-	36.56	35.66	36.35	-	36.82
Average Length		1.14	1.17	1.12	1.14	-	1.14	1.11	1.13	-	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 29, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	3.6	0.6	-	*	0.4	0.2	0.6	0.2	-	1.5	1.7	1.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	0.1	-	0.1	0.3	0.1	0.2	1.1	-	0.1	*	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	-	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	0.1	-	1.0	-	*	-	-	-	0.3	0.1	0.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	-	-	-	-	-
23	-	*	-	*	*	*	-	-	-	-	*	*
24	-	*	-	*	*	*	-	*	-	-	0.1	*
25	-	*	-	*	0.1	0.1	-	*	-	*	0.5	0.1
26	1.0	0.2	-	*	3.0	0.6	0.3	0.3	-	*	3.0	0.7
27	4.8	1.6	-	0.2	3.9	2.0	6.7	2.2	-	0.4	8.4	3.6
28	27.7	8.3	-	1.9	9.0	7.3	14.8	10.8	-	3.3	14.8	11.1
29	21.8	21.7	-	11.6	20.3	15.2	30.5	20.3	-	13.1	23.3	21.0
30	28.0	29.0	-	34.3	22.9	22.3	33.1	19.0	-	26.8	20.8	24.9
31	12.9	21.4	-	33.3	22.7	21.7	11.3	12.8	-	27.4	15.4	19.2
32	3.7	11.1	-	13.5	12.0	14.5	0.9	4.4	-	16.9	8.6	11.1
33	*	4.5	-	3.9	4.4	8.2	1.6	4.1	-	7.3	3.7	5.2
34	0.1	1.6	-	1.0	1.1	4.9	0.7	7.6	-	3.8	1.1	2.1
35	*	0.4	-	0.2	0.3	2.0	*	9.7	-	0.9	0.3	0.7
36	-	0.1	-	0.1	0.1	0.8	-	6.3	-	0.1	*	0.2
37	-	*	-	*	*	0.3	-	2.0	-	*	*	0.1
38	-	*	-	*	*	*	-	0.2	-	-	-	*
39	-	-	-	*	*	*	-	0.1	-	-	-	*
40 & Above	-	-	-	*	*	*	-	0.1	-	-	-	*
Average	29.72	30.67	-	31.07	30.48	31.19	29.86	31.62	-	31.27	30.02	30.59
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	*	-	-	-	-	-	-	-	-	-	-
2.6	-	*	-	-	-	*	-	-	-	-	-	*
2.7	-	*	-	-	*	*	-	*	-	-	-	*
2.8	-	*	-	*	0.1	*	-	-	-	-	-	*
2.9	-	*	-	-	*	*	-	0.1	-	-	-	*
3.0	-	*	-	*	0.3	*	-	*	-	-	0.1	*
3.1	-	*	-	*	0.2	0.1	-	0.3	-	*	0.1	*
3.2	-	*	-	*	1.1	0.2	-	0.2	-	0.1	0.2	0.1
3.3	0.4	0.1	-	*	0.9	0.2	0.2	0.2	-	0.1	0.9	0.2
3.4	2.4	0.4	-	*	0.6	0.3	*	0.3	-	0.1	1.6	0.3
3.5	3.8	0.8	-	*	1.3	0.4	0.6	0.7	-	0.5	2.8	0.6
3.6	4.0	1.1	-	0.1	2.0	0.8	2.4	1.3	-	0.7	5.2	1.2
3.7	7.3	2.0	-	0.1	2.8	1.4	8.1	2.7	-	1.2	6.3	1.9
3.8	3.6	3.0	-	0.1	4.0	1.8	4.4	5.1	-	1.3	7.3	2.9
3.9	4.0	4.4	-	0.3	4.3	2.8	13.7	8.2	-	2.1	7.9	4.1
4.0	6.0	5.9	-	0.6	5.9	4.3	18.5	10.4	-	3.4	8.8	5.6
4.1	17.5	8.0	-	1.0	7.2	6.6	15.9	11.5	-	5.6	8.1	7.4
4.2	12.9	9.8	-	1.8	8.2	8.6	10.5	11.6	-	7.1	10.6	8.9
4.3	8.8	10.8	-	3.1	13.1	10.5	4.4	8.2	-	9.7	8.4	9.8
4.4	10.0	10.7	-	5.0	13.8	11.4	2.4	5.6	-	12.3	7.1	10.0
4.5	4.4	10.1	-	7.8	8.0	11.8	8.0	6.0	-	13.0	5.9	9.7
4.6	2.5	9.0	-	11.7	7.4	11.2	8.5	6.0	-	11.2	4.6	9.2
4.7	2.0	7.1	-	14.5	6.4	8.7	0.8	5.8	-	12.4	3.2	8.3
4.8	1.9	5.6	-	15.4	3.3	6.5	0.7	4.5	-	8.4	3.2	6.7
4.9	1.6	4.3	-	13.7	3.0	5.0	0.3	3.7	-	5.2	2.9	5.1
5.0	1.5	2.8	-	10.9	1.5	3.3	0.4	2.6	-	3.2	2.5	3.6
5.1	1.4	1.8	-	7.0	0.3	1.4	*	2.3	-	1.7	1.5	2.3
5.2	1.7	1.1	-	4.1	1.3	1.1	-	1.1	-	0.5	0.5	1.2
5.3	1.5	0.7	-	1.9	1.9	0.8	-	0.9	-	0.1	0.2	0.6
5.4	0.8	0.3	-	0.6	0.9	0.3	-	0.6	-	0.1	*	0.2
5.5 & Above	-	0.2	-	0.2	*	0.4	-	0.2	-	0.1	-	0.1
Average	4.19	4.39	-	4.76	4.31	4.44	4.11	4.30	-	4.48	4.17	4.42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 29, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	52.8	37.1	-	0.1	-	*	-	*	-	1.6	-	2.9
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	*	-	*	-	*	-	*	-	0.6
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.1	-	0.4	-	0.2	-	0.3	-	0.5	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	-	-	-	-	*
23	-	*	-	-	-	*	-	-	-	-	-	-
24	-	*	-	-	-	*	-	*	-	*	-	-
25	*	0.1	-	*	-	*	-	*	-	*	-	*
26	0.3	0.4	-	*	-	*	-	0.1	-	0.3	-	0.2
27	1.0	1.0	-	0.5	-	0.1	-	1.0	-	2.3	-	1.8
28	2.7	2.0	-	4.4	-	0.7	-	4.8	-	10.9	-	7.0
29	5.3	3.7	-	19.0	-	8.1	-	15.6	-	28.2	-	21.0
30	10.8	8.5	-	33.2	-	36.8	-	26.9	-	31.5	-	32.3
31	21.0	16.9	-	21.1	-	35.8	-	26.3	-	17.3	-	19.3
32	24.8	24.5	-	11.7	-	13.1	-	16.1	-	6.9	-	12.5
33	21.3	23.0	-	5.1	-	4.5	-	6.5	-	2.0	-	4.3
34	9.4	13.3	-	2.9	-	1.0	-	2.3	-	0.4	-	1.5
35	2.9	5.2	-	1.8	-	0.1	-	0.4	-	0.1	-	0.1
36	0.3	1.0	-	0.2	-	*	-	*	-	*	-	-
37	0.2	0.2	-	*	-	*	-	*	-	-	-	*
38	*	0.1	-	*	-	*	-	*	-	-	-	-
39	*	*	-	-	-	-	-	-	-	-	-	-
40 & Above	-	*	-	-	-	-	-	*	-	-	-	-
Average	32.21	32.55	-	30.97	-	31.15	-	31.06	-	30.26	-	30.67
Mike												
2.4 & Below	0.1	0.2	-	-	-	-	-	-	-	-	-	-
2.5	0.4	1.0	-	-	-	-	-	-	-	*	-	*
2.6	1.3	1.2	-	*	-	-	-	-	-	-	-	*
2.7	2.0	1.7	-	*	-	-	-	-	-	*	-	0.2
2.8	2.6	2.1	-	-	-	-	-	-	-	*	-	2.8
2.9	3.2	2.3	-	*	-	-	-	-	-	*	-	2.9
3.0	4.5	2.7	-	*	-	-	-	-	-	*	-	1.4
3.1	3.1	3.1	-	*	-	*	-	-	-	*	-	0.9
3.2	3.1	3.9	-	*	-	*	-	*	-	0.1	-	1.4
3.3	6.1	4.3	-	*	-	*	-	*	-	0.2	-	1.0
3.4	7.0	5.4	-	0.1	-	*	-	*	-	0.3	-	0.8
3.5	6.4	5.8	-	0.1	-	*	-	0.1	-	0.5	-	1.0
3.6	8.3	6.5	-	0.1	-	0.1	-	0.1	-	0.9	-	1.2
3.7	8.3	6.7	-	0.2	-	0.2	-	0.2	-	1.5	-	3.1
3.8	7.7	6.6	-	0.3	-	0.4	-	0.3	-	2.4	-	5.2
3.9	6.4	6.2	-	0.6	-	0.6	-	0.4	-	3.5	-	7.9
4.0	6.1	6.6	-	1.3	-	1.4	-	0.8	-	4.9	-	7.1
4.1	4.4	7.1	-	2.2	-	2.4	-	1.3	-	7.0	-	7.1
4.2	3.7	5.8	-	3.4	-	4.3	-	2.0	-	9.3	-	7.5
4.3	2.3	6.0	-	4.9	-	6.7	-	3.0	-	11.6	-	9.7
4.4	1.9	4.9	-	6.3	-	9.8	-	4.5	-	12.2	-	8.1
4.5	3.3	3.5	-	8.2	-	13.0	-	6.2	-	11.3	-	9.1
4.6	3.4	2.2	-	9.7	-	15.1	-	8.7	-	10.2	-	7.1
4.7	3.2	1.8	-	11.2	-	15.7	-	11.2	-	8.5	-	6.1
4.8	1.2	1.3	-	12.6	-	13.3	-	13.6	-	6.0	-	4.6
4.9	0.2	0.6	-	11.7	-	8.6	-	14.6	-	4.1	-	2.5
5.0	-	0.2	-	9.6	-	4.9	-	13.3	-	2.7	-	1.0
5.1	-	*	-	7.7	-	2.3	-	9.9	-	1.5	-	0.1
5.2	-	*	-	4.4	-	0.9	-	5.7	-	0.7	-	0.1
5.3	-	-	-	2.6	-	0.3	-	2.6	-	0.3	-	*
5.4	-	-	-	1.3	-	0.1	-	1.0	-	0.1	-	-
5.5 & Above	-	-	-	1.4	-	*	-	0.4	-	*	-	-
Average	3.68	3.77	-	4.74	-	4.61	-	4.80	-	4.41	-	4.13

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Jan 29, 2026										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	15.3	3.0	17.5	3.6	-	*	11.5	4.5	-	1.3
Bark - Level 2	-	*	-	-	-	-	-	*	-	-
Grass - Level 1	*	0.1	-	0.1	-	*	0.1	0.2	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	*	*	-	*	-	-	-	*	-	*
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	0.7	1.7	-	*	0.7	0.3	-	0.6
Seed Coat - Level 2	-	*	-	-	-	-	-	*	-	-
Oil - Level 1	-	*	-	*	-	-	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	*	-	-
Other - Level 1	-	*	-	-	-	-	*	*	-	-
Other - Level 2	-	*	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	-	*	*	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	*	-	-	-	-	*	*	-	-
23	-	*	-	-	-	-	0.1	*	-	-
24	-	*	-	*	-	*	0.3	0.1	-	*
25	*	*	*	*	-	*	1.2	0.2	-	*
26	0.2	0.2	0.4	0.4	-	*	3.3	0.8	-	1.1
27	1.2	0.8	3.1	2.6	-	0.5	7.5	2.9	-	6.2
28	7.0	3.2	15.6	12.6	-	3.8	13.8	7.8	-	19.0
29	12.6	8.8	31.6	34.7	-	21.0	19.4	15.8	-	32.2
30	15.0	15.3	26.9	30.2	-	38.7	18.0	20.9	-	25.7
31	20.1	18.7	12.1	13.3	-	24.7	13.8	18.6	-	11.1
32	17.7	16.7	7.7	4.8	-	8.2	10.4	13.3	-	3.6
33	11.7	14.9	2.3	1.2	-	2.4	7.3	9.3	-	0.8
34	4.8	11.1	0.3	0.2	-	0.7	3.3	6.1	-	0.2
35	4.1	6.2	*	*	-	0.1	1.0	2.7	-	*
36	4.9	2.6	-	*	-	*	0.4	0.9	-	*
37	0.7	1.3	-	*	-	*	0.2	0.3	-	-
38	-	0.3	-	-	-	-	0.1	0.1	-	-
39	-	*	-	-	-	-	*	*	-	-
40 & Above	-	*	-	-	-	-	*	*	-	-
Average	31.77	32.26	30.07	30.02	-	30.66	30.33	31.19	-	29.73
Mike										
2.4 & Below	-	*	-	-	-	-	0.2	*	-	-
2.5	-	*	-	-	-	-	0.1	*	-	-
2.6	-	*	-	-	-	-	0.2	0.1	-	-
2.7	-	0.1	-	-	-	*	0.5	0.2	-	*
2.8	-	0.1	-	*	-	*	0.8	0.3	-	*
2.9	*	0.1	-	*	-	*	0.7	0.4	-	*
3.0	-	0.1	-	*	-	*	0.9	0.6	-	0.1
3.1	*	0.3	-	*	-	*	1.2	0.8	-	0.1
3.2	0.6	0.5	-	0.1	-	*	1.8	1.2	-	0.1
3.3	0.8	0.8	0.2	0.2	-	*	2.6	1.6	-	0.3
3.4	1.4	1.1	0.8	0.3	-	0.1	3.4	2.1	-	0.4
3.5	1.2	1.6	0.8	0.5	-	0.3	4.0	2.7	-	0.7
3.6	3.4	2.7	3.0	0.9	-	0.3	4.4	3.4	-	1.3
3.7	3.9	4.0	7.3	1.9	-	0.8	4.9	4.1	-	2.6
3.8	4.3	5.4	6.7	2.8	-	1.1	4.7	5.1	-	3.9
3.9	6.8	7.1	13.5	4.3	-	1.7	5.9	6.3	-	6.7
4.0	8.7	8.6	13.8	5.8	-	2.5	6.6	7.4	-	9.2
4.1	10.1	10.0	19.6	7.3	-	3.9	6.8	8.5	-	11.5
4.2	8.8	10.2	17.5	8.7	-	5.3	7.1	9.5	-	14.1
4.3	8.6	10.9	6.6	9.9	-	6.7	7.9	9.7	-	14.5
4.4	12.3	10.0	4.8	10.4	-	9.5	7.7	9.2	-	12.7
4.5	9.9	9.3	3.0	10.4	-	11.8	7.7	8.0	-	9.1
4.6	6.6	7.3	1.9	9.7	-	13.4	6.3	6.5	-	5.9
4.7	6.9	5.0	0.7	8.5	-	13.4	5.1	4.8	-	3.2
4.8	4.0	2.8	*	6.7	-	11.8	3.0	3.2	-	1.8
4.9	1.5	1.3	-	4.9	-	8.1	2.4	1.9	-	1.1
5.0	0.1	0.5	-	3.3	-	5.4	1.4	1.1	-	0.6
5.1	*	0.1	-	1.9	-	2.7	1.1	0.6	-	0.2
5.2	-	*	-	1.0	-	1.0	0.4	0.3	-	*
5.3	-	*	-	0.4	-	0.3	0.3	0.2	-	*
5.4	-	-	-	0.2	-	*	0.1	0.1	-	*
5.5 & Above	-	*	-	0.1	-	*	*	0.1	-	*
Average	4.22	4.20	4.05	4.41	-	4.56	4.10	4.16	-	4.23

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE												
For The Week Ending Jan 29, 2026												
Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	*	-	-	-	*	-	-	-	-	-	*
2.7 - 2.9	-	*	-	*	0.2	0.1	-	0.1	-	-	-	*
3.0 - 3.2	-	0.1	-	*	1.6	0.3	-	0.5	-	0.1	0.4	0.1
3.3 - 3.4	2.7	0.6	-	*	1.5	0.5	0.2	0.6	-	0.1	2.5	0.5
3.5 - 3.6	7.9	1.9	-	0.1	3.3	1.3	3.0	1.9	-	1.2	8.1	1.8
3.7 - 4.2	51.3	33.0	-	4.0	32.4	25.6	71.2	49.6	-	20.7	49.0	30.8
4.3 - 4.9	31.1	57.6	-	71.1	55.0	65.0	25.1	39.8	-	72.1	35.4	58.8
5.0 - 5.2	4.7	5.7	-	22.0	3.1	5.7	0.4	6.0	-	5.4	4.4	7.1
5.3 & Above	2.3	1.1	-	2.8	2.9	1.5	-	1.6	-	0.3	0.2	0.9
Average	4.19	4.39	-	4.76	4.31	4.44	4.11	4.30	-	4.48	4.17	4.42
Leaf												
1 - 2	10.3	15.4	-	2.1	21.9	34.3	44.8	42.3	-	7.8	12.8	14.8
3	60.7	55.1	-	39.0	46.0	35.4	47.6	41.6	-	52.7	61.3	58.6
4	25.1	25.3	-	45.6	22.4	20.7	7.4	12.2	-	34.5	22.6	23.5
5	3.7	3.8	-	11.9	7.8	7.3	0.2	3.3	-	4.8	3.1	2.9
6	0.2	0.3	-	1.3	1.7	1.8	-	0.7	-	0.3	0.2	0.2
7	-	*	-	0.1	0.1	0.4	-	-	-	*	-	*
8	-	*	-	-	-	*	-	-	-	-	-	*
Average	3.22	3.18	-	3.72	3.19	3.02	2.48	2.71	-	3.37	3.16	3.15
HVI Trash 1/												
00	-	-	-	-	*	*	*	*	-	-	-	-
01	1.0	2.0	-	0.1	6.2	13.5	21.1	15.5	-	0.9	0.8	1.4
02	13.5	17.6	-	3.1	20.4	26.1	28.2	32.0	-	9.4	18.1	19.8
03	34.8	28.2	-	14.7	25.3	19.2	28.6	24.6	-	23.4	33.9	32.0
04	26.9	23.9	-	24.5	20.8	15.0	14.8	13.6	-	28.1	26.1	23.6
05	13.6	14.5	-	22.9	12.7	10.3	5.5	6.7	-	19.3	12.0	12.7
06	6.1	7.5	-	15.9	6.6	6.6	1.4	3.4	-	10.3	5.5	5.9
07	2.4	3.6	-	9.4	3.8	4.0	0.2	1.9	-	4.8	2.0	2.6
08	0.9	1.6	-	4.9	2.2	2.3	0.1	1.2	-	2.2	0.9	1.1
09	0.5	0.7	-	2.5	1.1	1.4	*	0.6	-	0.9	0.4	0.5
10	0.1	0.3	-	1.2	0.5	0.7	*	0.3	-	0.5	0.1	0.2
11	0.2	0.1	-	0.5	0.2	0.4	-	0.1	-	0.2	*	0.1
12	*	0.1	-	0.2	0.1	0.2	-	*	-	0.1	*	*
13	*	*	-	0.1	*	0.1	-	*	-	*	*	*
14	-	*	-	*	-	0.1	-	*	-	*	*	*
15	-	*	-	*	-	*	-	-	-	*	-	*
16	-	*	-	-	-	*	-	-	-	*	-	*
17	-	*	-	-	-	*	-	-	-	*	*	*
18 & Above	-	*	-	-	*	*	-	-	-	*	-	*
Average	0.38	0.38	-	0.51	0.37	0.35	0.26	0.30	-	0.43	0.36	0.37
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	*	*	-	-	-	-	-	*
76	-	*	-	*	*	*	-	*	-	*	-	*
77	0.1	*	-	*	0.2	0.1	-	*	-	*	*	0.1
78	0.3	0.4	-	0.1	1.5	0.3	*	0.8	-	0.1	0.4	0.9
79	7.5	2.9	-	0.5	2.7	2.0	1.4	5.0	-	1.1	3.7	5.5
80	43.5	14.0	-	3.9	14.3	12.7	36.6	26.3	-	7.8	13.1	21.3
81	36.0	31.9	-	20.5	45.3	36.4	56.2	30.6	-	37.1	32.7	36.3
82	11.7	34.3	-	42.8	28.4	38.4	5.7	22.7	-	41.9	32.0	26.4
83	0.8	14.3	-	27.7	7.3	9.4	*	11.3	-	10.9	15.5	8.1
84	*	1.9	-	4.3	0.3	0.8	-	3.2	-	1.1	2.2	1.3
85 & Above	-	0.2	-	0.3	*	*	-	0.1	-	0.1	0.2	0.1
Average	80.99	81.93	-	82.52	81.64	81.87	81.11	81.62	-	82.02	81.94	81.56
Tenderable 3/	78.2	90.0	-	70.1	87.0	86.4	97.9	87.1	-	91.0	88.9	88.4
SAMPLES CLASSED	6,171	545,942	-	1,385,725	16,208	187,616	6,655	80,029	-	90,067	12,747	1,720,963

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Jan 29, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	0.1	0.2	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	1.7	2.2	-	*	-	-	-	-	-	*	-	*
2.7 - 2.9	7.8	6.1	-	*	-	-	-	-	-	*	-	5.9
3.0 - 3.2	10.7	9.7	-	*	-	*	-	*	-	0.2	-	3.7
3.3 - 3.4	13.1	9.7	-	0.1	-	*	-	*	-	0.5	-	1.8
3.5 - 3.6	14.7	12.3	-	0.2	-	0.1	-	0.2	-	1.4	-	2.3
3.7 - 4.2	36.6	39.1	-	8.1	-	9.2	-	5.0	-	28.6	-	37.9
4.3 - 4.9	15.4	20.4	-	64.6	-	82.1	-	61.8	-	64.0	-	47.1
5.0 - 5.2	-	0.3	-	21.7	-	8.1	-	29.0	-	4.9	-	1.2
5.3 & Above	-	-	-	5.2	-	0.5	-	4.0	-	0.4	-	*
Average	3.68	3.77	-	4.74	-	4.61	-	4.80	-	4.41	-	4.13
Leaf												
1 - 2	2.8	7.1	-	14.2	-	4.2	-	6.3	-	9.3	-	54.3
3	25.9	23.0	-	49.8	-	53.4	-	42.8	-	51.8	-	29.7
4	32.0	29.6	-	29.5	-	36.8	-	39.7	-	32.6	-	11.4
5	28.2	23.0	-	6.1	-	5.3	-	10.1	-	5.8	-	3.5
6	8.6	12.0	-	0.4	-	0.3	-	1.0	-	0.6	-	1.0
7	1.5	4.2	-	-	-	*	-	*	-	0.1	-	0.2
8	1.1	1.1	-	-	-	-	-	-	-	*	-	-
Average	4.23	4.26	-	3.28	-	3.44	-	3.57	-	3.37	-	2.56
HVI Trash 1/												
00	-	-	-	-	-	*	-	-	-	-	-	-
01	0.2	1.6	-	1.9	-	0.2	-	0.5	-	0.8	-	21.3
02	5.9	7.1	-	15.0	-	6.4	-	7.7	-	11.1	-	36.4
03	13.0	10.5	-	24.4	-	23.5	-	19.0	-	24.4	-	19.0
04	12.4	12.3	-	23.2	-	28.7	-	23.6	-	25.5	-	10.4
05	11.3	12.3	-	16.2	-	20.7	-	19.9	-	18.3	-	6.2
06	13.6	11.0	-	9.6	-	11.2	-	13.3	-	10.5	-	2.9
07	12.1	9.6	-	5.2	-	5.3	-	7.9	-	5.2	-	1.9
08	9.3	8.4	-	2.5	-	2.3	-	4.2	-	2.4	-	1.0
09	7.5	6.9	-	1.2	-	1.0	-	2.1	-	1.0	-	0.5
10	5.2	5.3	-	0.5	-	0.4	-	1.0	-	0.4	-	0.2
11	3.7	4.2	-	0.2	-	0.2	-	0.5	-	0.2	-	0.1
12	2.0	3.2	-	0.1	-	0.1	-	0.2	-	0.1	-	0.1
13	1.3	2.4	-	*	-	*	-	0.1	-	*	-	*
14	0.8	1.7	-	*	-	*	-	*	-	*	-	-
15	0.6	1.1	-	-	-	*	-	*	-	*	-	-
16	0.3	0.8	-	-	-	-	-	-	-	*	-	-
17	0.3	0.5	-	-	-	-	-	-	-	*	-	-
18 & Above	0.5	0.9	-	-	-	-	-	-	-	*	-	-
Average	0.64	0.67	-	0.41	-	0.44	-	0.47	-	0.43	-	0.27
UNIFORMITY 2/												
74 & Below	*	*	-	-	-	-	-	-	-	*	-	-
75	0.1	0.1	-	-	-	-	-	-	-	*	-	*
76	0.8	0.5	-	-	-	*	-	*	-	*	-	0.1
77	2.5	1.7	-	-	-	*	-	*	-	*	-	0.2
78	5.5	3.8	-	0.1	-	0.1	-	0.2	-	0.6	-	2.4
79	11.9	7.9	-	1.2	-	0.2	-	1.3	-	3.0	-	6.7
80	25.4	17.6	-	7.1	-	2.1	-	8.8	-	11.0	-	17.5
81	33.9	31.9	-	30.1	-	16.6	-	30.1	-	27.2	-	37.5
82	15.2	24.4	-	40.4	-	50.4	-	38.1	-	35.3	-	27.6
83	4.1	10.1	-	18.5	-	27.8	-	18.1	-	19.9	-	7.7
84	0.6	1.8	-	2.6	-	2.5	-	3.3	-	2.7	-	0.3
85 & Above	-	0.1	-	0.1	-	0.2	-	0.1	-	0.2	-	*
Average	80.91	81.40	-	82.20	-	82.56	-	82.18	-	82.10	-	81.48
Tenderable 3/	25.2	35.6	-	71.5	-	86.7	-	63.7	-	90.7	-	84.9
SAMPLES CLASSED	5,498	134,274	-	223,299	-	673,714	-	706,510	-	653,675	-	10,327

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 29, 2026

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	*	-	-	-	-	0.2	*	-	-
2.5 - 2.6	-	0.1	-	-	-	-	0.3	0.1	-	-
2.7 - 2.9	*	0.2	-	*	-	*	2.0	0.8	-	*
3.0 - 3.2	0.6	0.9	-	0.1	-	*	3.9	2.6	-	0.3
3.3 - 3.4	2.2	1.9	1.0	0.5	-	0.2	6.0	3.7	-	0.6
3.5 - 3.6	4.5	4.3	3.8	1.3	-	0.6	8.3	6.1	-	2.0
3.7 - 4.2	42.6	45.2	78.2	30.7	-	15.1	36.1	40.9	-	48.0
4.3 - 4.9	49.8	46.7	17.0	60.4	-	74.7	39.9	43.3	-	48.2
5.0 - 5.2	0.2	0.7	-	6.2	-	9.0	2.9	2.0	-	0.8
5.3 & Above	-	*	-	0.7	-	0.3	0.4	0.3	-	*
Average	4.22	4.20	4.05	4.41	-	4.56	4.10	4.16	-	4.23
Leaf										
1 - 2	51.8	62.3	2.1	4.5	-	16.4	73.9	56.9	-	11.3
3	36.9	30.2	23.5	49.0	-	59.0	22.2	31.5	-	61.2
4	10.2	6.3	43.3	40.1	-	21.8	3.4	9.4	-	24.3
5	1.0	1.1	26.6	6.1	-	2.7	0.4	1.8	-	3.1
6	0.1	0.2	4.3	0.3	-	0.2	0.1	0.3	-	0.1
7	-	*	0.2	*	-	*	*	*	-	*
8	-	*	-	-	-	-	-	*	-	-
Average	2.43	2.26	4.08	3.49	-	3.11	2.07	2.42	-	3.20
HVI Trash 1/										
00	*	*	-	-	-	*	0.2	0.1	-	-
01	25.0	32.2	-	0.2	-	2.0	39.7	27.6	-	0.5
02	28.0	33.2	2.9	6.5	-	17.1	37.6	34.1	-	12.5
03	21.4	18.3	9.1	22.2	-	29.7	14.0	18.3	-	29.6
04	14.0	9.1	17.6	27.5	-	24.7	5.0	9.7	-	26.5
05	7.1	4.0	21.7	21.5	-	14.2	2.1	5.1	-	16.0
06	2.7	1.7	17.2	12.3	-	6.8	0.9	2.7	-	8.3
07	1.1	0.8	14.0	5.8	-	3.1	0.4	1.3	-	3.9
08	0.3	0.4	8.7	2.4	-	1.3	0.1	0.6	-	1.7
09	0.2	0.2	4.9	0.9	-	0.6	*	0.3	-	0.7
10	0.1	0.1	2.4	0.4	-	0.2	*	0.1	-	0.2
11	*	0.1	0.7	0.1	-	0.1	*	0.1	-	0.1
12	*	*	0.4	*	-	*	*	*	-	*
13	-	*	0.2	*	-	*	-	*	-	*
14	-	*	0.1	*	-	*	-	*	-	*
15	-	*	*	*	-	*	-	*	-	*
16	-	*	-	*	-	-	-	*	-	*
17	-	*	-	-	-	-	-	*	-	*
18 & Above	-	*	-	*	-	-	-	*	-	*
Average	0.27	0.23	0.57	0.45	-	0.38	0.20	0.25	-	0.40
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	*	*	-	-
75	-	*	-	*	-	-	0.1	*	-	-
76	*	*	-	*	-	*	0.5	0.2	-	*
77	0.2	0.2	*	0.1	-	*	1.3	0.9	-	*
78	3.3	1.1	1.0	0.5	-	0.1	6.6	3.9	-	0.2
79	13.1	5.6	5.7	3.8	-	0.6	20.4	12.7	-	1.3
80	28.4	18.6	22.8	16.7	-	6.9	33.0	26.2	-	8.2
81	33.7	31.7	54.7	32.9	-	32.7	24.3	29.6	-	27.9
82	12.7	25.7	14.0	32.4	-	43.1	9.3	18.1	-	38.3
83	7.9	13.4	1.6	12.4	-	15.6	3.6	6.7	-	21.1
84	0.7	3.5	0.2	1.1	-	0.9	0.6	1.5	-	2.9
85 & Above	-	0.3	-	0.1	-	0.1	0.2	0.2	-	0.2
Average	81.09	81.75	81.27	81.80	-	82.14	80.62	81.14	-	82.23
Tenderable 3/	78.9	92.0	77.8	86.4	-	82.3	72.3	82.4	-	96.1
SAMPLES CLASSED	5,413	395,908	4,044	283,887	-	340,307	33,898	5,088,872	-	172,921

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 29, 2026

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	13.4	8.7	3.0	5.3	-	-	14.5	16.1
	2	8.9	2.2	0.9	6.4	-	-	28.4	18.8
	3	*	*	*	0.1	-	-	0.5	0.6
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		22.4	10.9	3.9	11.8	-	-	43.4	35.4
02	1	32.2	41.5	10.7	4.7	-	-	4.7	13.0
	2	20.0	17.3	39.8	34.0	-	-	41.7	41.8
	3	-	0.1	8.9	8.7	-	-	5.4	3.5
	4	-	-	0.1	0.1	-	-	-	0.1
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		52.2	58.9	59.5	47.5	-	-	51.7	58.4
03	1	8.0	9.1	0.3	0.2	-	-	-	0.3
	2	14.7	17.3	15.5	14.6	-	-	1.2	4.5
	3	0.1	0.7	15.1	19.0	-	-	0.7	0.9
	4	-	-	3.4	2.0	-	-	-	0.1
	5	-	-	0.1	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		22.8	27.0	34.4	35.9	-	-	1.9	5.9
04	1	0.5	0.3	*	*	-	-	-	-
	2	1.8	2.2	0.1	0.6	-	-	0.5	0.1
	3	0.2	0.5	0.9	2.4	-	-	1.1	0.1
	4	-	*	0.7	1.0	-	-	0.6	0.1
	5	-	-	*	0.1	-	-	0.1	*
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		2.5	2.9	1.7	4.1	-	-	2.2	0.3
05	1	-	-	-	*	-	-	-	-
	2	0.2	0.1	*	0.1	-	-	-	-
	3	-	*	0.2	0.3	-	-	0.6	*
	4	-	-	0.2	0.3	-	-	0.2	*
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.2	0.2	0.4	0.6	-	-	0.7	*
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	*	0.1	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	*	0.1	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	0.1	-	-	-	-
STAPLE									
44 & Shorter		-	*	-	2.1	-	-	8.1	12.1
46		3.4	14.6	0.7	7.3	-	-	28.3	47.0
48		62.9	72.1	26.3	44.6	-	-	55.4	36.1
50		33.5	13.0	61.2	43.7	-	-	8.3	4.4
52 & Longer		0.2	0.3	11.8	2.3	-	-	-	0.4
Average Staple		48.61	47.98	49.68	48.74	-	-	47.28	46.68
Average Length		1.41	1.39	1.44	1.42	-	-	1.38	1.36
EXTRANEIOUS MATTER									
Bark		-	-	*	*	-	-	0.5	*
Grass		-	-	-	0.3	-	-	0.6	0.9
Spindle Twist		-	-	0.1	0.1	-	-	0.6	*
Preparation		-	*	-	*	-	-	-	-
All Other		-	*	*	*	-	-	0.9	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE								
For The Week Ending Jan 29, 2026								
Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	0.4	0.1	*	0.1	-	-	-	0.1
3.0 - 3.2	5.1	0.9	0.1	0.5	-	-	0.1	8.7
3.3 - 3.4	1.7	0.6	0.2	1.3	-	-	3.0	13.2
3.5 - 3.6	10.4	4.3	0.9	6.7	-	-	18.6	18.9
3.7 - 4.2	78.7	88.9	95.9	87.5	-	-	75.5	55.7
4.3 - 4.9	3.6	5.2	3.0	3.9	-	-	2.8	3.4
5.0 - 5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	3.87	3.95	3.99	3.92	-	-	3.85	3.72
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	*	-	*	-	-	-	*
2.8	0.4	0.1	-	*	-	-	-	*
2.9	*	*	*	0.1	-	-	-	0.1
3.0	0.5	0.1	*	0.1	-	-	-	1.4
3.1	1.8	0.3	*	0.1	-	-	-	3.4
3.2	2.9	0.5	*	0.2	-	-	0.1	3.9
3.3	0.6	0.3	*	0.5	-	-	0.4	4.7
3.4	1.1	0.4	0.1	0.9	-	-	2.6	8.4
3.5	3.2	1.4	0.2	1.9	-	-	7.0	9.9
3.6	7.2	3.0	0.7	4.8	-	-	11.6	9.0
3.7	7.8	7.6	3.8	9.3	-	-	18.2	9.6
3.8	10.3	12.8	9.3	15.9	-	-	15.8	10.7
3.9	17.6	20.0	22.0	22.1	-	-	6.5	11.5
4.0	19.9	22.5	29.6	20.9	-	-	11.3	10.9
4.1	18.5	17.9	21.9	12.8	-	-	12.3	9.1
4.2	4.5	8.3	9.4	6.6	-	-	11.4	3.9
4.3	2.5	3.2	2.3	2.5	-	-	1.9	2.1
4.4	0.8	1.8	0.4	0.9	-	-	-	0.6
4.5	0.2	0.1	0.1	0.4	-	-	0.1	0.4
4.6	-	*	0.1	0.1	-	-	-	0.2
4.7	-	*	*	*	-	-	-	*
4.8	*	*	-	*	-	-	0.7	*
4.9	-	-	*	*	-	-	0.1	*
5.0	-	-	-	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	3.87	3.95	3.99	3.92	-	-	3.85	3.72
STRENGTH 1/								
36 & Below	0.6	0.1	-	1.3	-	-	3.3	10.0
37	1.2	0.3	*	4.0	-	-	8.8	16.2
38	1.6	0.4	-	2.7	-	-	11.3	17.3
39	4.0	1.3	0.1	1.2	-	-	8.9	7.7
40	6.2	4.7	0.5	1.7	-	-	4.1	2.7
41	13.3	15.3	1.0	5.1	-	-	5.1	3.2
42	21.0	28.4	3.7	10.3	-	-	3.0	5.6
43	28.3	29.8	9.5	16.7	-	-	12.0	7.8
44	13.9	13.9	18.7	20.9	-	-	12.8	10.2
45	7.1	4.7	22.5	18.5	-	-	12.3	8.9
46	1.6	0.7	25.4	10.9	-	-	11.8	6.5
47	0.5	0.3	11.9	4.6	-	-	5.1	2.6
48 & Above	0.5	0.2	6.7	2.2	-	-	1.5	1.3
Average	42.81	42.89	45.60	43.89	-	-	42.52	41.01
UNIFORMITY								
83 & Below	*	0.1	0.4	1.6	-	-	2.3	2.7
84	3.5	2.5	3.9	11.3	-	-	15.1	22.4
85	40.3	38.9	26.3	33.6	-	-	27.8	43.2
86	46.1	52.0	51.5	47.0	-	-	51.2	28.6
87	10.0	6.2	16.1	6.0	-	-	3.4	3.0
88 & Above	0.2	0.3	1.9	0.6	-	-	0.2	0.2
Average	86.11	86.08	86.29	85.91	-	-	85.84	85.51
Samples Classed	2,607	16,325	9,036	296,836	-	-	1,612	32,739

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.