



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	4	59.8	42.3	2,011	21	89.9	77.8	547,953
AR*	-	-	-	-	26	70.2	42.5	1,394,933
AZ	7	86.9	78.4	16,290	9	86.5	69.4	203,906
CA	2	96.3	81.0	4,203	10	87.6	76.9	84,232
FL	-	-	-	-	4	91.0	76.3	90,067
GA	10	90.3	76.8	12,073	53	88.4	74.2	1,733,036
KS	3	20.0	15.8	13,124	3	34.2	26.3	147,230
LA	-	-	-	-	14	71.5	47.6	223,299
MO*	-	-	-	-	16	86.7	65.1	674,616
MS	-	-	-	-	30	63.7	36.5	706,510
NC	-	-	-	-	26	90.7	78.7	653,675
NM*	-	-	-	-	2	84.5	74.8	10,747
OK	8	86.5	73.3	16,794	10	91.8	79.9	412,702
SC*	-	-	-	-	10	86.4	73.5	283,934
TN	-	-	-	-	17	82.3	63.4	340,307
TX	43	76.4	58.0	41,153	144	82.4	62.2	5,129,837
VA	-	-	-	-	4	96.1	90.4	172,921
United States	81	76.2	61.2	116,225	399	81.8	62.8	12,809,905
AMERICAN PIMA								
AZ	2			1,730	2			18,055
CA	3			3,247	10			300,083
NM	-			-	-			-
TX	3			625	5			33,364
United States	8			5,602	18			370,749
United States all cotton	87			121,827	408			13,180,654

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 05, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	1.4	2.2	-	0.1	7.5	17.4	17.1	20.1	-	1.7	1.9	1.5
	3	0.2	1.3	-	0.1	0.6	3.5	0.4	7.3	-	0.5	3.4	1.2
	4	-	*	-	*	0.1	0.2	-	0.4	-	*	0.1	*
	5	-	*	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.6	3.5	-	0.2	8.2	21.1	17.6	27.8	-	2.2	5.3	2.7
31	1 - 2	8.1	9.4	-	1.1	5.9	9.5	12.8	15.0	-	3.1	7.6	7.8
	3	15.7	27.8	-	9.1	10.9	11.8	5.8	11.6	-	12.5	22.3	21.9
	4	0.6	7.1	-	3.4	2.8	2.3	0.2	3.8	-	2.8	2.7	4.2
	5	-	0.5	-	0.1	0.3	0.2	-	0.7	-	0.1	*	0.2
	6	-	*	-	*	*	*	-	0.1	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	24.4	44.8	-	13.8	20.0	23.8	18.8	31.2	-	18.4	32.7	34.1
41	1 - 2	8.3	3.3	-	0.8	2.4	2.6	9.8	6.4	-	2.8	7.6	5.3
	3	16.0	22.6	-	26.2	20.4	16.0	36.5	20.5	-	37.0	34.0	32.4
	4	11.2	15.6	-	35.2	21.7	13.9	9.9	6.5	-	28.9	13.3	16.4
	5	0.7	2.8	-	8.5	9.9	4.3	0.3	1.7	-	4.0	1.0	2.1
	6	-	0.2	-	0.7	1.6	0.6	-	0.3	-	0.2	-	0.1
	7	-	*	-	*	0.1	*	-	-	-	*	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	36.2	44.4	-	71.4	56.1	37.5	56.5	35.4	-	72.9	55.8	56.2
51	1 - 2	8.1	0.4	-	*	0.1	0.1	0.2	0.1	-	0.1	0.4	0.2
	3	14.1	2.3	-	2.3	2.9	1.7	2.8	0.6	-	1.7	2.1	2.2
	4	5.1	1.8	-	4.7	4.9	3.5	1.8	0.4	-	2.3	1.7	2.2
	5	0.2	0.4	-	2.2	3.2	2.6	0.2	0.1	-	0.6	0.4	0.5
	6	-	*	-	0.4	1.6	1.1	*	*	-	0.1	*	0.1
	7	-	*	-	0.1	0.3	0.3	-	-	-	*	-	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
Total	----	27.4	4.9	-	9.8	13.0	9.2	4.9	1.1	-	4.8	4.7	5.1
61	1 - 2	0.1	*	-	*	-	*	-	-	-	-	-	*
	3	0.4	0.1	-	*	*	*	-	-	-	*	-	*
	4	0.8	0.1	-	*	*	*	-	-	-	*	-	*
	5	0.3	*	-	*	*	*	-	-	-	*	-	*
	6	*	*	-	*	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	1.7	0.2	-	*	*	*	-	-	-	*	-	*
71	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	0.1	-	*	*	3.0	-	0.2	-	*	-	*
	3	-	*	-	*	0.3	1.4	-	0.3	-	*	*	0.1
	4	-	*	-	*	0.3	0.2	-	*	-	-	-	*
	5	-	-	-	*	*	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.1	-	*	0.8	4.6	-	0.5	-	*	*	0.1
32	1 - 2	-	0.1	-	*	*	0.1	0.1	0.3	-	*	*	*
	3	-	0.4	-	0.1	0.2	0.5	0.1	0.7	-	0.2	0.1	0.2
	4	-	0.1	-	0.1	0.2	0.3	-	0.6	-	*	*	0.1
	5	-	*	-	*	0.1	0.1	-	0.4	-	-	-	*
	6	-	*	-	*	*	*	-	0.1	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.6	-	0.2	0.6	0.9	0.2	2.0	-	0.3	0.2	0.4
42	1 - 2	-	*	-	*	*	*	0.3	0.1	-	0.1	-	*
	3	0.1	0.4	-	1.0	0.2	0.4	1.3	0.7	-	0.7	0.3	0.6
	4	-	0.5	-	1.5	0.3	0.6	0.4	0.4	-	0.4	0.3	0.4
	5	-	0.1	-	0.6	0.1	0.3	-	0.3	-	*	0.1	0.1
	6	-	*	-	0.1	0.1	0.1	-	0.1	-	*	-	*
	7	-	*	-	*	*	*	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	1.1	-	3.2	0.8	1.5	2.0	1.6	-	1.2	0.7	1.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 05, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	2.7	*	-	*	-	*	-	*	-	*	-	*
	3	3.7	0.1	-	0.2	0.1	0.1	-	0.1	-	0.1	*	*
	4	0.1	0.1	-	0.6	0.1	0.3	*	*	-	0.1	0.3	0.1
	5	-	0.1	-	0.3	0.1	0.3	*	*	-	*	*	*
	6	-	*	-	0.1	0.1	0.2	-	-	-	*	*	*
	7	-	*	-	*	*	*	-	-	-	*	*	*
	8	-	-	-	-	-	*	-	-	-	-	-	*
Total	----	6.6	0.3	-	1.3	0.4	1.0	*	0.2	-	0.2	0.4	0.2
62	1 - 2	-	*	-	-	-	-	-	-	-	-	-	-
	3	0.1	*	-	*	-	-	-	*	-	*	-	*
	4	-	*	-	*	*	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	-	-	*	-	*
	6	-	*	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	*
Total	----	0.1	*	-	*	*	*	-	*	-	*	-	*
13 & 23	1 - 2	-	*	-	-	-	0.2	-	*	-	-	-	*
	3	-	*	-	-	-	*	-	*	-	-	-	*
	4	-	*	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	0.2	-	*	-	-	-	*
33	1 - 2	-	*	-	-	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	-	-	*
	4	-	*	-	*	-	*	-	*	-	-	-	*
	5	-	*	-	*	-	*	-	*	-	-	-	*
	6	-	*	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	0.1	-	*	-	-	-	*
43	1 - 2	-	-	-	*	-	-	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	*	*	*
	4	-	*	-	*	-	*	-	0.1	-	*	0.1	*
	5	-	*	-	*	-	*	-	*	-	-	*	*
	6	-	*	-	*	-	*	-	*	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	0.1	-	0.1	-	0.1	-	*	0.1	0.1
53	1 - 2	0.3	*	-	-	-	*	-	-	-	-	-	-
	3	0.6	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*	*	*
	5	-	*	-	*	-	*	-	*	-	*	*	*
	6	-	*	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.9	*	-	*	-	*	-	*	-	*	0.1	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	-	-
	4	0.1	*	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	*	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	0.1	*	-	*	-	*	-	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	0.6	*	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		*	*	-	*	-	*	-	-	-	*	-	*
32		1.2	*	-	*	-	*	-	-	-	*	0.5	0.1
33		9.3	0.7	-	0.1	*	*	-	*	-	0.2	3.6	0.9
34		13.4	3.6	-	0.3	0.2	0.5	0.1	0.3	-	2.4	12.0	4.9
35		30.0	12.3	-	2.7	3.3	3.0	2.8	2.4	-	12.4	21.7	16.0
36		28.8	24.6	-	14.0	16.6	12.7	30.3	19.7	-	29.2	19.1	31.0
37		9.8	40.9	-	50.6	43.7	45.0	55.6	46.1	-	35.5	21.4	34.5
38		7.4	14.3	-	26.8	23.8	27.7	11.2	20.5	-	15.3	9.0	9.7
39		-	3.1	-	5.1	7.6	9.0	*	9.9	-	4.4	7.3	2.5
40 & Longer		*	0.5	-	0.6	4.7	2.1	-	1.2	-	0.6	5.5	0.4
Average Staple		35.35	36.59	-	37.18	37.32	37.32	36.75	37.19	-	36.64	36.26	36.34
Average Length		1.10	1.14	-	1.16	1.17	1.17	1.14	1.16	-	1.14	1.13	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 05, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	1.7	4.3	-	4.5	-	*	-	2.0	-	0.4	-	44.0
	3	3.5	5.1	-	2.6	-	*	-	1.8	-	0.3	-	11.6
	4	0.4	1.1	-	*	-	*	-	*	-	*	-	0.9
	5	*	0.1	-	-	-	-	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	5.6	10.6	-	7.1	-	*	-	3.8	-	0.8	-	56.6
31	1 - 2	0.2	0.9	-	9.2	-	1.5	-	3.4	-	5.7	-	8.6
	3	6.4	7.9	-	36.6	-	8.9	-	20.3	-	20.2	-	16.9
	4	7.8	9.8	-	12.3	-	1.8	-	8.6	-	5.8	-	7.7
	5	1.2	2.8	-	0.8	-	*	-	0.6	-	0.3	-	1.2
	6	*	0.3	-	*	-	*	-	*	-	*	-	0.1
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	15.7	21.7	-	58.9	-	12.2	-	32.9	-	32.0	-	34.5
41	1 - 2	0.1	*	-	0.5	-	2.4	-	0.9	-	3.1	-	*
	3	3.5	1.6	-	10.1	-	38.0	-	18.8	-	30.0	-	0.7
	4	13.7	6.8	-	16.2	-	26.7	-	26.1	-	24.6	-	1.3
	5	15.9	9.7	-	4.9	-	3.2	-	7.3	-	4.5	-	1.4
	6	7.2	4.6	-	0.3	-	0.1	-	0.6	-	0.4	-	0.7
	7	1.2	0.9	-	-	-	*	-	*	-	*	-	0.1
	8	0.1	*	-	-	-	-	-	-	-	*	-	-
Total	----	41.8	23.6	-	32.0	-	70.4	-	53.6	-	62.5	-	4.2
51	1 - 2	-	-	-	*	-	0.2	-	*	-	*	-	-
	3	-	-	-	*	-	4.5	-	1.1	-	0.8	-	-
	4	*	*	-	0.4	-	6.0	-	3.3	-	1.7	-	*
	5	0.2	0.4	-	0.3	-	1.4	-	1.5	-	0.8	-	*
	6	0.4	1.2	-	0.1	-	0.1	-	0.2	-	0.2	-	*
	7	0.3	0.9	-	-	-	*	-	*	-	*	-	-
	8	0.2	0.2	-	-	-	-	-	-	-	*	-	-
Total	----	1.1	2.7	-	0.7	-	12.1	-	6.1	-	3.6	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	*	-	-	-	*	-	-
12 & 22	1 - 2	0.6	1.2	-	0.1	-	-	-	*	-	*	-	0.3
	3	2.2	3.7	-	*	-	*	-	*	-	*	-	0.2
	4	0.9	1.9	-	*	-	-	-	*	-	*	-	0.2
	5	*	0.2	-	*	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	3.7	7.1	-	0.1	-	*	-	*	-	*	-	0.7
32	1 - 2	0.2	0.1	-	0.1	-	*	-	*	-	*	-	0.6
	3	2.8	2.7	-	0.3	-	0.1	-	0.2	-	0.1	-	0.6
	4	4.9	5.1	-	0.2	-	*	-	0.1	-	0.1	-	1.1
	5	1.1	2.9	-	*	-	*	-	*	-	*	-	0.6
	6	0.1	0.6	-	*	-	-	-	*	-	-	-	0.1
	7	-	0.1	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	9.0	11.5	-	0.5	-	0.1	-	0.3	-	0.3	-	3.1
42	1 - 2	*	*	-	*	-	0.1	-	*	-	*	-	-
	3	0.8	0.8	-	0.1	-	1.3	-	0.6	-	0.3	-	*
	4	5.5	3.5	-	0.4	-	1.4	-	1.2	-	0.3	-	0.1
	5	6.7	5.6	-	0.1	-	0.4	-	0.5	-	0.1	-	*
	6	2.0	4.0	-	*	-	0.1	-	0.1	-	*	-	*
	7	0.4	1.4	-	-	-	*	-	*	-	*	-	*
	8	0.1	0.2	-	-	-	-	-	-	-	*	-	-
Total	----	15.4	15.5	-	0.6	-	3.4	-	2.4	-	0.7	-	0.2

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 05, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	*	-	*	-	*	-	-
	3	-	-	-	*	-	0.5	-	0.1	-	*	-	-
	4	-	*	-	*	-	0.7	-	0.2	-	*	-	-
	5	*	0.1	-	*	-	0.3	-	0.3	-	*	-	-
	6	*	0.3	-	*	-	*	-	0.1	-	*	-	-
	7	0.1	0.5	-	-	-	*	-	*	-	*	-	-
	8	0.1	0.4	-	-	-	-	-	-	-	*	-	-
Total	----	0.2	1.2	-	*	-	1.6	-	0.7	-	0.1	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	*	-	*	-	*	-	-
13 & 23	1 - 2	0.1	0.1	-	-	-	-	-	-	-	*	-	-
	3	1.0	0.7	-	-	-	-	-	-	-	*	-	*
	4	0.4	0.5	-	-	-	-	-	-	-	*	-	*
	5	-	0.1	-	-	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.5	1.5	-	-	-	-	-	-	-	*	-	*
33	1 - 2	0.1	*	-	-	-	*	-	*	-	*	-	*
	3	0.7	0.3	-	*	-	*	-	*	-	*	-	0.1
	4	0.5	0.8	-	*	-	*	-	*	-	*	-	0.3
	5	0.2	0.5	-	*	-	-	-	-	-	*	-	0.2
	6	0.1	0.1	-	-	-	-	-	-	-	*	-	*
	7	0.1	*	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-	-	-
Total	----	1.7	1.7	-	*	-	*	-	*	-	*	-	0.6
43	1 - 2	-	-	-	*	-	*	-	-	-	*	-	-
	3	0.1	0.1	-	*	-	*	-	*	-	*	-	*
	4	1.0	0.5	-	*	-	*	-	*	-	*	-	-
	5	1.8	1.0	-	*	-	*	-	*	-	*	-	*
	6	0.5	0.7	-	-	-	*	-	*	-	*	-	*
	7	0.2	0.3	-	-	-	-	-	-	-	*	-	-
	8	0.2	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	3.8	2.7	-	*	-	0.1	-	*	-	*	-	*
53	1 - 2	-	-	-	-	-	*	-	*	-	-	-	-
	3	-	*	-	-	-	*	-	*	-	*	-	-
	4	-	*	-	-	-	*	-	*	-	*	-	-
	5	-	*	-	-	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	*	-	*	-	*	-	-
	7	*	0.1	-	-	-	-	-	*	-	*	-	-
	8	0.1	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	0.1	0.2	-	-	-	*	-	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	0.5	0.1	-	-	-	*	-	-	-	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	*	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		*	*	-	-	-	-	-	*	-	*	-	-
32		0.2	*	-	-	-	*	-	*	-	*	-	-
33		0.7	0.2	-	0.1	-	*	-	0.2	-	0.1	-	*
34		1.4	1.1	-	1.1	-	0.2	-	2.1	-	1.4	-	2.6
35		4.3	4.4	-	10.0	-	1.8	-	11.5	-	8.3	-	12.0
36		14.2	12.5	-	26.9	-	10.5	-	27.7	-	24.4	-	15.3
37		49.0	33.5	-	42.1	-	49.0	-	36.4	-	48.7	-	31.3
38		26.5	32.0	-	15.0	-	33.1	-	15.0	-	14.1	-	32.0
39		3.4	14.3	-	4.4	-	4.9	-	5.4	-	2.7	-	6.0
40 & Longer		0.3	1.9	-	0.4	-	0.3	-	1.5	-	0.3	-	0.9
Average Staple		37.03	37.41	-	36.75	-	37.29	-	36.72	-	36.74	-	37.00
Average Length		1.16	1.17	-	1.15	-	1.17	-	1.15	-	1.15	-	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Feb 05, 2026											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	37.8	44.5	-	0.3	-	0.4	42.8	44.4	-	0.9
	3	5.5	7.1	-	0.4	-	0.1	6.0	13.0	-	1.3
	4	0.1	0.2	-	*	-	*	0.1	0.9	-	0.1
	5	-	*	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	43.4	51.8	-	0.8	-	0.5	49.0	58.4	-	2.2
31	1 - 2	18.3	14.3	-	2.3	-	6.9	16.8	4.2	-	8.7
	3	16.2	18.1	-	15.3	-	14.5	10.9	10.2	-	38.2
	4	2.0	3.5	-	5.7	-	3.2	1.4	4.0	-	8.3
	5	0.1	0.2	-	0.3	-	0.2	*	0.5	-	0.5
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	36.6	36.2	-	23.6	-	24.8	29.1	18.9	-	55.6
41	1 - 2	1.5	0.5	-	1.9	-	7.7	0.7	0.2	-	1.7
	3	3.1	1.9	-	31.3	-	35.8	1.2	1.7	-	21.6
	4	1.5	1.5	-	31.4	-	14.2	1.0	1.7	-	15.7
	5	0.2	0.5	-	5.1	-	1.8	0.3	0.5	-	2.6
	6	*	0.1	-	0.2	-	0.1	*	0.1	-	0.1
	7	-	*	-	*	-	*	-	*	-	*
	8	-	-	-	-	-	-	-	*	-	-
Total	----	6.4	4.4	-	69.9	-	59.6	3.3	4.3	-	41.8
51	1 - 2	*	*	-	0.1	-	0.2	*	*	-	*
	3	*	*	-	1.7	-	2.4	*	0.1	-	*
	4	*	*	-	2.3	-	2.2	*	0.1	-	0.1
	5	*	*	-	0.6	-	0.5	*	*	-	*
	6	-	*	-	0.1	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
Total	----	*	0.1	-	4.9	-	5.3	*	0.2	-	0.2
61	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	3.2	2.2	-	-	-	*	6.0	6.8	-	-
	3	0.5	1.0	-	*	-	*	1.2	3.6	-	*
	4	*	0.1	-	-	-	*	0.3	0.6	-	*
	5	-	*	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	----	3.7	3.3	-	*	-	*	7.7	11.1	-	*
32	1 - 2	1.3	0.4	-	*	-	0.2	3.3	0.7	-	*
	3	2.0	1.3	-	0.1	-	0.5	2.3	1.7	-	*
	4	0.3	0.5	-	0.1	-	0.1	0.5	1.2	-	*
	5	*	0.1	-	*	-	*	0.1	0.3	-	*
	6	-	*	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	3.6	2.3	-	0.1	-	0.8	6.3	3.9	-	0.1
42	1 - 2	*	*	-	*	-	0.9	0.1	*	-	*
	3	0.4	0.1	-	0.2	-	5.0	0.4	0.3	-	*
	4	0.7	0.2	-	0.4	-	1.5	0.4	0.5	-	*
	5	0.3	0.1	-	0.1	-	0.1	0.3	0.3	-	*
	6	*	*	-	*	-	*	*	0.1	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	1.4	0.5	-	0.7	-	7.5	1.1	1.2	-	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Feb 05, 2026											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	*	-	*	-	-
	3	*	*	-	*	-	0.7	-	*	-	-
	4	-	*	-	0.1	-	0.5	*	*	-	*
	5	*	*	-	*	-	0.1	-	*	-	*
	6	-	*	-	*	-	*	*	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	*	*	-	0.1	-	1.3	*	0.1	-
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	-	*	-	-	-	*	-	*	-
13 & 23	1 - 2	3.2	0.3	-	-	-	-	1.6	0.6	-	-
	3	0.6	0.2	-	-	-	-	0.3	0.4	-	*
	4	-	*	-	*	-	-	*	0.1	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	3.8	0.5	-	*	-	-	2.0	1.1	-
33	1 - 2	0.1	0.1	-	-	-	*	0.3	0.1	-	-
	3	0.2	0.3	-	*	-	*	0.4	0.3	-	*
	4	0.1	0.1	-	*	-	*	0.2	0.2	-	*
	5	*	*	-	*	-	-	*	0.1	-	*
	6	-	*	-	-	-	-	*	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	0.3	0.5	-	*	-	*	0.9	0.7	-
43	1 - 2	-	*	-	*	-	*	*	*	-	-
	3	0.1	*	-	*	-	*	0.2	*	-	*
	4	*	*	-	*	-	*	0.2	*	-	*
	5	0.1	*	-	*	-	*	*	*	-	*
	6	*	*	-	-	-	*	*	*	-	*
	7	*	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	0.2	0.1	-	*	-	*	0.4	0.1	-
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	*	-	*	-	*	-	-
	4	-	*	-	*	-	*	*	*	-	-
	5	*	*	-	*	-	*	-	*	-	-
	6	*	*	-	-	-	-	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	*	*	-	*	-	*	*	*	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	-	*	-	-	-	-	-	*	-
24 - 54	1 - 8	0.4	0.1	-	*	-	-	0.2	0.1	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	*	-	-
30		-	-	-	-	-	-	-	*	-	-
31		*	*	-	-	-	-	0.2	0.1	-	-
32		0.6	0.1	-	*	-	*	0.7	0.6	-	*
33		3.0	0.5	-	0.2	-	0.1	5.4	2.7	-	*
34		2.6	2.0	-	2.0	-	2.6	20.8	8.4	-	0.6
35		10.4	6.9	-	10.1	-	9.5	28.1	15.6	-	5.4
36		15.8	13.7	-	33.7	-	30.9	21.6	22.0	-	23.0
37		21.0	27.0	-	40.7	-	44.3	16.6	31.6	-	55.4
38		23.0	19.8	-	10.2	-	11.3	4.3	13.8	-	12.8
39		16.6	17.8	-	2.7	-	1.3	0.9	4.1	-	2.6
40 & Longer		7.0	12.3	-	0.4	-	0.1	1.5	1.1	-	0.1
Average Staple		37.19	37.60	-	36.56	-	36.56	35.50	36.34	-	36.82
Average Length		1.16	1.17	-	1.14	-	1.14	1.11	1.13	-	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 05, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	7.2	0.6	-	*	0.1	0.2	0.2	0.2	-	1.5	1.7	1.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	*	1.2	0.2	0.3	1.1	-	0.1	*	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	*	*	-	*	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.1	-	1.0	0.2	*	-	-	-	0.3	0.2	0.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	*	*	-	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	*	*	-	-	-	-	-	-
23	-	*	-	*	-	*	-	-	-	-	*	*
24	*	*	-	*	*	*	-	*	-	-	0.1	*
25	0.5	*	-	*	0.1	0.1	*	*	-	*	0.6	0.1
26	6.3	0.2	-	*	0.8	0.6	1.1	0.4	-	*	2.8	0.7
27	5.4	1.7	-	0.2	4.7	2.2	8.2	2.5	-	0.4	10.2	3.6
28	28.0	8.4	-	1.9	16.1	8.0	19.7	11.3	-	3.3	19.8	11.2
29	25.7	21.7	-	11.6	18.4	15.4	44.6	21.5	-	13.1	19.1	21.0
30	19.4	29.0	-	34.3	22.2	22.3	19.7	19.0	-	26.8	16.6	24.8
31	5.4	21.3	-	33.3	16.5	21.3	3.3	12.3	-	27.4	12.8	19.2
32	1.1	11.0	-	13.5	11.5	14.2	0.6	4.2	-	16.9	10.2	11.1
33	4.7	4.5	-	3.9	4.4	7.9	1.5	4.0	-	7.3	6.5	5.2
34	3.1	1.6	-	1.0	1.4	4.6	1.3	7.3	-	3.8	1.1	2.1
35	0.3	0.4	-	0.2	1.8	2.0	-	9.2	-	0.9	0.2	0.7
36	-	0.1	-	0.1	1.6	0.9	-	6.0	-	0.1	*	0.2
37	-	*	-	*	0.3	0.3	-	1.9	-	*	-	0.1
38	-	*	-	*	*	*	-	0.2	-	-	-	*
39	-	-	-	*	*	*	-	0.1	-	-	-	*
40 & Above	-	-	-	*	*	*	-	0.1	-	-	-	*
Average	29.54	30.67	-	31.07	30.56	31.14	29.44	31.52	-	31.27	29.98	30.58
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	*	-	-	*	*	-	-	-	-	-	-
2.6	-	*	-	-	*	*	-	-	-	-	-	*
2.7	-	*	-	-	*	*	-	*	-	-	-	*
2.8	-	*	-	*	0.3	0.1	0.3	*	-	-	-	*
2.9	-	*	-	-	0.4	0.1	-	0.1	-	-	-	*
3.0	-	*	-	*	0.9	0.1	-	*	-	-	-	*
3.1	-	*	-	*	0.8	0.1	*	0.2	-	*	*	*
3.2	-	*	-	*	0.8	0.2	*	0.2	-	0.1	*	0.1
3.3	0.1	0.1	-	*	0.6	0.2	0.3	0.2	-	0.1	0.2	0.2
3.4	0.1	0.4	-	*	1.3	0.4	0.6	0.3	-	0.1	0.3	0.3
3.5	*	0.8	-	*	1.5	0.5	4.2	0.8	-	0.5	1.0	0.6
3.6	*	1.1	-	0.1	1.8	0.9	6.3	1.5	-	0.7	2.1	1.2
3.7	4.4	2.0	-	0.1	2.8	1.5	5.4	2.8	-	1.2	3.4	1.9
3.8	4.7	3.0	-	0.1	4.7	2.1	4.4	5.1	-	1.3	5.4	2.9
3.9	14.3	4.4	-	0.3	7.1	3.1	12.1	8.4	-	2.1	5.6	4.1
4.0	10.0	5.9	-	0.6	7.9	4.6	14.3	10.6	-	3.4	7.2	5.6
4.1	7.7	8.0	-	1.0	10.4	7.0	10.3	11.5	-	5.6	11.1	7.4
4.2	6.6	9.8	-	1.8	12.4	8.9	10.6	11.6	-	7.1	13.7	9.0
4.3	2.4	10.8	-	3.1	10.0	10.4	10.0	8.3	-	9.7	11.4	9.8
4.4	2.6	10.6	-	5.1	10.2	11.3	4.1	5.5	-	12.3	8.5	10.0
4.5	1.1	10.1	-	7.8	8.8	11.6	4.3	5.9	-	13.0	6.2	9.7
4.6	1.5	8.9	-	11.7	7.4	10.9	3.0	5.9	-	11.2	5.2	9.1
4.7	4.4	7.1	-	14.5	4.7	8.3	5.7	5.8	-	12.4	5.0	8.2
4.8	5.8	5.6	-	15.4	2.3	6.2	3.7	4.5	-	8.4	4.3	6.7
4.9	10.4	4.3	-	13.7	0.8	4.7	0.3	3.6	-	5.2	3.4	5.1
5.0	6.1	2.8	-	10.9	0.7	3.0	-	2.4	-	3.2	3.2	3.6
5.1	3.2	1.8	-	7.0	0.7	1.3	-	2.2	-	1.7	1.9	2.3
5.2	4.2	1.1	-	4.0	0.3	1.0	-	1.0	-	0.5	0.7	1.2
5.3	3.4	0.7	-	1.9	0.1	0.7	-	0.8	-	0.1	0.1	0.6
5.4	1.8	0.3	-	0.6	-	0.3	-	0.5	-	0.1	*	0.2
5.5 & Above	4.8	0.2	-	0.2	-	0.4	-	0.2	-	0.1	-	0.1
Average	4.48	4.39	-	4.76	4.19	4.42	4.10	4.29	-	4.48	4.29	4.41

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 05, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	64.0	39.5	-	0.1	-	*	-	*	-	1.6	-	3.5
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	*	-	*	-	*	-	*	-	0.6
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.1	-	0.4	-	0.2	-	0.3	-	0.5	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	-	-	-	-	*
23	-	*	-	-	-	*	-	-	-	-	-	-
24	-	*	-	-	-	*	-	*	-	*	-	-
25	*	0.1	-	*	-	*	-	*	-	*	-	*
26	0.1	0.4	-	*	-	*	-	0.1	-	0.3	-	0.2
27	0.5	0.9	-	0.5	-	0.1	-	1.0	-	2.3	-	1.7
28	1.9	2.0	-	4.4	-	0.7	-	4.8	-	10.9	-	6.8
29	4.9	3.8	-	19.0	-	8.1	-	15.6	-	28.2	-	20.3
30	9.3	8.6	-	33.2	-	36.8	-	26.9	-	31.5	-	31.7
31	16.5	16.9	-	21.1	-	35.7	-	26.3	-	17.3	-	19.9
32	33.9	25.3	-	11.7	-	13.1	-	16.1	-	6.9	-	13.4
33	24.6	23.2	-	5.1	-	4.5	-	6.5	-	2.0	-	4.4
34	6.4	12.7	-	2.9	-	1.0	-	2.3	-	0.4	-	1.4
35	1.4	4.9	-	1.8	-	0.1	-	0.4	-	0.1	-	0.1
36	0.3	1.0	-	0.2	-	*	-	*	-	*	-	-
37	0.1	0.2	-	*	-	*	-	*	-	-	-	*
38	*	0.1	-	*	-	*	-	*	-	-	-	-
39	-	*	-	-	-	-	-	-	-	-	-	*
40 & Above	-	*	-	-	-	-	-	*	-	-	-	-
Average	32.27	32.53	-	30.97	-	31.15	-	31.06	-	30.26	-	30.71
Mike												
2.4 & Below	0.1	0.2	-	-	-	-	-	-	-	-	-	-
2.5	0.7	1.0	-	-	-	-	-	-	-	*	-	*
2.6	1.4	1.2	-	*	-	-	-	-	-	-	-	*
2.7	1.9	1.7	-	*	-	-	-	-	-	*	-	0.2
2.8	2.4	2.1	-	-	-	-	-	-	-	*	-	3.0
2.9	2.2	2.3	-	*	-	-	-	-	-	*	-	2.8
3.0	2.1	2.6	-	*	-	-	-	-	-	*	-	1.3
3.1	3.0	3.1	-	*	-	*	-	-	-	*	-	0.8
3.2	4.3	3.9	-	*	-	*	-	*	-	0.1	-	1.8
3.3	4.5	4.3	-	*	-	*	-	*	-	0.2	-	1.0
3.4	5.0	5.3	-	0.1	-	*	-	*	-	0.3	-	0.9
3.5	8.4	6.0	-	0.1	-	*	-	0.1	-	0.5	-	1.0
3.6	6.2	6.5	-	0.1	-	0.1	-	0.1	-	0.9	-	1.2
3.7	6.0	6.7	-	0.2	-	0.2	-	0.2	-	1.5	-	3.0
3.8	6.4	6.6	-	0.3	-	0.4	-	0.3	-	2.4	-	5.1
3.9	8.0	6.4	-	0.6	-	0.6	-	0.4	-	3.5	-	7.7
4.0	10.0	6.9	-	1.3	-	1.4	-	0.8	-	4.9	-	6.9
4.1	8.4	7.2	-	2.2	-	2.4	-	1.3	-	7.0	-	6.9
4.2	6.3	5.9	-	3.4	-	4.3	-	2.0	-	9.3	-	7.6
4.3	4.1	5.8	-	4.9	-	6.7	-	3.0	-	11.6	-	9.9
4.4	3.6	4.8	-	6.3	-	9.8	-	4.5	-	12.2	-	8.6
4.5	2.6	3.4	-	8.2	-	13.0	-	6.2	-	11.3	-	9.1
4.6	1.4	2.1	-	9.7	-	15.1	-	8.7	-	10.2	-	7.0
4.7	0.5	1.7	-	11.2	-	15.7	-	11.2	-	8.5	-	6.0
4.8	0.3	1.2	-	12.6	-	13.2	-	13.6	-	6.0	-	4.6
4.9	*	0.5	-	11.7	-	8.6	-	14.6	-	4.1	-	2.4
5.0	-	0.2	-	9.6	-	4.9	-	13.3	-	2.7	-	1.0
5.1	-	*	-	7.7	-	2.3	-	9.9	-	1.5	-	0.1
5.2	-	*	-	4.4	-	0.9	-	5.7	-	0.7	-	0.1
5.3	-	-	-	2.6	-	0.3	-	2.6	-	0.3	-	*
5.4	-	-	-	1.3	-	0.1	-	1.0	-	0.1	-	-
5.5 & Above	-	-	-	1.4	-	*	-	0.4	-	*	-	-
Average	3.71	3.76	-	4.74	-	4.61	-	4.80	-	4.41	-	4.13

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Feb 05, 2026										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	6.5	3.2	-	3.6	-	*	9.1	4.6	-	1.3
Bark - Level 2	-	*	-	-	-	-	-	*	-	-
Grass - Level 1	-	0.1	-	0.1	-	*	0.1	0.2	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	*	-	*	-	-	-	*	-	*
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	1.7	-	*	0.5	0.3	-	0.6
Seed Coat - Level 2	-	*	-	-	-	-	-	*	-	-
Oil - Level 1	-	*	-	*	-	-	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	*	-	-
Other - Level 1	-	*	-	-	-	-	-	*	-	-
Other - Level 2	-	*	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	-	*	0.1	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	*	-	-	-	-	-	*	-	-
23	-	*	-	-	-	-	*	*	-	-
24	-	*	-	*	-	*	*	0.1	-	*
25	*	*	-	*	-	*	0.3	0.2	-	*
26	0.2	0.2	-	0.4	-	*	1.0	0.8	-	1.1
27	1.5	0.8	-	2.6	-	0.5	4.4	2.9	-	6.2
28	3.6	3.2	-	12.6	-	3.8	12.9	7.9	-	19.0
29	9.8	8.9	-	34.7	-	21.0	22.5	15.9	-	32.2
30	18.6	15.4	-	30.2	-	38.7	21.3	20.9	-	25.7
31	21.2	18.8	-	13.3	-	24.7	17.9	18.6	-	11.1
32	15.5	16.7	-	4.8	-	8.2	10.4	13.3	-	3.6
33	11.9	14.8	-	1.2	-	2.4	5.4	9.3	-	0.8
34	7.4	10.9	-	0.2	-	0.7	2.5	6.1	-	0.2
35	5.9	6.1	-	*	-	0.1	1.0	2.7	-	*
36	2.9	2.6	-	*	-	*	0.2	0.9	-	*
37	1.1	1.3	-	*	-	*	*	0.3	-	-
38	0.3	0.3	-	-	-	-	*	0.1	-	-
39	*	*	-	-	-	-	*	*	-	-
40 & Above	*	*	-	-	-	-	*	*	-	-
Average	31.98	32.25	-	30.02	-	30.66	30.50	31.19	-	29.73
Mike										
2.4 & Below	-	*	-	-	-	-	*	*	-	-
2.5	-	*	-	-	-	-	*	*	-	-
2.6	0.2	*	-	-	-	-	0.2	0.1	-	-
2.7	*	0.1	-	-	-	*	0.3	0.2	-	*
2.8	0.1	0.1	-	*	-	*	0.5	0.3	-	*
2.9	0.1	0.1	-	*	-	*	0.9	0.4	-	*
3.0	0.4	0.2	-	*	-	*	1.4	0.6	-	0.1
3.1	0.4	0.3	-	*	-	*	1.6	0.8	-	0.1
3.2	1.1	0.5	-	0.1	-	*	2.0	1.2	-	0.1
3.3	1.6	0.9	-	0.2	-	*	1.9	1.6	-	0.3
3.4	1.3	1.1	-	0.3	-	0.1	2.7	2.1	-	0.4
3.5	1.9	1.6	-	0.5	-	0.3	2.9	2.7	-	0.7
3.6	3.0	2.8	-	0.9	-	0.3	3.4	3.4	-	1.3
3.7	4.9	4.0	-	1.9	-	0.8	4.2	4.1	-	2.6
3.8	5.8	5.4	-	2.8	-	1.1	5.0	5.1	-	3.9
3.9	8.0	7.1	-	4.3	-	1.7	6.4	6.3	-	6.7
4.0	9.2	8.6	-	5.8	-	2.5	7.4	7.4	-	9.2
4.1	13.7	10.1	-	7.3	-	3.9	8.5	8.5	-	11.5
4.2	12.5	10.3	-	8.7	-	5.3	9.8	9.5	-	14.1
4.3	9.1	10.8	-	9.9	-	6.7	11.0	9.8	-	14.5
4.4	8.3	9.9	-	10.4	-	9.5	9.8	9.2	-	12.7
4.5	6.8	9.2	-	10.4	-	11.8	6.9	8.0	-	9.1
4.6	4.2	7.2	-	9.7	-	13.4	5.2	6.4	-	5.9
4.7	3.3	5.0	-	8.5	-	13.4	3.7	4.7	-	3.2
4.8	2.7	2.8	-	6.7	-	11.8	2.1	3.2	-	1.8
4.9	1.1	1.3	-	4.9	-	8.1	1.1	1.9	-	1.1
5.0	0.5	0.5	-	3.3	-	5.4	0.4	1.1	-	0.6
5.1	-	0.1	-	1.9	-	2.7	0.3	0.6	-	0.2
5.2	-	*	-	1.0	-	1.0	0.1	0.3	-	*
5.3	-	*	-	0.4	-	0.3	0.1	0.2	-	*
5.4	-	-	-	0.2	-	*	*	0.1	-	*
5.5 & Above	-	*	-	0.1	-	*	*	0.1	-	*
Average	4.12	4.19	-	4.41	-	4.56	4.08	4.16	-	4.23

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 05, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	*	-	-	*	*	-	-	-	-	-	*
2.7 - 2.9	-	*	-	*	0.8	0.2	0.3	0.1	-	-	-	*
3.0 - 3.2	-	0.1	-	*	2.5	0.5	0.1	0.4	-	0.1	0.1	0.1
3.3 - 3.4	0.2	0.6	-	*	1.9	0.6	0.9	0.6	-	0.1	0.5	0.5
3.5 - 3.6	0.1	1.9	-	0.1	3.4	1.4	10.5	2.4	-	1.2	3.1	1.8
3.7 - 4.2	47.8	33.1	-	4.0	45.4	27.2	57.1	49.9	-	20.7	46.5	30.9
4.3 - 4.9	28.3	57.5	-	71.2	44.3	63.4	31.2	39.4	-	72.1	43.9	58.7
5.0 - 5.2	13.5	5.7	-	21.9	1.7	5.4	-	5.7	-	5.4	5.8	7.1
5.3 & Above	10.0	1.1	-	2.7	0.1	1.4	-	1.5	-	0.3	0.1	0.9
Average	4.48	4.39	-	4.76	4.19	4.42	4.10	4.29	-	4.48	4.29	4.41
Leaf												
1 - 2	28.9	15.4	-	2.1	16.0	32.8	40.3	42.2	-	7.8	17.5	14.8
3	51.2	55.1	-	39.0	35.7	35.5	46.9	41.8	-	52.7	62.3	58.6
4	18.5	25.3	-	45.6	30.5	21.5	12.3	12.2	-	34.5	18.5	23.5
5	1.2	3.8	-	11.8	13.9	7.9	0.5	3.1	-	4.8	1.7	2.9
6	*	0.3	-	1.3	3.4	2.0	*	0.6	-	0.3	*	0.2
7	-	*	-	0.1	0.5	0.4	-	-	-	*	*	*
8	-	*	-	-	-	*	-	-	-	-	-	*
Average	2.91	3.18	-	3.71	3.49	3.06	2.60	2.70	-	3.37	3.04	3.15
HVI Trash 1/												
00	-	-	-	-	*	*	*	*	-	-	-	-
01	2.9	2.0	-	0.1	7.3	13.0	19.2	15.6	-	0.9	1.5	1.4
02	31.2	17.6	-	3.1	12.3	25.0	26.4	31.7	-	9.4	22.7	19.9
03	26.7	28.2	-	14.7	19.8	19.3	27.2	24.7	-	23.4	34.9	32.0
04	15.1	23.9	-	24.5	17.9	15.2	15.9	13.7	-	28.1	23.3	23.6
05	11.4	14.5	-	22.9	15.1	10.7	7.5	6.7	-	19.3	10.7	12.7
06	5.8	7.5	-	15.9	11.1	6.9	2.8	3.4	-	10.3	4.1	5.9
07	3.5	3.6	-	9.4	7.9	4.3	0.7	1.8	-	4.8	1.9	2.6
08	2.3	1.6	-	4.9	4.4	2.5	0.1	1.1	-	2.2	0.6	1.1
09	0.8	0.7	-	2.4	2.1	1.4	*	0.6	-	0.9	0.2	0.5
10	0.1	0.3	-	1.1	1.1	0.7	*	0.3	-	0.5	*	0.2
11	0.1	0.1	-	0.5	0.6	0.4	-	0.1	-	0.2	*	0.1
12	-	0.1	-	0.2	0.3	0.2	-	*	-	0.1	*	*
13	*	*	-	0.1	0.1	0.1	-	*	-	*	*	*
14	-	*	-	*	*	0.1	-	*	-	*	*	*
15	-	*	-	*	-	*	-	-	-	*	-	*
16	-	*	-	-	-	*	-	-	-	*	-	*
17	-	*	-	-	-	*	-	-	-	*	-	*
18 & Above	-	*	-	-	-	*	-	-	-	*	-	*
Average	0.35	0.38	-	0.51	0.44	0.36	0.28	0.29	-	0.43	0.34	0.37
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	*	*	-	-	-	-	-	*
76	-	*	-	*	0.1	*	-	*	-	*	*	*
77	0.9	*	-	*	0.6	0.1	*	*	-	*	0.4	0.1
78	10.7	0.4	-	0.1	1.1	0.4	0.7	0.8	-	0.1	2.5	0.9
79	20.2	3.0	-	0.5	4.6	2.2	6.3	5.1	-	1.1	9.0	5.5
80	12.8	14.0	-	3.9	20.6	13.3	45.5	27.3	-	7.8	25.1	21.3
81	36.0	32.0	-	20.5	39.8	36.7	42.7	31.2	-	37.1	27.9	36.2
82	15.9	34.2	-	42.8	24.4	37.2	4.7	21.8	-	41.9	23.8	26.3
83	3.4	14.3	-	27.6	8.1	9.3	0.1	10.7	-	10.9	9.9	8.2
84	0.1	1.9	-	4.3	0.6	0.8	-	3.1	-	1.1	1.4	1.3
85 & Above	-	0.2	-	0.3	0.1	*	-	0.1	-	0.1	0.1	0.1
Average	80.80	81.93	-	82.52	81.52	81.84	80.94	81.58	-	82.02	81.42	81.56
Tenderable 3/	59.8	89.9	-	70.2	86.9	86.5	96.3	87.6	-	91.0	90.3	88.4
SAMPLES CLASSED	2,011	547,953	-	1,394,933	16,290	203,906	4,203	84,232	-	90,067	12,073	1,733,036

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 05, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	0.1	0.2	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	2.1	2.2	-	*	-	-	-	-	-	*	-	*
2.7 - 2.9	6.6	6.1	-	*	-	-	-	-	-	*	-	6.0
3.0 - 3.2	9.5	9.6	-	*	-	*	-	*	-	0.2	-	4.0
3.3 - 3.4	9.5	9.7	-	0.1	-	*	-	*	-	0.5	-	1.9
3.5 - 3.6	14.5	12.5	-	0.2	-	0.1	-	0.2	-	1.4	-	2.2
3.7 - 4.2	45.0	39.7	-	8.1	-	9.2	-	5.0	-	28.6	-	37.2
4.3 - 4.9	12.6	19.7	-	64.6	-	82.1	-	61.8	-	64.0	-	47.6
5.0 - 5.2	-	0.2	-	21.7	-	8.1	-	29.0	-	4.9	-	1.2
5.3 & Above	-	-	-	5.2	-	0.5	-	4.0	-	0.4	-	*
Average	3.71	3.76	-	4.74	-	4.61	-	4.80	-	4.41	-	4.13
Leaf												
1 - 2	3.0	6.8	-	14.2	-	4.2	-	6.3	-	9.3	-	53.5
3	21.0	22.9	-	49.8	-	53.4	-	42.8	-	51.8	-	30.2
4	35.0	30.1	-	29.5	-	36.7	-	39.7	-	32.6	-	11.6
5	27.4	23.4	-	6.1	-	5.3	-	10.1	-	5.8	-	3.6
6	10.5	11.9	-	0.4	-	0.3	-	1.0	-	0.6	-	1.0
7	2.3	4.0	-	-	-	*	-	*	-	0.1	-	0.1
8	0.8	1.0	-	-	-	-	-	-	-	*	-	-
Average	4.32	4.26	-	3.28	-	3.44	-	3.57	-	3.37	-	2.58
HVI Trash 1/												
00	-	-	-	-	-	*	-	-	-	-	-	-
01	0.2	1.5	-	1.9	-	0.2	-	0.5	-	0.8	-	20.6
02	3.9	6.8	-	15.0	-	6.4	-	7.7	-	11.1	-	36.5
03	9.4	10.4	-	24.4	-	23.5	-	19.0	-	24.4	-	19.4
04	11.7	12.3	-	23.2	-	28.7	-	23.6	-	25.5	-	10.3
05	14.0	12.4	-	16.2	-	20.7	-	19.9	-	18.3	-	6.2
06	13.8	11.2	-	9.6	-	11.2	-	13.3	-	10.5	-	3.1
07	12.8	9.9	-	5.2	-	5.3	-	7.9	-	5.2	-	2.0
08	10.7	8.6	-	2.5	-	2.3	-	4.2	-	2.4	-	1.1
09	7.7	7.0	-	1.2	-	1.0	-	2.1	-	1.0	-	0.5
10	5.5	5.3	-	0.5	-	0.4	-	1.0	-	0.4	-	0.1
11	3.6	4.2	-	0.2	-	0.2	-	0.5	-	0.2	-	0.1
12	2.5	3.2	-	0.1	-	0.1	-	0.2	-	0.1	-	0.1
13	1.5	2.3	-	*	-	*	-	0.1	-	*	-	*
14	1.0	1.6	-	*	-	*	-	*	-	*	-	-
15	0.6	1.0	-	-	-	*	-	*	-	*	-	-
16	0.5	0.8	-	-	-	-	-	-	-	*	-	-
17	0.2	0.5	-	-	-	-	-	-	-	*	-	-
18 & Above	0.4	0.8	-	-	-	-	-	-	-	*	-	-
Average	0.67	0.67	-	0.41	-	0.44	-	0.47	-	0.43	-	0.27
UNIFORMITY 2/												
74 & Below	*	*	-	-	-	-	-	-	-	*	-	-
75	0.1	0.1	-	-	-	-	-	-	-	*	-	*
76	0.5	0.5	-	-	-	*	-	*	-	*	-	0.1
77	2.5	1.8	-	-	-	*	-	*	-	*	-	0.1
78	5.2	3.9	-	0.1	-	0.1	-	0.2	-	0.6	-	2.4
79	11.1	8.2	-	1.2	-	0.2	-	1.3	-	3.0	-	7.7
80	22.1	18.0	-	7.1	-	2.1	-	8.8	-	11.0	-	18.6
81	34.2	32.1	-	30.1	-	16.6	-	30.1	-	27.2	-	36.9
82	19.0	24.0	-	40.4	-	50.4	-	38.1	-	35.3	-	26.6
83	4.7	9.6	-	18.5	-	27.8	-	18.1	-	19.9	-	7.4
84	0.5	1.7	-	2.6	-	2.5	-	3.3	-	2.7	-	0.3
85 & Above	0.1	0.1	-	0.1	-	0.2	-	0.1	-	0.2	-	*
Average	81.01	81.37	-	82.20	-	82.56	-	82.18	-	82.10	-	81.44
Tenderable 3/	20.0	34.2	-	71.5	-	86.7	-	63.7	-	90.7	-	84.5
SAMPLES CLASSED	13,124	147,230	-	223,299	-	674,616	-	706,510	-	653,675	-	10,747

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Feb 05, 2026

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	*	-	-	-	-	*	*	-	-
2.5 - 2.6	0.2	0.1	-	-	-	-	0.3	0.1	-	-
2.7 - 2.9	0.2	0.2	-	*	-	*	1.7	0.8	-	*
3.0 - 3.2	1.9	0.9	-	0.1	-	*	5.0	2.7	-	0.3
3.3 - 3.4	2.8	2.0	-	0.5	-	0.2	4.6	3.7	-	0.6
3.5 - 3.6	4.9	4.3	-	1.4	-	0.6	6.2	6.1	-	2.0
3.7 - 4.2	54.0	45.6	-	30.7	-	15.1	41.4	40.9	-	48.0
4.3 - 4.9	35.5	46.2	-	60.4	-	74.7	39.9	43.3	-	48.2
5.0 - 5.2	0.5	0.7	-	6.2	-	9.0	0.9	2.0	-	0.8
5.3 & Above	-	*	-	0.7	-	0.3	0.1	0.3	-	*
Average	4.12	4.19	-	4.41	-	4.56	4.08	4.16	-	4.23
Leaf										
1 - 2	65.8	62.4	-	4.5	-	16.4	71.8	57.1	-	11.3
3	28.7	30.1	-	49.0	-	59.0	22.9	31.4	-	61.2
4	4.8	6.3	-	40.1	-	21.8	4.3	9.3	-	24.3
5	0.7	1.0	-	6.1	-	2.7	0.9	1.8	-	3.1
6	0.1	0.2	-	0.3	-	0.2	0.1	0.3	-	0.1
7	*	*	-	*	-	*	-	*	-	*
8	-	*	-	-	-	-	*	*	-	-
Average	2.26	2.26	-	3.49	-	3.11	2.15	2.42	-	3.20
HVI Trash 1/										
00	*	*	-	-	-	*	0.1	0.1	-	-
01	27.5	32.0	-	0.2	-	2.0	35.3	27.6	-	0.5
02	42.0	33.5	-	6.5	-	17.1	40.0	34.1	-	12.5
03	18.1	18.3	-	22.2	-	29.7	14.2	18.2	-	29.6
04	6.8	9.0	-	27.5	-	24.7	5.5	9.7	-	26.5
05	3.0	4.0	-	21.5	-	14.2	2.5	5.1	-	16.0
06	1.3	1.7	-	12.3	-	6.8	1.2	2.7	-	8.3
07	0.7	0.8	-	5.8	-	3.1	0.6	1.3	-	3.9
08	0.3	0.4	-	2.4	-	1.3	0.3	0.6	-	1.7
09	0.1	0.2	-	0.9	-	0.6	0.1	0.3	-	0.7
10	0.1	0.1	-	0.4	-	0.2	*	0.1	-	0.2
11	*	*	-	0.1	-	0.1	*	0.1	-	0.1
12	*	*	-	*	-	*	*	*	-	*
13	-	*	-	*	-	*	-	*	-	*
14	*	*	-	*	-	*	-	*	-	*
15	-	*	-	*	-	*	*	*	-	*
16	*	*	-	*	-	-	-	*	-	*
17	-	*	-	-	-	-	-	*	-	*
18 & Above	-	*	-	*	-	-	*	*	-	*
Average	0.23	0.23	-	0.45	-	0.38	0.21	0.25	-	0.40
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	*	*	-	-
75	-	*	-	*	-	-	*	*	-	-
76	*	*	-	*	-	*	0.3	0.2	-	*
77	0.4	0.2	-	0.1	-	*	1.4	0.9	-	*
78	2.5	1.1	-	0.5	-	0.1	6.0	3.9	-	0.2
79	11.5	5.9	-	3.8	-	0.6	20.4	12.7	-	1.3
80	31.1	19.1	-	16.7	-	6.9	34.5	26.3	-	8.2
81	28.8	31.6	-	32.9	-	32.7	24.5	29.6	-	27.9
82	17.4	25.3	-	32.4	-	43.1	9.7	18.0	-	38.3
83	6.9	13.1	-	12.4	-	15.6	2.8	6.7	-	21.1
84	1.2	3.4	-	1.1	-	0.9	0.5	1.5	-	2.9
85 & Above	0.1	0.3	-	0.1	-	0.1	0.1	0.2	-	0.2
Average	81.17	81.73	-	81.80	-	82.14	80.61	81.13	-	82.23
Tenderable 3/	86.5	91.8	-	86.4	-	82.3	76.4	82.4	-	96.1
SAMPLES CLASSED	16,794	412,702	-	283,934	-	340,307	41,153	5,129,837	-	172,921

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE									
For The Week Ending Feb 05, 2026									
Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	8.6	8.7	0.1	5.2	-	-	14.9	16.1
	2	1.6	2.2	0.3	6.3	-	-	54.1	19.4
	3	-	*	-	0.1	-	-	0.8	0.6
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		10.2	10.9	0.4	11.7	-	-	69.8	36.0
02	1	30.2	40.5	2.4	4.6	-	-	10.1	12.9
	2	29.7	18.5	39.1	34.1	-	-	19.0	41.4
	3	1.0	0.2	7.8	8.6	-	-	1.0	3.5
	4	-	-	0.2	0.1	-	-	-	0.1
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		60.9	59.1	49.5	47.5	-	-	30.1	57.9
03	1	6.1	8.8	0.2	0.2	-	-	-	0.3
	2	17.7	17.3	13.7	14.6	-	-	0.2	4.4
	3	3.0	0.9	21.4	19.0	-	-	-	0.9
	4	-	-	7.4	2.1	-	-	-	0.1
	5	-	-	0.5	0.1	-	-	-	-
	6	-	-	0.1	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		26.8	27.0	43.2	35.9	-	-	0.2	5.8
04	1	0.2	0.3	-	*	-	-	-	-
	2	1.5	2.1	0.2	0.6	-	-	-	0.1
	3	0.4	0.5	1.2	2.4	-	-	-	0.1
	4	-	*	0.9	1.0	-	-	-	0.1
	5	-	-	0.3	0.1	-	-	-	*
	6	-	-	0.3	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		2.1	2.9	2.9	4.1	-	-	-	0.3
05	1	-	-	-	*	-	-	-	-
	2	0.1	0.1	0.6	0.1	-	-	-	-
	3	-	*	1.2	0.3	-	-	-	*
	4	-	-	0.2	0.2	-	-	-	*
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.1	0.2	1.9	0.7	-	-	-	*
06	1	-	-	-	-	-	-	-	-
	2	-	-	0.2	*	-	-	-	-
	3	-	-	1.1	0.1	-	-	-	-
	4	-	-	0.7	0.1	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	2.0	0.1	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.1	0.1	-	-	-	-
STAPLE									
44 & Shorter		0.1	*	-	2.1	-	-	48.5	12.7
46		12.5	14.4	0.2	7.2	-	-	32.6	46.8
48		61.6	71.1	27.6	44.4	-	-	18.2	35.7
50		25.8	14.2	67.2	44.0	-	-	0.5	4.3
52 & Longer		-	0.2	5.1	2.3	-	-	0.2	0.4
Average Staple		48.26	48.01	49.54	48.74	-	-	45.42	46.66
Average Length		1.40	1.39	1.44	1.42	-	-	1.33	1.36
EXTRANEIOUS MATTER									
Bark		-	-	-	*	-	-	0.2	0.1
Grass		-	-	-	0.3	-	-	-	0.9
Spindle Twist		-	-	1.2	0.2	-	-	-	*
Preparation		-	*	-	*	-	-	-	-
All Other		-	*	-	*	-	-	-	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE								
For The Week Ending Feb 05, 2026								
Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	0.1	*	0.1	-	-	4.2	0.2
3.0 - 3.2	-	0.8	0.1	0.5	-	-	37.4	9.2
3.3 - 3.4	0.7	0.6	0.2	1.3	-	-	6.4	13.1
3.5 - 3.6	8.6	4.7	2.6	6.6	-	-	5.8	18.6
3.7 - 4.2	85.9	88.6	94.5	87.5	-	-	33.0	55.3
4.3 - 4.9	4.9	5.1	2.5	3.9	-	-	13.3	3.6
5.0 - 5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	3.93	3.95	3.95	3.92	-	-	3.58	3.72
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	*	-	*	-	-	-	*
2.8	-	0.1	*	*	-	-	0.8	*
2.9	-	*	-	0.1	-	-	3.4	0.2
3.0	-	0.1	*	0.1	-	-	8.3	1.5
3.1	-	0.3	-	0.1	-	-	16.3	3.6
3.2	-	0.4	0.1	0.2	-	-	12.8	4.1
3.3	0.1	0.3	0.1	0.5	-	-	4.3	4.7
3.4	0.6	0.4	0.2	0.8	-	-	2.1	8.3
3.5	3.8	1.6	0.4	1.9	-	-	2.6	9.8
3.6	4.8	3.1	2.2	4.7	-	-	3.2	8.8
3.7	9.5	7.7	10.3	9.3	-	-	7.2	9.6
3.8	18.6	13.3	16.1	15.9	-	-	5.6	10.6
3.9	14.3	19.4	22.9	22.1	-	-	5.4	11.4
4.0	15.1	21.8	18.3	20.8	-	-	3.7	10.7
4.1	17.3	17.9	16.7	12.8	-	-	5.1	9.0
4.2	11.0	8.5	10.2	6.6	-	-	5.9	3.9
4.3	3.3	3.2	1.6	2.5	-	-	9.4	2.2
4.4	1.0	1.7	0.5	0.9	-	-	2.2	0.6
4.5	0.3	0.2	0.3	0.4	-	-	1.4	0.4
4.6	0.1	*	*	0.1	-	-	0.2	0.2
4.7	0.1	*	-	*	-	-	-	*
4.8	-	*	-	*	-	-	-	*
4.9	-	-	-	*	-	-	-	*
5.0	-	-	*	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	3.93	3.95	3.95	3.92	-	-	3.58	3.72
STRENGTH 1/								
36 & Below	0.1	0.1	-	1.3	-	-	32.8	10.5
37	0.1	0.2	-	3.9	-	-	19.7	16.3
38	0.8	0.5	-	2.7	-	-	12.2	17.2
39	2.5	1.4	*	1.2	-	-	4.3	7.7
40	11.7	5.3	0.1	1.6	-	-	3.0	2.8
41	20.5	15.8	1.1	5.1	-	-	1.1	3.2
42	27.2	28.3	3.3	10.2	-	-	2.6	5.5
43	18.4	28.7	8.2	16.6	-	-	0.5	7.7
44	10.2	13.6	13.0	20.8	-	-	2.2	10.0
45	4.7	4.7	31.5	18.6	-	-	8.8	8.9
46	3.4	1.0	28.1	11.1	-	-	8.5	6.5
47	0.1	0.2	8.9	4.7	-	-	0.2	2.5
48 & Above	0.2	0.2	5.8	2.3	-	-	4.2	1.3
Average	42.59	42.86	45.68	43.91	-	-	39.45	40.98
UNIFORMITY								
83 & Below	0.2	0.1	0.3	1.6	-	-	23.0	3.1
84	2.3	2.5	5.0	11.2	-	-	34.6	22.6
85	39.0	38.9	20.6	33.4	-	-	37.4	43.1
86	50.9	51.9	61.9	47.1	-	-	4.6	28.2
87	6.4	6.2	10.1	6.0	-	-	0.3	2.9
88 & Above	1.4	0.4	2.2	0.6	-	-	-	0.2
Average	86.09	86.08	86.32	85.91	-	-	84.69	85.50
Samples Classed	1,730	18,055	3,247	300,083	-	-	625	33,364

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.