



Weekly Quality of Cotton Classed by Classing Office: Week Ending - 2/19/2026

Agricultural Marketing Service  
Cotton Market News

Volume 67, No.29

February 20, 2026

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
<b>UPLAND</b>								
Abilene	22	72.4	58.1	32,566	31	80.0	60.2	1,116,251
Corpus Christi*	-	-	-	-	42	88.1	72.5	1,524,949
Dumas*	-	-	-	-	33	53.0	25.2	951,046
Florence	-	-	-	-	40	90.5	79.2	1,110,530
Lamesa	3	69.1	48.2	5,281	24	83.9	59.7	585,553
Lubbock	5	73.4	57.9	3,537	54	78.4	58.4	2,500,910
Macon	6	82.6	61.6	2,852	68	88.6	74.8	2,196,821
Memphis	3	85.9	68.7	11,802	65	83.5	60.1	2,341,871
Rayville	-	-	-	-	16	69.3	47.6	283,396
Visalia	9	84.6	71.1	11,149	27	85.7	70.3	357,889
<b>United States</b>	<b>50</b>	<b>77.2</b>	<b>61.7</b>	<b>67,615</b>	<b>400</b>	<b>81.7</b>	<b>62.8</b>	<b>12,969,216</b>
<b>AMERICAN PIMA</b>								
Visalia	5			3,346	18			379,675
United States	5			3,346	18			379,675
<b>United States all cotton</b>	<b>53</b>			<b>70,961</b>	<b>408</b>			<b>13,348,891</b>

\* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP\_CN100

Source: USDA AMS Cotton and Tobacco Market News  
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov  
<https://www.ams.usda.gov/market-news/cotton>  
<https://mymarketnews.ams.usda.gov/cottonmn@ams.usda.gov>

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending Feb 19, 2026**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct. 22.8	Pct. 36.4	Pct. -	Pct. 14.3	Pct. -	Pct. 0.9	Pct. -	Pct. 0.5	Pct. 39.6	Pct. 71.2	
	3	4.6	6.5	-	14.3	-	0.8	-	0.5	15.7	6.7	
	4	0.2	0.4	-	1.4	-	*	-	*	0.1	0.3	
	5	-	*	-	*	-	*	-	*	-	*	
	6	-	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	
	8	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>27.6</b>	<b>43.3</b>	-	<b>30.1</b>	-	<b>1.7</b>	-	<b>1.0</b>	<b>55.3</b>	<b>78.2</b>
	31	1-2	17.4	9.5	-	5.1	-	2.2	-	5.3	20.0	3.1
3		17.1	11.8	-	22.2	-	16.1	-	21.7	15.1	2.0	
4		3.3	3.5	-	9.4	-	7.9	-	6.2	0.5	0.4	
5		0.3	0.5	-	1.0	-	0.5	-	0.3	0.1	0.1	
6		*	0.1	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	-	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	-	
<b>Total</b>		----	<b>38.0</b>	<b>25.4</b>	-	<b>37.7</b>	-	<b>26.8</b>	-	<b>33.5</b>	<b>35.7</b>	<b>5.6</b>
41		1-2	0.8	0.4	-	0.6	-	0.6	-	2.5	*	*
	3	4.2	1.5	-	5.3	-	19.0	-	29.0	0.1	*	
	4	3.2	2.0	-	5.0	-	32.8	-	25.0	-	*	
	5	1.0	1.6	-	1.3	-	9.1	-	4.3	-	*	
	6	0.5	0.7	-	0.1	-	0.6	-	0.3	-	*	
	7	0.1	0.1	-	*	-	*	-	*	-	*	
	8	*	*	-	-	-	-	-	*	-	-	
	<b>Total</b>	----	<b>9.9</b>	<b>6.3</b>	-	<b>12.4</b>	-	<b>62.2</b>	-	<b>61.2</b>	<b>0.1</b>	<b>0.1</b>
	51	1-2	-	*	-	*	-	*	-	0.1	-	-
3		-	*	-	0.2	-	1.1	-	0.9	-	-	
4		*	*	-	0.4	-	3.0	-	1.6	-	-	
5		*	0.1	-	0.1	-	1.5	-	0.7	-	-	
6		*	0.2	-	*	-	0.2	-	0.1	-	*	
7		*	0.1	-	*	-	*	-	*	-	-	
8		-	*	-	-	-	-	-	*	-	-	
<b>Total</b>		----	<b>0.1</b>	<b>0.4</b>	-	<b>0.8</b>	-	<b>5.8</b>	-	<b>3.4</b>	-	<b>*</b>
61		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	
	4	-	-	-	*	-	*	-	*	-	-	
	5	-	-	-	-	-	*	-	*	-	-	
	6	-	-	-	*	-	*	-	*	-	-	
	7	-	-	-	*	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	-	<b>*</b>	-	<b>*</b>	-	<b>*</b>	-	<b>*</b>	-	-
	71	1-2	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	*	-	-	
6		-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	
8		-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		----	-	-	-	-	-	-	<b>*</b>	-	-	
12 & 22		1-2	3.9	8.2	-	4.0	-	*	-	*	2.1	10.4
	3	1.7	2.7	-	3.8	-	*	-	*	4.3	2.3	
	4	0.5	0.4	-	1.0	-	*	-	*	0.2	0.2	
	5	*	*	-	0.1	-	-	-	-	-	*	
	6	-	*	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	
	8	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>6.1</b>	<b>11.4</b>	-	<b>8.8</b>	-	<b>*</b>	-	<b>*</b>	<b>6.5</b>	<b>12.9</b>
	32	1-2	3.6	1.8	-	0.6	-	*	-	*	0.1	0.3
3		4.0	2.9	-	2.6	-	0.1	-	0.1	1.5	0.5	
4		1.3	1.5	-	2.4	-	0.1	-	0.1	0.5	0.2	
5		0.4	0.5	-	0.6	-	*	-	*	-	0.1	
6		0.1	0.1	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	-	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	-	
<b>Total</b>		----	<b>9.4</b>	<b>6.8</b>	-	<b>6.3</b>	-	<b>0.3</b>	-	<b>0.2</b>	<b>2.2</b>	<b>1.1</b>
42		1-2	0.2	0.1	-	0.1	-	*	-	*	*	*
	3	0.8	0.4	-	0.9	-	0.5	-	0.2	0.1	*	
	4	0.5	0.8	-	1.1	-	1.2	-	0.3	-	*	
	5	0.5	0.9	-	0.6	-	0.6	-	0.1	-	*	
	6	0.7	0.6	-	0.1	-	0.1	-	*	-	*	
	7	0.4	0.2	-	*	-	*	-	*	-	*	
	8	0.1	*	-	-	-	-	-	*	-	-	
	<b>Total</b>	----	<b>3.2</b>	<b>3.0</b>	-	<b>2.8</b>	-	<b>2.5</b>	-	<b>0.6</b>	<b>0.1</b>	<b>*</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending Feb 19, 2026**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 52	1-2	-	*	-	*	-	*	-	*	-	*	
	3	-	*	-	*	-	0.1	-	*	-	*	
	4	*	*	-	0.1	-	0.2	-	*	-	-	
	5	*	*	-	0.1	-	0.2	-	*	-	*	
	6	0.1	*	-	*	-	0.1	-	*	-	-	
	7	0.1	0.1	-	*	-	*	-	*	-	-	
	8	0.2	*	-	-	-	-	-	*	-	-	
	<b>Total</b>	----	<b>0.4</b>	<b>0.2</b>	-	<b>0.2</b>	-	<b>0.6</b>	-	<b>0.1</b>	-	<b>*</b>
	62	1-2	-	-	-	*	-	-	-	-	-	-
3		-	-	-	*	-	*	-	-	-	-	
4		-	-	-	*	-	*	-	*	-	-	
5		-	-	-	*	-	*	-	*	-	-	
6		-	-	-	*	-	*	-	-	-	-	
7		-	-	-	*	-	-	-	-	-	-	
8		-	*	-	*	-	-	-	-	-	-	
<b>Total</b>		----	-	<b>*</b>	-	<b>*</b>	-	<b>*</b>	-	<b>*</b>	-	-
13 & 23		1-2	2.5	0.6	-	0.1	-	-	-	*	-	0.9
	3	0.6	0.4	-	0.1	-	-	-	*	-	0.3	
	4	0.3	0.1	-	*	-	-	-	*	-	*	
	5	*	*	-	*	-	-	-	-	-	*	
	6	-	*	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>3.4</b>	<b>1.2</b>	-	<b>0.2</b>	-	-	-	<b>*</b>	-	<b>1.3</b>
	33	1-2	0.2	0.2	-	*	-	*	-	*	-	0.1
3		0.3	0.5	-	0.1	-	*	-	*	0.1	0.2	
4		0.5	0.3	-	0.1	-	*	-	*	-	0.2	
5		0.1	0.1	-	*	-	-	-	*	-	0.1	
6		*	*	-	*	-	-	-	*	-	*	
7		*	*	-	*	-	-	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	-	
<b>Total</b>		----	<b>1.1</b>	<b>1.1</b>	-	<b>0.3</b>	-	<b>*</b>	-	<b>*</b>	<b>0.1</b>	<b>0.6</b>
43		1-2	*	*	-	*	-	-	-	*	-	*
	3	0.2	0.1	-	0.1	-	*	-	*	-	*	
	4	0.1	0.1	-	0.1	-	*	-	*	-	*	
	5	0.1	0.2	-	0.1	-	*	-	*	-	*	
	6	0.1	0.1	-	*	-	*	-	*	-	*	
	7	*	0.1	-	*	-	-	-	*	-	*	
	8	*	*	-	-	-	-	-	*	-	-	
	<b>Total</b>	----	<b>0.6</b>	<b>0.6</b>	-	<b>0.3</b>	-	<b>*</b>	-	<b>*</b>	-	<b>*</b>
	53	1-2	-	-	-	*	-	*	-	-	-	-
3		*	*	-	*	-	*	-	*	-	-	
4		*	*	-	*	-	*	-	*	-	-	
5		*	*	-	*	-	*	-	*	-	-	
6		*	*	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	*	-	*	-	-	
8		*	*	-	-	-	-	-	*	-	-	
<b>Total</b>		----	<b>*</b>	<b>*</b>	-	<b>*</b>	-	<b>*</b>	-	<b>*</b>	-	<b>*</b>
63		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	*	-	-	-	-	-	-	
	5	-	-	-	-	-	*	-	-	-	-	
	6	-	-	-	*	-	-	-	-	-	-	
	7	*	*	-	-	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>*</b>	<b>*</b>	-	<b>*</b>	-	<b>*</b>	-	-	-	-
	24 - 54	1-8	0.1	0.1	-	*	-	-	-	*	-	0.1
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	
81 - 85	1-8	-	*	-	*	-	-	-	-	-	*	
STAPLE												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	
30		*	*	-	-	-	-	-	-	-	*	
31		0.2	0.1	-	*	-	*	-	*	-	0.2	
32		2.1	0.6	-	*	-	*	-	*	*	1.8	
33		5.4	3.1	-	0.1	-	0.1	-	0.1	0.7	7.4	
34		13.3	9.0	-	0.7	-	1.3	-	1.4	7.7	20.9	
35		21.6	15.4	-	3.8	-	8.2	-	8.3	26.5	28.5	
36		19.5	18.4	-	15.6	-	25.2	-	26.6	39.7	21.9	
37		16.4	23.7	-	45.9	-	42.7	-	47.7	24.1	14.9	
38		10.4	14.6	-	25.3	-	16.4	-	12.9	1.3	3.7	
39		8.0	9.7	-	7.8	-	4.9	-	2.7	-	0.6	
40 & Longer		3.1	5.4	-	0.7	-	1.1	-	0.3	-	*	
<b>Average Staple</b>		<b>36.00</b>	<b>36.59</b>	-	<b>37.17</b>	-	<b>36.84</b>	-	<b>36.71</b>	<b>35.82</b>	<b>35.23</b>	
<b>Average Length</b>		<b>1.12</b>	<b>1.14</b>	-	<b>1.16</b>	-	<b>1.15</b>	-	<b>1.14</b>	<b>1.12</b>	<b>1.10</b>	

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending Feb 19, 2026**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 44.9	Pct. 57.8	Pct. 1.0	Pct. 1.7	Pct. -	Pct. 0.4	Pct. -	Pct. 3.8	Pct. 6.8	Pct. 19.1
	3	5.4	15.0	1.0	1.2	-	0.4	-	2.5	3.3	5.1
	4	-	0.8	-	*	-	*	-	0.1	*	0.3
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	<b>Total</b>	----	<b>50.3</b>	<b>73.6</b>	<b>2.0</b>	<b>2.9</b>	<b>-</b>	<b>0.8</b>	<b>-</b>	<b>6.5</b>	<b>10.1</b>
31	1-2	10.7	3.3	4.8	8.1	0.4	2.7	-	8.0	2.1	10.7
	3	17.3	5.1	13.9	21.8	6.3	12.2	-	32.8	2.2	13.5
	4	3.8	2.0	2.4	4.2	1.3	3.4	-	11.5	0.9	3.0
	5	0.3	0.3	*	0.2	*	0.2	-	0.9	*	0.4
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	<b>Total</b>	----	<b>32.2</b>	<b>10.7</b>	<b>21.1</b>	<b>34.3</b>	<b>8.1</b>	<b>18.4</b>	<b>-</b>	<b>53.2</b>	<b>5.1</b>
41	1-2	*	*	5.3	5.0	0.8	2.3	-	0.8	4.2	3.4
	3	0.1	0.1	33.0	31.5	27.0	30.8	-	12.3	33.9	16.5
	4	0.4	0.2	25.1	16.5	37.8	26.7	-	16.3	19.9	10.9
	5	0.3	0.2	3.4	2.1	10.1	5.1	-	4.5	3.3	3.2
	6	*	0.1	0.4	0.1	0.5	0.4	-	0.4	1.2	0.6
	7	-	*	-	*	-	*	-	-	0.4	0.1
	8	-	*	-	-	-	-	-	-	0.1	*
	<b>Total</b>	----	<b>0.8</b>	<b>0.5</b>	<b>67.2</b>	<b>55.3</b>	<b>76.1</b>	<b>65.4</b>	<b>-</b>	<b>34.3</b>	<b>63.0</b>
51	1-2	-	*	-	0.2	0.1	0.1	-	*	*	0.1
	3	-	*	1.4	2.4	1.7	2.9	-	*	3.3	1.4
	4	-	*	4.3	2.3	4.0	4.7	-	0.3	5.8	2.5
	5	-	*	1.8	0.5	1.2	1.7	-	0.3	1.7	1.6
	6	-	*	0.3	0.1	0.1	0.3	-	0.1	0.8	0.7
	7	-	*	-	*	-	*	-	-	0.2	0.2
	8	-	*	-	*	-	-	-	-	0.2	*
	<b>Total</b>	----	<b>-</b>	<b>*</b>	<b>7.8</b>	<b>5.5</b>	<b>7.0</b>	<b>9.7</b>	<b>-</b>	<b>0.7</b>	<b>12.0</b>
61	1-2	-	*	-	*	-	*	-	-	-	*
	3	-	*	0.1	*	-	*	-	*	*	*
	4	-	*	-	*	-	*	-	*	*	*
	5	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	*	-	-	-	-	-	-
	<b>Total</b>	----	<b>-</b>	<b>*</b>	<b>0.1</b>	<b>0.1</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>*</b>
71	1-2	-	*	-	-	-	*	-	-	-	-
	3	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>-</b>
12 & 22	1-2	10.9	6.1	-	*	-	*	-	0.1	1.5	1.9
	3	2.3	3.8	-	*	-	*	-	0.1	1.9	1.0
	4	-	0.5	-	*	-	*	-	0.1	0.1	0.1
	5	-	*	-	-	-	*	-	*	-	*
	6	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	<b>Total</b>	----	<b>13.2</b>	<b>10.4</b>	<b>-</b>	<b>0.1</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>0.3</b>	<b>3.5</b>
32	1-2	0.5	0.3	0.1	0.1	-	*	-	0.1	0.3	0.2
	3	0.9	1.0	0.3	0.3	-	0.2	-	0.5	0.4	0.5
	4	0.4	0.6	-	0.1	*	0.1	-	0.8	0.1	0.4
	5	*	0.2	-	*	-	*	-	0.4	*	0.2
	6	-	*	-	*	-	*	-	0.1	-	*
	7	-	*	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	<b>Total</b>	----	<b>1.8</b>	<b>2.1</b>	<b>0.4</b>	<b>0.4</b>	<b>*</b>	<b>0.3</b>	<b>-</b>	<b>1.8</b>	<b>0.8</b>
42	1-2	-	*	-	*	-	0.2	-	*	0.2	*
	3	-	*	0.1	0.5	0.3	1.7	-	0.4	1.1	0.5
	4	0.1	0.1	0.1	0.4	3.3	1.5	-	1.2	0.6	0.5
	5	*	0.1	0.2	0.1	4.2	0.4	-	0.7	0.2	0.3
	6	*	*	-	*	0.3	0.1	-	0.4	*	0.1
	7	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	<b>Total</b>	----	<b>0.1</b>	<b>0.2</b>	<b>0.5</b>	<b>1.1</b>	<b>8.2</b>	<b>3.9</b>	<b>-</b>	<b>2.7</b>	<b>2.1</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending Feb 19, 2026**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 52	1-2	-	-	-	*	-	*	-	-	-	*	
	3	-	-	*	0.1	*	0.4	-	*	0.2	0.1	
	4	-	*	-	0.1	0.1	0.6	-	0.1	0.8	0.2	
	5	-	*	-	*	0.4	0.3	-	0.1	1.0	0.2	
	6	-	*	-	*	0.1	0.1	-	*	0.6	0.1	
	7	-	*	-	*	-	*	-	*	0.4	*	
	8	-	*	-	*	-	-	-	-	0.1	*	
	<b>Total</b>	----	-	*	*	<b>0.2</b>	<b>0.7</b>	<b>1.4</b>	-	<b>0.1</b>	<b>3.0</b>	<b>0.7</b>
	62	1-2	-	-	-	*	-	-	-	-	-	-
3		-	-	-	*	-	*	-	-	-	*	
4		-	-	-	*	-	*	-	-	*	*	
5		-	-	-	*	-	*	-	-	*	*	
6		-	-	-	*	-	*	-	-	-	*	
7		-	-	-	*	-	*	-	-	-	*	
8		-	-	-	*	-	-	-	-	-	*	
<b>Total</b>		----	-	-	-	*	-	*	-	-	*	*
13 & 23		1-2	1.3	0.7	-	*	-	-	-	-	-	0.1
	3	0.2	0.6	-	*	-	-	-	-	-	0.1	
	4	-	0.1	-	*	-	-	-	-	-	*	
	5	-	*	-	*	-	-	-	-	-	-	
	6	-	*	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>1.5</b>	<b>1.4</b>	-	*	-	-	-	-	-	<b>0.2</b>
	33	1-2	*	0.1	-	*	-	*	-	*	*	*
3		0.1	0.3	-	*	-	*	-	*	0.1	*	
4		-	0.2	-	*	-	*	-	*	*	*	
5		-	0.1	-	*	-	*	-	*	-	*	
6		-	*	-	*	-	*	-	*	-	*	
7		-	*	-	-	-	-	-	-	-	-	
8		-	*	-	-	-	-	-	-	-	-	
<b>Total</b>		----	<b>0.1</b>	<b>0.8</b>	-	*	-	*	-	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>
43		1-2	-	*	-	*	-	*	-	*	*	*
	3	-	*	-	*	-	*	-	*	0.1	*	
	4	-	*	-	*	-	*	-	*	*	*	
	5	-	*	-	*	-	*	-	*	*	*	
	6	-	*	-	*	-	*	-	*	-	*	
	7	-	*	-	*	-	*	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	-	<b>0.1</b>	-	<b>0.1</b>	-	<b>0.1</b>	-	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>
	53	1-2	-	-	*	*	-	*	-	-	-	*
3		-	-	0.5	*	-	*	-	-	*	*	
4		-	-	0.3	*	-	*	-	-	*	*	
5		-	-	-	*	-	*	-	*	*	*	
6		-	*	-	*	-	*	-	*	*	*	
7		-	*	-	*	-	*	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	*	
<b>Total</b>		----	-	*	<b>0.9</b>	*	-	*	-	*	<b>0.1</b>	*
63		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	
	4	-	-	-	*	-	-	-	-	-	-	
	5	-	-	*	*	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	*	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	-	*	*	*	-	-	-	-	-	-
	24 - 54	1-8	-	0.1	-	*	-	*	-	0.1	-	*
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	
81 - 85	1-8	-	*	*	*	-	*	-	-	-	-	
STAPLE												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	
29		-	*	-	-	-	-	-	-	-	-	
30		-	*	-	*	-	-	-	-	-	-	
31		*	0.1	0.1	*	-	*	-	-	-	*	
32		-	0.5	0.1	0.1	-	*	-	*	*	*	
33		1.8	2.6	*	0.8	-	0.1	-	0.2	*	0.2	
34		19.5	8.7	5.8	4.7	*	0.8	-	1.6	1.6	0.9	
35		35.0	18.3	16.5	15.4	0.2	4.1	-	11.2	10.3	4.0	
36		26.2	25.8	23.2	30.1	1.2	15.1	-	28.8	37.7	15.4	
37		16.1	29.2	48.7	35.7	21.6	47.5	-	39.8	33.1	41.9	
38		1.4	10.6	5.1	10.2	47.5	26.9	-	14.2	14.1	23.4	
39		0.1	3.2	0.5	2.5	28.2	4.9	-	3.8	2.3	8.0	
40 & Longer		-	1.0	-	0.4	1.2	0.5	-	0.4	0.9	6.2	
<b>Average Staple</b>		<b>35.40</b>	<b>36.18</b>	<b>36.31</b>	<b>36.38</b>	<b>38.06</b>	<b>37.12</b>	-	<b>36.66</b>	<b>36.60</b>	<b>37.50</b>	
<b>Average Length</b>		<b>1.10</b>	<b>1.13</b>	<b>1.13</b>	<b>1.13</b>	<b>1.19</b>	<b>1.16</b>	-	<b>1.14</b>	<b>1.14</b>	<b>1.17</b>	

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending Feb 19, 2026**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	17.0	9.5	-	0.6	-	*	-	2.1	18.6	1.7
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	0.3	-	0.1	-	*	*	0.3
Grass - Level 2	-	-	-	*	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	1.5	-	0.8	*	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	*	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	0.1	-	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
<b>STRENGTH 1/22 &amp; Below</b>	*	*	-	*	-	-	-	-	-	*
23	-	*	-	*	-	-	-	-	-	0.1
24	*	*	-	*	-	*	-	*	0.1	0.2
25	0.6	0.2	-	*	-	*	-	*	0.3	0.9
26	1.5	0.7	-	0.2	-	0.1	-	0.5	1.8	2.7
27	5.3	2.8	-	1.2	-	0.5	-	3.0	6.1	7.5
28	10.9	8.0	-	5.2	-	3.9	-	12.6	18.4	14.0
29	18.5	14.9	-	14.8	-	15.4	-	30.5	20.3	19.9
30	21.8	17.8	-	21.7	-	28.5	-	30.3	23.0	22.0
31	16.9	17.0	-	17.7	-	26.8	-	15.3	17.2	17.6
32	11.6	14.4	-	12.5	-	15.8	-	5.8	9.8	9.3
33	7.1	11.3	-	11.5	-	6.3	-	1.6	3.0	3.7
34	3.6	7.1	-	9.7	-	2.1	-	0.3	0.1	1.3
35	1.6	3.6	-	4.0	-	0.5	-	0.1	*	0.5
36	0.5	1.3	-	1.1	-	0.1	-	*	-	0.2
37	0.2	0.7	-	0.2	-	*	-	*	-	*
38	*	0.2	-	*	-	*	-	-	-	*
39	*	*	-	*	-	*	-	-	-	-
40 & Above	*	*	-	-	-	*	-	-	-	-
<b>Average</b>	<b>30.67</b>	<b>31.42</b>	<b>-</b>	<b>31.59</b>	<b>-</b>	<b>31.09</b>	<b>-</b>	<b>30.12</b>	<b>30.06</b>	<b>30.14</b>
<b>Mike</b>										
2.4 & Below	0.2	*	-	-	-	-	-	-	-	*
2.5	0.6	0.2	-	*	-	-	-	*	0.3	0.1
2.6	0.9	0.3	-	*	-	-	-	-	0.8	0.2
2.7	1.0	0.4	-	*	-	-	-	*	0.9	0.3
2.8	0.9	0.4	-	*	-	-	-	*	1.1	0.4
2.9	0.7	0.5	-	*	-	-	-	*	0.9	0.6
3.0	0.7	0.6	-	0.1	-	-	-	*	0.8	0.9
3.1	0.8	0.8	-	0.1	-	-	-	*	1.3	0.9
3.2	0.8	1.1	-	0.3	-	*	-	0.1	2.1	1.3
3.3	0.7	1.4	-	0.5	-	*	-	0.2	4.3	1.6
3.4	1.4	1.9	-	0.9	-	*	-	0.3	5.0	2.0
3.5	1.5	2.5	-	1.3	-	*	-	0.5	4.3	2.5
3.6	2.3	3.4	-	1.9	-	0.1	-	0.9	9.4	3.1
3.7	3.3	4.4	-	2.7	-	0.1	-	1.8	7.5	3.9
3.8	4.8	5.5	-	4.4	-	0.1	-	2.7	9.5	4.7
3.9	6.4	6.9	-	6.7	-	0.2	-	4.2	7.8	5.5
4.0	8.4	8.5	-	9.0	-	0.4	-	5.8	7.3	6.2
4.1	9.4	10.0	-	11.1	-	0.6	-	7.8	7.4	7.0
4.2	11.3	10.7	-	12.8	-	1.0	-	9.9	8.0	8.0
4.3	11.9	10.7	-	12.9	-	1.7	-	11.6	7.1	8.6
4.4	10.7	9.5	-	11.3	-	2.8	-	11.8	3.5	9.1
4.5	8.5	7.7	-	8.8	-	4.1	-	10.7	2.6	8.9
4.6	7.1	5.6	-	6.0	-	6.5	-	9.4	1.0	8.1
4.7	3.7	3.5	-	3.7	-	9.5	-	7.7	0.9	6.4
4.8	1.0	2.0	-	2.3	-	13.4	-	5.5	2.1	4.5
4.9	0.4	0.9	-	1.3	-	16.0	-	3.9	2.2	2.6
5.0	0.2	0.4	-	0.8	-	16.3	-	2.5	0.9	1.4
5.1	0.1	0.2	-	0.4	-	12.9	-	1.4	0.8	0.6
5.2	-	0.1	-	0.3	-	8.2	-	0.7	0.1	0.3
5.3	-	*	-	0.2	-	4.0	-	0.3	-	0.1
5.4	-	-	-	0.1	-	1.5	-	0.1	-	*
5.5 & Above	-	*	-	0.2	-	0.5	-	*	-	*
<b>Average</b>	<b>4.10</b>	<b>4.11</b>	<b>-</b>	<b>4.23</b>	<b>-</b>	<b>4.88</b>	<b>-</b>	<b>4.38</b>	<b>3.88</b>	<b>4.19</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).  
 \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending Feb 19, 2026**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	14.0	7.7	2.2	1.3	-	*	-	2.0	3.4	0.5
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	0.1	-	*	-	0.1	0.2	0.5
Grass - Level 2	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	-	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.4	0.4	0.3	-	0.1	-	2.9	0.2	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 2	-	*	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	*	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
<b>STRENGTH 1/</b>										
22 & Below	-	*	-	-	-	*	-	-	-	*
23	-	*	-	*	-	*	-	-	-	*
24	-	0.1	0.1	*	*	*	-	-	0.1	*
25	-	0.2	0.1	0.1	-	*	-	*	0.3	0.1
26	0.8	0.7	0.1	0.6	-	*	-	0.1	1.9	0.7
27	5.7	2.6	0.8	3.2	-	0.2	-	1.7	6.2	2.7
28	16.2	7.1	14.1	10.7	0.1	1.8	-	6.6	13.9	8.8
29	28.6	14.6	50.5	20.6	7.9	12.4	-	17.9	24.2	16.8
30	24.8	20.2	25.9	25.1	36.1	36.1	-	30.0	16.0	20.5
31	10.7	19.9	6.0	19.9	23.7	32.4	-	20.1	15.0	18.0
32	5.0	15.1	2.3	11.5	14.9	12.2	-	12.6	15.3	12.0
33	3.9	9.8	0.1	5.3	14.7	3.8	-	6.0	5.1	7.5
34	2.8	5.5	*	2.1	2.5	0.9	-	3.1	1.7	5.8
35	0.9	2.5	-	0.7	*	0.1	-	1.5	0.3	4.1
36	0.5	1.0	-	0.2	*	*	-	0.2	0.2	2.2
37	0.1	0.4	-	*	-	*	-	*	*	0.7
38	-	0.1	-	*	-	*	-	*	*	0.1
39	-	*	-	*	-	-	-	-	*	*
40 & Above	-	-	-	*	-	-	-	-	-	*
<b>Average</b>	<b>30.14</b>	<b>31.28</b>	<b>29.75</b>	<b>30.62</b>	<b>31.46</b>	<b>31.01</b>	<b>-</b>	<b>30.93</b>	<b>30.34</b>	<b>31.26</b>
<b>Mike</b>										
2.4 & Below	-	*	-	-	-	-	-	-	0.1	*
2.5	-	0.1	-	*	-	-	-	*	0.2	*
2.6	-	0.1	-	*	-	-	-	*	0.5	*
2.7	-	0.2	-	*	-	*	-	*	0.8	0.1
2.8	0.2	0.4	-	*	-	*	-	*	0.6	0.2
2.9	0.4	0.6	-	*	-	*	-	*	1.0	0.2
3.0	1.4	0.9	-	*	-	*	-	*	0.7	0.3
3.1	2.2	1.3	-	*	-	*	-	0.1	0.4	0.5
3.2	2.5	1.8	-	0.1	-	*	-	0.1	0.8	0.8
3.3	3.4	2.4	0.6	0.2	-	*	-	0.1	1.0	0.7
3.4	5.1	3.0	0.7	0.3	-	0.1	-	0.1	1.4	0.9
3.5	7.2	3.8	1.3	0.6	-	0.1	-	0.2	2.5	1.5
3.6	6.7	4.4	1.4	1.1	-	0.2	-	0.4	4.8	1.9
3.7	6.7	5.0	4.1	1.9	*	0.4	-	0.5	5.2	2.8
3.8	6.6	5.6	5.7	2.8	0.1	0.6	-	0.7	5.1	3.7
3.9	10.5	6.1	5.3	4.1	0.4	1.0	-	1.1	8.8	5.1
4.0	10.3	6.5	5.6	5.6	1.0	1.7	-	1.9	14.8	6.6
4.1	9.4	6.9	6.2	7.4	3.2	2.6	-	3.5	12.0	8.0
4.2	7.0	7.3	6.4	9.1	5.1	4.0	-	4.5	9.6	9.1
4.3	5.7	7.7	7.0	10.0	7.1	5.8	-	5.6	7.8	9.3
4.4	5.7	7.7	8.1	10.3	12.9	8.2	-	6.6	7.1	9.1
4.5	4.4	7.4	10.0	9.9	17.9	11.1	-	8.6	4.5	9.1
4.6	2.7	6.6	3.6	9.1	14.9	14.0	-	9.7	2.4	8.4
4.7	1.2	5.4	4.8	8.2	15.4	15.2	-	10.6	2.5	6.8
4.8	0.4	3.8	7.0	6.5	9.4	13.8	-	11.4	1.2	5.1
4.9	0.1	2.4	10.2	4.9	7.9	10.1	-	10.5	1.8	3.8
5.0	-	1.4	6.7	3.4	4.1	6.3	-	8.3	2.0	2.4
5.1	*	0.7	2.8	2.2	0.6	3.0	-	6.9	0.3	1.3
5.2	-	0.4	2.5	1.2	*	1.2	-	4.0	0.1	0.9
5.3	-	0.2	*	0.6	*	0.4	-	2.2	-	0.6
5.4	-	0.1	-	0.2	-	0.1	-	1.1	-	0.3
5.5 & Above	-	0.1	-	0.1	-	*	-	1.1	-	0.3
<b>Average</b>	<b>3.89</b>	<b>4.11</b>	<b>4.40</b>	<b>4.41</b>	<b>4.57</b>	<b>4.62</b>	<b>-</b>	<b>4.67</b>	<b>4.05</b>	<b>4.31</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).  
 \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending Feb 19, 2026**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	0.2	*	-	-	-	-	-	-	-	*
2.5 - 2.6	1.6	0.5	-	*	-	-	-	*	1.0	0.3
2.7 - 2.9	2.7	1.3	-	0.1	-	-	-	*	2.9	1.3
3.0 - 3.2	2.4	2.5	-	0.5	-	*	-	0.2	4.3	3.1
3.3 - 3.4	2.0	3.3	-	1.4	-	*	-	0.5	9.3	3.7
3.5 - 3.6	3.8	5.9	-	3.1	-	0.1	-	1.5	13.8	5.6
3.7 - 4.2	43.7	45.9	-	46.6	-	2.5	-	32.1	47.5	35.2
4.3 - 4.9	43.4	40.0	-	46.4	-	54.0	-	60.6	19.4	48.3
5.0 - 5.2	0.2	0.6	-	1.4	-	37.4	-	4.6	1.8	2.3
5.3 & Above	-	*	-	0.5	-	6.1	-	0.4	-	0.1
<b>Average</b>	<b>4.10</b>	<b>4.11</b>	<b>-</b>	<b>4.23</b>	<b>-</b>	<b>4.88</b>	<b>-</b>	<b>4.38</b>	<b>3.88</b>	<b>4.19</b>
Leaf										
1 - 2	51.5	57.3	-	24.8	-	3.8	-	8.4	61.9	86.1
3	33.5	26.9	-	49.7	-	37.7	-	52.5	36.8	12.2
4	9.9	9.1	-	21.1	-	45.4	-	33.2	1.3	1.4
5	2.7	4.1	-	4.0	-	12.0	-	5.4	0.1	0.3
6	1.5	1.8	-	0.5	-	1.1	-	0.4	-	0.1
7	0.6	0.6	-	0.1	-	*	-	*	-	*
8	0.3	0.1	-	*	-	-	-	*	-	-
<b>Average</b>	<b>2.61</b>	<b>2.52</b>	<b>-</b>	<b>3.03</b>	<b>-</b>	<b>3.69</b>	<b>-</b>	<b>3.37</b>	<b>2.28</b>	<b>1.76</b>
HVI Trash 1/										
00	*	*	-	*	-	-	-	-	-	0.6
01	21.1	28.2	-	5.1	-	0.3	-	0.6	24.7	59.3
02	33.6	32.5	-	22.5	-	4.6	-	10.2	46.6	29.7
03	20.0	15.9	-	27.9	-	14.9	-	24.6	22.3	7.2
04	11.2	8.3	-	20.4	-	22.9	-	26.2	5.1	2.0
05	5.6	4.7	-	12.1	-	22.0	-	18.8	1.1	0.7
06	2.8	2.9	-	6.5	-	15.8	-	10.7	0.3	0.3
07	1.5	2.0	-	3.1	-	9.7	-	5.2	*	0.1
08	0.9	1.5	-	1.4	-	5.2	-	2.3	-	0.1
09	0.7	1.1	-	0.6	-	2.6	-	0.9	-	*
10	0.6	0.8	-	0.3	-	1.2	-	0.4	-	*
11	0.4	0.6	-	0.1	-	0.5	-	0.2	-	*
12	0.4	0.5	-	0.1	-	0.2	-	0.1	-	*
13	0.3	0.3	-	*	-	0.1	-	*	-	*
14	0.2	0.2	-	*	-	*	-	*	-	*
15	0.2	0.1	-	*	-	*	-	*	-	-
16	0.1	0.1	-	*	-	-	-	*	-	*
17	0.1	0.1	-	*	-	-	-	*	-	*
18 & Above	0.2	0.1	-	*	-	-	-	*	-	-
<b>Average</b>	<b>0.29</b>	<b>0.29</b>	<b>-</b>	<b>0.36</b>	<b>-</b>	<b>0.50</b>	<b>-</b>	<b>0.43</b>	<b>0.21</b>	<b>0.16</b>
UNIFORMITY 2/										
74 & Below	*	*	-	*	-	-	-	*	-	*
75	0.2	0.1	-	*	-	-	-	*	*	0.1
76	0.9	0.2	-	*	-	*	-	*	0.5	0.5
77	2.4	0.9	-	0.1	-	*	-	*	3.1	2.3
78	7.6	3.4	-	0.7	-	0.2	-	0.5	9.0	9.9
79	17.6	13.2	-	3.7	-	1.0	-	2.9	25.0	24.8
80	31.0	28.2	-	13.4	-	7.0	-	12.0	29.4	35.8
81	24.7	28.9	-	30.1	-	28.1	-	28.8	22.9	21.6
82	11.4	16.7	-	31.1	-	37.9	-	35.0	9.4	4.6
83	3.6	6.8	-	16.1	-	20.5	-	18.2	0.6	0.5
84	0.5	1.5	-	4.3	-	5.1	-	2.3	*	*
85 & Above	0.1	0.1	-	0.4	-	0.2	-	0.2	-	*
<b>Average</b>	<b>80.61</b>	<b>81.11</b>	<b>-</b>	<b>82.00</b>	<b>-</b>	<b>82.30</b>	<b>-</b>	<b>82.04</b>	<b>80.34</b>	<b>80.23</b>
Tenderable 3/	<b>72.4</b>	<b>80.0</b>	<b>-</b>	<b>88.1</b>	<b>-</b>	<b>53.0</b>	<b>-</b>	<b>90.5</b>	<b>69.1</b>	<b>83.9</b>
<b>SAMPLES CLASSED</b>										
Week	<b>32,566</b>		<b>-</b>		<b>-</b>		<b>-</b>		<b>5,281</b>	
Season		<b>1,116,251</b>		<b>1,524,949</b>		<b>951,046</b>		<b>1,110,530</b>		<b>585,553</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending Feb 19, 2026**

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	-	*	-	-	-	-	-	-	0.1	*
2.5 - 2.6	-	0.2	-	*	-	-	-	*	0.7	0.1
2.7 - 2.9	0.6	1.2	-	*	-	*	-	0.1	2.4	0.5
3.0 - 3.2	6.1	4.0	-	0.1	-	*	-	0.1	1.8	1.6
3.3 - 3.4	8.6	5.4	1.4	0.5	-	0.1	-	0.2	2.4	1.6
3.5 - 3.6	13.9	8.2	2.6	1.8	-	0.3	-	0.6	7.3	3.4
3.7 - 4.2	50.6	37.3	33.3	30.8	9.8	10.4	-	12.3	55.6	35.4
4.3 - 4.9	20.3	40.8	50.7	58.9	85.5	78.1	-	63.0	27.2	51.5
5.0 - 5.2	*	2.5	12.0	6.9	4.7	10.5	-	19.3	2.4	4.6
5.3 & Above	-	0.3	*	1.0	*	0.6	-	4.3	-	1.2
<b>Average</b>	<b>3.89</b>	<b>4.11</b>	<b>4.40</b>	<b>4.41</b>	<b>4.57</b>	<b>4.62</b>	-	<b>4.67</b>	<b>4.05</b>	<b>4.31</b>
Leaf										
1 - 2	68.4	68.5	11.2	15.3	1.3	5.8	-	12.7	15.0	35.5
3	26.3	25.9	50.4	57.9	35.3	48.6	-	48.8	46.5	38.8
4	4.6	4.4	32.3	23.7	46.5	37.1	-	30.5	28.4	18.0
5	0.7	0.9	5.4	3.0	15.9	7.7	-	6.9	6.2	5.9
6	0.1	0.2	0.7	0.2	1.0	0.8	-	1.0	2.6	1.5
7	-	*	-	*	-	0.1	-	*	1.0	0.3
8	-	*	-	*	-	-	-	-	0.3	*
<b>Average</b>	<b>2.22</b>	<b>2.21</b>	<b>3.34</b>	<b>3.15</b>	<b>3.80</b>	<b>3.49</b>	-	<b>3.34</b>	<b>3.38</b>	<b>2.94</b>
HVI Trash 1/										
00	-	*	-	-	-	*	-	-	-	*
01	28.2	33.2	0.2	1.6	*	0.5	-	1.6	3.0	13.4
02	38.4	41.5	15.5	19.8	2.2	7.2	-	14.0	16.5	27.5
03	20.5	15.5	22.6	31.4	13.4	21.2	-	24.1	26.5	21.9
04	7.7	5.5	20.2	23.6	22.1	26.2	-	23.3	21.1	14.8
05	3.0	2.2	20.5	12.9	20.6	20.2	-	16.3	15.0	9.3
06	1.4	1.0	10.1	6.1	19.5	12.2	-	9.7	7.5	5.5
07	0.5	0.5	5.4	2.7	11.0	6.5	-	5.3	3.6	3.3
08	0.2	0.3	2.3	1.1	6.5	3.2	-	2.7	2.4	1.9
09	0.1	0.1	1.5	0.5	3.0	1.5	-	1.5	1.6	1.1
10	-	0.1	0.6	0.2	1.1	0.7	-	0.8	1.0	0.6
11	-	0.1	0.5	0.1	0.4	0.3	-	0.4	0.6	0.3
12	-	*	0.2	*	0.2	0.1	-	0.2	0.4	0.1
13	-	*	0.1	*	*	0.1	-	0.1	0.3	0.1
14	-	*	*	*	*	*	-	*	0.2	*
15	-	*	0.1	*	-	*	-	-	0.2	*
16	-	*	*	*	-	-	-	-	0.1	*
17	-	*	-	*	-	-	-	*	*	*
18 & Above	-	*	-	*	-	-	-	-	*	*
<b>Average</b>	<b>0.23</b>	<b>0.21</b>	<b>0.43</b>	<b>0.37</b>	<b>0.53</b>	<b>0.46</b>	-	<b>0.42</b>	<b>0.41</b>	<b>0.33</b>
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	-	-	-	-
75	-	*	-	*	-	-	-	-	-	*
76	0.2	0.2	-	*	-	*	-	-	*	*
77	2.2	1.1	-	0.1	-	*	-	-	0.3	0.1
78	10.0	4.5	0.2	0.8	-	0.1	-	0.2	2.9	0.8
79	28.2	14.3	1.5	5.1	*	0.5	-	1.9	10.4	4.0
80	32.3	29.9	13.4	20.1	0.4	3.9	-	10.6	28.2	18.0
81	20.3	31.7	57.9	36.4	8.0	20.8	-	32.1	37.3	33.8
82	5.9	14.7	21.6	27.8	38.2	45.7	-	37.3	19.0	31.0
83	0.8	3.1	5.2	8.4	49.5	26.2	-	15.7	1.7	10.2
84	0.1	0.4	0.2	1.2	3.9	2.7	-	2.1	0.1	1.8
85 & Above	-	0.1	*	0.1	*	0.2	-	0.1	*	0.2
<b>Average</b>	<b>80.25</b>	<b>80.90</b>	<b>81.59</b>	<b>81.60</b>	<b>82.93</b>	<b>82.47</b>	-	<b>82.05</b>	<b>81.08</b>	<b>81.74</b>
Tenderable 3/	<b>73.4</b>	<b>78.4</b>	<b>82.6</b>	<b>88.6</b>	<b>85.9</b>	<b>83.5</b>	-	<b>69.3</b>	<b>84.6</b>	<b>85.7</b>
<b>SAMPLES CLASSIFIED</b>										
Week	<b>3,537</b>		<b>2,852</b>		<b>11,802</b>		-		<b>11,149</b>	
Season		<b>2,500,910</b>		<b>2,196,821</b>		<b>2,341,871</b>		<b>283,396</b>		<b>357,889</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending Feb 19, 2026**

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	5.4	6.3	MIKE		
	2	9.6	7.6	2.4 & Below	-	-
	3	0.8	0.2	2.5 - 2.6	-	-
	4	-	-	2.7 - 2.9	-	0.2
	5	-	-	3.0 - 3.2	*	1.6
	6	-	-	3.3 - 3.4	2.0	2.8
	7	-	-	3.5 - 3.6	14.8	8.6
<b>Total</b>		<b>15.8</b>	<b>14.1</b>	3.7 - 4.2	77.1	82.8
02	1	9.8	7.6	4.3 - 4.9	6.1	4.0
	2	17.5	34.7	5.0 - 5.2	-	*
	3	16.3	8.2	5.3 & Above	-	-
	4	1.4	0.2	<b>Average</b>	<b>3.88</b>	<b>3.89</b>
	5	-	*	ALL RANGE MIKE		
	6	-	-	2.4 & Below	-	-
	7	-	-	2.5	-	-
<b>Total</b>		<b>45.0</b>	<b>50.6</b>	2.6	-	-
03	1	1.1	0.7	2.7	-	*
	2	7.4	13.1	2.8	-	*
	3	13.0	15.5	2.9	-	0.1
	4	13.0	1.8	3.0	-	0.3
	5	1.1	0.1	3.1	-	0.6
	6	0.1	*	3.2	*	0.8
	7	-	-	3.3	0.3	1.0
<b>Total</b>		<b>35.7</b>	<b>31.1</b>	3.4	1.6	1.8
04	1	-	*	3.5	5.9	3.0
	2	0.2	0.6	3.6	8.9	5.6
	3	1.6	2.0	3.7	14.3	9.6
	4	0.6	0.8	3.8	15.8	15.1
	5	0.3	0.1	3.9	12.7	20.3
	6	0.1	*	4.0	14.9	19.1
	7	-	-	4.1	13.9	12.4
<b>Total</b>		<b>2.7</b>	<b>3.4</b>	4.2	5.4	6.4
05	1	-	*	4.3	3.7	2.6
	2	0.1	0.1	4.4	2.1	1.0
	3	0.4	0.2	4.5	0.1	0.4
	4	0.1	0.2	4.6	-	0.1
	5	-	*	4.7	*	*
	6	-	*	4.8	*	*
	7	-	-	4.9	*	*
<b>Total</b>		<b>0.6</b>	<b>0.5</b>	5.0	-	*
06	1	-	-	5.1	-	*
	2	-	*	5.2	-	-
	3	*	0.1	5.3 & Above	-	-
	4	0.1	*	<b>Average</b>	<b>3.88</b>	<b>3.89</b>
	5	-	*	STRENGTH 1/		
	6	-	*	36 & Below	-	2.7
	7	-	-	37	-	4.8
<b>Total</b>		<b>0.1</b>	<b>0.1</b>	38	-	3.8
07	1	-	-	39	*	1.7
	2	-	-	40	0.4	2.0
	3	-	*	41	2.3	5.6
	4	-	*	42	7.3	11.0
	5	-	*	43	25.1	16.6
	6	-	*	44	33.9	19.4
	7	-	-	45	15.7	16.5
<b>Total</b>		<b>-</b>	<b>*</b>	46	10.4	9.8
STAPLE	44 & Shorter	-	2.8	47	4.2	4.1
	46	4.0	11.3	48 & Above	0.7	2.0
	48	56.7	46.0	<b>Average</b>	<b>44.51</b>	<b>43.51</b>
	50	38.8	37.9	UNIFORMITY		
	52 & Longer	0.4	2.0	83 & Below	0.2	1.6
<b>Average Staple</b>	<b>48.71</b>	<b>48.50</b>	84	2.3	11.7	
Average Length	1.41	1.41	85	37.3	34.5	
EXTRANEOUS MATTER	Bark	-	*	86	53.0	45.8
	Grass	-	0.3	87	6.9	5.9
	Spindle Twist	0.1	0.1	88 & Above	0.3	0.5
	Preparation	*	*	<b>Average</b>	<b>86.11</b>	<b>85.89</b>
	All Other	-	*	Samples Classed		
				Week	3,346	
				Season		379,675

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).  
 \* Less than 0.05 percent.