



Weekly Quality of Cotton Classed by Classing Office: Week Ending - 3/5/2026

Agricultural Marketing Service
Cotton Market News

Volume 67, No.31

March 06, 2026

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	10	84.9	63.6	15,372	31	80.0	60.3	1,151,363
Corpus Christi	-	-	-	-	42	88.1	72.5	1,525,582
Dumas	-	-	-	-	33	53.0	25.2	951,046
Florence	-	-	-	-	40	90.5	79.2	1,110,531
Lamesa*	-	-	-	-	24	83.9	59.7	589,323
Lubbock	3	51.7	37.4	2,685	54	78.4	58.3	2,506,326
Macon*	-	-	-	-	68	88.6	74.8	2,197,151
Memphis	-	-	-	-	65	83.4	60.0	2,351,211
Rayville	-	-	-	-	16	69.3	47.6	283,396
Visalia	4	68.7	51.3	2,008	27	85.1	69.8	369,513
United States	19	78.8	58.7	21,297	400	81.7	62.8	13,035,442
AMERICAN PIMA								
Visalia	3			2,601	19			386,737
United States	3			2,601	19			386,737
United States all cotton	22			23,898	409			13,422,179

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

Source: USDA AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov/cottonmn@ams.usda.gov>

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 05, 2026

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 26.9	Pct. 36.2	Pct. -	Pct. 14.3	Pct. -	Pct. 0.9	Pct. -	Pct. 0.5	Pct. -	Pct. 71.1
	3	12.0	6.6	-	14.3	-	0.8	-	0.5	-	6.7
	4	0.5	0.4	-	1.4	-	*	-	*	-	0.3
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	39.4	43.2	-	30.1	-	1.7	-	1.0	-
31	1-2	17.0	9.8	-	5.0	-	2.2	-	5.3	-	3.2
	3	22.2	12.0	-	22.2	-	16.1	-	21.7	-	2.1
	4	4.2	3.5	-	9.4	-	7.9	-	6.2	-	0.4
	5	0.1	0.5	-	1.0	-	0.5	-	0.3	-	0.1
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	43.4	25.8	-	37.7	-	26.8	-	33.5	-
41	1-2	1.5	0.4	-	0.6	-	0.6	-	2.5	-	*
	3	2.9	1.6	-	5.3	-	19.0	-	29.0	-	*
	4	1.2	1.9	-	5.0	-	32.8	-	25.0	-	*
	5	0.2	1.6	-	1.3	-	9.1	-	4.3	-	*
	6	*	0.7	-	0.1	-	0.6	-	0.3	-	*
	7	-	0.1	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	5.7	6.4	-	12.4	-	62.2	-	61.2	-
51	1-2	-	*	-	*	-	*	-	0.1	-	-
	3	*	*	-	0.2	-	1.1	-	0.9	-	-
	4	-	*	-	0.4	-	3.0	-	1.6	-	-
	5	-	0.1	-	0.1	-	1.5	-	0.7	-	-
	6	-	0.2	-	*	-	0.2	-	0.1	-	*
	7	-	0.1	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	*	0.4	-	0.8	-	5.8	-	3.4	-
61	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	-	*	-	*	-	*	-	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	*	-	-
12 & 22	1-2	1.6	8.0	-	4.0	-	*	-	*	-	10.3
	3	0.8	2.7	-	3.8	-	*	-	*	-	2.3
	4	0.1	0.4	-	1.0	-	*	-	*	-	0.2
	5	-	*	-	0.1	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	2.5	11.2	-	8.8	-	*	-	*	-
32	1-2	3.7	1.9	-	0.6	-	*	-	*	-	0.3
	3	2.2	2.9	-	2.6	-	0.1	-	0.1	-	0.5
	4	0.5	1.5	-	2.4	-	0.1	-	0.1	-	0.2
	5	0.2	0.5	-	0.6	-	*	-	*	-	0.1
	6	-	0.1	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	6.7	6.9	-	6.3	-	0.3	-	0.2	-
42	1-2	0.1	0.1	-	0.1	-	*	-	*	-	*
	3	0.2	0.4	-	0.9	-	0.5	-	0.2	-	*
	4	0.3	0.8	-	1.1	-	1.2	-	0.3	-	*
	5	0.1	0.9	-	0.6	-	0.6	-	0.1	-	*
	6	*	0.6	-	0.1	-	0.1	-	*	-	*
	7	-	0.2	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	0.6	3.0	-	2.8	-	2.5	-	0.6	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 05, 2026

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	0.1	-	*	-	*
	4	-	*	-	0.1	-	0.2	-	*	-	-
	5	-	*	-	0.1	-	0.2	-	*	-	*
	6	-	*	-	*	-	0.1	-	*	-	-
	7	-	0.1	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	-	0.2	-	0.2	-	0.6	-	0.1	-
62	1-2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	*	-	*	-	-	-	-
	5	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	*	-	-	-	-	-	-
	Total	----	-	*	-	*	-	*	-	*	-
13 & 23	1-2	*	0.6	-	0.1	-	-	-	*	-	0.9
	3	*	0.4	-	0.1	-	-	-	*	-	0.3
	4	-	0.1	-	*	-	-	-	*	-	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	1.2	-	0.2	-	-	-	*	-
33	1-2	0.2	0.2	-	*	-	*	-	*	-	0.1
	3	0.5	0.5	-	0.1	-	*	-	*	-	0.2
	4	0.4	0.3	-	0.1	-	*	-	*	-	0.2
	5	0.1	0.1	-	*	-	-	-	*	-	0.1
	6	*	*	-	*	-	-	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	1.2	1.1	-	0.3	-	*	-	*	-
43	1-2	*	*	-	*	-	-	-	*	-	*
	3	0.1	0.1	-	0.1	-	*	-	*	-	*
	4	0.1	0.1	-	0.1	-	*	-	*	-	*
	5	0.2	0.2	-	0.1	-	*	-	*	-	*
	6	*	0.1	-	*	-	*	-	*	-	*
	7	*	0.1	-	*	-	-	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	0.3	0.6	-	0.3	-	*	-	*	-
53	1-2	-	-	-	*	-	*	-	-	-	-
	3	-	*	-	*	-	*	-	*	-	-
	4	*	*	-	*	-	*	-	*	-	-
	5	*	*	-	*	-	*	-	*	-	-
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	*	*	-	*	-	*	-	*	-
63	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	-	*	-	*	-	*	-	-	-
24 - 54	1-8	0.1	0.1	-	*	-	-	-	*	-	0.1
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-
81 - 85	1-8	*	*	-	*	-	-	-	-	-	*
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	*
31		*	0.1	-	*	-	*	-	*	-	0.2
32		0.9	0.6	-	*	-	*	-	*	-	1.8
33		8.5	3.2	-	0.1	-	0.1	-	0.1	-	7.4
34		17.2	9.2	-	0.7	-	1.3	-	1.4	-	21.0
35		15.6	15.4	-	3.8	-	8.2	-	8.3	-	28.7
36		10.4	18.3	-	15.6	-	25.2	-	26.6	-	21.8
37		8.1	23.3	-	45.9	-	42.7	-	47.7	-	14.9
38		5.2	14.5	-	25.3	-	16.4	-	12.9	-	3.6
39		13.3	9.8	-	7.8	-	4.9	-	2.7	-	0.6
40 & Longer		20.7	5.6	-	0.7	-	1.1	-	0.3	-	*
Average Staple		36.67	36.59	-	37.17	-	36.84	-	36.71	-	35.23
Average Length		1.14	1.14	-	1.16	-	1.15	-	1.14	-	1.10

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 05, 2026

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	13.1	57.7	-	1.7	-	0.4	-	3.8	1.3	18.8	
	3	5.4	15.0	-	1.2	-	0.4	-	2.5	0.9	5.0	
	4	0.1	0.8	-	*	-	*	-	0.1	-	0.2	
	5	-	*	-	*	-	*	-	*	-	*	
	6	-	*	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	Total	----	18.6	73.5	-	2.9	-	0.8	-	6.5	2.2	24.0
	31	1-2	14.9	3.4	-	8.1	-	2.6	-	8.0	14.4	10.9
3		19.6	5.1	-	21.8	-	12.1	-	32.8	23.4	13.5	
4		11.9	2.0	-	4.2	-	3.4	-	11.5	7.0	3.0	
5		2.2	0.3	-	0.2	-	0.2	-	0.9	1.4	0.4	
6		0.1	*	-	*	-	*	-	*	0.1	*	
7		-	*	-	*	-	*	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	-	
Total		----	48.7	10.8	-	34.3	-	18.3	-	53.2	46.3	27.7
41		1-2	-	*	-	5.0	-	2.3	-	0.8	3.3	3.6
	3	0.1	0.1	-	31.5	-	30.8	-	12.3	11.3	16.4	
	4	0.1	0.2	-	16.5	-	26.7	-	16.3	12.0	10.8	
	5	0.4	0.2	-	2.1	-	5.1	-	4.5	7.9	3.2	
	6	0.1	0.1	-	0.1	-	0.4	-	0.4	2.2	0.6	
	7	-	*	-	*	-	*	-	-	0.7	0.1	
	8	-	*	-	-	-	-	-	-	0.5	*	
	Total	----	0.7	0.5	-	55.3	-	65.4	-	34.3	38.0	34.8
	51	1-2	-	*	-	0.2	-	0.1	-	*	0.5	0.1
3		-	*	-	2.4	-	3.0	-	*	0.4	1.4	
4		-	*	-	2.3	-	4.8	-	0.3	0.5	2.5	
5		-	*	-	0.5	-	1.7	-	0.3	1.7	1.6	
6		-	*	-	0.1	-	0.3	-	0.1	1.6	0.7	
7		-	*	-	*	-	*	-	-	0.2	0.2	
8		-	*	-	*	-	-	-	-	0.8	*	
Total		----	-	*	-	5.5	-	9.8	-	0.7	5.8	6.6
61		1-2	-	*	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	*	
	4	-	*	-	*	-	*	-	*	-	*	
	5	-	-	-	*	-	*	-	-	-	*	
	6	-	-	-	*	-	*	-	-	-	*	
	7	-	-	-	*	-	*	-	-	-	*	
	8	-	-	-	*	-	-	-	-	*	*	
	Total	----	-	*	-	0.1	-	*	-	*	*	
	71	1-2	-	*	-	-	-	*	-	-	-	-
3		-	*	-	-	-	*	-	-	-	-	
4		-	-	-	-	-	*	-	-	-	-	
5		-	-	-	-	-	*	-	-	-	-	
6		-	-	-	-	-	*	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	
8		-	-	-	-	-	-	-	-	-	-	
Total		----	-	*	-	-	-	*	-	-	-	
12 & 22		1-2	6.6	6.1	-	*	-	*	-	0.1	-	1.8
	3	3.9	3.8	-	*	-	*	-	0.1	-	1.0	
	4	0.2	0.5	-	*	-	*	-	0.1	-	0.1	
	5	-	*	-	-	-	*	-	*	-	*	
	6	-	*	-	-	-	*	-	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	Total	----	10.7	10.3	-	0.1	-	*	-	0.3	-	3.0
	32	1-2	0.4	0.3	-	0.1	-	*	-	0.1	*	0.2
3		3.4	1.0	-	0.3	-	0.2	-	0.5	0.6	0.5	
4		6.9	0.6	-	0.1	-	0.1	-	0.8	0.4	0.4	
5		0.9	0.2	-	*	-	*	-	0.4	*	0.1	
6		*	*	-	*	-	*	-	0.1	-	*	
7		-	*	-	-	-	-	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	-	
Total		----	11.6	2.1	-	0.4	-	0.3	-	1.8	1.1	1.3
42		1-2	-	*	-	*	-	0.2	-	*	0.1	*
	3	-	*	-	0.5	-	1.7	-	0.4	0.1	0.5	
	4	0.6	0.1	-	0.4	-	1.5	-	1.2	1.7	0.5	
	5	0.4	0.1	-	0.1	-	0.4	-	0.7	1.5	0.3	
	6	0.1	*	-	*	-	0.1	-	0.4	0.5	0.1	
	7	-	*	-	*	-	*	-	-	-	*	
	8	-	*	-	-	-	-	-	-	-	*	
	Total	----	1.0	0.2	-	1.1	-	3.8	-	2.7	3.9	1.4

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 05, 2026

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 52	1-2	-	-	-	*	-	*	-	-	*	*	
	3	-	-	-	0.1	-	0.4	-	*	-	0.1	
	4	-	*	-	0.1	-	0.6	-	0.1	0.7	0.2	
	5	-	*	-	*	-	0.3	-	0.1	1.0	0.2	
	6	-	*	-	*	-	0.1	-	*	0.7	0.1	
	7	-	*	-	*	-	*	-	*	0.1	0.1	
	8	-	*	-	*	-	-	-	-	-	*	
	Total	----	-	*	-	0.2	-	1.4	-	0.1	2.5	0.8
	62	1-2	-	-	-	*	-	-	-	-	-	-
3		-	-	-	*	-	*	-	-	-	*	
4		-	-	-	*	-	*	-	-	-	*	
5		-	-	-	*	-	*	-	-	-	*	
6		-	-	-	*	-	*	-	-	-	*	
7		-	-	-	*	-	*	-	-	-	*	
8		-	-	-	*	-	-	-	-	-	*	
Total		----	-	-	-	*	-	*	-	-	-	*
13 & 23		1-2	6.4	0.7	-	*	-	-	-	-	-	0.1
	3	1.3	0.6	-	*	-	-	-	-	-	0.1	
	4	-	0.1	-	*	-	-	-	-	-	*	
	5	-	*	-	*	-	-	-	-	-	-	
	6	-	*	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	Total	----	7.8	1.4	-	*	-	-	-	-	-	0.2
	33	1-2	0.3	0.1	-	*	-	*	-	*	-	*
3		0.3	0.3	-	*	-	*	-	*	-	*	
4		0.1	0.2	-	*	-	*	-	*	-	*	
5		-	0.1	-	*	-	*	-	*	-	*	
6		-	*	-	*	-	*	-	*	-	*	
7		-	*	-	-	-	-	-	-	-	-	
8		-	*	-	-	-	-	-	-	-	-	
Total		----	0.6	0.8	-	*	-	*	-	0.1	-	0.1
43		1-2	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	
	4	-	*	-	*	-	*	-	*	-	*	
	5	-	*	-	*	-	*	-	*	-	*	
	6	-	*	-	*	-	*	-	*	-	*	
	7	-	*	-	*	-	*	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	Total	----	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1
	53	1-2	-	-	-	*	-	*	-	-	-	*
3		-	-	-	*	-	*	-	-	-	*	
4		-	-	-	*	-	*	-	-	-	*	
5		-	-	-	*	-	*	-	*	-	*	
6		-	*	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	*	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	*	
Total		----	-	*	-	*	-	*	-	*	-	*
63		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	
	4	-	-	-	*	-	-	-	-	-	-	
	5	-	-	-	*	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	*	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	Total	----	-	*	-	*	-	-	-	-	-	
	24 - 54	1-8	0.2	0.1	-	*	-	*	-	0.1	-	*
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	
81 - 85	1-8	-	*	-	*	-	*	-	-	-	-	
STAPLE												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	
29		-	*	-	-	-	-	-	-	-	-	
30		-	*	-	*	-	-	-	-	-	*	
31		-	0.1	-	*	-	*	-	-	-	*	
32		-	0.5	-	0.1	-	*	-	*	-	0.1	
33		2.1	2.6	-	0.8	-	0.1	-	0.2	1.4	0.2	
34		17.1	8.7	-	4.7	-	0.8	-	1.6	4.1	1.0	
35		39.0	18.4	-	15.4	-	4.1	-	11.2	4.5	4.4	
36		28.8	25.8	-	30.1	-	15.1	-	28.8	15.3	15.6	
37		10.7	29.2	-	35.7	-	47.6	-	39.8	36.9	41.6	
38		2.3	10.5	-	10.2	-	26.9	-	14.2	26.2	23.2	
39		*	3.1	-	2.5	-	4.9	-	3.8	9.8	7.9	
40 & Longer		-	1.0	-	0.4	-	0.5	-	0.4	1.7	6.1	
Average Staple		35.36	36.18	-	36.38	-	37.12	-	36.66	37.09	37.46	
Average Length		1.10	1.13	-	1.13	-	1.16	-	1.14	1.16	1.17	

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 05, 2026

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	7.8	9.5	-	0.6	-	*	-	2.1	-	1.7
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.2	0.1	-	0.3	-	0.1	-	*	-	0.3
Grass - Level 2	-	-	-	*	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	1.5	-	0.8	-	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	*	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	0.1	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	*	-	*	-	-	-	-	-	*
23	-	*	-	*	-	-	-	-	-	0.1
24	*	*	-	*	-	*	-	*	-	0.2
25	0.3	0.2	-	*	-	*	-	*	-	0.9
26	1.9	0.7	-	0.2	-	0.1	-	0.5	-	2.7
27	5.1	2.9	-	1.2	-	0.5	-	3.0	-	7.5
28	14.7	8.3	-	5.2	-	3.9	-	12.6	-	14.1
29	19.6	15.1	-	14.8	-	15.4	-	30.5	-	19.9
30	20.5	17.9	-	21.7	-	28.5	-	30.3	-	21.9
31	17.6	17.0	-	17.7	-	26.8	-	15.3	-	17.6
32	11.1	14.2	-	12.5	-	15.8	-	5.8	-	9.3
33	5.3	11.0	-	11.5	-	6.3	-	1.6	-	3.6
34	2.3	7.0	-	9.6	-	2.1	-	0.3	-	1.3
35	1.1	3.5	-	4.0	-	0.5	-	0.1	-	0.5
36	0.3	1.3	-	1.1	-	0.1	-	*	-	0.2
37	0.1	0.6	-	0.2	-	*	-	*	-	*
38	*	0.2	-	*	-	*	-	-	-	*
39	-	*	-	*	-	*	-	-	-	-
40 & Above	*	*	-	-	-	*	-	-	-	-
Average	30.46	31.39	-	31.59	-	31.09	-	30.12	-	30.13
Mike										
2.4 & Below	-	0.1	-	-	-	-	-	-	-	*
2.5	0.2	0.2	-	*	-	-	-	*	-	0.1
2.6	0.3	0.3	-	*	-	-	-	-	-	0.2
2.7	0.3	0.4	-	*	-	-	-	*	-	0.3
2.8	0.2	0.5	-	*	-	-	-	*	-	0.4
2.9	0.2	0.5	-	*	-	-	-	*	-	0.6
3.0	0.3	0.6	-	0.1	-	-	-	*	-	0.9
3.1	0.6	0.8	-	0.1	-	-	-	*	-	0.9
3.2	1.0	1.1	-	0.3	-	*	-	0.1	-	1.3
3.3	1.5	1.4	-	0.5	-	*	-	0.2	-	1.6
3.4	2.7	1.9	-	0.9	-	*	-	0.3	-	2.0
3.5	5.8	2.5	-	1.3	-	*	-	0.5	-	2.5
3.6	6.9	3.5	-	1.9	-	0.1	-	0.9	-	3.2
3.7	8.0	4.5	-	2.7	-	0.1	-	1.8	-	3.9
3.8	8.2	5.5	-	4.4	-	0.1	-	2.7	-	4.7
3.9	8.2	7.0	-	6.7	-	0.2	-	4.2	-	5.5
4.0	8.7	8.5	-	9.0	-	0.4	-	5.8	-	6.2
4.1	11.1	10.0	-	11.1	-	0.6	-	7.8	-	7.0
4.2	9.3	10.6	-	12.8	-	1.0	-	9.9	-	8.0
4.3	7.4	10.7	-	12.9	-	1.7	-	11.6	-	8.6
4.4	6.4	9.5	-	11.3	-	2.8	-	11.8	-	9.1
4.5	5.8	7.7	-	8.8	-	4.1	-	10.7	-	8.9
4.6	3.1	5.5	-	6.0	-	6.5	-	9.4	-	8.1
4.7	2.1	3.5	-	3.7	-	9.5	-	7.7	-	6.4
4.8	1.5	2.0	-	2.3	-	13.4	-	5.5	-	4.4
4.9	0.2	0.9	-	1.3	-	16.0	-	3.9	-	2.6
5.0	-	0.4	-	0.8	-	16.3	-	2.5	-	1.4
5.1	-	0.2	-	0.4	-	12.9	-	1.4	-	0.6
5.2	-	0.1	-	0.3	-	8.2	-	0.7	-	0.3
5.3	-	*	-	0.2	-	4.0	-	0.3	-	0.1
5.4	-	-	-	0.1	-	1.5	-	0.1	-	*
5.5 & Above	-	*	-	0.2	-	0.5	-	*	-	*
Average	3.99	4.10	-	4.23	-	4.88	-	4.38	-	4.19

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 05, 2026

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	22.3	7.7	-	1.3	-	*	-	2.0	5.3	1.0
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.7	0.1	-	0.1	-	*	-	0.1	*	0.4
Grass - Level 2	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	-	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.4	-	0.3	-	0.1	-	2.9	6.1	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 2	-	*	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	*	-	-	-	*	-	-	-	*
23	-	*	-	*	-	*	-	-	-	*
24	-	0.1	-	*	-	*	-	-	*	*
25	-	0.2	-	0.1	-	*	-	*	0.6	0.1
26	1.1	0.7	-	0.6	-	*	-	0.1	3.1	0.9
27	8.6	2.6	-	3.2	-	0.2	-	1.7	2.6	2.9
28	25.0	7.2	-	10.7	-	1.8	-	6.6	4.9	8.9
29	29.0	14.7	-	20.6	-	12.4	-	17.9	10.9	16.8
30	18.6	20.2	-	25.1	-	36.0	-	30.0	19.2	20.6
31	9.1	19.8	-	19.9	-	32.5	-	20.1	18.5	17.9
32	5.0	15.1	-	11.5	-	12.2	-	12.6	16.5	11.9
33	2.8	9.8	-	5.3	-	3.8	-	6.0	12.4	7.4
34	0.6	5.5	-	2.1	-	0.9	-	3.1	6.5	5.6
35	0.3	2.5	-	0.7	-	0.1	-	1.5	2.9	4.0
36	-	1.0	-	0.2	-	*	-	0.2	1.3	2.1
37	-	0.4	-	*	-	*	-	*	0.2	0.7
38	-	0.1	-	*	-	*	-	*	0.1	0.1
39	-	*	-	*	-	-	-	-	-	*
40 & Above	-	-	-	*	-	-	-	-	-	*
Average	29.66	31.28	-	30.63	-	31.01	-	30.93	31.40	31.22
Mike										
2.4 & Below	-	*	-	-	-	-	-	-	-	*
2.5	-	0.1	-	*	-	-	-	*	-	0.1
2.6	0.3	0.1	-	*	-	-	-	*	*	0.1
2.7	0.7	0.2	-	*	-	*	-	*	0.2	0.1
2.8	0.7	0.4	-	*	-	*	-	*	0.6	0.3
2.9	1.3	0.6	-	*	-	*	-	*	0.8	0.3
3.0	3.4	0.9	-	*	-	*	-	*	1.0	0.4
3.1	3.9	1.3	-	*	-	*	-	0.1	0.4	0.5
3.2	4.0	1.8	-	0.1	-	*	-	0.1	0.8	0.9
3.3	5.4	2.4	-	0.2	-	*	-	0.1	0.9	0.8
3.4	5.1	3.0	-	0.3	-	0.1	-	0.1	1.4	0.9
3.5	5.0	3.8	-	0.6	-	0.1	-	0.2	0.8	1.5
3.6	6.9	4.4	-	1.1	-	0.2	-	0.4	1.0	2.0
3.7	10.8	5.0	-	1.9	-	0.4	-	0.5	0.3	2.8
3.8	11.5	5.6	-	2.8	-	0.6	-	0.7	2.0	3.7
3.9	13.1	6.1	-	4.1	-	1.0	-	1.1	3.1	5.2
4.0	13.3	6.5	-	5.6	-	1.7	-	1.9	3.8	6.6
4.1	9.8	6.9	-	7.4	-	2.6	-	3.5	4.7	8.1
4.2	3.3	7.3	-	9.1	-	4.0	-	4.5	5.3	9.1
4.3	0.6	7.6	-	10.0	-	5.7	-	5.6	8.0	9.3
4.4	0.4	7.7	-	10.3	-	8.2	-	6.6	8.1	8.9
4.5	0.1	7.3	-	9.9	-	11.0	-	8.6	6.7	8.9
4.6	0.1	6.5	-	9.1	-	13.9	-	9.7	11.1	8.2
4.7	-	5.4	-	8.2	-	15.2	-	10.6	11.4	6.7
4.8	0.1	3.8	-	6.5	-	13.8	-	11.4	10.0	5.0
4.9	0.1	2.4	-	4.9	-	10.1	-	10.5	8.2	3.8
5.0	-	1.4	-	3.4	-	6.3	-	8.3	5.8	2.4
5.1	-	0.7	-	2.2	-	3.1	-	6.9	2.8	1.3
5.2	-	0.4	-	1.2	-	1.2	-	4.0	0.5	0.8
5.3	-	0.2	-	0.6	-	0.4	-	2.2	*	0.6
5.4	-	0.1	-	0.2	-	0.1	-	1.1	-	0.3
5.5 & Above	-	0.1	-	0.1	-	*	-	1.1	-	0.3
Average	3.70	4.11	-	4.41	-	4.62	-	4.67	4.43	4.30

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 05, 2026

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	-	0.1	-	-	-	-	-	-	-	*
2.5 - 2.6	0.4	0.5	-	*	-	-	-	*	-	0.3
2.7 - 2.9	0.7	1.3	-	0.1	-	-	-	*	-	1.3
3.0 - 3.2	1.8	2.5	-	0.5	-	*	-	0.2	-	3.1
3.3 - 3.4	4.2	3.3	-	1.4	-	*	-	0.5	-	3.7
3.5 - 3.6	12.7	6.0	-	3.1	-	0.1	-	1.5	-	5.7
3.7 - 4.2	53.6	46.1	-	46.6	-	2.5	-	32.1	-	35.3
4.3 - 4.9	26.5	39.6	-	46.4	-	54.0	-	60.6	-	48.2
5.0 - 5.2	-	0.6	-	1.4	-	37.4	-	4.6	-	2.3
5.3 & Above	-	*	-	0.5	-	6.1	-	0.4	-	0.1
Average	3.99	4.10	-	4.23	-	4.88	-	4.38	-	4.19
Leaf										
1 - 2	51.0	57.3	-	24.8	-	3.8	-	8.4	-	86.0
3	40.9	27.2	-	49.7	-	37.7	-	52.5	-	12.3
4	7.3	9.1	-	21.1	-	45.4	-	33.2	-	1.4
5	0.8	4.0	-	4.0	-	12.0	-	5.4	-	0.3
6	*	1.8	-	0.5	-	1.1	-	0.4	-	0.1
7	*	0.6	-	0.1	-	*	-	*	-	*
8	-	0.1	-	*	-	-	-	*	-	-
Average	2.47	2.52	-	3.03	-	3.69	-	3.37	-	1.76
HVI Trash 1/										
00	*	*	-	*	-	-	-	-	-	0.6
01	20.1	28.1	-	5.1	-	0.3	-	0.6	-	59.1
02	38.3	32.6	-	22.5	-	4.6	-	10.2	-	29.9
03	25.0	16.0	-	27.9	-	14.9	-	24.6	-	7.2
04	10.5	8.4	-	20.4	-	22.9	-	26.2	-	2.0
05	3.5	4.7	-	12.1	-	22.0	-	18.8	-	0.7
06	1.4	2.8	-	6.4	-	15.8	-	10.7	-	0.3
07	0.6	1.9	-	3.1	-	9.7	-	5.2	-	0.1
08	0.4	1.5	-	1.4	-	5.2	-	2.3	-	0.1
09	0.2	1.1	-	0.6	-	2.6	-	0.9	-	*
10	0.1	0.8	-	0.3	-	1.2	-	0.4	-	*
11	*	0.6	-	0.1	-	0.5	-	0.2	-	*
12	*	0.5	-	0.1	-	0.2	-	0.1	-	*
13	-	0.3	-	*	-	0.1	-	*	-	*
14	*	0.2	-	*	-	*	-	*	-	*
15	-	0.1	-	*	-	*	-	*	-	-
16	-	0.1	-	*	-	-	-	*	-	*
17	-	0.1	-	*	-	-	-	*	-	*
18 & Above	-	0.1	-	*	-	-	-	*	-	-
Average	0.25	0.29	-	0.36	-	0.50	-	0.43	-	0.16
UNIFORMITY 2/										
74 & Below	-	*	-	*	-	-	-	*	-	*
75	-	0.1	-	*	-	-	-	*	-	0.1
76	0.1	0.2	-	*	-	*	-	*	-	0.5
77	0.8	0.9	-	0.1	-	*	-	*	-	2.3
78	8.0	3.7	-	0.7	-	0.2	-	0.5	-	9.8
79	21.7	13.5	-	3.7	-	1.0	-	2.9	-	24.8
80	27.8	28.2	-	13.4	-	7.0	-	12.0	-	35.9
81	25.1	28.6	-	30.1	-	28.1	-	28.8	-	21.5
82	12.2	16.4	-	31.1	-	37.9	-	35.0	-	4.5
83	3.6	6.7	-	16.1	-	20.5	-	18.2	-	0.5
84	0.5	1.5	-	4.3	-	5.1	-	2.3	-	*
85 & Above	0.1	0.1	-	0.4	-	0.2	-	0.2	-	*
Average	80.68	81.08	-	82.00	-	82.30	-	82.04	-	80.23
Tenderable 3/	84.9	80.0	-	88.1	-	53.0	-	90.5	-	83.9
SAMPLES CLASSED										
Week	15,372		-		-		-		-	
Season		1,151,363		1,525,582		951,046		1,110,531		589,323

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 05, 2026

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	-	*	-	-	-	-	-	-	-	*
2.5 - 2.6	0.3	0.2	-	*	-	-	-	*	*	0.2
2.7 - 2.9	2.7	1.2	-	*	-	*	-	0.1	1.6	0.7
3.0 - 3.2	11.4	4.1	-	0.1	-	*	-	0.1	2.2	1.7
3.3 - 3.4	10.5	5.4	-	0.5	-	0.1	-	0.2	2.3	1.8
3.5 - 3.6	11.8	8.2	-	1.8	-	0.3	-	0.6	1.8	3.5
3.7 - 4.2	61.9	37.3	-	30.8	-	10.3	-	12.3	19.3	35.6
4.3 - 4.9	1.4	40.7	-	58.9	-	78.1	-	63.0	63.4	50.8
5.0 - 5.2	-	2.5	-	6.9	-	10.6	-	19.3	9.2	4.6
5.3 & Above	-	0.3	-	1.0	-	0.6	-	4.3	*	1.1
Average	3.70	4.11	-	4.41	-	4.62	-	4.67	4.43	4.30
Leaf										
1 - 2	42.0	68.4	-	15.3	-	5.7	-	12.7	19.8	35.5
3	33.9	25.9	-	57.9	-	48.6	-	48.8	36.7	38.5
4	20.0	4.5	-	23.7	-	37.1	-	30.5	22.4	17.9
5	3.8	0.9	-	3.0	-	7.7	-	6.9	13.5	6.0
6	0.3	0.2	-	0.2	-	0.8	-	1.0	5.2	1.6
7	-	*	-	*	-	0.1	-	*	1.0	0.3
8	-	*	-	*	-	-	-	-	1.4	0.1
Average	2.84	2.22	-	3.15	-	3.49	-	3.34	3.56	2.95
HVI Trash 1/										
00	-	*	-	-	-	*	-	-	-	*
01	8.6	33.2	-	1.6	-	0.5	-	1.6	3.0	13.3
02	35.8	41.5	-	19.8	-	7.2	-	14.0	19.1	27.6
03	21.4	15.5	-	31.4	-	21.1	-	24.1	22.6	21.9
04	12.9	5.5	-	23.6	-	26.2	-	23.3	14.1	14.7
05	11.4	2.2	-	12.9	-	20.2	-	16.3	10.3	9.2
06	6.1	1.0	-	6.1	-	12.2	-	9.7	9.2	5.5
07	2.6	0.5	-	2.7	-	6.5	-	5.3	6.5	3.3
08	0.7	0.3	-	1.1	-	3.2	-	2.7	5.2	2.0
09	0.4	0.1	-	0.5	-	1.5	-	1.5	3.7	1.1
10	0.1	0.1	-	0.2	-	0.7	-	0.8	2.3	0.6
11	*	0.1	-	0.1	-	0.3	-	0.4	1.2	0.4
12	-	*	-	*	-	0.1	-	0.2	0.6	0.2
13	-	*	-	*	-	0.1	-	0.1	0.5	0.1
14	-	*	-	*	-	*	-	*	0.2	0.1
15	-	*	-	*	-	*	-	-	0.1	*
16	-	*	-	*	-	-	-	-	-	*
17	-	*	-	*	-	-	-	*	0.1	*
18 & Above	-	*	-	*	-	-	-	-	1.0	*
Average	0.32	0.21	-	0.37	-	0.46	-	0.42	0.48	0.34
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	-	-	-	-
75	-	*	-	*	-	-	-	-	*	*
76	0.1	0.2	-	*	-	*	-	-	0.2	*
77	1.2	1.1	-	0.1	-	*	-	-	1.6	0.2
78	7.0	4.5	-	0.8	-	0.1	-	0.2	7.6	1.1
79	22.7	14.3	-	5.1	-	0.4	-	1.9	9.8	4.4
80	37.8	29.9	-	20.1	-	3.9	-	10.6	19.4	18.2
81	24.9	31.7	-	36.4	-	20.7	-	32.1	29.3	33.7
82	5.8	14.7	-	27.8	-	45.7	-	37.3	20.8	30.5
83	0.4	3.1	-	8.4	-	26.3	-	15.7	9.2	10.0
84	-	0.4	-	1.2	-	2.7	-	2.1	1.8	1.8
85 & Above	-	0.1	-	0.1	-	0.2	-	0.1	0.2	0.2
Average	80.42	80.90	-	81.60	-	82.47	-	82.05	81.22	81.71
Tenderable 3/	51.7	78.4	-	88.6	-	83.4	-	69.3	68.7	85.1
SAMPLES CLASSIFIED										
Week	2,685		-		-		-		2,008	
Season		2,506,326		2,197,151		2,351,211		283,396		369,513

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 05, 2026

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	0.2	6.2	MIKE		
	2	2.6	7.7	2.4 & Below	-	-
	3	0.5	0.2	2.5 - 2.6	0.1	*
	4	-	-	2.7 - 2.9	0.5	0.2
	5	-	-	3.0 - 3.2	0.7	1.6
	6	-	-	3.3 - 3.4	9.8	2.8
	7	-	-	3.5 - 3.6	18.8	8.7
Total -----		3.3	14.1	3.7 - 4.2	66.3	82.8
02	1	5.4	7.5	4.3 - 4.9	3.8	4.0
	2	30.1	34.5	5.0 - 5.2	-	*
	3	16.7	8.3	5.3 & Above	-	-
	4	1.0	0.2	Average	3.82	3.89
	5	*	*	ALL RANGE MIKE		
	6	-	-	2.4 & Below	-	-
	7	-	-	2.5	-	-
Total -----		53.2	50.5	2.6	0.1	*
03	1	2.0	0.7	2.7	-	*
	2	16.2	13.0	2.8	0.1	*
	3	19.0	15.6	2.9	0.4	0.1
	4	4.4	1.9	3.0	-	0.3
	5	*	0.1	3.1	0.5	0.6
	6	-	*	3.2	0.2	0.8
	7	-	-	3.3	0.7	1.0
Total -----		41.6	31.2	3.4	9.0	1.9
04	1	0.1	*	3.5	5.0	3.0
	2	1.0	0.6	3.6	13.8	5.6
	3	0.5	1.9	3.7	12.5	9.8
	4	0.2	0.8	3.8	12.9	15.2
	5	-	0.1	3.9	11.3	20.2
	6	-	*	4.0	8.0	19.0
	7	-	-	4.1	9.8	12.3
Total -----		1.8	3.4	4.2	11.8	6.4
05	1	-	*	4.3	3.7	2.5
	2	-	0.1	4.4	*	1.0
	3	-	0.2	4.5	0.1	0.4
	4	-	0.2	4.6	-	0.1
	5	-	*	4.7	-	*
	6	-	*	4.8	-	*
	7	-	-	4.9	-	*
Total -----		-	0.5	5.0	-	*
06	1	-	-	5.1	-	*
	2	-	*	5.2	-	-
	3	-	0.1	5.3 & Above	-	-
	4	-	*	Average	3.82	3.89
	5	-	*	STRENGTH 1/		
	6	-	*	36 & Below	11.9	2.8
	7	-	-	37	15.2	4.9
Total -----		-	0.1	38	16.3	4.0
07	1	-	-	39	7.2	1.8
	2	-	-	40	0.4	2.0
	3	-	*	41	6.2	5.6
	4	-	*	42	11.2	11.0
	5	-	*	43	11.7	16.6
	6	-	*	44	14.6	19.4
	7	-	-	45	4.8	16.5
Total -----		-	*	46	0.1	9.6
STAPLE				47	0.2	4.0
44 & Shorter		31.8	3.0	48 & Above	0.2	1.9
46		19.3	11.5	Average	40.56	43.47
48		24.7	45.9	UNIFORMITY		
50		24.0	37.5	83 & Below	8.1	1.6
52 & Longer		0.2	2.0	84	36.3	12.1
Average Staple		46.83	48.48	85	26.5	34.4
Average Length		1.36	1.41	86	25.6	45.5
EXTRANEOUS MATTER				87	3.5	5.8
Bark		1.5	*	88 & Above	*	0.5
Grass		-	0.3	Average	85.22	85.88
Spindle Twist		-	0.1	Samples Classed		
Preparation		-	*	Week	2,601	
All Other		-	*	Season		386,737

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.