



Weekly Quality of Cotton Classed by Classing Office: Week Ending - 3/12/2026

Agricultural Marketing Service
Cotton Market News

Volume 67, No.32

March 13, 2026

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	10	87.7	65.8	12,895	31	80.1	60.4	1,164,258
Corpus Christi*	-	-	-	-	42	88.1	72.6	1,526,053
Dumas	-	-	-	-	33	53.0	25.2	951,046
Florence*	-	-	-	-	40	90.5	79.2	1,110,533
Lamesa*	-	-	-	-	24	83.8	59.6	590,572
Lubbock	2	40.3	24.5	2,090	54	78.3	58.3	2,508,416
Macon*	-	-	-	-	68	88.6	74.8	2,197,153
Memphis	-	-	-	-	65	83.4	60.0	2,351,211
Rayville	-	-	-	-	16	69.3	47.6	283,396
Visalia*	-	-	-	-	27	85.1	69.8	369,520
United States	18	79.9	58.8	16,716	400	81.7	62.8	13,052,158
AMERICAN PIMA								
Visalia	2			1,181	19			387,918
United States	2			1,181	19			387,918
United States all cotton	19			17,897	409			13,440,076

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

Source: USDA AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov/cottonmn@ams.usda.gov>

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 12, 2026

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 25.6	Pct. 36.1	Pct. -	Pct. 14.3	Pct. -	Pct. 0.9	Pct. -	Pct. 0.5	Pct. -	Pct. 71.1
	3	13.7	6.7	-	14.3	-	0.8	-	0.5	-	6.7
	4	0.4	0.4	-	1.4	-	*	-	*	-	0.3
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	39.7	43.1	-	30.1	-	1.7	-	1.0	-
31	1-2	12.9	9.9	-	5.0	-	2.2	-	5.3	-	3.2
	3	24.1	12.1	-	22.3	-	16.1	-	21.7	-	2.1
	4	5.3	3.5	-	9.4	-	7.9	-	6.2	-	0.4
	5	0.4	0.5	-	1.0	-	0.5	-	0.3	-	0.1
	6	*	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	42.7	26.0	-	37.7	-	26.8	-	33.5	-
41	1-2	0.5	0.4	-	0.6	-	0.6	-	2.5	-	*
	3	1.8	1.6	-	5.3	-	19.0	-	29.0	-	*
	4	1.3	1.9	-	5.0	-	32.8	-	25.0	-	*
	5	0.6	1.6	-	1.3	-	9.1	-	4.3	-	*
	6	0.2	0.7	-	0.1	-	0.6	-	0.3	-	*
	7	*	0.1	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	4.5	6.3	-	12.4	-	62.2	-	61.2	-
51	1-2	-	*	-	*	-	*	-	0.1	-	-
	3	*	*	-	0.2	-	1.1	-	0.9	-	-
	4	-	*	-	0.4	-	3.0	-	1.6	-	-
	5	*	0.1	-	0.1	-	1.5	-	0.7	-	-
	6	*	0.2	-	*	-	0.2	-	0.1	-	*
	7	*	0.1	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	0.1	0.4	-	0.8	-	5.8	-	3.4	-
61	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	-	*	-	*	-	*	-	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	*	-	-
12 & 22	1-2	1.6	8.0	-	4.0	-	*	-	*	-	10.4
	3	0.5	2.7	-	3.8	-	*	-	*	-	2.4
	4	*	0.4	-	1.0	-	*	-	*	-	0.2
	5	-	*	-	0.1	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	2.1	11.1	-	8.8	-	*	-	*	-
32	1-2	4.2	1.9	-	0.6	-	*	-	*	-	0.3
	3	3.7	2.9	-	2.6	-	0.1	-	0.1	-	0.5
	4	0.3	1.5	-	2.4	-	0.1	-	0.1	-	0.2
	5	*	0.5	-	0.6	-	*	-	*	-	0.1
	6	*	0.1	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	*	*	-	-	-	-	-	-	-	-
	Total	----	8.3	6.9	-	6.3	-	0.3	-	0.2	-
42	1-2	0.2	0.1	-	0.1	-	*	-	*	-	*
	3	0.7	0.4	-	0.9	-	0.5	-	0.2	-	*
	4	0.3	0.8	-	1.1	-	1.2	-	0.3	-	*
	5	0.1	0.9	-	0.6	-	0.6	-	0.1	-	*
	6	0.2	0.6	-	0.1	-	0.1	-	*	-	*
	7	*	0.2	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	1.5	2.9	-	2.8	-	2.5	-	0.6	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 12, 2026

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 52	1-2	-	*	-	*	-	*	-	*	-	*	
	3	-	*	-	*	-	0.1	-	*	-	*	
	4	*	*	-	0.1	-	0.2	-	*	-	-	
	5	-	*	-	0.1	-	0.2	-	*	-	*	
	6	0.1	*	-	*	-	0.1	-	*	-	-	
	7	*	0.1	-	*	-	*	-	*	-	-	
	8	-	*	-	-	-	-	-	*	-	-	
	Total	----	0.1	0.2	-	0.2	-	0.6	-	0.1	-	*
	62	1-2	-	-	-	*	-	-	-	-	-	-
3		-	-	-	*	-	*	-	-	-	-	
4		-	-	-	*	-	*	-	*	-	-	
5		-	-	-	*	-	*	-	*	-	-	
6		-	-	-	*	-	*	-	-	-	-	
7		-	-	-	*	-	-	-	-	-	-	
8		-	*	-	*	-	-	-	-	-	-	
Total		----	-	*	-	*	-	*	-	*	-	-
13 & 23		1-2	*	0.6	-	0.1	-	-	-	*	-	0.9
	3	-	0.4	-	0.1	-	-	-	*	-	0.3	
	4	*	0.1	-	*	-	-	-	*	-	*	
	5	-	*	-	*	-	-	-	-	-	*	
	6	-	*	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	Total	----	*	1.2	-	0.2	-	-	-	*	-	1.3
	33	1-2	0.4	0.2	-	*	-	*	-	*	-	0.1
3		0.2	0.5	-	0.1	-	*	-	*	-	0.2	
4		0.1	0.3	-	0.1	-	*	-	*	-	0.2	
5		*	0.1	-	*	-	-	-	*	-	0.1	
6		-	*	-	*	-	-	-	*	-	*	
7		-	*	-	*	-	-	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	-	
Total		----	0.7	1.1	-	0.3	-	*	-	*	-	0.6
43		1-2	0.1	*	-	*	-	-	-	*	-	*
	3	0.2	0.1	-	0.1	-	*	-	*	-	*	
	4	*	0.1	-	0.1	-	*	-	*	-	*	
	5	*	0.2	-	0.1	-	*	-	*	-	*	
	6	*	0.1	-	*	-	*	-	*	-	*	
	7	-	*	-	*	-	-	-	*	-	*	
	8	-	*	-	-	-	-	-	*	-	-	
	Total	----	0.3	0.6	-	0.3	-	*	-	*	-	*
	53	1-2	-	-	-	*	-	*	-	-	-	-
3		-	*	-	*	-	*	-	*	-	-	
4		*	*	-	*	-	*	-	*	-	-	
5		*	*	-	*	-	*	-	*	-	-	
6		-	*	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	*	-	*	-	-	
8		-	*	-	-	-	-	-	*	-	-	
Total		----	*	*	-	*	-	*	-	*	-	*
63		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	*	-	-	-	-	-	-	
	5	-	-	-	-	-	*	-	-	-	-	
	6	-	-	-	*	-	-	-	-	-	-	
	7	-	*	-	-	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	Total	----	-	*	-	*	-	*	-	-	-	-
	24 - 54	1-8	*	0.1	-	*	-	-	-	*	-	0.1
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	
81 - 85	1-8	*	*	-	*	-	-	-	-	-	*	
STAPLE												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	
30		*	*	-	-	-	-	-	-	-	*	
31		*	0.1	-	*	-	*	-	*	-	0.2	
32		0.7	0.6	-	*	-	*	-	*	-	1.8	
33		6.5	3.3	-	0.1	-	0.1	-	0.1	-	7.4	
34		10.8	9.3	-	0.7	-	1.3	-	1.4	-	21.0	
35		11.8	15.4	-	3.8	-	8.2	-	8.3	-	28.7	
36		6.8	18.1	-	15.6	-	25.2	-	26.6	-	21.8	
37		6.6	23.1	-	45.9	-	42.7	-	47.7	-	14.8	
38		15.1	14.5	-	25.3	-	16.4	-	12.9	-	3.6	
39		22.4	9.9	-	7.8	-	4.9	-	2.7	-	0.6	
40 & Longer		19.2	5.7	-	0.7	-	1.1	-	0.3	-	*	
Average Staple		37.29	36.60	-	37.17	-	36.84	-	36.71	-	35.23	
Average Length		1.17	1.14	-	1.16	-	1.15	-	1.14	-	1.10	

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 12, 2026

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 19.2	Pct. 57.7	Pct. -	Pct. 1.7	Pct. -	Pct. 0.4	Pct. -	Pct. 3.8	Pct. -	Pct. 18.8
	3	13.5	15.0	-	1.2	-	0.4	-	2.5	-	5.0
	4	0.6	0.8	-	*	-	*	-	0.1	-	0.2
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	33.3	73.5	-	2.9	-	0.8	-	6.5	-
31	1-2	4.2	3.4	-	8.1	-	2.6	-	8.0	-	10.9
	3	22.5	5.1	-	21.8	-	12.1	-	32.8	-	13.5
	4	5.2	2.0	-	4.2	-	3.4	-	11.5	-	3.0
	5	2.0	0.3	-	0.2	-	0.2	-	0.9	-	0.4
	6	0.3	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	34.2	10.8	-	34.3	-	18.3	-	53.2	-
41	1-2	-	*	-	5.0	-	2.3	-	0.8	-	3.6
	3	0.3	0.1	-	31.5	-	30.8	-	12.3	-	16.4
	4	0.7	0.2	-	16.5	-	26.7	-	16.3	-	10.8
	5	0.5	0.2	-	2.1	-	5.1	-	4.5	-	3.2
	6	-	0.1	-	0.1	-	0.4	-	0.4	-	0.6
	7	-	*	-	*	-	*	-	-	-	0.1
	8	-	*	-	-	-	-	-	-	-	*
	Total	----	1.5	0.5	-	55.3	-	65.4	-	34.3	-
51	1-2	-	*	-	0.2	-	0.1	-	*	-	0.1
	3	-	*	-	2.4	-	3.0	-	*	-	1.4
	4	-	*	-	2.3	-	4.8	-	0.3	-	2.5
	5	-	*	-	0.5	-	1.7	-	0.3	-	1.6
	6	-	*	-	0.1	-	0.3	-	0.1	-	0.7
	7	-	*	-	*	-	*	-	-	-	0.2
	8	-	*	-	*	-	-	-	-	-	*
	Total	----	-	*	-	5.5	-	9.8	-	0.7	-
61	1-2	-	*	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*
	5	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	*	-	-	-	-	-	*
	Total	----	-	*	-	0.1	-	*	-	*	-
71	1-2	-	*	-	-	-	*	-	-	-	-
	3	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	*	-	-	-	*	-	-	-
12 & 22	1-2	4.4	6.1	-	*	-	*	-	0.1	-	1.8
	3	8.5	3.8	-	*	-	*	-	0.1	-	1.0
	4	1.4	0.5	-	*	-	*	-	0.1	-	0.1
	5	-	*	-	-	-	*	-	*	-	*
	6	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	14.3	10.3	-	0.1	-	*	-	0.3	-
32	1-2	0.4	0.3	-	0.1	-	*	-	0.1	-	0.2
	3	2.8	1.0	-	0.3	-	0.2	-	0.5	-	0.5
	4	0.8	0.6	-	0.1	-	0.1	-	0.8	-	0.4
	5	0.2	0.2	-	*	-	*	-	0.4	-	0.1
	6	-	*	-	*	-	*	-	0.1	-	*
	7	-	*	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	4.2	2.1	-	0.4	-	0.3	-	1.8	-
42	1-2	-	*	-	*	-	0.2	-	*	-	*
	3	*	*	-	0.5	-	1.7	-	0.4	-	0.5
	4	-	0.1	-	0.4	-	1.5	-	1.2	-	0.5
	5	-	0.1	-	0.1	-	0.4	-	0.7	-	0.3
	6	-	*	-	*	-	0.1	-	0.4	-	0.1
	7	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	*
	Total	----	*	0.2	-	1.1	-	3.8	-	2.7	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 12, 2026

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 52	1-2	-	-	-	*	-	*	-	-	-	*	
	3	-	-	-	0.1	-	0.4	-	*	-	0.1	
	4	-	*	-	0.1	-	0.6	-	0.1	-	0.2	
	5	-	*	-	*	-	0.3	-	0.1	-	0.2	
	6	-	*	-	*	-	0.1	-	*	-	0.1	
	7	-	*	-	*	-	*	-	*	-	0.1	
	8	-	*	-	*	-	-	-	-	-	*	
	Total	----	-	*	-	0.2	-	1.4	-	0.1	-	0.8
	62	1-2	-	-	-	*	-	-	-	-	-	-
3		-	-	-	*	-	*	-	-	-	*	
4		-	-	-	*	-	*	-	-	-	*	
5		-	-	-	*	-	*	-	-	-	*	
6		-	-	-	*	-	*	-	-	-	*	
7		-	-	-	*	-	*	-	-	-	*	
8		-	-	-	*	-	-	-	-	-	*	
Total		----	-	-	-	*	-	*	-	-	-	*
13 & 23		1-2	7.0	0.7	-	*	-	-	-	-	-	0.1
	3	3.8	0.6	-	*	-	-	-	-	-	0.1	
	4	0.1	0.1	-	*	-	-	-	-	-	*	
	5	-	*	-	*	-	-	-	-	-	-	
	6	-	*	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	Total	----	11.0	1.4	-	*	-	-	-	-	-	0.2
	33	1-2	0.3	0.1	-	*	-	*	-	*	-	*
3		0.4	0.3	-	*	-	*	-	*	-	*	
4		0.4	0.2	-	*	-	*	-	*	-	*	
5		0.1	0.1	-	*	-	*	-	*	-	*	
6		-	*	-	*	-	*	-	*	-	*	
7		-	*	-	-	-	-	-	-	-	-	
8		-	*	-	-	-	-	-	-	-	-	
Total		----	1.3	0.8	-	*	-	*	-	0.1	-	0.1
43		1-2	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	
	4	-	*	-	*	-	*	-	*	-	*	
	5	-	*	-	*	-	*	-	*	-	*	
	6	-	*	-	*	-	*	-	*	-	*	
	7	-	*	-	*	-	*	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	Total	----	-	0.1								
	53	1-2	-	-	-	*	-	*	-	-	-	*
3		-	-	-	*	-	*	-	-	-	*	
4		-	-	-	*	-	*	-	-	-	*	
5		-	-	-	*	-	*	-	*	-	*	
6		-	*	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	*	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	*	
Total		----	-	*	-	*	-	*	-	*	-	*
63		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	
	4	-	-	-	*	-	-	-	-	-	-	
	5	-	-	-	*	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	*	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	Total	----	-	*	-	*	-	-	-	-	-	
	24 - 54	1-8	0.1	0.1	-	*	-	*	-	0.1	-	*
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	
81 - 85	1-8	-	*	-	*	-	*	-	-	-	-	
STAPLE												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	
29		-	*	-	-	-	-	-	-	-	-	
30		-	*	-	*	-	-	-	-	-	*	
31		-	0.1	-	*	-	*	-	-	-	*	
32		-	0.5	-	0.1	-	*	-	*	-	0.1	
33		1.1	2.6	-	0.8	-	0.1	-	0.2	-	0.2	
34		14.6	8.7	-	4.7	-	0.8	-	1.6	-	1.0	
35		39.4	18.4	-	15.4	-	4.1	-	11.2	-	4.4	
36		38.0	25.8	-	30.1	-	15.1	-	28.8	-	15.6	
37		6.8	29.2	-	35.7	-	47.6	-	39.8	-	41.6	
38		*	10.5	-	10.2	-	26.9	-	14.2	-	23.2	
39		-	3.1	-	2.5	-	4.9	-	3.8	-	7.9	
40 & Longer		-	1.0	-	0.4	-	0.5	-	0.4	-	6.1	
Average Staple		35.35	36.18	-	36.38	-	37.12	-	36.66	-	37.46	
Average Length		1.10	1.13	-	1.13	-	1.16	-	1.14	-	1.17	

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 12, 2026

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	4.7	9.4	-	0.6	-	*	-	2.1	-	1.8
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	0.3	-	0.1	-	*	-	0.3
Grass - Level 2	-	-	-	*	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	1.5	-	0.8	-	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	*	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	0.1	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	*	-	*	-	-	-	-	-	*
23	-	*	-	*	-	-	-	-	-	0.1
24	-	*	-	*	-	*	-	*	-	0.2
25	0.2	0.2	-	*	-	*	-	*	-	0.9
26	0.8	0.7	-	0.2	-	0.1	-	0.5	-	2.7
27	6.0	3.0	-	1.2	-	0.5	-	3.0	-	7.6
28	10.8	8.3	-	5.2	-	3.9	-	12.6	-	14.1
29	13.7	15.1	-	14.9	-	15.4	-	30.5	-	19.9
30	18.1	17.9	-	21.7	-	28.5	-	30.3	-	21.9
31	15.8	17.0	-	17.7	-	26.8	-	15.3	-	17.5
32	14.9	14.2	-	12.5	-	15.8	-	5.8	-	9.3
33	10.4	11.0	-	11.5	-	6.3	-	1.6	-	3.6
34	5.4	6.9	-	9.6	-	2.1	-	0.3	-	1.3
35	2.6	3.5	-	4.0	-	0.5	-	0.1	-	0.5
36	1.0	1.3	-	1.1	-	0.1	-	*	-	0.2
37	0.2	0.6	-	0.2	-	*	-	*	-	*
38	*	0.2	-	*	-	*	-	-	-	*
39	*	*	-	*	-	*	-	-	-	-
40 & Above	-	*	-	-	-	*	-	-	-	-
Average	31.08	31.38	-	31.59	-	31.09	-	30.12	-	30.12
Mike										
2.4 & Below	-	0.1	-	-	-	-	-	-	-	*
2.5	*	0.2	-	*	-	-	-	*	-	0.1
2.6	*	0.3	-	*	-	-	-	-	-	0.2
2.7	-	0.4	-	*	-	-	-	*	-	0.3
2.8	-	0.5	-	*	-	-	-	*	-	0.4
2.9	0.1	0.5	-	*	-	-	-	*	-	0.6
3.0	0.3	0.6	-	0.1	-	-	-	*	-	0.9
3.1	0.2	0.8	-	0.1	-	-	-	*	-	0.9
3.2	1.0	1.1	-	0.3	-	*	-	0.1	-	1.3
3.3	1.4	1.4	-	0.5	-	*	-	0.2	-	1.6
3.4	2.8	1.9	-	0.9	-	*	-	0.3	-	2.1
3.5	4.7	2.5	-	1.3	-	*	-	0.5	-	2.5
3.6	6.7	3.5	-	1.9	-	0.1	-	0.9	-	3.2
3.7	7.4	4.5	-	2.7	-	0.1	-	1.8	-	3.9
3.8	8.5	5.6	-	4.4	-	0.1	-	2.7	-	4.7
3.9	7.8	7.0	-	6.7	-	0.2	-	4.2	-	5.5
4.0	9.1	8.5	-	9.0	-	0.4	-	5.8	-	6.2
4.1	10.0	10.0	-	11.1	-	0.6	-	7.8	-	7.0
4.2	7.6	10.6	-	12.8	-	1.0	-	9.9	-	8.0
4.3	8.6	10.7	-	12.9	-	1.7	-	11.6	-	8.6
4.4	8.5	9.5	-	11.3	-	2.8	-	11.8	-	9.1
4.5	7.1	7.6	-	8.8	-	4.1	-	10.7	-	8.9
4.6	4.6	5.5	-	6.0	-	6.5	-	9.4	-	8.1
4.7	2.4	3.5	-	3.7	-	9.5	-	7.7	-	6.4
4.8	0.7	1.9	-	2.3	-	13.4	-	5.5	-	4.4
4.9	0.2	0.9	-	1.3	-	16.0	-	3.9	-	2.6
5.0	0.1	0.4	-	0.8	-	16.3	-	2.5	-	1.4
5.1	-	0.2	-	0.4	-	12.9	-	1.4	-	0.6
5.2	-	0.1	-	0.3	-	8.2	-	0.7	-	0.3
5.3	-	*	-	0.2	-	4.0	-	0.3	-	0.1
5.4	-	-	-	0.1	-	1.5	-	0.1	-	*
5.5 & Above	-	*	-	0.2	-	0.5	-	*	-	*
Average	4.04	4.10	-	4.23	-	4.88	-	4.38	-	4.18

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 12, 2026

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	28.7	7.7	-	1.3	-	*	-	2.0	-	1.0
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	0.1	-	*	-	0.1	-	0.4
Grass - Level 2	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	-	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.4	-	0.3	-	0.1	-	2.9	-	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 2	-	*	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	*	-	-	-	*	-	-	-	*
23	-	*	-	*	-	*	-	-	-	*
24	-	0.1	-	*	-	*	-	-	-	*
25	-	0.2	-	0.1	-	*	-	*	-	0.1
26	0.2	0.7	-	0.6	-	*	-	0.1	-	0.9
27	3.6	2.6	-	3.2	-	0.2	-	1.7	-	2.9
28	20.4	7.2	-	10.7	-	1.8	-	6.6	-	8.9
29	37.7	14.7	-	20.6	-	12.4	-	17.9	-	16.8
30	27.0	20.2	-	25.1	-	36.0	-	30.0	-	20.6
31	9.0	19.8	-	19.9	-	32.5	-	20.1	-	17.9
32	1.9	15.0	-	11.5	-	12.2	-	12.6	-	11.9
33	0.1	9.8	-	5.3	-	3.8	-	6.0	-	7.4
34	*	5.5	-	2.1	-	0.9	-	3.1	-	5.6
35	-	2.5	-	0.7	-	0.1	-	1.5	-	4.0
36	-	1.0	-	0.2	-	*	-	0.2	-	2.1
37	-	0.4	-	*	-	*	-	*	-	0.7
38	-	0.1	-	*	-	*	-	*	-	0.1
39	-	*	-	*	-	-	-	-	-	*
40 & Above	-	-	-	*	-	-	-	-	-	*
Average	29.68	31.27	-	30.63	-	31.01	-	30.93	-	31.22
Mike										
2.4 & Below	*	*	-	-	-	-	-	-	-	*
2.5	0.7	0.1	-	*	-	-	-	*	-	0.1
2.6	1.6	0.1	-	*	-	-	-	*	-	0.1
2.7	3.4	0.2	-	*	-	*	-	*	-	0.1
2.8	3.4	0.4	-	*	-	*	-	*	-	0.3
2.9	3.7	0.6	-	*	-	*	-	*	-	0.3
3.0	4.0	0.9	-	*	-	*	-	*	-	0.4
3.1	5.7	1.3	-	*	-	*	-	0.1	-	0.5
3.2	7.9	1.8	-	0.1	-	*	-	0.1	-	0.9
3.3	9.0	2.4	-	0.2	-	*	-	0.1	-	0.8
3.4	8.8	3.0	-	0.3	-	0.1	-	0.1	-	0.9
3.5	9.0	3.8	-	0.6	-	0.1	-	0.2	-	1.5
3.6	8.3	4.4	-	1.1	-	0.2	-	0.4	-	2.0
3.7	5.8	5.0	-	1.9	-	0.4	-	0.5	-	2.8
3.8	4.1	5.6	-	2.8	-	0.6	-	0.7	-	3.7
3.9	3.9	6.1	-	4.1	-	1.0	-	1.1	-	5.2
4.0	4.0	6.5	-	5.6	-	1.7	-	1.9	-	6.6
4.1	5.6	6.9	-	7.4	-	2.6	-	3.5	-	8.1
4.2	4.5	7.3	-	9.1	-	4.0	-	4.5	-	9.1
4.3	3.3	7.6	-	10.0	-	5.7	-	5.6	-	9.3
4.4	2.0	7.7	-	10.3	-	8.2	-	6.6	-	8.9
4.5	0.8	7.3	-	9.9	-	11.0	-	8.6	-	8.9
4.6	0.1	6.5	-	9.1	-	13.9	-	9.7	-	8.2
4.7	-	5.4	-	8.2	-	15.2	-	10.6	-	6.7
4.8	-	3.8	-	6.5	-	13.8	-	11.4	-	5.0
4.9	-	2.4	-	4.9	-	10.1	-	10.5	-	3.8
5.0	-	1.4	-	3.4	-	6.3	-	8.3	-	2.4
5.1	-	0.7	-	2.2	-	3.1	-	6.9	-	1.3
5.2	-	0.4	-	1.2	-	1.2	-	4.0	-	0.8
5.3	-	0.2	-	0.6	-	0.4	-	2.2	-	0.6
5.4	-	0.1	-	0.2	-	0.1	-	1.1	-	0.3
5.5 & Above	-	0.1	-	0.1	-	*	-	1.1	-	0.3
Average	3.50	4.11	-	4.41	-	4.62	-	4.67	-	4.30

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 12, 2026

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	-	0.1	-	-	-	-	-	-	-	*
2.5 - 2.6	*	0.5	-	*	-	-	-	*	-	0.3
2.7 - 2.9	0.1	1.3	-	0.1	-	-	-	*	-	1.3
3.0 - 3.2	1.5	2.5	-	0.5	-	*	-	0.2	-	3.1
3.3 - 3.4	4.2	3.3	-	1.4	-	*	-	0.5	-	3.7
3.5 - 3.6	11.5	6.0	-	3.1	-	0.1	-	1.5	-	5.7
3.7 - 4.2	50.4	46.1	-	46.6	-	2.5	-	32.1	-	35.3
4.3 - 4.9	32.2	39.5	-	46.4	-	54.0	-	60.6	-	48.2
5.0 - 5.2	0.1	0.6	-	1.4	-	37.4	-	4.6	-	2.3
5.3 & Above	-	*	-	0.5	-	6.1	-	0.4	-	0.1
Average	4.04	4.10	-	4.23	-	4.88	-	4.38	-	4.18
Leaf										
1 - 2	45.5	57.1	-	24.8	-	3.8	-	8.4	-	86.0
3	44.9	27.4	-	49.7	-	37.7	-	52.5	-	12.3
4	7.8	9.1	-	21.1	-	45.4	-	33.2	-	1.4
5	1.2	4.0	-	4.0	-	12.0	-	5.4	-	0.3
6	0.5	1.8	-	0.5	-	1.1	-	0.4	-	0.1
7	0.1	0.6	-	0.1	-	*	-	*	-	*
8	*	0.1	-	*	-	-	-	*	-	-
Average	2.60	2.52	-	3.03	-	3.69	-	3.37	-	1.76
HVI Trash 1/										
00	-	*	-	*	-	-	-	-	-	0.6
01	14.3	27.9	-	5.1	-	0.3	-	0.6	-	59.1
02	40.0	32.7	-	22.5	-	4.6	-	10.2	-	29.9
03	28.0	16.2	-	27.9	-	14.9	-	24.6	-	7.2
04	10.8	8.4	-	20.4	-	22.9	-	26.2	-	2.0
05	3.7	4.7	-	12.1	-	22.0	-	18.8	-	0.7
06	1.4	2.8	-	6.4	-	15.8	-	10.7	-	0.3
07	0.6	1.9	-	3.1	-	9.7	-	5.2	-	0.1
08	0.3	1.4	-	1.4	-	5.2	-	2.3	-	0.1
09	0.3	1.1	-	0.6	-	2.6	-	0.9	-	*
10	0.2	0.8	-	0.3	-	1.2	-	0.4	-	*
11	0.2	0.6	-	0.1	-	0.5	-	0.2	-	*
12	0.1	0.4	-	0.1	-	0.2	-	0.1	-	*
13	*	0.3	-	*	-	0.1	-	*	-	*
14	*	0.2	-	*	-	*	-	*	-	*
15	*	0.1	-	*	-	*	-	*	-	-
16	-	0.1	-	*	-	-	-	*	-	*
17	-	0.1	-	*	-	-	-	*	-	*
18 & Above	-	0.1	-	*	-	-	-	*	-	-
Average	0.26	0.28	-	0.36	-	0.50	-	0.43	-	0.16
UNIFORMITY 2/										
74 & Below	-	*	-	*	-	-	-	*	-	*
75	-	0.1	-	*	-	-	-	*	-	0.1
76	0.1	0.2	-	*	-	*	-	*	-	0.5
77	1.1	1.0	-	0.1	-	*	-	*	-	2.3
78	4.7	3.7	-	0.7	-	0.2	-	0.5	-	9.8
79	14.5	13.5	-	3.7	-	1.0	-	2.9	-	24.9
80	19.9	28.1	-	13.4	-	7.0	-	12.0	-	35.9
81	25.0	28.6	-	30.1	-	28.1	-	28.8	-	21.5
82	22.7	16.5	-	31.1	-	37.9	-	35.0	-	4.5
83	10.3	6.7	-	16.1	-	20.5	-	18.2	-	0.5
84	1.6	1.5	-	4.3	-	5.1	-	2.3	-	*
85 & Above	0.1	0.1	-	0.4	-	0.2	-	0.2	-	*
Average	81.25	81.08	-	82.00	-	82.30	-	82.04	-	80.23
Tenderable 3/	87.7	80.1	-	88.1	-	53.0	-	90.5	-	83.8
SAMPLES CLASSED										
Week	12,895		-		-		-		-	
Season		1,164,258		1,526,053		951,046		1,110,533		590,572

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 12, 2026

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	*	*	-	-	-	-	-	-	-	*
2.5 - 2.6	2.3	0.2	-	*	-	-	-	*	-	0.2
2.7 - 2.9	10.5	1.2	-	*	-	*	-	0.1	-	0.7
3.0 - 3.2	17.7	4.1	-	0.1	-	*	-	0.1	-	1.7
3.3 - 3.4	17.8	5.4	-	0.5	-	0.1	-	0.2	-	1.8
3.5 - 3.6	17.3	8.2	-	1.8	-	0.3	-	0.6	-	3.5
3.7 - 4.2	28.0	37.3	-	30.8	-	10.3	-	12.3	-	35.6
4.3 - 4.9	6.3	40.7	-	58.9	-	78.1	-	63.0	-	50.8
5.0 - 5.2	-	2.5	-	6.9	-	10.6	-	19.3	-	4.6
5.3 & Above	-	0.3	-	1.0	-	0.6	-	4.3	-	1.1
Average	3.50	4.11	-	4.41	-	4.62	-	4.67	-	4.30
Leaf										
1 - 2	35.7	68.4	-	15.3	-	5.7	-	12.7	-	35.5
3	51.9	26.0	-	57.9	-	48.6	-	48.8	-	38.5
4	9.3	4.5	-	23.7	-	37.1	-	30.5	-	17.9
5	2.8	0.9	-	3.0	-	7.7	-	6.9	-	6.0
6	0.3	0.2	-	0.2	-	0.8	-	1.0	-	1.6
7	-	*	-	*	-	0.1	-	*	-	0.3
8	-	*	-	*	-	-	-	-	-	0.1
Average	2.77	2.22	-	3.15	-	3.49	-	3.34	-	2.95
HVI Trash 1/										
00	-	*	-	-	-	*	-	-	-	*
01	8.0	33.1	-	1.6	-	0.5	-	1.6	-	13.3
02	29.2	41.5	-	19.8	-	7.2	-	14.0	-	27.6
03	31.7	15.5	-	31.4	-	21.1	-	24.1	-	21.9
04	18.5	5.5	-	23.6	-	26.2	-	23.3	-	14.7
05	5.8	2.2	-	12.9	-	20.2	-	16.3	-	9.2
06	2.5	1.0	-	6.1	-	12.2	-	9.7	-	5.5
07	1.9	0.5	-	2.7	-	6.5	-	5.3	-	3.3
08	1.2	0.3	-	1.1	-	3.2	-	2.7	-	2.0
09	0.8	0.1	-	0.5	-	1.5	-	1.5	-	1.1
10	0.3	0.1	-	0.2	-	0.7	-	0.8	-	0.6
11	-	0.1	-	0.1	-	0.3	-	0.4	-	0.4
12	-	*	-	*	-	0.1	-	0.2	-	0.2
13	*	*	-	*	-	0.1	-	0.1	-	0.1
14	-	*	-	*	-	*	-	*	-	0.1
15	-	*	-	*	-	*	-	-	-	*
16	-	*	-	*	-	-	-	-	-	*
17	-	*	-	*	-	-	-	*	-	*
18 & Above	-	*	-	*	-	-	-	-	-	*
Average	0.31	0.21	-	0.37	-	0.46	-	0.42	-	0.34
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	-	-	-	-
75	-	*	-	*	-	-	-	-	-	*
76	*	0.2	-	*	-	*	-	-	-	*
77	0.6	1.1	-	0.1	-	*	-	-	-	0.2
78	5.6	4.5	-	0.8	-	0.1	-	0.2	-	1.1
79	20.0	14.3	-	5.1	-	0.4	-	1.9	-	4.4
80	37.9	29.9	-	20.1	-	3.9	-	10.6	-	18.2
81	26.6	31.7	-	36.4	-	20.7	-	32.1	-	33.7
82	7.3	14.7	-	27.8	-	45.7	-	37.3	-	30.5
83	1.5	3.1	-	8.4	-	26.3	-	15.7	-	10.0
84	0.4	0.4	-	1.2	-	2.7	-	2.1	-	1.8
85 & Above	-	0.1	-	0.1	-	0.2	-	0.1	-	0.2
Average	80.60	80.90	-	81.60	-	82.47	-	82.05	-	81.71
Tenderable 3/	40.3	78.3	-	88.6	-	83.4	-	69.3	-	85.1
SAMPLES CLASSIFIED										
Week	2,090		-		-		-		-	
Season	2,508,416		2,197,153		2,351,211		283,396		369,520	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Mar 12, 2026

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	0.3	6.2	MIKE		
	2	0.3	7.6	2.4 & Below	-	-
	3	-	0.2	2.5 - 2.6	-	*
	4	-	-	2.7 - 2.9	-	0.2
	5	-	-	3.0 - 3.2	-	1.6
	6	-	-	3.3 - 3.4	0.1	2.8
	7	-	-	3.5 - 3.6	3.6	8.6
Total -----		0.6	14.1	3.7 - 4.2	96.3	82.8
02	1	11.4	7.5	4.3 - 4.9	-	4.0
	2	13.9	34.4	5.0 - 5.2	-	*
	3	0.5	8.3	5.3 & Above	-	-
	4	-	0.2	Average	3.89	3.89
	5	-	*	ALL RANGE MIKE		
	6	-	-	2.4 & Below	-	-
	7	-	-	2.5	-	-
Total -----		25.8	50.4	2.6	-	*
03	1	4.2	0.7	2.7	-	*
	2	37.0	13.1	2.8	-	*
	3	8.6	15.6	2.9	-	0.1
	4	0.7	1.9	3.0	-	0.3
	5	-	0.1	3.1	-	0.6
	6	-	*	3.2	-	0.8
	7	-	-	3.3	-	1.0
Total -----		50.6	31.3	3.4	0.1	1.9
04	1	0.1	*	3.5	0.4	3.0
	2	14.7	0.7	3.6	3.2	5.6
	3	6.7	1.9	3.7	15.5	9.8
	4	0.5	0.8	3.8	22.4	15.2
	5	-	0.1	3.9	21.8	20.2
	6	-	*	4.0	23.0	19.0
	7	-	-	4.1	12.2	12.3
Total -----		22.0	3.5	4.2	1.4	6.4
05	1	-	*	4.3	-	2.5
	2	0.8	0.1	4.4	-	1.0
	3	0.3	0.2	4.5	-	0.4
	4	-	0.2	4.6	-	0.1
	5	-	*	4.7	-	*
	6	-	*	4.8	-	*
	7	-	-	4.9	-	*
Total -----		1.0	0.5	5.0	-	*
06	1	-	-	5.1	-	*
	2	-	*	5.2	-	-
	3	-	0.1	5.3 & Above	-	-
	4	-	*	Average	3.89	3.89
	5	-	*	STRENGTH 1/		
	6	-	*	36 & Below	-	2.8
	7	-	-	37	-	4.9
Total -----		-	0.1	38	0.2	4.0
07	1	-	-	39	0.2	1.8
	2	-	-	40	7.5	2.0
	3	-	*	41	31.9	5.7
	4	-	*	42	42.2	11.1
	5	-	*	43	14.7	16.6
	6	-	*	44	2.5	19.3
	7	-	-	45	0.3	16.4
Total -----		-	*	46	0.1	9.6
STAPLE				47	0.4	4.0
44 & Shorter		0.1	3.0	48 & Above	-	1.9
46		0.2	11.5	Average	42.22	43.47
48		63.4	46.0	UNIFORMITY		
50		36.3	37.5	83 & Below	-	1.6
52 & Longer		-	2.0	84	0.2	12.0
Average Staple		48.72	48.48	85	0.6	34.3
Average Length		1.42	1.41	86	57.4	45.6
EXTRANEOUS MATTER				87	41.8	5.9
Bark		-	*	88 & Above	-	0.5
Grass		-	0.3	Average	86.85	85.88
Spindle Twist		-	0.1	Samples Classed		
Preparation		-	*	Week	1,181	
All Other		-	*	Season		387,918

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.