



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
AL	-	-	-	-	21	89.9	77.8	549,869
AR	-	-	-	-	26	70.4	42.7	1,421,220
AZ	-	-	-	-	10	86.3	70.2	232,176
CA	-	-	-	-	10	85.6	74.5	94,092
FL	-	-	-	-	4	91.0	76.3	90,069
GA*	-	-	-	-	53	88.4	74.2	1,738,307
KS*	-	-	-	-	3	32.5	24.7	160,354
LA	-	-	-	-	14	71.5	47.6	223,299
MO	-	-	-	-	16	86.7	65.2	680,258
MS	-	-	-	-	30	63.7	36.5	706,511
NC	-	-	-	-	26	90.7	78.7	653,677
NM	-	-	-	-	2	81.6	67.3	12,080
OK	3	93.2	76.4	6,005	10	91.1	79.0	480,582
SC	-	-	-	-	10	86.4	73.5	283,935
TN	-	-	-	-	17	82.3	63.4	340,307
TX	7	69.5	46.5	4,253	144	82.2	62.1	5,222,955
VA	-	-	-	-	4	96.1	90.4	172,921
United States	12	83.3	64.3	10,537	400	81.7	62.8	13,062,612
AMERICAN PIMA								
AZ*	-	-	-	-	3	-	-	26,080
CA	-	-	-	-	10	-	-	308,854
NM	-	-	-	-	-	-	-	-
TX	-	-	-	-	5	-	-	34,745
United States	-	-	-	-	19	-	-	388,926
United States all cotton	13	-	-	11,545	409	-	-	13,451,538

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

Source: USDA AMS Cotton and Tobacco Market News
Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.govcottonmn@ams.usda.gov>

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Mar 19, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	2.2	-	0.1	-	16.3	-	18.0	-	1.7	-	1.5
	3	-	1.3	-	0.1	-	3.1	-	6.5	-	0.5	-	1.2
	4	-	*	-	*	-	0.2	-	0.4	-	*	-	*
	5	-	*	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	3.5	-	0.2	-	19.6	-	24.9	-	2.2	-	2.7
31	1 - 2	-	9.3	-	1.1	-	9.7	-	13.8	-	3.1	-	7.8
	3	-	27.7	-	9.0	-	11.8	-	10.9	-	12.5	-	21.9
	4	-	7.1	-	3.4	-	2.3	-	3.4	-	2.8	-	4.2
	5	-	0.5	-	0.1	-	0.2	-	0.6	-	0.1	-	0.2
	6	-	*	-	*	-	*	-	0.1	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	44.7	-	13.7	-	24.0	-	28.8	-	18.4	-	34.1
41	1 - 2	-	3.3	-	0.8	-	2.9	-	6.8	-	2.8	-	5.3
	3	-	22.6	-	26.2	-	17.0	-	22.3	-	37.0	-	32.4
	4	-	15.6	-	35.2	-	14.2	-	7.3	-	28.9	-	16.3
	5	-	2.8	-	8.4	-	4.4	-	1.7	-	4.0	-	2.0
	6	-	0.2	-	0.7	-	0.7	-	0.3	-	0.2	-	0.1
	7	-	*	-	*	-	0.1	-	*	-	*	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	-	44.5	-	71.3	-	39.4	-	38.4	-	72.9	-	56.2
51	1 - 2	-	0.4	-	*	-	0.1	-	0.1	-	0.1	-	0.2
	3	-	2.4	-	2.4	-	1.9	-	0.6	-	1.7	-	2.2
	4	-	1.8	-	4.9	-	3.6	-	0.9	-	2.3	-	2.2
	5	-	0.4	-	2.3	-	2.4	-	0.5	-	0.6	-	0.5
	6	-	*	-	0.4	-	1.0	-	0.3	-	0.1	-	0.1
	7	-	*	-	0.1	-	0.3	-	0.1	-	*	-	*
	8	-	*	-	-	-	0.1	-	*	-	-	-	*
Total	----	-	4.9	-	10.0	-	9.4	-	2.5	-	4.8	-	5.1
61	1 - 2	-	*	-	*	-	*	-	-	-	-	-	*
	3	-	0.1	-	*	-	*	-	*	-	*	-	*
	4	-	0.1	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	-	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	-	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	*	-	*	-	-	-	*
Total	----	-	0.2	-	*	-	*	-	*	-	*	-	*
71	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	0.1	-	*	-	2.6	-	0.1	-	*	-	*
	3	-	*	-	*	-	1.2	-	0.2	-	*	-	0.1
	4	-	*	-	*	-	0.2	-	*	-	-	-	*
	5	-	-	-	*	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.1	-	*	-	4.0	-	0.4	-	*	-	0.1
32	1 - 2	-	0.1	-	*	-	0.1	-	0.3	-	*	-	*
	3	-	0.4	-	0.1	-	0.4	-	0.6	-	0.2	-	0.2
	4	-	0.1	-	0.1	-	0.3	-	0.5	-	*	-	0.1
	5	-	*	-	*	-	0.1	-	0.3	-	-	-	*
	6	-	*	-	*	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.6	-	0.2	-	0.9	-	1.9	-	0.3	-	0.4
42	1 - 2	-	*	-	*	-	*	-	0.1	-	0.1	-	*
	3	-	0.4	-	1.0	-	0.4	-	0.9	-	0.7	-	0.6
	4	-	0.5	-	1.5	-	0.6	-	0.5	-	0.4	-	0.4
	5	-	0.1	-	0.7	-	0.3	-	0.3	-	*	-	0.1
	6	-	*	-	0.1	-	0.1	-	0.1	-	*	-	*
	7	-	*	-	*	-	*	-	-	-	*	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	-	1.1	-	3.2	-	1.4	-	1.9	-	1.2	-	1.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Mar 19, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.1	-	0.2	-	0.1	-	0.1	-	0.1	-	*
	4	-	0.1	-	0.6	-	0.3	-	0.2	-	0.1	-	0.1
	5	-	0.1	-	0.3	-	0.3	-	0.2	-	*	-	*
	6	-	*	-	0.1	-	0.2	-	0.2	-	*	-	*
	7	-	*	-	*	-	*	-	0.1	-	*	-	*
	8	-	-	-	-	-	*	-	*	-	-	-	*
Total	----	-	0.3	-	1.3	-	0.9	-	0.8	-	0.2	-	0.2
62	1 - 2	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	-	-	*
	7	-	-	-	*	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	*	-	*	-	-	-	*
Total	----	-	*	-	*	-	*	-	*	-	*	-	*
13 & 23	1 - 2	-	*	-	-	-	0.1	-	*	-	-	-	*
	3	-	*	-	-	-	*	-	*	-	-	-	*
	4	-	*	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	0.2	-	*	-	-	-	*
33	1 - 2	-	*	-	-	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	-	-	*
	4	-	*	-	*	-	*	-	*	-	-	-	*
	5	-	*	-	*	-	*	-	*	-	-	-	*
	6	-	*	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	*	-	-	-	*
43	1 - 2	-	-	-	*	-	-	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	0.1	-	*	-	*
	4	-	*	-	*	-	*	-	0.1	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	-	-	*
	6	-	*	-	*	-	*	-	*	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	0.1	-	0.1	-	0.2	-	*	-	0.1
53	1 - 2	-	*	-	-	-	*	-	-	-	-	-	-
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	-	-	*
	7	-	-	-	*	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	*	-	-	-	-	-	-
Total	----	-	0.1	-	*	-	*	-	*	-	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	*	-	*	-	*	-	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	*
31		-	*	-	*	-	*	-	-	-	*	-	*
32		-	*	-	*	-	*	-	-	-	*	-	0.1
33		-	0.7	-	0.1	-	*	-	0.1	-	0.2	-	0.9
34		-	3.6	-	0.3	-	0.7	-	0.5	-	2.4	-	4.9
35		-	12.3	-	2.6	-	3.5	-	4.2	-	12.4	-	16.0
36		-	24.6	-	13.8	-	13.5	-	21.4	-	29.2	-	31.0
37		-	40.9	-	50.3	-	44.9	-	44.9	-	35.5	-	34.5
38		-	14.3	-	27.0	-	27.0	-	19.0	-	15.3	-	9.7
39		-	3.1	-	5.4	-	8.5	-	8.8	-	4.4	-	2.5
40 & Longer		-	0.5	-	0.6	-	1.9	-	1.1	-	0.6	-	0.4
Average Staple		-	36.59	-	37.19	-	37.28	-	37.09	-	36.64	-	36.34
Average Length		-	1.14	-	1.16	-	1.16	-	1.16	-	1.14	-	1.13

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Mar 19, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	4.1	-	4.5	-	*	-	2.0	-	0.4	-	40.4
	3	-	5.3	-	2.6	-	*	-	1.8	-	0.3	-	10.9
	4	-	1.1	-	*	-	*	-	*	-	*	-	0.8
	5	-	0.1	-	-	-	-	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	10.7	-	7.1	-	*	-	3.8	-	0.8	-	52.2
31	1 - 2	-	0.9	-	9.2	-	1.5	-	3.4	-	5.7	-	7.6
	3	-	7.6	-	36.6	-	9.0	-	20.3	-	20.2	-	15.3
	4	-	9.3	-	12.3	-	1.8	-	8.6	-	5.8	-	7.3
	5	-	2.6	-	0.8	-	*	-	0.6	-	0.3	-	1.1
	6	-	0.3	-	*	-	*	-	*	-	*	-	0.1
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	20.7	-	58.9	-	12.3	-	32.9	-	32.0	-	31.4
41	1 - 2	-	*	-	0.5	-	2.4	-	0.9	-	3.1	-	*
	3	-	1.6	-	10.1	-	38.1	-	18.8	-	30.0	-	0.6
	4	-	6.7	-	16.2	-	26.6	-	26.1	-	24.6	-	1.2
	5	-	9.2	-	4.9	-	3.2	-	7.3	-	4.5	-	1.3
	6	-	4.5	-	0.3	-	0.1	-	0.6	-	0.4	-	0.6
	7	-	0.9	-	-	-	*	-	*	-	*	-	0.1
	8	-	*	-	-	-	-	-	-	-	*	-	-
Total	----	-	23.0	-	32.0	-	70.4	-	53.6	-	62.5	-	3.8
51	1 - 2	-	-	-	*	-	0.2	-	*	-	*	-	-
	3	-	-	-	*	-	4.5	-	1.1	-	0.8	-	-
	4	-	*	-	0.4	-	6.0	-	3.3	-	1.7	-	*
	5	-	0.4	-	0.3	-	1.4	-	1.5	-	0.8	-	*
	6	-	1.1	-	0.1	-	0.1	-	0.2	-	0.2	-	*
	7	-	0.8	-	-	-	*	-	*	-	*	-	-
	8	-	0.2	-	-	-	-	-	-	-	*	-	-
Total	----	-	2.6	-	0.7	-	12.1	-	6.1	-	3.6	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	*	-	-	-	*	-	-
12 & 22	1 - 2	-	1.2	-	0.1	-	-	-	*	-	*	-	2.4
	3	-	3.9	-	*	-	*	-	*	-	*	-	3.0
	4	-	2.0	-	*	-	-	-	*	-	*	-	0.3
	5	-	0.2	-	*	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	7.3	-	0.1	-	*	-	*	-	*	-	5.7
32	1 - 2	-	0.1	-	0.1	-	*	-	*	-	*	-	0.6
	3	-	3.1	-	0.3	-	0.1	-	0.2	-	0.1	-	1.6
	4	-	5.4	-	0.2	-	*	-	0.1	-	0.1	-	2.7
	5	-	2.9	-	*	-	*	-	*	-	*	-	0.8
	6	-	0.6	-	*	-	-	-	*	-	-	-	0.1
	7	-	0.1	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	12.2	-	0.5	-	0.1	-	0.3	-	0.3	-	5.8
42	1 - 2	-	*	-	*	-	0.1	-	*	-	*	-	-
	3	-	0.7	-	0.1	-	1.3	-	0.6	-	0.3	-	*
	4	-	3.4	-	0.4	-	1.4	-	1.2	-	0.3	-	0.1
	5	-	5.5	-	0.1	-	0.4	-	0.5	-	0.1	-	0.1
	6	-	4.0	-	*	-	0.1	-	0.1	-	*	-	0.1
	7	-	1.4	-	-	-	*	-	*	-	*	-	*
	8	-	0.2	-	-	-	-	-	-	-	*	-	-
Total	----	-	15.3	-	0.6	-	3.3	-	2.4	-	0.7	-	0.3

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Mar 19, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	*	-	*	-	*	-	-
	3	-	-	-	*	-	0.5	-	0.1	-	*	-	-
	4	-	*	-	*	-	0.7	-	0.2	-	*	-	-
	5	-	0.1	-	*	-	0.3	-	0.3	-	*	-	-
	6	-	0.3	-	*	-	*	-	0.1	-	*	-	-
	7	-	0.5	-	-	-	*	-	*	-	*	-	-
	8	-	0.3	-	-	-	-	-	-	-	*	-	-
Total	----	-	1.2	-	*	-	1.6	-	0.7	-	0.1	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	*	-	*	-	*	-	-
13 & 23	1 - 2	-	0.1	-	-	-	-	-	-	-	*	-	-
	3	-	0.9	-	-	-	-	-	-	-	*	-	*
	4	-	0.6	-	-	-	-	-	-	-	*	-	*
	5	-	0.1	-	-	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	1.7	-	-	-	-	-	-	-	*	-	*
33	1 - 2	-	*	-	-	-	*	-	*	-	*	-	*
	3	-	0.4	-	*	-	*	-	*	-	*	-	0.1
	4	-	1.0	-	*	-	*	-	*	-	*	-	0.3
	5	-	0.6	-	*	-	-	-	-	-	*	-	0.2
	6	-	0.1	-	-	-	-	-	-	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	2.1	-	*	-	*	-	*	-	*	-	0.7
43	1 - 2	-	-	-	*	-	*	-	-	-	*	-	-
	3	-	0.1	-	*	-	*	-	*	-	*	-	*
	4	-	0.5	-	*	-	*	-	*	-	*	-	*
	5	-	1.2	-	*	-	*	-	*	-	*	-	*
	6	-	0.9	-	-	-	*	-	*	-	*	-	*
	7	-	0.4	-	-	-	-	-	-	-	*	-	-
	8	-	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	-	3.1	-	*	-	0.1	-	*	-	*	-	0.1
53	1 - 2	-	-	-	-	-	*	-	*	-	-	-	-
	3	-	*	-	-	-	*	-	*	-	*	-	-
	4	-	*	-	-	-	*	-	*	-	*	-	-
	5	-	*	-	-	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	*	-	*	-	*	-	-
	7	-	0.1	-	-	-	-	-	*	-	*	-	-
	8	-	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	-	0.2	-	-	-	*	-	*	-	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	-	0.1	-	-	-	*	-	-	-	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	*	-	-	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	*	-	-	-	-	-	*	-	*	-	-
32		-	*	-	-	-	*	-	*	-	*	-	-
33		-	0.2	-	0.1	-	*	-	0.2	-	0.1	-	*
34		-	1.2	-	1.1	-	0.2	-	2.1	-	1.4	-	2.3
35		-	5.1	-	10.0	-	1.8	-	11.5	-	8.3	-	10.7
36		-	13.7	-	26.9	-	10.4	-	27.7	-	24.4	-	14.0
37		-	33.8	-	42.1	-	49.0	-	36.4	-	48.7	-	29.6
38		-	30.6	-	15.0	-	33.2	-	15.0	-	14.1	-	36.7
39		-	13.7	-	4.4	-	4.9	-	5.4	-	2.7	-	5.8
40 & Longer		-	1.8	-	0.4	-	0.3	-	1.5	-	0.3	-	0.8
Average Staple		-	37.35	-	36.75	-	37.29	-	36.72	-	36.74	-	37.09
Average Length		-	1.17	-	1.15	-	1.17	-	1.15	-	1.15	-	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Mar 19, 2026											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	22.7	42.5	-	0.3	-	0.4	21.5	44.2	-	0.9
	3	18.2	7.6	-	0.4	-	0.1	8.0	12.9	-	1.3
	4	0.5	0.2	-	*	-	*	0.1	0.9	-	0.1
	5	-	*	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	41.3	50.4	-	0.8	-	0.5	29.6	57.9	-	2.2
31	1 - 2	9.0	14.4	-	2.3	-	6.9	27.4	4.4	-	8.7
	3	33.8	18.8	-	15.3	-	14.5	13.8	10.3	-	38.2
	4	15.1	3.8	-	5.7	-	3.2	1.4	4.0	-	8.3
	5	0.3	0.2	-	0.3	-	0.2	*	0.5	-	0.5
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	58.3	37.3	-	23.6	-	24.8	42.6	19.2	-	55.6
41	1 - 2	*	0.6	-	1.9	-	7.7	1.3	0.3	-	1.7
	3	0.1	2.1	-	31.3	-	35.8	1.8	1.8	-	21.6
	4	0.2	1.6	-	31.4	-	14.2	1.1	1.7	-	15.7
	5	*	0.5	-	5.1	-	1.8	0.2	0.5	-	2.6
	6	-	0.1	-	0.2	-	0.1	-	0.1	-	0.1
	7	-	*	-	*	-	*	-	*	-	*
	8	-	-	-	-	-	-	-	*	-	-
Total	----	0.4	4.8	-	69.9	-	59.6	4.5	4.3	-	41.8
51	1 - 2	-	*	-	0.1	-	0.2	-	*	-	*
	3	-	*	-	1.7	-	2.4	-	*	-	*
	4	-	*	-	2.3	-	2.2	-	0.1	-	0.1
	5	-	*	-	0.6	-	0.5	-	*	-	*
	6	-	*	-	0.1	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	0.1	-	4.9	-	5.3	-	0.2	-	0.2
61	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	*	-	*	-	-
71	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
12 & 22	1 - 2	*	2.2	-	-	-	*	6.6	6.8	-	-
	3	-	0.9	-	*	-	*	0.5	3.6	-	*
	4	-	0.1	-	-	-	*	-	0.6	-	*
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	*	3.2	-	*	-	*	7.1	11.0	-	*
32	1 - 2	-	0.5	-	*	-	0.2	7.7	0.8	-	*
	3	*	1.3	-	0.1	-	0.5	2.8	1.7	-	*
	4	-	0.5	-	0.1	-	0.1	0.1	1.2	-	*
	5	-	0.1	-	*	-	*	-	0.3	-	*
	6	-	*	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	*	2.3	-	0.1	-	0.8	10.6	4.0	-	0.1
42	1 - 2	-	*	-	*	-	0.9	0.6	*	-	*
	3	-	0.1	-	0.2	-	5.0	1.6	0.3	-	*
	4	*	0.2	-	0.4	-	1.5	0.7	0.5	-	*
	5	-	0.1	-	0.1	-	0.1	0.2	0.3	-	*
	6	-	*	-	*	-	*	-	0.1	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	*	0.5	-	0.7	-	7.5	3.1	1.2	-	0.1

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE											
For The Week Ending Mar 19, 2026											
Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	-	*	-	*	-	-
	3	-	*	-	*	-	0.7	-	*	-	-
	4	-	*	-	0.1	-	0.5	-	*	-	*
	5	-	*	-	*	-	0.1	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	*	-	0.1	-	1.3	-	0.1	-	*
62	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
Total	----	-	*	-	-	-	*	-	*	-	-
13 & 23	1 - 2	-	0.5	-	-	-	-	0.3	0.6	-	-
	3	-	0.2	-	-	-	-	0.1	0.4	-	*
	4	-	*	-	*	-	-	-	0.1	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	0.7	-	*	-	-	0.4	1.1	-	*
33	1 - 2	-	0.1	-	-	-	*	1.0	0.1	-	-
	3	-	0.3	-	*	-	*	0.3	0.3	-	*
	4	-	0.1	-	*	-	*	-	0.2	-	*
	5	-	*	-	*	-	-	-	0.1	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	0.5	-	*	-	*	1.3	0.7	-	*
43	1 - 2	-	*	-	*	-	*	0.1	*	-	-
	3	-	*	-	*	-	*	0.3	*	-	*
	4	-	*	-	*	-	*	0.1	*	-	*
	5	-	*	-	*	-	*	*	*	-	*
	6	-	*	-	-	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	0.1	-	*	-	*	0.5	0.1	-	*
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	*	-	*	-	*	-	-
	4	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	-	*	*	-	-
	7	-	*	-	*	-	-	0.2	*	-	-
	8	-	*	-	-	-	-	0.2	*	-	-
Total	----	-	*	-	*	-	*	0.4	*	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	-	-	*	-	-
24 - 54	1 - 8	-	0.1	-	*	-	-	-	0.1	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	*	-	-
30		-	-	-	-	-	-	-	*	-	-
31		-	*	-	-	-	-	0.1	0.1	-	-
32		*	0.1	-	*	-	*	1.0	0.6	-	*
33		-	0.6	-	0.2	-	0.1	8.6	2.8	-	*
34		0.1	2.3	-	2.0	-	2.6	27.6	8.7	-	0.6
35		0.5	7.6	-	10.1	-	9.5	42.9	15.9	-	5.4
36		1.0	13.8	-	33.7	-	30.9	16.9	22.0	-	23.0
37		6.6	25.5	-	40.7	-	44.3	3.0	31.2	-	55.4
38		22.3	19.3	-	10.2	-	11.3	-	13.5	-	12.8
39		37.2	17.9	-	2.7	-	1.3	-	4.1	-	2.6
40 & Longer		32.2	13.0	-	0.4	-	0.1	-	1.1	-	0.1
Average Staple		38.98	37.59	-	36.56	-	36.56	34.75	36.32	-	36.82
Average Length		1.22	1.17	-	1.14	-	1.14	1.08	1.13	-	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Mar 19, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	0.6	-	*	-	0.4	-	1.8	-	1.5	-	1.4
Bark - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	*	-	0.2	-	1.1	-	0.1	-	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	-	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.1	-	1.0	-	0.1	-	-	-	0.3	-	0.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	*	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	*	-	-	-	-
23	-	*	-	*	-	*	-	*	-	-	-	*
24	-	*	-	*	-	*	-	0.1	-	-	-	*
25	-	*	-	*	-	0.1	-	0.2	-	*	-	0.1
26	-	0.2	-	*	-	1.0	-	0.8	-	*	-	0.7
27	-	1.7	-	0.2	-	2.9	-	4.0	-	0.4	-	3.6
28	-	8.5	-	1.9	-	8.5	-	12.4	-	3.3	-	11.2
29	-	21.7	-	11.4	-	15.7	-	22.4	-	13.1	-	21.0
30	-	29.0	-	34.3	-	22.2	-	18.7	-	26.8	-	24.8
31	-	21.3	-	33.2	-	20.7	-	11.5	-	27.4	-	19.2
32	-	11.0	-	13.5	-	13.8	-	4.0	-	16.9	-	11.1
33	-	4.5	-	4.1	-	7.7	-	3.7	-	7.3	-	5.2
34	-	1.6	-	1.1	-	4.3	-	6.5	-	3.8	-	2.1
35	-	0.4	-	0.2	-	1.8	-	8.3	-	0.9	-	0.7
36	-	0.1	-	0.1	-	0.8	-	5.4	-	0.1	-	0.2
37	-	*	-	*	-	0.3	-	1.7	-	*	-	0.1
38	-	*	-	*	-	*	-	0.2	-	-	-	*
39	-	-	-	*	-	*	-	*	-	-	-	*
40 & Above	-	-	-	*	-	*	-	*	-	-	-	*
Average	-	30.66	-	31.08	-	31.04	-	31.25	-	31.27	-	30.58
Mike 2.4 & Below	-	-	-	-	-	*	-	*	-	-	-	-
2.5	-	*	-	-	-	*	-	*	-	-	-	-
2.6	-	*	-	-	-	0.1	-	0.1	-	-	-	*
2.7	-	*	-	-	-	0.1	-	0.1	-	-	-	*
2.8	-	*	-	*	-	0.2	-	0.2	-	-	-	*
2.9	-	*	-	-	-	0.1	-	0.2	-	-	-	*
3.0	-	*	-	*	-	0.2	-	0.2	-	-	-	*
3.1	-	*	-	*	-	0.2	-	0.4	-	*	-	*
3.2	-	*	-	*	-	0.4	-	0.4	-	0.1	-	0.1
3.3	-	0.1	-	*	-	0.4	-	0.6	-	0.1	-	0.2
3.4	-	0.4	-	*	-	0.5	-	0.6	-	0.1	-	0.3
3.5	-	0.8	-	*	-	0.7	-	1.5	-	0.5	-	0.6
3.6	-	1.1	-	0.1	-	1.0	-	2.4	-	0.7	-	1.2
3.7	-	2.0	-	0.1	-	1.8	-	3.4	-	1.2	-	1.9
3.8	-	3.0	-	0.1	-	2.5	-	5.4	-	1.3	-	2.9
3.9	-	4.4	-	0.3	-	3.5	-	8.8	-	2.1	-	4.1
4.0	-	5.9	-	0.6	-	5.2	-	11.0	-	3.4	-	5.6
4.1	-	8.0	-	1.1	-	7.3	-	11.4	-	5.6	-	7.4
4.2	-	9.8	-	1.8	-	9.2	-	10.8	-	7.1	-	9.0
4.3	-	10.8	-	3.2	-	10.6	-	7.7	-	9.7	-	9.8
4.4	-	10.6	-	5.1	-	11.2	-	5.1	-	12.3	-	10.0
4.5	-	10.1	-	7.9	-	10.9	-	5.5	-	13.0	-	9.7
4.6	-	8.9	-	11.7	-	10.0	-	5.4	-	11.2	-	9.1
4.7	-	7.1	-	14.5	-	7.7	-	5.2	-	12.4	-	8.2
4.8	-	5.6	-	15.4	-	5.7	-	4.0	-	8.4	-	6.7
4.9	-	4.3	-	13.6	-	4.3	-	3.2	-	5.2	-	5.1
5.0	-	2.8	-	10.8	-	2.8	-	2.2	-	3.2	-	3.6
5.1	-	1.8	-	6.9	-	1.2	-	2.0	-	1.7	-	2.3
5.2	-	1.1	-	4.0	-	0.9	-	0.9	-	0.5	-	1.2
5.3	-	0.7	-	1.9	-	0.6	-	0.7	-	0.1	-	0.6
5.4	-	0.3	-	0.6	-	0.3	-	0.5	-	0.1	-	0.2
5.5 & Above	-	0.2	-	0.2	-	0.3	-	0.2	-	0.1	-	0.1
Average	-	4.39	-	4.76	-	4.38	-	4.24	-	4.48	-	4.41

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Mar 19, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	41.1	-	0.1	-	*	-	*	-	1.6	-	6.5
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	*	-	*	-	*	-	*	-	0.6
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	0.4	-	0.2	-	0.3	-	0.5	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	-	-	-	-	*
23	-	*	-	-	-	*	-	-	-	-	-	-
24	-	0.1	-	-	-	*	-	*	-	*	-	-
25	-	0.2	-	*	-	*	-	*	-	*	-	*
26	-	0.6	-	*	-	*	-	0.1	-	0.3	-	0.2
27	-	1.3	-	0.5	-	0.1	-	1.0	-	2.3	-	1.5
28	-	2.6	-	4.4	-	0.7	-	4.8	-	10.9	-	6.0
29	-	4.5	-	19.0	-	8.1	-	15.6	-	28.2	-	18.9
30	-	8.9	-	33.2	-	36.9	-	26.9	-	31.5	-	30.2
31	-	16.9	-	21.1	-	35.7	-	26.3	-	17.3	-	20.7
32	-	24.9	-	11.7	-	13.0	-	16.1	-	6.9	-	16.5
33	-	22.3	-	5.1	-	4.5	-	6.5	-	2.0	-	4.4
34	-	12.0	-	2.9	-	1.0	-	2.3	-	0.4	-	1.3
35	-	4.6	-	1.8	-	0.1	-	0.4	-	0.1	-	0.1
36	-	0.9	-	0.2	-	*	-	*	-	*	-	-
37	-	0.2	-	*	-	*	-	*	-	-	-	*
38	-	0.1	-	*	-	*	-	*	-	-	-	-
39	-	*	-	-	-	-	-	-	-	-	-	*
40 & Above	-	*	-	-	-	-	-	*	-	-	-	-
Average	-	32.40	-	30.97	-	31.15	-	31.06	-	30.26	-	30.81
Mike												
2.4 & Below	-	0.3	-	-	-	-	-	-	-	-	-	-
2.5	-	1.3	-	-	-	-	-	-	-	*	-	*
2.6	-	1.6	-	*	-	-	-	-	-	-	-	*
2.7	-	2.2	-	*	-	-	-	-	-	*	-	0.2
2.8	-	2.5	-	-	-	-	-	-	-	*	-	2.7
2.9	-	2.5	-	*	-	-	-	-	-	*	-	2.5
3.0	-	2.8	-	*	-	-	-	-	-	*	-	1.8
3.1	-	3.3	-	*	-	*	-	-	-	*	-	1.7
3.2	-	3.9	-	*	-	*	-	*	-	0.1	-	2.9
3.3	-	4.3	-	*	-	*	-	*	-	0.2	-	1.4
3.4	-	5.3	-	0.1	-	*	-	*	-	0.3	-	0.9
3.5	-	5.9	-	0.1	-	*	-	0.1	-	0.5	-	1.0
3.6	-	6.3	-	0.1	-	0.1	-	0.1	-	0.9	-	1.1
3.7	-	6.5	-	0.2	-	0.2	-	0.2	-	1.5	-	2.7
3.8	-	6.4	-	0.3	-	0.3	-	0.3	-	2.4	-	4.5
3.9	-	6.3	-	0.6	-	0.6	-	0.4	-	3.5	-	6.9
4.0	-	6.7	-	1.3	-	1.4	-	0.8	-	4.9	-	6.2
4.1	-	7.0	-	2.2	-	2.4	-	1.3	-	7.0	-	6.2
4.2	-	5.7	-	3.4	-	4.3	-	2.0	-	9.3	-	6.8
4.3	-	5.6	-	4.9	-	6.7	-	3.0	-	11.6	-	9.5
4.4	-	4.6	-	6.3	-	9.8	-	4.5	-	12.2	-	9.1
4.5	-	3.3	-	8.2	-	13.0	-	6.2	-	11.3	-	8.7
4.6	-	2.0	-	9.7	-	15.1	-	8.7	-	10.2	-	6.6
4.7	-	1.6	-	11.2	-	15.7	-	11.2	-	8.5	-	6.0
4.8	-	1.2	-	12.6	-	13.2	-	13.6	-	6.0	-	5.1
4.9	-	0.5	-	11.7	-	8.7	-	14.6	-	4.1	-	3.6
5.0	-	0.2	-	9.6	-	4.9	-	13.3	-	2.7	-	1.6
5.1	-	*	-	7.7	-	2.3	-	9.9	-	1.5	-	0.2
5.2	-	*	-	4.4	-	0.9	-	5.7	-	0.7	-	*
5.3	-	-	-	2.6	-	0.3	-	2.6	-	0.3	-	*
5.4	-	-	-	1.3	-	0.1	-	1.0	-	0.1	-	-
5.5 & Above	-	-	-	1.4	-	*	-	0.4	-	*	-	-
Average	-	3.73	-	4.74	-	4.61	-	4.80	-	4.41	-	4.14

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE										
For The Week Ending Mar 19, 2026										
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	*	3.7	-	3.6	-	*	7.3	4.7	-	1.3
Bark - Level 2	-	*	-	-	-	-	0.3	*	-	-
Grass - Level 1	-	0.1	-	0.1	-	*	*	0.2	-	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	*	-	*	-	-	-	*	-	*
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	1.7	-	*	-	0.3	-	0.6
Seed Coat - Level 2	-	*	-	-	-	-	-	*	-	-
Oil - Level 1	-	*	-	*	-	-	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	*	-	-
Other - Level 1	-	*	-	-	-	-	-	*	-	-
Other - Level 2	-	*	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	0.1	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	-	-	*	-	-
23	-	*	-	-	-	-	*	*	-	-
24	-	*	-	*	-	*	0.1	0.1	-	*
25	0.1	*	-	*	-	*	0.8	0.2	-	*
26	0.4	0.2	-	0.4	-	*	3.5	0.9	-	1.1
27	1.1	1.0	-	2.6	-	0.5	16.3	3.0	-	6.2
28	2.8	3.7	-	12.6	-	3.8	28.0	8.1	-	19.0
29	7.3	9.7	-	34.7	-	21.0	26.6	16.1	-	32.2
30	15.3	16.4	-	30.2	-	38.7	15.7	20.9	-	25.7
31	24.3	19.1	-	13.3	-	24.7	5.7	18.4	-	11.1
32	22.8	16.4	-	4.8	-	8.2	2.6	13.1	-	3.6
33	14.8	14.0	-	1.2	-	2.4	0.5	9.2	-	0.8
34	6.7	10.1	-	0.2	-	0.7	0.2	6.0	-	0.2
35	3.0	5.6	-	*	-	0.1	-	2.6	-	*
36	1.0	2.3	-	*	-	*	-	0.9	-	*
37	0.3	1.1	-	*	-	*	-	0.3	-	-
38	*	0.2	-	-	-	-	-	0.1	-	-
39	*	*	-	-	-	-	-	*	-	-
40 & Above	-	*	-	-	-	-	-	*	-	-
Average	31.91	32.11	-	30.02	-	30.66	29.08	31.16	-	29.73
Mike										
2.4 & Below	-	*	-	-	-	-	0.2	*	-	-
2.5	-	*	-	-	-	-	0.4	0.1	-	-
2.6	-	*	-	-	-	-	0.5	0.1	-	-
2.7	-	0.1	-	-	-	*	0.6	0.2	-	*
2.8	-	0.1	-	*	-	*	0.5	0.3	-	*
2.9	-	0.1	-	*	-	*	1.0	0.4	-	*
3.0	*	0.2	-	*	-	*	2.0	0.6	-	0.1
3.1	0.2	0.3	-	*	-	*	3.0	0.9	-	0.1
3.2	0.7	0.6	-	0.1	-	*	4.3	1.2	-	0.1
3.3	2.0	0.9	-	0.2	-	*	4.1	1.6	-	0.3
3.4	3.9	1.2	-	0.3	-	0.1	3.7	2.1	-	0.4
3.5	6.4	1.8	-	0.5	-	0.3	2.8	2.8	-	0.7
3.6	10.1	3.2	-	0.9	-	0.3	3.5	3.4	-	1.3
3.7	14.3	4.5	-	1.9	-	0.8	5.4	4.1	-	2.6
3.8	16.5	6.0	-	2.8	-	1.1	6.1	5.1	-	3.9
3.9	13.9	7.4	-	4.3	-	1.7	9.7	6.3	-	6.7
4.0	9.7	8.7	-	5.8	-	2.5	8.8	7.5	-	9.2
4.1	8.3	10.0	-	7.3	-	3.9	9.9	8.5	-	11.5
4.2	5.5	10.1	-	8.7	-	5.3	9.5	9.5	-	14.1
4.3	3.3	10.5	-	9.9	-	6.7	10.0	9.8	-	14.5
4.4	2.0	9.7	-	10.4	-	9.5	6.6	9.2	-	12.7
4.5	1.5	8.8	-	10.4	-	11.8	5.4	8.0	-	9.1
4.6	0.9	6.9	-	9.7	-	13.4	1.7	6.4	-	5.9
4.7	0.6	4.7	-	8.5	-	13.4	0.3	4.7	-	3.2
4.8	0.2	2.6	-	6.7	-	11.8	*	3.2	-	1.8
4.9	*	1.1	-	4.9	-	8.1	-	1.9	-	1.1
5.0	-	0.5	-	3.3	-	5.4	-	1.1	-	0.6
5.1	-	0.1	-	1.9	-	2.7	-	0.6	-	0.2
5.2	-	*	-	1.0	-	1.0	-	0.3	-	*
5.3	-	*	-	0.4	-	0.3	-	0.1	-	*
5.4	-	-	-	0.2	-	*	-	0.1	-	*
5.5 & Above	-	*	-	0.1	-	*	-	0.1	-	*
Average	3.85	4.17	-	4.41	-	4.56	3.89	4.16	-	4.23

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Mar 19, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	*	-	*	-	-	-	-
2.5 - 2.6	-	*	-	-	-	0.1	-	0.1	-	-	-	*
2.7 - 2.9	-	*	-	*	-	0.4	-	0.5	-	-	-	*
3.0 - 3.2	-	0.1	-	*	-	0.8	-	0.9	-	0.1	-	0.1
3.3 - 3.4	-	0.6	-	*	-	0.9	-	1.2	-	0.1	-	0.5
3.5 - 3.6	-	1.9	-	0.1	-	1.7	-	3.9	-	1.2	-	1.8
3.7 - 4.2	-	33.1	-	4.1	-	29.5	-	50.9	-	20.7	-	30.9
4.3 - 4.9	-	57.4	-	71.3	-	60.4	-	36.1	-	72.1	-	58.6
5.0 - 5.2	-	5.7	-	21.8	-	4.9	-	5.1	-	5.4	-	7.1
5.3 & Above	-	1.1	-	2.7	-	1.3	-	1.4	-	0.3	-	0.9
Average	-	4.39	-	4.76	-	4.38	-	4.24	-	4.48	-	4.41
Leaf												
1 - 2	-	15.4	-	2.1	-	31.9	-	39.4	-	7.8	-	14.8
3	-	55.0	-	39.0	-	36.1	-	42.3	-	52.7	-	58.6
4	-	25.4	-	45.6	-	21.6	-	13.2	-	34.5	-	23.5
5	-	3.9	-	11.9	-	7.7	-	3.8	-	4.8	-	2.9
6	-	0.3	-	1.3	-	2.1	-	1.1	-	0.3	-	0.2
7	-	*	-	0.1	-	0.4	-	0.2	-	*	-	*
8	-	*	-	-	-	0.1	-	0.1	-	-	-	*
Average	-	3.18	-	3.71	-	3.08	-	2.79	-	3.37	-	3.15
HVI Trash 1/												
00	-	-	-	-	-	*	-	*	-	-	-	-
01	-	2.0	-	0.1	-	12.4	-	14.2	-	0.9	-	1.4
02	-	17.6	-	3.1	-	24.5	-	30.2	-	9.4	-	19.9
03	-	28.1	-	14.7	-	19.8	-	24.8	-	23.4	-	32.0
04	-	23.9	-	24.5	-	15.5	-	14.2	-	28.1	-	23.6
05	-	14.5	-	22.9	-	10.9	-	7.3	-	19.3	-	12.7
06	-	7.5	-	16.0	-	6.9	-	3.8	-	10.3	-	5.9
07	-	3.6	-	9.4	-	4.3	-	2.2	-	4.8	-	2.6
08	-	1.6	-	4.9	-	2.5	-	1.4	-	2.2	-	1.1
09	-	0.7	-	2.4	-	1.5	-	0.8	-	0.9	-	0.5
10	-	0.3	-	1.1	-	0.8	-	0.5	-	0.5	-	0.2
11	-	0.1	-	0.5	-	0.5	-	0.3	-	0.2	-	0.1
12	-	0.1	-	0.2	-	0.2	-	0.2	-	0.1	-	*
13	-	*	-	0.1	-	0.1	-	0.1	-	*	-	*
14	-	*	-	*	-	0.1	-	0.1	-	*	-	*
15	-	*	-	*	-	*	-	*	-	*	-	*
16	-	*	-	-	-	*	-	*	-	*	-	*
17	-	*	-	-	-	*	-	*	-	*	-	*
18 & Above	-	*	-	-	-	*	-	*	-	*	-	*
Average	-	0.38	-	0.51	-	0.36	-	0.31	-	0.43	-	0.37
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	*	-	-	-	-	-	*
76	-	*	-	*	-	*	-	*	-	*	-	*
77	-	*	-	*	-	0.2	-	0.2	-	*	-	0.1
78	-	0.4	-	0.1	-	0.8	-	1.6	-	0.1	-	0.9
79	-	3.0	-	0.5	-	3.1	-	6.6	-	1.1	-	5.5
80	-	14.0	-	3.9	-	14.8	-	28.6	-	7.8	-	21.3
81	-	32.0	-	20.3	-	36.8	-	30.8	-	37.1	-	36.2
82	-	34.2	-	42.8	-	35.2	-	19.8	-	41.9	-	26.3
83	-	14.3	-	27.9	-	8.5	-	9.6	-	10.9	-	8.2
84	-	1.9	-	4.3	-	0.7	-	2.7	-	1.1	-	1.3
85 & Above	-	0.2	-	0.3	-	*	-	0.1	-	0.1	-	0.1
Average	-	81.93	-	82.52	-	81.75	-	81.45	-	82.02	-	81.56
Tenderable 3/	-	89.9	-	70.4	-	86.3	-	85.6	-	91.0	-	88.4
SAMPLES CLASSED	-	549,869	-	1,421,220	-	232,176	-	94,092	-	90,069	-	1,738,307

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Mar 19, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	0.3	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	2.9	-	*	-	-	-	-	-	*	-	*
2.7 - 2.9	-	7.2	-	*	-	-	-	-	-	*	-	5.3
3.0 - 3.2	-	10.0	-	*	-	*	-	*	-	0.2	-	6.3
3.3 - 3.4	-	9.6	-	0.1	-	*	-	*	-	0.5	-	2.4
3.5 - 3.6	-	12.2	-	0.2	-	0.1	-	0.2	-	1.4	-	2.1
3.7 - 4.2	-	38.6	-	8.1	-	9.2	-	5.0	-	28.6	-	33.2
4.3 - 4.9	-	18.9	-	64.6	-	82.2	-	61.8	-	64.0	-	48.8
5.0 - 5.2	-	0.3	-	21.7	-	8.1	-	29.0	-	4.9	-	1.9
5.3 & Above	-	-	-	5.2	-	0.5	-	4.0	-	0.4	-	*
Average	-	3.73	-	4.74	-	4.61	-	4.80	-	4.41	-	4.14
Leaf												
1 - 2	-	6.5	-	14.2	-	4.2	-	6.3	-	9.3	-	51.1
3	-	23.6	-	49.8	-	53.5	-	42.8	-	51.8	-	31.5
4	-	30.1	-	29.5	-	36.7	-	39.7	-	32.6	-	12.8
5	-	22.9	-	6.1	-	5.2	-	10.1	-	5.8	-	3.6
6	-	11.9	-	0.4	-	0.3	-	1.0	-	0.6	-	0.9
7	-	4.1	-	-	-	*	-	*	-	0.1	-	0.1
8	-	0.9	-	-	-	-	-	-	-	*	-	-
Average	-	4.26	-	3.28	-	3.44	-	3.57	-	3.37	-	2.62
HVI Trash 1/												
00	-	-	-	-	-	*	-	-	-	-	-	-
01	-	1.4	-	1.9	-	0.2	-	0.5	-	0.8	-	18.8
02	-	6.7	-	15.0	-	6.4	-	7.7	-	11.1	-	36.3
03	-	10.9	-	24.4	-	23.6	-	19.0	-	24.4	-	19.7
04	-	12.7	-	23.2	-	28.8	-	23.6	-	25.5	-	11.1
05	-	12.6	-	16.2	-	20.7	-	19.9	-	18.3	-	6.7
06	-	11.1	-	9.6	-	11.2	-	13.3	-	10.5	-	3.5
07	-	9.8	-	5.2	-	5.2	-	7.9	-	5.2	-	2.0
08	-	8.4	-	2.5	-	2.2	-	4.2	-	2.4	-	1.1
09	-	6.9	-	1.2	-	1.0	-	2.1	-	1.0	-	0.5
10	-	5.3	-	0.5	-	0.4	-	1.0	-	0.4	-	0.2
11	-	4.1	-	0.2	-	0.2	-	0.5	-	0.2	-	0.1
12	-	3.1	-	0.1	-	0.1	-	0.2	-	0.1	-	0.1
13	-	2.3	-	*	-	*	-	0.1	-	*	-	*
14	-	1.6	-	*	-	*	-	*	-	*	-	-
15	-	1.0	-	-	-	*	-	*	-	*	-	-
16	-	0.7	-	-	-	-	-	-	-	*	-	-
17	-	0.5	-	-	-	-	-	-	-	*	-	-
18 & Above	-	0.8	-	-	-	-	-	-	-	*	-	-
Average	-	0.66	-	0.41	-	0.44	-	0.47	-	0.43	-	0.28
UNIFORMITY 2/												
74 & Below	-	*	-	-	-	-	-	-	-	*	-	-
75	-	0.2	-	-	-	-	-	-	-	*	-	*
76	-	0.8	-	-	-	*	-	*	-	*	-	0.1
77	-	2.4	-	-	-	*	-	*	-	*	-	0.1
78	-	4.7	-	0.1	-	0.1	-	0.2	-	0.6	-	3.0
79	-	8.8	-	1.2	-	0.2	-	1.3	-	3.0	-	9.2
80	-	18.3	-	7.1	-	2.1	-	8.8	-	11.0	-	17.2
81	-	31.0	-	30.1	-	16.5	-	30.1	-	27.2	-	34.5
82	-	22.9	-	40.4	-	50.4	-	38.1	-	35.3	-	28.8
83	-	9.2	-	18.5	-	27.9	-	18.1	-	19.9	-	6.7
84	-	1.6	-	2.6	-	2.5	-	3.3	-	2.7	-	0.3
85 & Above	-	0.1	-	0.1	-	0.2	-	0.1	-	0.2	-	*
Average	-	81.26	-	82.20	-	82.57	-	82.18	-	82.10	-	81.41
Tenderable 3/	-	32.5	-	71.5	-	86.7	-	63.7	-	90.7	-	81.6
SAMPLES CLASSED	-	160,354	-	223,299	-	680,258	-	706,511	-	653,677	-	12,080

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE								
For The Week Ending Mar 19, 2026								
Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	*	-	-	-	-	0.2	*
2.5 - 2.6	-	0.1	-	-	-	-	0.9	0.2
2.7 - 2.9	-	0.3	-	*	-	*	2.1	0.8
3.0 - 3.2	0.9	1.1	-	0.1	-	*	9.3	2.7
3.3 - 3.4	5.8	2.1	-	0.5	-	0.2	7.8	3.7
3.5 - 3.6	16.5	5.0	-	1.4	-	0.6	6.3	6.2
3.7 - 4.2	68.1	46.6	-	30.7	-	15.1	49.4	41.0
4.3 - 4.9	8.6	44.3	-	60.4	-	74.7	24.0	43.2
5.0 - 5.2	-	0.6	-	6.2	-	9.0	-	2.0
5.3 & Above	-	*	-	0.7	-	0.3	-	0.3
Average	3.85	4.17	-	4.41	-	4.56	3.89	4.16
Leaf								
1 - 2	31.7	60.8	-	4.5	-	16.4	66.5	57.2
3	52.0	31.4	-	49.0	-	59.0	29.2	31.4
4	15.8	6.6	-	40.1	-	21.8	3.5	9.3
5	0.4	1.0	-	6.1	-	2.7	0.4	1.8
6	-	0.2	-	0.3	-	0.2	*	0.3
7	-	*	-	*	-	*	0.2	*
8	-	*	-	-	-	-	0.2	*
Average	2.80	2.29	-	3.49	-	3.11	2.33	2.41
HVI Trash 1/								
00	-	*	-	-	-	*	-	0.1
01	10.1	30.5	-	0.2	-	2.0	17.3	27.6
02	33.5	33.9	-	6.5	-	17.1	50.4	34.2
03	32.0	19.0	-	22.2	-	29.7	21.2	18.2
04	16.5	9.3	-	27.5	-	24.7	6.5	9.6
05	6.2	4.0	-	21.5	-	14.2	2.5	5.1
06	1.4	1.7	-	12.3	-	6.8	0.9	2.6
07	0.2	0.8	-	5.8	-	3.1	0.5	1.3
08	*	0.4	-	2.4	-	1.3	0.2	0.6
09	-	0.2	-	0.9	-	0.6	*	0.3
10	-	0.1	-	0.4	-	0.2	*	0.1
11	-	*	-	0.1	-	0.1	-	0.1
12	-	*	-	*	-	*	*	*
13	-	*	-	*	-	*	0.1	*
14	-	*	-	*	-	*	*	*
15	-	*	-	*	-	*	0.1	*
16	-	*	-	*	-	-	*	*
17	-	*	-	-	-	-	-	*
18 & Above	-	*	-	*	-	-	0.1	*
Average	0.28	0.24	-	0.45	-	0.38	0.24	0.25
UNIFORMITY 2/								
74 & Below	-	*	-	-	-	-	-	*
75	-	*	-	*	-	-	*	*
76	0.1	*	-	*	-	*	0.2	0.2
77	0.1	0.3	-	0.1	-	*	0.9	0.9
78	1.5	1.5	-	0.5	-	0.1	4.1	4.0
79	7.1	7.1	-	3.8	-	0.6	17.1	12.9
80	20.5	20.5	-	16.7	-	6.9	36.1	26.4
81	33.6	31.1	-	32.9	-	32.7	28.5	29.4
82	25.9	24.1	-	32.4	-	43.1	10.8	17.8
83	9.2	12.1	-	12.4	-	15.6	2.1	6.6
84	1.9	3.1	-	1.1	-	0.9	0.1	1.5
85 & Above	0.1	0.2	-	0.1	-	0.1	-	0.2
Average	81.55	81.63	-	81.80	-	82.14	80.71	81.12
Tenderable 3/	93.2	91.1	-	86.4	-	82.3	69.5	82.2
SAMPLES CLASSED	6,005	480,582	-	283,935	-	340,307	4,253	5,222,955
								172,921

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Mar 19, 2026

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	6.8	-	5.1	-	-	-	16.4
	2	-	3.0	-	6.3	-	-	-	20.6
	3	-	0.3	-	0.1	-	-	-	0.6
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	10.1	-	11.6	-	-	-	37.6
02	1	-	36.6	-	4.5	-	-	-	12.5
	2	-	20.6	-	33.8	-	-	-	40.5
	3	-	0.5	-	9.0	-	-	-	3.4
	4	-	*	-	0.1	-	-	-	0.1
	5	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	57.7	-	47.4	-	-	-	56.5
03	1	-	7.5	-	0.2	-	-	-	0.3
	2	-	18.8	-	14.4	-	-	-	4.3
	3	-	1.6	-	19.2	-	-	-	0.9
	4	-	0.1	-	2.3	-	-	-	0.1
	5	-	-	-	0.1	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	28.1	-	36.1	-	-	-	5.6
04	1	-	0.2	-	*	-	-	-	-
	2	-	2.7	-	0.6	-	-	-	0.1
	3	-	0.8	-	2.3	-	-	-	0.1
	4	-	*	-	1.0	-	-	-	0.1
	5	-	-	-	0.1	-	-	-	*
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	3.8	-	4.0	-	-	-	0.3
05	1	-	*	-	*	-	-	-	-
	2	-	0.2	-	0.1	-	-	-	-
	3	-	0.1	-	0.3	-	-	-	*
	4	-	-	-	0.2	-	-	-	*
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	0.3	-	0.7	-	-	-	*
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	0.1	-	-	-	-
	4	-	-	-	0.1	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	0.1	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	0.1	-	-	-	-
STAPLE									
44 & Shorter		-	*	-	2.3	-	-	-	13.1
46		-	12.1	-	7.5	-	-	-	46.6
48		-	71.1	-	43.9	-	-	-	35.4
50		-	16.5	-	44.0	-	-	-	4.6
52 & Longer		-	0.2	-	2.3	-	-	-	0.4
Average Staple		-	48.10	-	48.73	-	-	-	46.65
Average Length		-	1.40	-	1.42	-	-	-	1.36
EXTRANEOUS MATTER									
Bark		-	*	-	*	-	-	-	0.2
Grass		-	-	-	0.2	-	-	-	1.0
Spindle Twist		-	*	-	0.2	-	-	-	*
Preparation		-	*	-	*	-	-	-	-
All Other		-	*	-	*	-	-	-	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE

For The Week Ending Mar 19, 2026

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	*
2.7 - 2.9	-	0.1	-	0.1	-	-	-	0.3
3.0 - 3.2	-	0.5	-	0.5	-	-	-	9.6
3.3 - 3.4	-	0.5	-	1.4	-	-	-	13.4
3.5 - 3.6	-	4.1	-	6.9	-	-	-	19.1
3.7 - 4.2	-	89.0	-	87.2	-	-	-	54.2
4.3 - 4.9	-	5.9	-	3.9	-	-	-	3.4
5.0 - 5.2	-	*	-	*	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	3.96	-	3.91	-	-	-	3.71
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	*
2.7	-	*	-	*	-	-	-	*
2.8	-	*	-	*	-	-	-	*
2.9	-	*	-	0.1	-	-	-	0.2
3.0	-	0.1	-	0.1	-	-	-	1.5
3.1	-	0.2	-	0.1	-	-	-	3.8
3.2	-	0.3	-	0.2	-	-	-	4.3
3.3	-	0.2	-	0.5	-	-	-	4.7
3.4	-	0.3	-	1.0	-	-	-	8.7
3.5	-	1.3	-	2.0	-	-	-	9.9
3.6	-	2.8	-	4.9	-	-	-	9.2
3.7	-	7.4	-	9.6	-	-	-	9.7
3.8	-	12.7	-	16.1	-	-	-	10.4
3.9	-	18.8	-	21.8	-	-	-	11.3
4.0	-	22.3	-	20.4	-	-	-	10.3
4.1	-	18.8	-	12.7	-	-	-	8.7
4.2	-	8.9	-	6.6	-	-	-	3.8
4.3	-	3.5	-	2.5	-	-	-	2.1
4.4	-	2.1	-	0.9	-	-	-	0.6
4.5	-	0.2	-	0.4	-	-	-	0.4
4.6	-	*	-	0.1	-	-	-	0.2
4.7	-	*	-	*	-	-	-	*
4.8	-	*	-	*	-	-	-	*
4.9	-	*	-	*	-	-	-	*
5.0	-	*	-	*	-	-	-	-
5.1	-	-	-	*	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	3.96	-	3.91	-	-	-	3.71
STRENGTH 1/								
36 & Below	-	0.1	-	1.4	-	-	-	10.7
37	-	0.2	-	4.1	-	-	-	16.5
38	-	0.6	-	2.9	-	-	-	17.2
39	-	1.1	-	1.2	-	-	-	7.4
40	-	4.9	-	1.6	-	-	-	2.7
41	-	17.0	-	4.9	-	-	-	3.1
42	-	29.3	-	10.0	-	-	-	5.4
43	-	27.6	-	16.4	-	-	-	7.6
44	-	13.7	-	20.8	-	-	-	9.9
45	-	4.4	-	18.8	-	-	-	8.9
46	-	0.9	-	11.0	-	-	-	6.6
47	-	0.2	-	4.7	-	-	-	2.8
48 & Above	-	0.2	-	2.2	-	-	-	1.3
Average	-	42.85	-	43.88	-	-	-	40.97
UNIFORMITY								
83 & Below	-	0.1	-	1.7	-	-	-	3.3
84	-	2.1	-	11.6	-	-	-	23.4
85	-	32.5	-	33.4	-	-	-	42.1
86	-	55.5	-	46.8	-	-	-	28.1
87	-	9.5	-	6.0	-	-	-	2.9
88 & Above	-	0.3	-	0.6	-	-	-	0.2
Average	-	86.19	-	85.90	-	-	-	85.49
Samples Classed	-	26,080	-	308,854	-	-	-	34,745

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.