



Weekly Quality of Cotton Classed by Classing Office: Week Ending - 5/21/2026

Agricultural Marketing Service
Cotton Market News

Volume 67, No.41

May 22, 2026

Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	2	42.2	34.8	652	31	80.8	61.1	1,241,546
Corpus Christi*	-	-	-	-	43	88.1	72.6	1,528,529
Dumas	-	-	-	-	33	53.0	25.2	951,056
Florence	-	-	-	-	40	90.5	79.2	1,110,533
Lamesa	-	-	-	-	24	83.8	59.6	590,576
Lubbock	-	-	-	-	55	78.3	58.3	2,511,779
Macon	-	-	-	-	68	88.6	74.8	2,197,988
Memphis	-	-	-	-	65	83.4	60.0	2,351,211
Rayville	-	-	-	-	16	69.3	47.6	283,396
Visalia	-	-	-	-	27	85.1	69.8	369,534
United States	3	47.7	40.8	732	402	81.7	62.8	13,136,148
AMERICAN PIMA								
Visalia	-	-	-	-	19	-	-	390,584
United States	-	-	-	-	19	-	-	390,584
United States all cotton	3	-	-	732	411	-	-	13,526,732

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

Source: USDA AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov/cottonmn@ams.usda.gov>

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending May 21, 2026

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 12.9	Pct. 35.5	Pct. -	Pct. 14.3	Pct. -	Pct. 0.9	Pct. -	Pct. 0.5	Pct. -	Pct. 71.1
	3	8.9	7.5	-	14.3	-	0.8	-	0.5	-	6.7
	4	0.2	0.4	-	1.4	-	*	-	*	-	0.3
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	21.9	43.5	-	30.0	-	1.7	-	1.0	-
31	1-2	14.0	9.9	-	5.0	-	2.2	-	5.3	-	3.2
	3	35.3	12.7	-	22.2	-	16.1	-	21.7	-	2.1
	4	4.3	3.8	-	9.4	-	7.9	-	6.2	-	0.4
	5	-	0.5	-	1.0	-	0.5	-	0.3	-	0.1
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	53.5	27.0	-	37.7	-	26.8	-	33.5	-
41	1-2	-	0.4	-	0.6	-	0.6	-	2.5	-	*
	3	0.2	1.6	-	5.4	-	19.0	-	29.0	-	*
	4	1.7	1.8	-	5.0	-	32.8	-	25.0	-	*
	5	0.2	1.5	-	1.3	-	9.1	-	4.3	-	*
	6	-	0.6	-	0.1	-	0.6	-	0.3	-	*
	7	-	0.1	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	2.0	6.1	-	12.5	-	62.2	-	61.2	-
51	1-2	-	*	-	*	-	*	-	0.1	-	-
	3	-	*	-	0.2	-	1.1	-	0.9	-	-
	4	-	*	-	0.4	-	3.0	-	1.6	-	-
	5	-	0.1	-	0.1	-	1.5	-	0.7	-	-
	6	-	0.2	-	*	-	0.2	-	0.1	-	*
	7	-	0.1	-	*	-	*	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	-	0.4	-	0.8	-	5.8	-	3.4	-
61	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	-	*	-	*	-	*	-	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	*	-	-
12 & 22	1-2	0.9	7.6	-	4.0	-	*	-	*	-	10.4
	3	0.9	2.6	-	3.8	-	*	-	*	-	2.4
	4	-	0.4	-	1.0	-	*	-	*	-	0.2
	5	-	*	-	0.1	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	1.8	10.6	-	8.8	-	*	-	*	-
32	1-2	2.1	1.9	-	0.6	-	*	-	*	-	0.3
	3	6.3	2.8	-	2.6	-	0.1	-	0.1	-	0.5
	4	0.3	1.4	-	2.4	-	0.1	-	0.1	-	0.2
	5	0.2	0.5	-	0.6	-	*	-	*	-	0.1
	6	-	0.1	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	8.9	6.7	-	6.3	-	0.3	-	0.2	-
42	1-2	0.2	0.1	-	0.1	-	*	-	*	-	*
	3	1.2	0.4	-	0.9	-	0.5	-	0.2	-	*
	4	1.4	0.8	-	1.1	-	1.2	-	0.3	-	*
	5	0.2	0.8	-	0.6	-	0.6	-	0.1	-	*
	6	-	0.5	-	0.1	-	0.1	-	*	-	*
	7	-	0.2	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	2.9	2.8	-	2.8	-	2.5	-	0.6	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending May 21, 2026

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 52	1-2	-	*	-	*	-	*	-	*	-	*	
	3	-	*	-	*	-	0.1	-	*	-	*	
	4	0.2	*	-	0.1	-	0.2	-	*	-	-	
	5	-	*	-	0.1	-	0.2	-	*	-	*	
	6	-	*	-	*	-	0.1	-	*	-	-	
	7	-	0.1	-	*	-	*	-	*	-	-	
	8	-	*	-	-	-	-	-	*	-	-	
	Total	----	0.2	0.2	-	0.2	-	0.6	-	0.1	-	*
	62	1-2	-	-	-	*	-	-	-	-	-	-
3		-	-	-	*	-	*	-	-	-	-	
4		-	-	-	*	-	*	-	*	-	-	
5		-	-	-	*	-	*	-	*	-	-	
6		-	-	-	*	-	*	-	-	-	-	
7		-	-	-	*	-	-	-	-	-	-	
8		-	*	-	*	-	-	-	-	-	-	
Total		----	-	*	-	*	-	*	-	*	-	-
13 & 23		1-2	-	0.6	-	0.1	-	-	-	*	-	0.9
	3	-	0.4	-	0.1	-	-	-	*	-	0.3	
	4	-	0.1	-	*	-	-	-	*	-	*	
	5	-	*	-	*	-	-	-	-	-	*	
	6	-	*	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	Total	----	-	1.1	-	0.2	-	-	-	*	-	1.3
	33	1-2	0.3	0.2	-	*	-	*	-	*	-	0.1
3		2.3	0.5	-	0.1	-	*	-	*	-	0.2	
4		0.8	0.3	-	0.1	-	*	-	*	-	0.2	
5		-	0.1	-	*	-	-	-	*	-	0.1	
6		-	*	-	*	-	-	-	*	-	*	
7		-	*	-	*	-	-	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	-	
Total		----	3.4	1.1	-	0.3	-	*	-	*	-	0.6
43		1-2	0.5	*	-	*	-	-	-	*	-	*
	3	3.2	0.1	-	0.1	-	*	-	*	-	*	
	4	0.9	0.1	-	0.1	-	*	-	*	-	*	
	5	-	0.2	-	0.1	-	*	-	*	-	*	
	6	-	0.1	-	*	-	*	-	*	-	*	
	7	-	*	-	*	-	-	-	*	-	*	
	8	-	*	-	-	-	-	-	*	-	-	
	Total	----	4.6	0.6	-	0.3	-	*	-	*	-	*
	53	1-2	-	-	-	*	-	*	-	-	-	-
3		0.2	*	-	*	-	*	-	*	-	-	
4		-	*	-	*	-	*	-	*	-	-	
5		-	*	-	*	-	*	-	*	-	-	
6		-	*	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	*	-	*	-	-	
8		-	*	-	-	-	-	-	*	-	-	
Total		----	0.2	*	-	*	-	*	-	*	-	*
63		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	*	-	-	-	-	-	-	
	5	-	-	-	-	-	*	-	-	-	-	
	6	-	-	-	*	-	-	-	-	-	-	
	7	-	*	-	-	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	Total	----	-	*	-	*	-	*	-	-	-	-
	24 - 54	1-8	0.6	0.1	-	*	-	-	-	*	-	0.1
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	
81 - 85	1-8	-	*	-	*	-	-	-	-	-	*	
STAPLE												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	
30		-	*	-	-	-	-	-	-	-	*	
31		-	0.1	-	*	-	*	-	*	-	0.2	
32		-	0.6	-	*	-	*	-	*	-	1.8	
33		0.2	3.2	-	0.1	-	0.1	-	0.1	-	7.4	
34		52.1	9.2	-	0.7	-	1.3	-	1.4	-	21.0	
35		20.7	15.0	-	3.8	-	8.2	-	8.3	-	28.7	
36		26.7	17.5	-	15.6	-	25.2	-	26.6	-	21.8	
37		0.3	22.5	-	45.9	-	42.7	-	47.7	-	14.8	
38		-	14.8	-	25.3	-	16.4	-	12.9	-	3.6	
39		-	10.8	-	7.8	-	4.9	-	2.7	-	0.6	
40 & Longer		-	6.4	-	0.7	-	1.1	-	0.3	-	*	
Average Staple		34.75	36.66	-	37.17	-	36.84	-	36.71	-	35.23	
Average Length		1.08	1.14	-	1.16	-	1.15	-	1.14	-	1.10	

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending May 21, 2026

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	-	57.6	-	1.7	-	0.4	-	3.8	-	18.8
	3	-	15.0	-	1.2	-	0.4	-	2.5	-	5.0
	4	-	0.8	-	*	-	*	-	0.1	-	0.2
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	-	73.5	-	2.9	-	0.8	-	6.5	-
31	1-2	-	3.4	-	8.1	-	2.6	-	8.0	-	10.9
	3	-	5.2	-	21.8	-	12.1	-	32.8	-	13.5
	4	-	2.0	-	4.2	-	3.4	-	11.5	-	3.0
	5	-	0.3	-	0.2	-	0.2	-	0.9	-	0.4
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	-	10.9	-	34.3	-	18.3	-	53.2	-
41	1-2	-	*	-	5.0	-	2.3	-	0.8	-	3.6
	3	-	0.1	-	31.5	-	30.8	-	12.3	-	16.4
	4	-	0.2	-	16.5	-	26.7	-	16.3	-	10.8
	5	-	0.2	-	2.1	-	5.1	-	4.5	-	3.2
	6	-	0.1	-	0.1	-	0.4	-	0.4	-	0.6
	7	-	*	-	*	-	*	-	-	-	0.1
	8	-	*	-	-	-	-	-	-	-	*
	Total	----	-	0.5	-	55.3	-	65.4	-	34.3	-
51	1-2	-	*	-	0.2	-	0.1	-	*	-	0.1
	3	-	*	-	2.4	-	3.0	-	*	-	1.4
	4	-	*	-	2.3	-	4.8	-	0.3	-	2.5
	5	-	*	-	0.5	-	1.7	-	0.3	-	1.6
	6	-	*	-	0.1	-	0.3	-	0.1	-	0.7
	7	-	*	-	*	-	*	-	-	-	0.2
	8	-	*	-	*	-	-	-	-	-	*
	Total	----	-	*	-	5.5	-	9.8	-	0.7	-
61	1-2	-	*	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*
	5	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	*	-	-	-	-	-	*
	Total	----	-	*	-	0.1	-	*	-	*	-
71	1-2	-	*	-	-	-	*	-	-	-	-
	3	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	*	-	-	-	*	-	-	-
12 & 22	1-2	-	6.0	-	*	-	*	-	0.1	-	1.8
	3	-	3.8	-	*	-	*	-	0.1	-	1.0
	4	-	0.5	-	*	-	*	-	0.1	-	0.1
	5	-	*	-	-	-	*	-	*	-	*
	6	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	-	10.3	-	0.1	-	*	-	0.3	-
32	1-2	-	0.3	-	0.1	-	*	-	0.1	-	0.2
	3	-	1.0	-	0.3	-	0.2	-	0.5	-	0.5
	4	-	0.6	-	0.1	-	0.1	-	0.8	-	0.4
	5	-	0.2	-	*	-	*	-	0.4	-	0.1
	6	-	*	-	*	-	*	-	0.1	-	*
	7	-	*	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-
	Total	----	-	2.2	-	0.4	-	0.3	-	1.8	-
42	1-2	-	*	-	*	-	0.2	-	*	-	*
	3	-	*	-	0.5	-	1.7	-	0.4	-	0.5
	4	-	0.1	-	0.4	-	1.5	-	1.2	-	0.5
	5	-	0.1	-	0.1	-	0.4	-	0.7	-	0.3
	6	-	*	-	*	-	0.1	-	0.4	-	0.1
	7	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	*
	Total	----	-	0.2	-	1.1	-	3.8	-	2.7	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending May 21, 2026

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 52	1-2	-	-	-	*	-	*	-	-	-	*	
	3	-	-	-	0.1	-	0.4	-	*	-	0.1	
	4	-	*	-	0.1	-	0.6	-	0.1	-	0.2	
	5	-	*	-	*	-	0.3	-	0.1	-	0.2	
	6	-	*	-	*	-	0.1	-	*	-	0.1	
	7	-	*	-	*	-	*	-	*	-	0.1	
	8	-	*	-	*	-	-	-	-	-	*	
	Total	----	-	*	-	0.2	-	1.4	-	0.1	-	0.8
	62	1-2	-	-	-	*	-	-	-	-	-	-
3		-	-	-	*	-	*	-	-	-	*	
4		-	-	-	*	-	*	-	-	-	*	
5		-	-	-	*	-	*	-	-	-	*	
6		-	-	-	*	-	*	-	-	-	*	
7		-	-	-	*	-	*	-	-	-	*	
8		-	-	-	*	-	-	-	-	-	*	
Total		----	-	-	-	*	-	*	-	-	-	*
13 & 23		1-2	-	0.7	-	*	-	-	-	-	-	0.1
	3	-	0.6	-	*	-	-	-	-	-	0.1	
	4	-	0.1	-	*	-	-	-	-	-	*	
	5	-	*	-	*	-	-	-	-	-	-	
	6	-	*	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	Total	----	-	1.4	-	*	-	-	-	-	-	0.2
	33	1-2	-	0.1	-	*	-	*	-	*	-	*
3		-	0.3	-	*	-	*	-	*	-	*	
4		-	0.2	-	*	-	*	-	*	-	*	
5		-	0.1	-	*	-	*	-	*	-	*	
6		-	*	-	*	-	*	-	*	-	*	
7		-	*	-	-	-	-	-	-	-	-	
8		-	*	-	-	-	-	-	-	-	-	
Total		----	-	0.8	-	*	-	*	-	0.1	-	0.1
43		1-2	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	
	4	-	*	-	*	-	*	-	*	-	*	
	5	-	*	-	*	-	*	-	*	-	*	
	6	-	*	-	*	-	*	-	*	-	*	
	7	-	*	-	*	-	*	-	-	-	-	
	8	-	*	-	-	-	-	-	-	-	-	
	Total	----	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1
	53	1-2	-	-	-	*	-	*	-	-	-	*
3		-	-	-	*	-	*	-	-	-	*	
4		-	-	-	*	-	*	-	-	-	*	
5		-	-	-	*	-	*	-	*	-	*	
6		-	*	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	*	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	*	
Total		----	-	*	-	*	-	*	-	*	-	*
63		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	
	4	-	-	-	*	-	-	-	-	-	-	
	5	-	-	-	*	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	*	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	Total	----	-	*	-	*	-	-	-	-	-	
	24 - 54	1-8	-	0.1	-	*	-	*	-	0.1	-	*
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	
81 - 85	1-8	-	*	-	*	-	*	-	-	-	-	
STAPLE												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	
29		-	*	-	-	-	-	-	-	-	-	
30		-	*	-	*	-	-	-	-	-	*	
31		-	0.1	-	*	-	*	-	-	-	*	
32		-	0.5	-	0.1	-	*	-	*	-	0.1	
33		-	2.6	-	0.8	-	0.1	-	0.2	-	0.2	
34		-	8.8	-	4.7	-	0.8	-	1.6	-	1.0	
35		-	18.4	-	15.4	-	4.1	-	11.2	-	4.5	
36		-	25.8	-	30.1	-	15.1	-	28.8	-	15.6	
37		-	29.1	-	35.7	-	47.6	-	39.8	-	41.6	
38		-	10.5	-	10.2	-	26.9	-	14.2	-	23.2	
39		-	3.1	-	2.5	-	4.9	-	3.8	-	7.9	
40 & Longer		-	1.0	-	0.4	-	0.5	-	0.4	-	6.1	
Average Staple		-	36.18	-	36.38	-	37.12	-	36.66	-	37.46	
Average Length		-	1.13	-	1.13	-	1.16	-	1.14	-	1.17	

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending May 21, 2026

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	0.5	8.9	-	0.6	-	*	-	2.1	-	1.8
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	37.4	0.1	-	0.3	-	0.1	-	*	-	0.3
Grass - Level 2	-	-	-	*	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	*	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	1.5	-	0.8	-	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	*	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	0.1	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	*	-	*	-	-	-	-	-	*
23	-	*	-	*	-	-	-	-	-	0.1
24	-	*	-	*	-	*	-	*	-	0.2
25	-	0.2	-	*	-	*	-	*	-	0.9
26	-	0.8	-	0.2	-	0.1	-	0.5	-	2.7
27	-	3.2	-	1.2	-	0.5	-	3.0	-	7.6
28	0.3	8.6	-	5.2	-	3.9	-	12.6	-	14.1
29	6.0	15.2	-	14.8	-	15.4	-	30.5	-	19.9
30	54.0	18.1	-	21.7	-	28.5	-	30.3	-	21.9
31	39.4	17.1	-	17.7	-	26.8	-	15.3	-	17.5
32	0.2	14.1	-	12.5	-	15.8	-	5.8	-	9.3
33	0.2	10.7	-	11.5	-	6.3	-	1.6	-	3.6
34	-	6.6	-	9.6	-	2.1	-	0.3	-	1.3
35	-	3.3	-	4.0	-	0.5	-	0.1	-	0.5
36	-	1.2	-	1.1	-	0.1	-	*	-	0.2
37	-	0.6	-	0.2	-	*	-	*	-	*
38	-	0.2	-	*	-	*	-	-	-	*
39	-	*	-	*	-	*	-	-	-	-
40 & Above	-	*	-	-	-	*	-	-	-	-
Average	30.82	31.33	-	31.59	-	31.09	-	30.12	-	30.12
Mike										
2.4 & Below	-	*	-	-	-	-	-	-	-	*
2.5	-	0.2	-	*	-	-	-	*	-	0.1
2.6	-	0.3	-	*	-	-	-	-	-	0.2
2.7	-	0.4	-	*	-	-	-	*	-	0.3
2.8	-	0.4	-	*	-	-	-	*	-	0.4
2.9	-	0.5	-	*	-	-	-	*	-	0.6
3.0	-	0.6	-	0.1	-	-	-	*	-	0.9
3.1	-	0.8	-	0.1	-	-	-	*	-	0.9
3.2	-	1.1	-	0.3	-	*	-	0.1	-	1.3
3.3	-	1.4	-	0.5	-	*	-	0.2	-	1.6
3.4	-	1.9	-	0.9	-	*	-	0.3	-	2.1
3.5	-	2.6	-	1.3	-	*	-	0.5	-	2.5
3.6	0.2	3.7	-	1.9	-	0.1	-	0.9	-	3.2
3.7	0.2	4.7	-	2.7	-	0.1	-	1.8	-	3.9
3.8	-	5.7	-	4.4	-	0.1	-	2.7	-	4.7
3.9	-	7.1	-	6.7	-	0.2	-	4.2	-	5.5
4.0	-	8.6	-	9.0	-	0.4	-	5.8	-	6.2
4.1	0.3	10.0	-	11.0	-	0.6	-	7.8	-	7.0
4.2	1.7	10.5	-	12.8	-	1.0	-	9.9	-	8.0
4.3	5.1	10.5	-	12.9	-	1.7	-	11.6	-	8.6
4.4	14.1	9.3	-	11.3	-	2.8	-	11.8	-	9.1
4.5	8.0	7.5	-	8.8	-	4.1	-	10.7	-	8.9
4.6	17.2	5.4	-	6.0	-	6.5	-	9.4	-	8.1
4.7	9.4	3.4	-	3.7	-	9.5	-	7.7	-	6.4
4.8	3.4	1.9	-	2.3	-	13.4	-	5.5	-	4.4
4.9	-	0.9	-	1.3	-	16.0	-	3.9	-	2.6
5.0	24.4	0.4	-	0.8	-	16.3	-	2.5	-	1.4
5.1	16.3	0.2	-	0.4	-	12.9	-	1.4	-	0.6
5.2	-	0.1	-	0.3	-	8.2	-	0.7	-	0.3
5.3	-	*	-	0.2	-	4.0	-	0.3	-	0.1
5.4	-	-	-	0.1	-	1.5	-	0.1	-	*
5.5 & Above	-	*	-	0.2	-	0.5	-	*	-	*
Average	4.73	4.10	-	4.23	-	4.88	-	4.38	-	4.18

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending May 21, 2026

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	-	7.7	-	1.3	-	*	-	2.0	-	1.0
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	0.1	-	*	-	0.1	-	0.4
Grass - Level 2	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	-	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.4	-	0.3	-	0.1	-	2.8	-	0.1
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	*	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	*
Spindle Twist - Level 2	-	*	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	*	-	-	-	*	-	-	-	*
23	-	*	-	*	-	*	-	-	-	*
24	-	0.1	-	*	-	*	-	-	-	*
25	-	0.2	-	0.1	-	*	-	*	-	0.1
26	-	0.7	-	0.6	-	*	-	0.1	-	0.9
27	-	2.7	-	3.2	-	0.2	-	1.7	-	2.9
28	-	7.2	-	10.7	-	1.8	-	6.6	-	8.9
29	-	14.7	-	20.6	-	12.4	-	17.9	-	16.8
30	-	20.2	-	25.1	-	36.0	-	30.0	-	20.6
31	-	19.8	-	19.9	-	32.5	-	20.1	-	17.9
32	-	15.0	-	11.5	-	12.2	-	12.6	-	11.9
33	-	9.7	-	5.3	-	3.8	-	6.0	-	7.4
34	-	5.5	-	2.1	-	0.9	-	3.1	-	5.6
35	-	2.5	-	0.7	-	0.1	-	1.5	-	4.0
36	-	1.0	-	0.2	-	*	-	0.2	-	2.1
37	-	0.4	-	*	-	*	-	*	-	0.7
38	-	0.1	-	*	-	*	-	*	-	0.1
39	-	*	-	*	-	-	-	-	-	*
40 & Above	-	-	-	*	-	-	-	-	-	*
Average	-	31.27	-	30.63	-	31.01	-	30.93	-	31.22
Mike										
2.4 & Below	-	*	-	-	-	-	-	-	-	*
2.5	-	0.1	-	*	-	-	-	*	-	0.1
2.6	-	0.1	-	*	-	-	-	*	-	0.1
2.7	-	0.2	-	*	-	*	-	*	-	0.1
2.8	-	0.4	-	*	-	*	-	*	-	0.3
2.9	-	0.6	-	*	-	*	-	*	-	0.3
3.0	-	0.9	-	*	-	*	-	*	-	0.4
3.1	-	1.3	-	*	-	*	-	0.1	-	0.5
3.2	-	1.8	-	0.1	-	*	-	0.1	-	0.9
3.3	-	2.4	-	0.2	-	*	-	0.1	-	0.8
3.4	-	3.1	-	0.3	-	0.1	-	0.1	-	0.9
3.5	-	3.8	-	0.6	-	0.1	-	0.2	-	1.5
3.6	-	4.4	-	1.1	-	0.2	-	0.4	-	2.0
3.7	-	5.0	-	1.9	-	0.4	-	0.5	-	2.8
3.8	-	5.6	-	2.8	-	0.6	-	0.7	-	3.7
3.9	-	6.1	-	4.0	-	1.0	-	1.1	-	5.2
4.0	-	6.5	-	5.6	-	1.7	-	1.9	-	6.6
4.1	-	6.9	-	7.4	-	2.6	-	3.5	-	8.1
4.2	-	7.3	-	9.1	-	4.0	-	4.5	-	9.1
4.3	-	7.6	-	10.0	-	5.7	-	5.6	-	9.3
4.4	-	7.7	-	10.3	-	8.2	-	6.6	-	8.9
4.5	-	7.3	-	9.9	-	11.0	-	8.6	-	8.9
4.6	-	6.5	-	9.1	-	13.9	-	9.7	-	8.2
4.7	-	5.3	-	8.1	-	15.2	-	10.6	-	6.7
4.8	-	3.8	-	6.5	-	13.8	-	11.4	-	5.0
4.9	-	2.4	-	4.9	-	10.1	-	10.5	-	3.8
5.0	-	1.4	-	3.4	-	6.3	-	8.3	-	2.4
5.1	-	0.7	-	2.2	-	3.1	-	6.9	-	1.3
5.2	-	0.4	-	1.2	-	1.2	-	4.0	-	0.8
5.3	-	0.2	-	0.6	-	0.4	-	2.2	-	0.6
5.4	-	0.1	-	0.2	-	0.1	-	1.1	-	0.3
5.5 & Above	-	0.1	-	0.1	-	*	-	1.1	-	0.3
Average	-	4.11	-	4.41	-	4.62	-	4.67	-	4.30

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending May 21, 2026

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	-	*	-	-	-	-	-	-	-	*
2.5 - 2.6	-	0.5	-	*	-	-	-	*	-	0.3
2.7 - 2.9	-	1.3	-	0.1	-	-	-	*	-	1.3
3.0 - 3.2	-	2.4	-	0.5	-	*	-	0.2	-	3.1
3.3 - 3.4	-	3.3	-	1.4	-	*	-	0.5	-	3.7
3.5 - 3.6	0.2	6.3	-	3.1	-	0.1	-	1.5	-	5.7
3.7 - 4.2	2.1	46.6	-	46.6	-	2.5	-	32.1	-	35.3
4.3 - 4.9	57.1	38.9	-	46.4	-	54.0	-	60.6	-	48.2
5.0 - 5.2	40.6	0.6	-	1.4	-	37.4	-	4.6	-	2.3
5.3 & Above	-	*	-	0.5	-	6.1	-	0.4	-	0.1
Average	4.73	4.10	-	4.23	-	4.88	-	4.38	-	4.18
Leaf										
1 - 2	30.8	56.3	-	24.7	-	3.8	-	8.4	-	86.0
3	58.7	28.5	-	49.7	-	37.7	-	52.5	-	12.3
4	10.0	9.2	-	21.1	-	45.4	-	33.2	-	1.4
5	0.5	3.8	-	4.0	-	12.0	-	5.4	-	0.3
6	-	1.6	-	0.5	-	1.1	-	0.4	-	0.1
7	-	0.5	-	0.1	-	*	-	*	-	*
8	-	0.1	-	*	-	-	-	*	-	-
Average	2.79	2.52	-	3.04	-	3.69	-	3.37	-	1.76
HVI Trash 1/										
00	-	*	-	*	-	-	-	-	-	0.6
01	2.3	27.2	-	5.1	-	0.3	-	0.6	-	59.1
02	30.1	32.9	-	22.4	-	4.6	-	10.2	-	29.9
03	34.7	16.9	-	27.9	-	14.9	-	24.6	-	7.2
04	21.3	8.7	-	20.4	-	22.9	-	26.2	-	2.0
05	7.7	4.7	-	12.1	-	22.0	-	18.8	-	0.7
06	2.5	2.8	-	6.5	-	15.8	-	10.7	-	0.3
07	1.1	1.9	-	3.1	-	9.7	-	5.2	-	0.1
08	0.3	1.4	-	1.4	-	5.2	-	2.3	-	0.1
09	-	1.0	-	0.6	-	2.6	-	0.9	-	*
10	-	0.7	-	0.3	-	1.2	-	0.4	-	*
11	0.2	0.6	-	0.1	-	0.5	-	0.2	-	*
12	-	0.4	-	0.1	-	0.2	-	0.1	-	*
13	-	0.3	-	*	-	0.1	-	*	-	*
14	-	0.2	-	*	-	*	-	*	-	*
15	-	0.1	-	*	-	*	-	*	-	-
16	-	0.1	-	*	-	-	-	*	-	*
17	-	0.1	-	*	-	-	-	*	-	*
18 & Above	-	0.1	-	*	-	-	-	*	-	-
Average	0.32	0.28	-	0.36	-	0.50	-	0.43	-	0.16
UNIFORMITY 2/										
74 & Below	-	*	-	*	-	-	-	*	-	*
75	-	0.1	-	*	-	-	-	*	-	0.1
76	-	0.2	-	*	-	*	-	*	-	0.5
77	-	0.9	-	0.1	-	*	-	*	-	2.3
78	0.2	3.6	-	0.7	-	0.2	-	0.5	-	9.8
79	-	13.2	-	3.7	-	1.0	-	2.9	-	24.9
80	4.3	27.7	-	13.4	-	7.0	-	12.0	-	35.9
81	61.2	29.0	-	30.1	-	28.1	-	28.8	-	21.5
82	34.4	17.0	-	31.1	-	37.9	-	35.0	-	4.5
83	-	6.7	-	16.1	-	20.5	-	18.2	-	0.5
84	-	1.5	-	4.3	-	5.1	-	2.3	-	*
85 & Above	-	0.1	-	0.4	-	0.2	-	0.2	-	*
Average	81.78	81.10	-	82.00	-	82.30	-	82.04	-	80.23
Tenderable 3/	42.2	80.8	-	88.1	-	53.0	-	90.5	-	83.8
SAMPLES CLASSED										
Week	652		-		-		-		-	
Season	1,241,546		1,528,529		951,056		1,110,533		590,576	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending May 21, 2026

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	-	*	-	-	-	-	-	-	-	*
2.5 - 2.6	-	0.2	-	*	-	-	-	*	-	0.2
2.7 - 2.9	-	1.2	-	*	-	*	-	0.1	-	0.7
3.0 - 3.2	-	4.1	-	0.1	-	*	-	0.1	-	1.7
3.3 - 3.4	-	5.4	-	0.5	-	0.1	-	0.2	-	1.8
3.5 - 3.6	-	8.2	-	1.8	-	0.3	-	0.6	-	3.5
3.7 - 4.2	-	37.3	-	30.8	-	10.3	-	12.3	-	35.6
4.3 - 4.9	-	40.7	-	58.9	-	78.1	-	63.0	-	50.8
5.0 - 5.2	-	2.4	-	6.8	-	10.6	-	19.3	-	4.6
5.3 & Above	-	0.3	-	1.0	-	0.6	-	4.3	-	1.1
Average	-	4.11	-	4.41	-	4.62	-	4.67	-	4.30
Leaf										
1 - 2	-	68.4	-	15.3	-	5.7	-	12.7	-	35.5
3	-	26.0	-	57.9	-	48.6	-	48.8	-	38.5
4	-	4.5	-	23.7	-	37.1	-	30.5	-	17.9
5	-	0.9	-	3.0	-	7.7	-	6.9	-	6.0
6	-	0.2	-	0.2	-	0.8	-	1.0	-	1.6
7	-	*	-	*	-	0.1	-	*	-	0.3
8	-	*	-	*	-	-	-	-	-	0.1
Average	-	2.22	-	3.15	-	3.49	-	3.34	-	2.95
HVI Trash 1/										
00	-	*	-	-	-	*	-	-	-	*
01	-	33.1	-	1.6	-	0.5	-	1.6	-	13.3
02	-	41.5	-	19.8	-	7.2	-	14.0	-	27.6
03	-	15.5	-	31.4	-	21.1	-	24.1	-	21.9
04	-	5.5	-	23.6	-	26.2	-	23.3	-	14.7
05	-	2.2	-	12.9	-	20.2	-	16.3	-	9.2
06	-	1.0	-	6.1	-	12.2	-	9.7	-	5.5
07	-	0.5	-	2.7	-	6.5	-	5.3	-	3.3
08	-	0.3	-	1.1	-	3.2	-	2.7	-	2.0
09	-	0.1	-	0.5	-	1.5	-	1.5	-	1.1
10	-	0.1	-	0.2	-	0.7	-	0.8	-	0.6
11	-	0.1	-	0.1	-	0.3	-	0.4	-	0.4
12	-	*	-	*	-	0.1	-	0.2	-	0.2
13	-	*	-	*	-	0.1	-	0.1	-	0.1
14	-	*	-	*	-	*	-	*	-	0.1
15	-	*	-	*	-	*	-	-	-	*
16	-	*	-	*	-	-	-	-	-	*
17	-	*	-	*	-	-	-	*	-	*
18 & Above	-	*	-	*	-	-	-	-	-	*
Average	-	0.21	-	0.37	-	0.46	-	0.42	-	0.34
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	-	-	-	-
75	-	*	-	*	-	-	-	-	-	*
76	-	0.2	-	*	-	*	-	-	-	*
77	-	1.1	-	0.1	-	*	-	-	-	0.2
78	-	4.5	-	0.8	-	0.1	-	0.2	-	1.1
79	-	14.3	-	5.1	-	0.4	-	1.9	-	4.4
80	-	29.9	-	20.1	-	3.9	-	10.6	-	18.2
81	-	31.7	-	36.4	-	20.7	-	32.1	-	33.7
82	-	14.7	-	27.8	-	45.7	-	37.3	-	30.5
83	-	3.1	-	8.4	-	26.3	-	15.7	-	10.0
84	-	0.4	-	1.2	-	2.7	-	2.1	-	1.8
85 & Above	-	0.1	-	0.1	-	0.2	-	0.1	-	0.2
Average	-	80.90	-	81.60	-	82.47	-	82.05	-	81.71
Tenderable 3/	-	78.3	-	88.6	-	83.4	-	69.3	-	85.1
SAMPLES CLASSIFIED										
Week	-	-	-	-	-	-	-	-	-	-
Season	-	2,511,779	-	2,197,988	-	2,351,211	-	283,396	-	369,534

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending May 21, 2026

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	-	6.2	MIKE	-	-
	2	-	7.6	2.4 & Below	-	-
	3	-	0.2	2.5 - 2.6	-	*
	4	-	-	2.7 - 2.9	-	0.2
	5	-	-	3.0 - 3.2	-	1.6
	6	-	-	3.3 - 3.4	-	2.8
	7	-	-	3.5 - 3.6	-	8.6
Total -----		-	14.0	3.7 - 4.2	-	82.8
02	1	-	7.7	4.3 - 4.9	-	4.0
	2	-	34.4	5.0 - 5.2	-	*
	3	-	8.2	5.3 & Above	-	-
	4	-	0.2	Average	-	3.89
	5	-	*	ALL RANGE MIKE	-	-
	6	-	-	2.4 & Below	-	-
	7	-	-	2.5	-	-
Total -----		-	50.5	2.6	-	*
03	1	-	0.7	2.7	-	*
	2	-	13.2	2.8	-	*
	3	-	15.5	2.9	-	0.1
	4	-	1.9	3.0	-	0.3
	5	-	0.1	3.1	-	0.5
	6	-	*	3.2	-	0.8
	7	-	-	3.3	-	1.0
Total -----		-	31.3	3.4	-	1.9
04	1	-	*	3.5	-	3.0
	2	-	0.7	3.6	-	5.6
	3	-	1.9	3.7	-	9.7
	4	-	0.8	3.8	-	15.1
	5	-	0.1	3.9	-	20.1
	6	-	*	4.0	-	19.0
	7	-	-	4.1	-	12.4
Total -----		-	3.5	4.2	-	6.4
05	1	-	*	4.3	-	2.5
	2	-	0.1	4.4	-	1.0
	3	-	0.2	4.5	-	0.4
	4	-	0.2	4.6	-	0.1
	5	-	*	4.7	-	*
	6	-	*	4.8	-	*
	7	-	-	4.9	-	*
Total -----		-	0.5	5.0	-	*
06	1	-	-	5.1	-	*
	2	-	*	5.2	-	-
	3	-	0.1	5.3 & Above	-	-
	4	-	*	Average	-	3.89
	5	-	*	STRENGTH 1/	-	-
	6	-	*	36 & Below	-	2.8
	7	-	-	37	-	4.9
Total -----		-	0.1	38	-	3.9
07	1	-	-	39	-	1.8
	2	-	-	40	-	2.0
	3	-	*	41	-	5.9
	4	-	*	42	-	11.2
	5	-	*	43	-	16.5
	6	-	*	44	-	19.2
	7	-	-	45	-	16.3
Total -----		-	*	46	-	9.5
STAPLE		-	-	47	-	4.0
44 & Shorter	-	3.0	48 & Above	-	1.9	
46	-	11.4	Average	-	43.46	
48	-	46.2	UNIFORMITY	-	-	
50	-	37.4	83 & Below	-	1.6	
52 & Longer	-	2.0	84	-	11.9	
Average Staple	-	48.48	85	-	34.1	
Average Length	-	1.41	86	-	45.7	
EXTRANEOUS MATTER		-	-	87	-	6.1
Bark	-	*	88 & Above	-	0.5	
Grass	-	0.3	Average	-	85.89	
Spindle Twist	-	0.1	Samples Classed	-	-	
Preparation	-	*	Week	-	-	
All Other	-	*	Season	-	390,584	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.