Weekly Quality of Cotton Classed by State: Week Ending - 10/8/2026

Agricultural Marketing Service
Cotton Market News

Volume 28, No.10 October 09, 2026

State	Week Gins	Week Tenderable (%)	Week Eligible (%)	Week Bales	Season Gins	Season Tenderable (%)	Season Eligible (%)	Season Bales
				UPLAND				
AL	8	90.9	74.0	9,988	8	91.6	75.9	11,216
AR	18	83.6	58.3	61,066	18	81.3	55.4	122,898
AZ*	-	-	-	-	-	-	-	-
CA	2	94.0	76.9	869	2	94.0	76.9	869
FL	-	-	-	-	-	-	-	-
GA	12	80.9	51.4	9,095	12	79.4	49.8	12,120
KS	-	-	-	-	-	-	-	-
LA	14	87.7	67.2	25,412	14	87.2	67.5	61,720
MO	6	93.1	61.5	4,631	6	93.1	61.5	4,631
MS	24	84.1	61.5	53,111	24	85.6	63.1	73,836
NC	3	77.3	66.6	4,045	3	78.1	65.1	4,371
NM	-	-	-	-	-	-	-	-
OK	-	-	-	-	-	-	-	-
SC	2	87.9	57.1	1,005	2	87.9	57.1	1,005
TN	12	95.2	84.8	18,615	12	95.4	84.1	19,287
TX	40	83.3	55.1	111,209	45	88.5	64.8	797,454
VA	-	-	-	-	-	-	-	-
United States	**142**	**85.0**	**60.5**	**301,764**	**147**	**87.6**	**63.8**	**1,122,051**
				AMERICAN PIMA				
AZ	-			-	-			-
CA*	-			-	-			-
NM	-			-	-			-
TX	-			-	-			-
United States	-			-	-			-
United States all cotton	**143**			**303,701**	**148**			**1,123,988**

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

MP CN100

Source: USDA AMS Cotton and Tobacco Market News
Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov
https://www.ams.usda.gov/market-news/cotton
https://mymarketnews.ams.usda.govcottonmn@ams.usda.gov

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	16.9	19.4	17.5	18.9	-	-	18.3	18.3	-	-	1.4	1.5
	3	8.1	9.5	12.0	9.5	-	-	35.9	35.9	-	-	0.7	0.7
	4	0.3	0.3	0.2	0.1	-	-	20.5	20.5	-	-	*	*
	5	-	-	-	-	-	-	3.1	3.1	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***25.3***	***29.2***	***29.8***	***28.5***	**-**	**-**	***77.8***	***77.8***	**-**	**-**	***2.2***	***2.2***
31	1 - 2	6.4	6.1	6.9	6.5	-	-	0.1	0.1	-	-	6.4	9.4
	3	29.4	28.0	31.8	30.1	-	-	0.6	0.6	-	-	42.0	42.0
	4	10.6	9.7	9.3	10.3	-	-	5.2	5.2	-	-	10.6	9.4
	5	0.4	0.4	0.5	0.7	-	-	9.0	9.0	-	-	0.1	0.1
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***46.9***	***44.2***	***48.6***	***47.7***	**-**	**-**	***14.8***	***14.8***	**-**	**-**	***59.0***	***60.9***
41	1 - 2	0.3	0.2	0.3	0.2	-	-	-	-	-	-	0.5	0.5
	3	10.8	10.3	3.4	3.1	-	-	-	-	-	-	9.7	8.7
	4	7.4	7.4	4.6	6.9	-	-	-	-	-	-	14.5	11.7
	5	1.0	0.9	2.4	3.1	-	-	-	-	-	-	1.6	1.2
	6	0.1	0.1	0.9	0.8	-	-	-	-	-	-	*	*
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***19.5***	***18.9***	***11.7***	***14.2***	**-**	**-**	**-**	**-**	**-**	**-**	***26.3***	***22.1***
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	0.1	0.1	*	*	-	-	-	-	-	-	-	-
	5	0.5	0.5	*	*	-	-	-	-	-	-	*	*
	6	0.3	0.3	*	*	-	-	-	-	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.0***	***0.9***	*******	***0.1***	**-**	**-**	**-**	**-**	**-**	**-**	*******	*******
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
12 & 22	1 - 2	0.9	0.8	2.4	1.8	-	-	-	-	-	-	*	*
	3	0.5	0.5	1.1	0.7	-	-	1.2	1.2	-	-	*	*
	4	*	*	*	*	-	-	0.5	0.5	-	-	-	-
	5	-	-	-	-	-	-	0.2	0.2	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.4***	***1.3***	***3.5***	***2.4***	**-**	**-**	***1.8***	***1.8***	**-**	**-**	*******	*******
32	1 - 2	0.4	0.3	0.6	0.7	-	-	-	-	-	-	0.3	0.2
	3	1.6	1.5	2.1	1.8	-	-	0.5	0.5	-	-	4.9	5.9
	4	0.9	0.8	0.5	0.4	-	-	2.5	2.5	-	-	3.2	3.9
	5	0.1	0.1	0.2	0.1	-	-	2.4	2.4	-	-	*	0.1
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***3.0***	***2.7***	***3.4***	***3.0***	**-**	**-**	***5.4***	***5.4***	**-**	**-**	***8.3***	***10.0***
42	1 - 2	*	*	*	*	-	-	-	-	-	-	*	*
	3	1.3	1.2	0.3	0.3	-	-	0.1	0.1	-	-	1.4	1.4
	4	1.2	1.1	0.9	0.9	-	-	-	-	-	-	2.3	2.8
	5	0.5	0.4	1.5	1.6	-	-	-	-	-	-	0.4	0.4
	6	*	*	0.3	0.9	-	-	-	-	-	-	*	*
	7	-	-	*	0.1	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***3.0***	***2.9***	***2.9***	***3.9***	**-**	**-**	***0.1***	***0.1***	**-**	**-**	***4.1***	***4.7***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	*	*	*	*	-	-	-	-	-	-	-	*
	5	-	-	*	*	-	-	-	-	-	-	*	*
	6	*	*	*	0.1	-	-	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	*****	*****	***0.1***	**-**	**-**	**-**	**-**	**-**	**-**	*****	*****
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
33	1 - 2	-	-	*	*	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*****	*****	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
43	1 - 2	-	-	*	*	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	*	*	-	*	-	-	-	-	-	-	-	-
	5	-	-	*	0.1	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	*****	*****	***0.1***	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*****	*****	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	11.0	7.7	22.9	22.9	9.9	9.6	1.9	2.8	-	-
	3	-	-	8.6	5.2	19.9	19.9	7.2	7.0	2.0	2.2	-	-
	4	-	-	0.1	0.1	0.6	0.6	0.3	0.2	0.1	0.1	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***19.7***	***13.1***	***43.4***	***43.4***	***17.4***	***16.8***	***4.0***	***5.2***	**-**	**-**
31	1 - 2	-	-	6.6	5.1	8.4	8.4	4.0	4.5	17.6	17.7	-	-
	3	-	-	30.1	28.3	36.4	36.4	29.8	33.9	42.1	40.5	-	-
	4	-	-	16.0	14.9	6.0	6.0	14.4	13.2	5.6	5.2	-	-
	5	-	-	1.7	1.5	0.3	0.3	1.3	1.1	0.2	0.2	-	-
	6	-	-	*	*	-	-	0.1	0.1	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***54.5***	***49.8***	***51.1***	***51.1***	***49.6***	***52.8***	***65.4***	***63.6***	**-**	**-**
41	1 - 2	-	-	0.2	0.1	0.5	0.5	0.1	0.1	0.2	0.2	-	-
	3	-	-	5.0	6.6	4.1	4.1	5.8	5.5	2.4	2.2	-	-
	4	-	-	11.3	14.2	0.3	0.3	11.7	10.4	5.6	5.2	-	-
	5	-	-	2.9	4.6	0.2	0.2	4.7	4.2	1.2	1.1	-	-
	6	-	-	0.2	0.4	-	-	0.7	0.6	*	*	-	-
	7	-	-	-	*	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***19.5***	***25.9***	***5.1***	***5.1***	***23.1***	***20.9***	***9.4***	***8.7***	**-**	**-**
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	0.1	0.1	-	-	-	-
	5	-	-	*	*	-	-	0.1	0.1	*	*	-	-
	6	-	-	-	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.1***	***0.1***	**-**	**-**	***0.2***	***0.2***	*****	*****	**-**	**-**
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
12 & 22	1 - 2	-	-	*	0.1	*	*	0.8	0.7	0.1	1.3	-	-
	3	-	-	*	0.1	0.1	0.1	0.7	0.5	0.2	0.2	-	-
	4	-	-	-	*	-	-	*	*	*	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.1***	***0.1***	***0.1***	***0.1***	***1.5***	***1.2***	***0.3***	***1.6***	**-**	**-**
32	1 - 2	-	-	0.1	0.2	*	*	0.6	0.6	0.2	0.8	-	-
	3	-	-	1.0	3.3	-	-	1.3	1.8	2.3	3.2	-	-
	4	-	-	1.1	2.0	-	-	0.9	0.8	4.6	4.3	-	-
	5	-	-	0.3	0.2	*	*	0.1	0.1	1.1	1.0	-	-
	6	-	-	*	*	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***2.5***	***5.7***	***0.1***	***0.1***	***2.9***	***3.2***	***8.3***	***9.4***	**-**	**-**
42	1 - 2	-	-	0.1	0.1	-	-	*	*	-	-	-	-
	3	-	-	0.9	1.5	0.1	0.1	1.1	1.0	0.5	0.5	-	-
	4	-	-	1.5	2.5	*	*	2.9	2.4	6.5	6.0	-	-
	5	-	-	0.9	1.0	-	-	1.0	0.9	5.1	4.7	-	-
	6	-	-	0.2	0.1	-	-	0.1	0.3	0.2	0.2	-	-
	7	-	-	*	*	-	-	*	0.1	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***3.5***	***5.2***	***0.1***	***0.1***	***5.2***	***4.7***	***12.3***	***11.4***	**-**	**-**

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	*	*	-	-	-	-
	4	-	-	0.1	0.1	*	*	0.1	0.1	0.1	0.1	-	-
	5	-	-	*	*	-	-	*	*	*	*	-	-
	6	-	-	-	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.1***	***0.1***	***0.1***	***0.1***	***0.1***	***0.1***	***0.1***	***0.1***	**-**	**-**
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	*****	*****	*****	*****	**-**	**-**	**-**	**-**
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*****	*****	**-**	**-**	*****	*****	**-**	**-**	**-**	**-**
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	*	*	*	*	-	-
	5	-	-	-	-	-	-	*	*	*	*	-	-
	6	-	-	*	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*****	*****	**-**	**-**	*****	*****	*****	*****	**-**	**-**
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*****	**-**	**-**	**-**	**-**
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	4.2	4.2	29.0	29.3	13.5	18.5	-	-
	3	-	-	10.7	10.7	14.4	13.9	14.8	19.5	-	-
	4	-	-	0.1	0.1	0.6	0.6	1.9	2.6	-	-
	5	-	-	-	-	-	-	0.1	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	**-**	**-**	***15.0***	***15.0***	***44.1***	***43.8***	***30.4***	***40.7***	**-**	**-**
31	1 - 2	-	-	6.4	6.4	16.1	17.5	2.2	2.6	-	-
	3	-	-	47.9	47.9	27.3	26.4	13.7	16.6	-	-
	4	-	-	8.9	8.9	5.5	5.3	7.9	9.0	-	-
	5	-	-	-	-	0.2	0.2	0.8	0.8	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	**-**	**-**	***63.1***	***63.1***	***49.1***	***49.5***	***24.7***	***29.0***	**-**	**-**
41	1 - 2	-	-	-	-	0.2	0.2	0.2	0.2	-	-
	3	-	-	1.8	1.8	2.8	2.7	3.7	1.8	-	-
	4	-	-	3.8	3.8	1.9	1.8	6.8	3.4	-	-
	5	-	-	-	-	0.3	0.3	1.7	1.0	-	-
	6	-	-	-	-	0.1	0.1	0.2	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***5.6***	***5.6***	***5.3***	***5.1***	***12.5***	***6.4***	**-**	**-**
51	1 - 2	-	-	-	-	*	*	-	*	-	-
	3	-	-	-	-	-	-	0.1	*	-	-
	4	-	-	-	-	*	*	0.1	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	**-**	**-**	**-**	**-**	*****	*****	***0.2***	***0.1***	**-**	**-**
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
12 & 22	1 - 2	-	-	6.2	6.2	0.2	0.3	11.0	8.3	-	-
	3	-	-	4.9	4.9	0.1	0.1	9.7	7.1	-	-
	4	-	-	-	-	-	-	2.4	1.9	-	-
	5	-	-	-	-	-	-	0.4	0.2	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	**-**	**-**	***11.0***	***11.0***	***0.3***	***0.4***	***23.5***	***17.6***	**-**	**-**
32	1 - 2	-	-	1.8	1.8	0.6	0.7	0.3	0.2	-	-
	3	-	-	2.8	2.8	0.3	0.3	1.3	1.4	-	-
	4	-	-	-	-	0.1	0.1	1.8	1.6	-	-
	5	-	-	-	-	-	-	0.6	0.4	-	-
	6	-	-	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	**-**	**-**	***4.6***	***4.6***	***1.0***	***1.1***	***4.1***	***3.7***	**-**	**-**
42	1 - 2	-	-	-	-	*	*	*	*	-	-
	3	-	-	-	-	0.1	0.1	0.2	0.2	-	-
	4	-	-	-	-	*	*	0.6	0.6	-	-
	5	-	-	-	-	*	*	0.5	0.3	-	-
	6	-	-	-	-	*	*	0.1	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	***0.2***	***0.1***	***1.3***	***1.2***	**-**	**-**

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	*****	*****	**-**	**-**
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
13 & 23	1 - 2	-	-	-	-	-	-	0.6	0.2	-	-
	3	-	-	-	-	-	-	0.9	0.4	-	-
	4	-	-	-	-	-	-	0.6	0.3	-	-
	5	-	-	-	-	-	-	0.3	0.1	-	-
	6	-	-	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	***2.4***	***1.0***	**-**	**-**
33	1 - 2	-	-	0.1	0.1	*	*	*	*	-	-
	3	-	-	0.6	0.6	-	-	0.1	*	-	-
	4	-	-	-	-	-	-	0.3	0.1	-	-
	5	-	-	-	-	-	-	0.2	0.1	-	-
	6	-	-	-	-	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.7***	***0.7***	*****	*****	***0.7***	***0.2***	**-**	**-**
43	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	*	*	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	*****	*****	***0.1***	*****	**-**	**-**
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	*****	*****	**-**	**-**
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	-	-	-	-	-	-	0.1	*	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE												
28 & Shorter	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-
32	-	-	*	*	-	-	-	-	-	-	-	-
33	*	0.1	0.2	0.4	-	-	-	-	-	-	-	*
34	4.1	4.1	1.0	1.1	-	-	-	-	-	-	1.3	1.7
35	19.2	19.1	9.6	9.2	-	-	2.1	2.1	-	-	11.3	11.8
36	29.9	30.7	30.4	34.8	-	-	31.5	31.5	-	-	30.9	30.4
37	41.7	41.3	49.3	47.6	-	-	41.9	41.9	-	-	46.2	47.6
38	4.6	4.3	8.1	6.0	-	-	22.9	22.9	-	-	9.8	8.0
39	0.5	0.5	1.2	0.8	-	-	1.6	1.6	-	-	0.5	0.4
40	-	-	0.1	0.1	-	-	-	-	-	-	-	-
41	-	-	*	*	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-	-	-	-	-
44 & Longer	-	-	-	-	-	-	-	-	-	-	-	-
Average Staple	***36.25***	***36.24***	***36.57***	***36.50***	**-**	**-**	***36.90***	***36.90***	**-**	**-**	***36.53***	***36.50***
Average Length	***1.13***	***1.13***	***1.14***	***1.14***	**-**	**-**	***1.15***	***1.15***	**-**	**-**	***1.14***	***1.14***

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE												
28 & Shorter	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	*	*	-	-	-	-
32	-	-	*	*	-	-	*	*	*	*	-	-
33	-	-	*	0.3	-	-	0.5	0.5	1.2	2.4	-	-
34	-	-	1.1	2.6	0.6	0.6	3.7	3.4	2.5	4.6	-	-
35	-	-	10.9	11.8	3.5	3.5	15.8	16.3	9.2	9.9	-	-
36	-	-	28.9	27.8	26.2	26.2	36.6	36.5	28.0	26.8	-	-
37	-	-	40.1	43.9	68.8	68.8	30.8	30.2	36.2	34.8	-	-
38	-	-	14.8	11.7	0.9	0.9	9.6	10.7	19.8	18.6	-	-
39	-	-	4.0	2.0	*	*	2.6	2.1	3.1	2.9	-	-
40	-	-	0.1	*	-	-	0.3	0.2	*	*	-	-
41	-	-	*	*	-	-	*	*	-	-	-	-
42	-	-	-	-	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-	-	-	-	-
44 & Longer	-	-	-	-	-	-	-	-	-	-	-	-
Average Staple	**-**	**-**	***36.69***	***36.56***	***36.66***	***36.66***	***36.34***	***36.34***	***36.67***	***36.54***	**-**	**-**
Average Length	**-**	**-**	***1.14***	***1.14***	***1.14***	***1.14***	***1.13***	***1.13***	***1.14***	***1.14***	**-**	**-**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE										
28 & Shorter	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	*	*	-	-
31	-	-	-	-	-	-	*	*	-	-
32	-	-	-	-	-	-	0.3	0.1	-	-
33	-	-	0.2	0.2	0.1	0.2	1.2	0.4	-	-
34	-	-	17.1	17.1	2.4	4.0	2.7	1.3	-	-
35	-	-	22.3	22.3	18.3	19.2	6.6	5.9	-	-
36	-	-	28.2	28.2	49.4	47.9	16.1	22.0	-	-
37	-	-	27.8	27.8	28.6	27.7	41.6	48.3	-	-
38	-	-	3.8	3.8	1.0	1.0	20.9	17.1	-	-
39	-	-	0.7	0.7	*	*	6.8	4.0	-	-
40	-	-	-	-	-	-	3.4	0.9	-	-
41	-	-	-	-	-	-	0.3	0.1	-	-
42	-	-	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-	-	-
44 & Longer	-	-	-	-	-	-	-	-	-	-
Average Staple	**-**	**-**	***35.80***	***35.80***	***36.07***	***36.02***	***37.02***	***36.89***	**-**	**-**
Average Length	**-**	**-**	***1.12***	***1.12***	***1.12***	***1.12***	***1.16***	***1.15***	**-**	**-**

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	*	*	*	*	-	-	-	-	-	-	0.4	0.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.3	0.2	*	*	-	-	0.2	0.2	-	-	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.2	0.2	0.7	3.6	-	-	-	-	-	-	0.1	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	-	-	-	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	*	-	-	-	-	-	-	-	-
24	-	-	*	*	-	-	-	-	-	-	-	-
25	0.1	0.1	*	0.1	-	-	-	-	-	-	*	*
26	1.1	1.0	0.1	0.5	-	-	-	-	-	-	0.4	0.3
27	5.4	5.8	1.0	2.3	-	-	-	-	-	-	2.0	1.5
28	21.3	21.4	7.8	10.9	-	-	-	-	-	-	7.5	6.2
29	27.1	28.5	20.6	23.7	-	-	0.1	0.1	-	-	21.4	18.3
30	24.5	23.4	30.2	30.0	-	-	12.3	12.3	-	-	28.4	27.0
31	11.7	11.1	24.0	19.9	-	-	7.2	7.2	-	-	25.0	27.7
32	6.4	6.2	11.4	9.1	-	-	0.1	0.1	-	-	10.8	12.2
33	2.5	2.4	4.0	2.9	-	-	21.6	21.6	-	-	3.6	4.9
34	*	0.1	0.7	0.5	-	-	54.3	54.3	-	-	0.7	1.7
35	-	-	0.1	0.1	-	-	4.1	4.1	-	-	*	0.2
36	-	-	*	*	-	-	0.1	0.1	-	-	-	*
37	-	-	*	*	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	***29.87***	***29.84***	***30.67***	***30.39***	***-***	***-***	***33.53***	***33.53***	***-***	***-***	***30.62***	***30.83***
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-	-	-	-	-
3.1	*	*	-	-	-	-	-	-	-	-	-	-
3.2	*	*	-	*	-	-	-	-	-	-	-	-
3.3	1.7	1.5	*	0.1	-	-	-	-	-	-	-	-
3.4	1.7	1.6	*	0.1	-	-	-	-	-	-	-	-
3.5	2.5	2.4	0.2	0.2	-	-	-	-	-	-	-	-
3.6	4.2	4.1	0.4	0.4	-	-	-	-	-	-	*	*
3.7	2.7	3.5	0.5	0.6	-	-	3.7	3.7	-	-	0.2	0.1
3.8	2.6	4.0	0.6	0.7	-	-	7.1	7.1	-	-	0.3	0.3
3.9	4.0	5.7	0.7	1.0	-	-	5.6	5.6	-	-	2.6	2.0
4.0	6.6	7.2	1.3	1.3	-	-	4.1	4.1	-	-	3.1	2.3
4.1	7.3	7.7	2.3	2.3	-	-	1.8	1.8	-	-	4.1	3.1
4.2	10.3	10.1	4.5	4.1	-	-	6.2	6.2	-	-	4.7	3.5
4.3	11.3	10.7	7.0	6.6	-	-	11.5	11.5	-	-	5.3	4.0
4.4	10.8	10.2	10.6	9.7	-	-	9.6	9.6	-	-	8.2	6.8
4.5	11.5	10.7	14.9	13.0	-	-	22.2	22.2	-	-	7.6	8.7
4.6	8.7	8.1	13.7	12.8	-	-	2.2	2.2	-	-	8.2	11.5
4.7	6.2	5.5	11.2	12.0	-	-	7.9	7.9	-	-	14.4	16.4
4.8	5.7	5.0	10.8	12.4	-	-	10.0	10.0	-	-	17.0	17.0
4.9	1.1	1.0	9.4	10.5	-	-	7.9	7.9	-	-	11.7	11.3
5.0	0.6	0.5	6.3	6.7	-	-	-	-	-	-	8.8	8.2
5.1	0.2	0.2	3.7	3.5	-	-	-	-	-	-	3.1	3.3
5.2	0.1	0.1	1.4	1.4	-	-	-	-	-	-	0.6	1.1
5.3	0.1	0.1	0.3	0.5	-	-	-	-	-	-	*	0.3
5.4	*	*	0.1	0.2	-	-	-	-	-	-	-	0.2
5.5 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	***4.26***	***4.23***	***4.60***	***4.61***	***-***	***-***	***4.39***	***4.39***	***-***	***-***	***4.62***	***4.65***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	-	*	*	*	*	*	1.0	0.9	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.1	*	*	*	*	*	3.0	2.8	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	*	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	1.2	0.6	-	-	0.1	0.1	-	-	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	*	-	-	-	-
24	-	-	-	-	-	-	*	*	-	-	-	-
25	-	-	*	*	-	-	*	*	*	*	-	-
26	-	-	0.1	0.1	-	-	0.7	0.8	0.2	0.2	-	-
27	-	-	1.0	1.2	-	-	3.1	3.3	2.0	2.4	-	-
28	-	-	9.0	10.8	0.7	0.7	10.0	11.3	9.7	10.2	-	-
29	-	-	18.4	18.7	20.4	20.4	23.3	23.6	22.5	22.9	-	-
30	-	-	21.5	18.5	56.2	56.2	24.2	24.6	27.3	26.7	-	-
31	-	-	14.9	16.1	17.4	17.4	19.1	17.4	19.5	19.3	-	-
32	-	-	12.9	15.0	4.7	4.7	9.0	9.3	12.9	12.5	-	-
33	-	-	7.9	7.8	0.5	0.5	6.6	6.0	4.7	4.5	-	-
34	-	-	7.5	7.1	*	*	2.9	2.7	0.9	0.9	-	-
35	-	-	5.6	4.1	-	-	0.8	0.8	0.3	0.3	-	-
36	-	-	1.3	0.6	-	-	0.2	0.2	-	-	-	-
37	-	-	*	*	-	-	*	*	-	-	-	-
38	-	-	-	*	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	**-**	**-**	***31.35***	***31.24***	***30.51***	***30.51***	***30.63***	***30.55***	***30.61***	***30.56***	**-**	**-**
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-	-	-	-	-
3.2	-	-	-	-	-	-	*	*	-	-	-	-
3.3	-	-	-	-	-	-	*	*	*	*	-	-
3.4	-	-	-	*	-	-	*	*	*	*	-	-
3.5	-	-	*	*	-	-	0.1	*	0.1	0.1	-	-
3.6	-	-	0.2	0.1	-	-	0.1	0.1	0.4	0.4	-	-
3.7	-	-	0.3	0.1	0.3	0.3	0.2	0.2	0.7	0.6	-	-
3.8	-	-	0.3	0.3	-	-	0.6	0.5	0.7	0.7	-	-
3.9	-	-	0.3	0.4	-	-	1.3	1.2	1.8	1.7	-	-
4.0	-	-	0.9	0.9	0.8	0.8	2.5	2.4	2.4	2.6	-	-
4.1	-	-	2.2	2.7	3.2	3.2	4.9	5.2	3.6	4.0	-	-
4.2	-	-	5.7	5.3	5.4	5.4	5.6	6.3	8.8	9.2	-	-
4.3	-	-	9.5	8.8	9.6	9.6	7.1	7.6	14.8	14.2	-	-
4.4	-	-	13.6	11.5	14.9	14.9	9.9	9.4	19.6	18.6	-	-
4.5	-	-	13.2	15.6	12.8	12.8	12.2	11.3	16.4	15.5	-	-
4.6	-	-	13.6	15.8	6.1	6.1	12.9	12.8	12.6	12.2	-	-
4.7	-	-	13.5	15.0	8.7	8.7	12.7	14.1	9.2	9.3	-	-
4.8	-	-	13.2	13.0	17.1	17.1	12.4	12.9	4.6	5.3	-	-
4.9	-	-	6.9	5.3	14.4	14.4	8.6	7.9	2.9	3.5	-	-
5.0	-	-	3.3	3.1	3.7	3.7	5.4	4.7	0.7	1.3	-	-
5.1	-	-	2.2	1.4	2.2	2.2	2.4	2.3	0.5	0.6	-	-
5.2	-	-	1.1	0.6	0.8	0.8	0.7	0.8	0.2	0.2	-	-
5.3	-	-	0.1	0.1	*	*	0.3	0.2	*	*	-	-
5.4	-	-	-	*	-	-	0.1	*	-	-	-	-
5.5 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	**-**	**-**	***4.57***	***4.57***	***4.60***	***4.60***	***4.57***	***4.57***	***4.44***	***4.44***	**-**	**-**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	OKLAHOMA Week	OKLAHOMA Season	SOUTH CAROLINA Week	SOUTH CAROLINA Season	TENNESSEE Week	TENNESSEE Season	TEXAS Week	TEXAS Season	VIRGINIA Week	VIRGINIA Season
Extraneous Matter										
Bark - Level 1	-	-	-	-	-	-	0.7	0.3	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.2	0.2	-	-	1.2	1.5	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	-	-	-	-	*	*	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	-	-	*	*	0.1	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	-	-	-	-	-	*	*	-	-
23	-	-	-	-	*	*	*	*	-	-
24	-	-	0.1	0.1	-	-	0.1	*	-	-
25	-	-	-	-	*	*	0.4	0.1	-	-
26	-	-	1.7	1.7	0.1	0.1	1.1	0.4	-	-
27	-	-	2.7	2.7	1.2	1.7	2.5	1.7	-	-
28	-	-	14.7	14.7	14.8	15.9	5.8	5.3	-	-
29	-	-	12.8	12.8	44.0	43.5	11.1	13.5	-	-
30	-	-	20.0	20.0	29.1	28.4	18.0	21.9	-	-
31	-	-	17.1	17.1	7.6	7.4	17.4	18.6	-	-
32	-	-	15.0	15.0	3.0	2.9	12.1	12.6	-	-
33	-	-	9.4	9.4	0.1	0.1	10.5	10.6	-	-
34	-	-	5.1	5.1	-	-	9.2	8.3	-	-
35	-	-	1.3	1.3	-	-	6.6	4.4	-	-
36	-	-	0.1	0.1	-	-	3.2	1.7	-	-
37	-	-	-	-	-	-	1.2	0.7	-	-
38	-	-	-	-	-	-	0.5	0.2	-	-
39	-	-	-	-	-	-	0.2	0.1	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	**-**	**-**	***30.92***	***30.92***	***29.81***	***29.78***	***31.84***	***31.61***	**-**	**-**
Mike										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	*	*	-	-
2.7	-	-	-	-	-	-	*	*	-	-
2.8	-	-	-	-	-	-	*	*	-	-
2.9	-	-	-	-	-	-	0.1	*	-	-
3.0	-	-	-	-	-	-	0.1	0.1	-	-
3.1	-	-	0.1	0.1	-	-	0.3	0.1	-	-
3.2	-	-	0.1	0.1	-	-	0.6	0.2	-	-
3.3	-	-	0.5	0.5	-	-	0.5	0.3	-	-
3.4	-	-	0.6	0.6	-	-	1.0	0.5	-	-
3.5	-	-	0.5	0.5	*	*	1.6	0.8	-	-
3.6	-	-	0.3	0.3	-	-	2.4	1.4	-	-
3.7	-	-	0.3	0.3	0.3	0.4	2.8	2.0	-	-
3.8	-	-	2.3	2.3	0.9	0.9	3.7	2.9	-	-
3.9	-	-	1.6	1.6	1.6	1.5	4.2	3.9	-	-
4.0	-	-	3.1	3.1	1.7	1.7	6.0	5.6	-	-
4.1	-	-	13.1	13.1	3.5	3.5	8.1	7.4	-	-
4.2	-	-	11.6	11.6	7.9	7.8	9.3	9.3	-	-
4.3	-	-	3.6	3.6	14.3	13.8	9.8	10.8	-	-
4.4	-	-	4.3	4.3	14.7	14.2	10.2	12.2	-	-
4.5	-	-	4.5	4.5	16.1	15.6	10.3	12.7	-	-
4.6	-	-	11.8	11.8	16.4	16.3	10.3	11.4	-	-
4.7	-	-	12.9	12.9	8.7	9.8	7.9	8.3	-	-
4.8	-	-	10.2	10.2	3.4	4.3	4.8	5.0	-	-
4.9	-	-	8.7	8.7	6.0	5.9	2.6	2.5	-	-
5.0	-	-	5.6	5.6	3.7	3.6	1.5	1.2	-	-
5.1	-	-	3.7	3.7	0.8	0.8	0.9	0.6	-	-
5.2	-	-	0.6	0.6	-	-	0.5	0.3	-	-
5.3	-	-	-	-	-	-	0.2	0.2	-	-
5.4	-	-	-	-	-	-	0.1	0.1	-	-
5.5 & Above	-	-	-	-	-	-	0.1	0.1	-	-
Average	**-**	**-**	***4.49***	***4.49***	***4.48***	***4.49***	***4.31***	***4.35***	**-**	**-**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	ALABAMA Week	ALABAMA Season	ARKANSAS Week	ARKANSAS Season	ARIZONA Week	ARIZONA Season	CALIFORNIA Week	CALIFORNIA Season	FLORIDA Week	FLORIDA Season	GEORGIA Week	GEORGIA Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	*	*	-	*	-	-	-	-	-	-	-	-
3.3 - 3.4	3.4	3.1	0.1	0.2	-	-	-	-	-	-	-	-
3.5 - 3.6	6.7	6.5	0.6	0.6	-	-	-	-	-	-	*	*
3.7 - 4.2	33.6	38.3	9.9	10.0	-	-	28.7	28.7	-	-	15.1	11.3
4.3 - 4.9	55.2	51.1	77.7	76.9	-	-	71.3	71.3	-	-	72.4	75.7
5.0 - 5.2	0.9	0.8	11.4	11.6	-	-	-	-	-	-	12.5	12.6
5.3 & Above	0.2	0.1	0.4	0.6	-	-	-	-	-	-	*	0.4
Average	***4.26***	***4.23***	***4.60***	***4.61***	***-***	***-***	***4.39***	***4.39***	***-***	***-***	***4.62***	***4.65***
Leaf												
1 - 2	24.8	26.9	27.8	28.0	-	-	18.4	18.4	-	-	8.6	11.6
3	51.7	51.0	50.7	45.5	-	-	38.2	38.2	-	-	58.7	58.8
4	20.5	19.4	15.5	18.6	-	-	28.7	28.7	-	-	30.5	27.8
5	2.5	2.3	4.7	5.8	-	-	14.7	14.7	-	-	2.1	1.8
6	0.4	0.4	1.2	1.9	-	-	-	-	-	-	*	*
7	-	-	*	0.1	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	***3.01***	***2.97***	***2.99***	***3.07***	***-***	***-***	***3.38***	***3.38***	***-***	***-***	***3.26***	***3.20***
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	4.2	5.2	5.6	6.7	-	-	10.6	10.6	-	-	0.7	1.2
02	26.5	27.8	29.3	27.6	-	-	9.1	9.1	-	-	11.3	14.0
03	28.0	27.9	28.2	24.9	-	-	19.3	19.3	-	-	27.9	27.9
04	22.5	21.5	17.0	16.6	-	-	26.1	26.1	-	-	28.8	27.6
05	10.9	10.3	8.8	10.3	-	-	13.5	13.5	-	-	17.0	16.1
06	4.9	4.6	4.8	5.8	-	-	7.9	7.9	-	-	9.1	8.3
07	1.7	1.6	3.0	3.4	-	-	7.1	7.1	-	-	3.5	3.2
08	0.8	0.7	1.8	2.1	-	-	4.1	4.1	-	-	1.2	1.0
09	0.3	0.3	0.9	1.3	-	-	2.0	2.0	-	-	0.3	0.4
10	0.1	0.1	0.4	0.7	-	-	0.2	0.2	-	-	0.2	0.2
11	*	*	0.1	0.4	-	-	-	-	-	-	0.1	*
12	*	*	*	0.2	-	-	-	-	-	-	*	*
13	-	-	*	0.1	-	-	-	-	-	-	*	*
14	-	-	*	*	-	-	-	-	-	-	-	-
15	-	-	*	*	-	-	-	-	-	-	-	-
16	-	-	*	*	-	-	-	-	-	-	-	-
17	-	-	-	*	-	-	-	-	-	-	-	-
18 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	***0.34***	***0.33***	***0.34***	***0.36***	***-***	***-***	***0.41***	***0.41***	***-***	***-***	***0.40***	***0.39***
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	*	*	*	-	-	-	-	-	-	-	-
77	0.2	0.2	0.1	0.1	-	-	-	-	-	-	*	*
78	0.8	1.0	0.3	0.5	-	-	-	-	-	-	0.2	0.2
79	6.5	6.7	2.1	2.9	-	-	0.2	0.2	-	-	1.8	1.7
80	25.3	25.3	12.5	14.4	-	-	-	-	-	-	15.6	14.6
81	31.1	32.1	32.9	31.9	-	-	43.7	43.7	-	-	38.0	36.4
82	27.2	26.5	31.2	31.1	-	-	49.0	49.0	-	-	32.4	32.8
83	8.9	8.2	18.2	16.8	-	-	7.0	7.0	-	-	11.5	13.7
84	0.1	0.1	2.7	2.3	-	-	-	-	-	-	0.5	0.6
85 & Above	-	-	*	*	-	-	-	-	-	-	-	-
Average	***81.49***	***81.46***	***82.03***	***81.95***	***-***	***-***	***82.09***	***82.09***	***-***	***-***	***81.83***	***81.89***
Tenderable 3/	**90.9**	**91.6**	**83.6**	**81.3**	**-**	**-**	**94.0**	**94.0**	**-**	**-**	**80.9**	**79.4**
SAMPLES CLASSED	**9,988**	**11,216**	**61,066**	**122,898**	**-**	**-**	**869**	**869**	**-**	**-**	**9,095**	**12,120**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	KANSAS Week	KANSAS Season	LOUISIANA Week	LOUISIANA Season	MISSOURI Week	MISSOURI Season	MISSISSIPPI Week	MISSISSIPPI Season	NORTH CAROLINA Week	NORTH CAROLINA Season	NEW MEXICO Week	NEW MEXICO Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	-	-	-	*	*	-	-	-	-
3.3 - 3.4	-	-	-	*	-	-	0.1	*	*	*	-	-
3.5 - 3.6	-	-	0.2	0.1	-	-	0.2	0.1	0.5	0.5	-	-
3.7 - 4.2	-	-	9.7	9.7	9.7	9.7	15.1	15.7	18.0	18.7	-	-
4.3 - 4.9	-	-	83.4	85.1	83.6	83.6	75.8	76.1	80.0	78.6	-	-
5.0 - 5.2	-	-	6.6	5.1	6.6	6.6	8.5	7.7	1.4	2.1	-	-
5.3 & Above	-	-	0.1	0.1	*	*	0.3	0.3	*	*	-	-
Average	**-**	**-**	***4.57***	***4.57***	***4.60***	***4.60***	***4.57***	***4.57***	***4.44***	***4.44***	**-**	**-**
Leaf												
1 - 2	-	-	17.9	13.3	31.8	31.8	15.5	15.4	20.0	22.9	-	-
3	-	-	45.6	45.1	60.7	60.7	45.9	49.8	49.5	48.9	-	-
4	-	-	30.2	33.7	7.1	7.1	30.4	27.3	22.6	20.9	-	-
5	-	-	5.9	7.3	0.5	0.5	7.3	6.4	7.7	7.1	-	-
6	-	-	0.4	0.6	-	-	0.9	1.0	0.2	0.2	-	-
7	-	-	*	*	-	-	*	0.1	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.25***	***3.36***	***2.73***	***2.73***	***3.32***	***3.28***	***3.17***	***3.11***	**-**	**-**
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	3.0	2.4	7.6	7.6	2.2	2.0	3.9	4.9	-	-
02	-	-	18.8	14.2	33.1	33.1	17.2	17.8	23.6	25.4	-	-
03	-	-	24.4	22.9	36.6	36.6	24.8	27.3	26.5	26.9	-	-
04	-	-	23.5	24.7	15.5	15.5	22.5	23.0	15.8	14.8	-	-
05	-	-	15.8	17.7	4.4	4.4	15.3	13.9	10.6	9.8	-	-
06	-	-	8.7	10.2	1.7	1.7	8.8	7.5	7.7	7.1	-	-
07	-	-	3.8	4.8	0.6	0.6	4.7	4.0	5.9	5.4	-	-
08	-	-	1.3	1.9	0.3	0.3	2.4	2.2	3.5	3.3	-	-
09	-	-	0.5	0.8	0.1	0.1	1.1	1.1	1.7	1.6	-	-
10	-	-	0.2	0.2	*	*	0.5	0.5	0.5	0.5	-	-
11	-	-	0.1	0.1	*	*	0.2	0.3	0.2	0.2	-	-
12	-	-	-	*	-	-	0.1	0.2	0.1	0.1	-	-
13	-	-	*	*	-	-	*	0.1	*	*	-	-
14	-	-	-	*	-	-	*	*	-	-	-	-
15	-	-	-	-	-	-	*	*	-	-	-	-
16	-	-	-	-	-	-	*	*	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	**-**	**-**	***0.38***	***0.41***	***0.29***	***0.29***	***0.40***	***0.39***	***0.39***	***0.37***	**-**	**-**
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	-	-	*	*	*	*	-	-
77	-	-	-	-	*	*	0.1	0.1	0.4	0.4	-	-
78	-	-	0.1	0.1	*	*	0.9	0.8	2.5	2.6	-	-
79	-	-	3.8	2.7	1.9	1.9	5.9	5.7	8.5	9.0	-	-
80	-	-	26.2	20.1	2.7	2.7	15.0	17.1	22.5	23.7	-	-
81	-	-	28.1	29.7	16.7	16.7	27.9	28.1	24.8	25.5	-	-
82	-	-	21.6	26.7	60.3	60.3	28.4	28.1	22.7	21.7	-	-
83	-	-	18.1	19.0	18.2	18.2	18.5	17.2	11.9	11.1	-	-
84	-	-	2.0	1.8	0.1	0.1	3.2	2.9	6.5	6.0	-	-
85 & Above	-	-	*	*	-	-	0.1	0.1	0.1	0.1	-	-
Average	**-**	**-**	***81.75***	***81.90***	***82.35***	***82.35***	***81.91***	***81.85***	***81.62***	***81.56***	**-**	**-**
Tenderable 3/	**-**	**-**	**87.7**	**87.2**	**93.1**	**93.1**	**84.1**	**85.6**	**77.3**	**78.1**	**-**	**-**
SAMPLES CLASSED	**-**	**-**	**25,412**	**61,720**	**4,631**	**4,631**	**53,111**	**73,836**	**4,045**	**4,371**	**-**	**-**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	OKLAHOMA Week	OKLAHOMA Season	SOUTH CAROLINA Week	SOUTH CAROLINA Season	TENNESSEE Week	TENNESSEE Season	TEXAS Week	TEXAS Season	VIRGINIA Week	VIRGINIA Season
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	*	*	-	-
2.7 - 2.9	-	-	-	-	-	-	0.1	0.1	-	-
3.0 - 3.2	-	-	0.2	0.2	-	-	1.0	0.4	-	-
3.3 - 3.4	-	-	1.1	1.1	-	-	1.5	0.8	-	-
3.5 - 3.6	-	-	0.8	0.8	*	*	4.0	2.2	-	-
3.7 - 4.2	-	-	32.0	32.0	15.9	15.8	34.1	31.1	-	-
4.3 - 4.9	-	-	56.0	56.0	79.5	79.8	55.9	62.9	-	-
5.0 - 5.2	-	-	9.9	9.9	4.5	4.4	2.9	2.1	-	-
5.3 & Above	-	-	-	-	-	-	0.4	0.3	-	-
Average	**-**	**-**	***4.49***	***4.49***	***4.48***	***4.49***	***4.31***	***4.35***	**-**	**-**
Leaf										
1 - 2	-	-	18.6	18.6	46.2	48.0	27.9	30.0	-	-
3	-	-	68.7	68.7	45.0	43.6	44.4	47.1	-	-
4	-	-	12.7	12.7	8.1	7.9	22.5	19.6	-	-
5	-	-	-	-	0.5	0.5	4.6	3.0	-	-
6	-	-	-	-	0.1	0.1	0.6	0.2	-	-
7	-	-	-	-	-	-	*	*	-	-
8	-	-	-	-	-	-	-	*	-	-
Average	**-**	**-**	***2.94***	***2.94***	***2.57***	***2.54***	***3.03***	***2.92***	**-**	**-**
HVI Trash 1/										
00	-	-	-	-	-	-	*	*	-	-
01	-	-	1.3	1.3	15.8	17.0	6.6	7.9	-	-
02	-	-	24.8	24.8	36.3	36.7	23.9	24.3	-	-
03	-	-	38.6	38.6	25.9	25.1	23.9	26.1	-	-
04	-	-	23.1	23.1	13.7	13.3	18.7	19.5	-	-
05	-	-	7.6	7.6	5.4	5.2	12.5	11.5	-	-
06	-	-	3.9	3.9	1.8	1.7	7.6	6.0	-	-
07	-	-	0.8	0.8	0.6	0.5	3.8	2.7	-	-
08	-	-	-	-	0.3	0.3	1.7	1.2	-	-
09	-	-	-	-	0.1	0.1	0.7	0.4	-	-
10	-	-	-	-	*	*	0.3	0.2	-	-
11	-	-	-	-	*	*	0.1	0.1	-	-
12	-	-	-	-	-	-	0.1	*	-	-
13	-	-	-	-	-	-	*	*	-	-
14	-	-	-	-	-	-	*	*	-	-
15	-	-	-	-	*	*	*	*	-	-
16	-	-	-	-	-	-	-	*	-	-
17	-	-	-	-	-	-	-	-	-	-
18 & Above	-	-	-	-	-	-	-	*	-	-
Average	**-**	**-**	***0.33***	***0.33***	***0.27***	***0.26***	***0.36***	***0.34***	**-**	**-**
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	*	*	-	-
75	-	-	-	-	-	-	*	*	-	-
76	-	-	-	-	-	-	0.1	*	-	-
77	-	-	0.2	0.2	*	*	0.5	0.2	-	-
78	-	-	0.5	0.5	0.1	0.1	1.8	0.8	-	-
79	-	-	16.3	16.3	1.8	2.7	5.1	3.1	-	-
80	-	-	20.0	20.0	16.0	17.4	10.3	10.2	-	-
81	-	-	19.2	19.2	32.0	31.3	23.9	28.6	-	-
82	-	-	25.6	25.6	40.7	39.4	33.0	34.9	-	-
83	-	-	15.9	15.9	9.2	8.9	19.3	17.1	-	-
84	-	-	2.2	2.2	0.2	0.2	5.1	4.6	-	-
85 & Above	-	-	0.1	0.1	-	-	0.7	0.4	-	-
Average	**-**	**-**	***81.53***	***81.53***	***81.86***	***81.80***	***82.06***	***82.10***	**-**	**-**
Tenderable 3/	**-**	**-**	**87.9**	**87.9**	**95.2**	**95.4**	**83.3**	**88.5**	**-**	**-**
SAMPLES CLASSED	**-**	**-**	**1,005**	**1,005**	**18,615**	**19,287**	**111,209**	**797,454**	**-**	**-**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
01	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
02	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
03	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
STAPLE									
44 & Shorter		-	-	-	-	-	-	-	-
46		-	-	-	-	-	-	-	-
48		-	-	-	-	-	-	-	-
50		-	-	-	-	-	-	-	-
52 & Longer		-	-	-	-	-	-	-	-
Average Staple		**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
Average Length		**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
EXTRANEOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	-	-	-	-	-	-
Spindle Twist		-	-	-	-	-	-	-	-
Preparation		-	-	-	-	-	-	-	-
All Other		-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 08, 2026

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	-	-	-	-	-
3.3 - 3.4	-	-	-	-	-	-	-	-
3.5 - 3.6	-	-	-	-	-	-	-	-
3.7 - 4.2	-	-	-	-	-	-	-	-
4.3 - 4.9	-	-	-	-	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-
3.2	-	-	-	-	-	-	-	-
3.3	-	-	-	-	-	-	-	-
3.4	-	-	-	-	-	-	-	-
3.5	-	-	-	-	-	-	-	-
3.6	-	-	-	-	-	-	-	-
3.7	-	-	-	-	-	-	-	-
3.8	-	-	-	-	-	-	-	-
3.9	-	-	-	-	-	-	-	-
4.0	-	-	-	-	-	-	-	-
4.1	-	-	-	-	-	-	-	-
4.2	-	-	-	-	-	-	-	-
4.3	-	-	-	-	-	-	-	-
4.4	-	-	-	-	-	-	-	-
4.5	-	-	-	-	-	-	-	-
4.6	-	-	-	-	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
STRENGTH 1/								
36 & Below	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-
45	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-
48 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
UNIFORMITY								
83 & Below	-	-	-	-	-	-	-	-
84	-	-	-	-	-	-	-	-
85	-	-	-	-	-	-	-	-
86	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-
88 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
Samples Classed	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.