Weekly Quality of Cotton Classed by State: Week Ending - 10/22/2026

Agricultural Marketing Service
Cotton Market News

Volume 28, No.12 October 23, 2026

State	Week Gins	Week Tenderable (%)	Week Eligible (%)	Week Bales	Season Gins	Season Tenderable (%)	Season Eligible (%)	Season Bales
			UPLAND					
AL	17	87.8	81.0	38,885	17	88.5	79.1	78,296
AR	23	86.3	63.5	141,948	23	84.9	61.2	371,792
AZ	2	86.4	60.2	1,844	2	95.0	41.5	16,376
CA	3	83.1	51.6	4,755	3	87.9	57.1	8,598
FL*	-	-	-	-	-	-	-	-
GA	39	65.1	48.0	43,058	42	71.1	52.7	78,263
KS*	-	-	-	-	-	-	-	-
LA	14	84.5	60.0	27,674	14	87.1	64.6	118,479
MO	16	94.2	79.2	54,888	16	95.1	80.0	96,211
MS	28	84.1	58.4	95,118	28	85.2	60.2	236,262
NC	18	78.2	59.0	40,742	18	79.1	60.2	48,297
NM	-	-	-	-	-	-	-	-
OK	6	79.3	40.6	8,816	6	72.5	30.8	12,889
SC	8	75.5	54.6	12,423	8	73.8	53.2	15,752
TN	15	97.9	87.6	56,413	15	97.5	87.5	105,321
TX	63	81.1	54.0	106,238	78	86.6	61.9	1,019,855
VA	4	97.2	92.0	9,260	4	97.2	92.0	9,260
United States	**258**	**84.4**	**63.8**	**644,376**	**276**	**86.3**	**63.7**	**2,218,010**
			AMERICAN PIMA					
AZ	-			-	-			-
CA	5			15,847	5			25,682
NM	-			-	-			-
TX*	-			-	-			-
United States	6			16,341	6			26,653
United States all cotton	**264**			**660,717**	**282**			**2,244,663**

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

MP CN100

Source: USDA, AMS, Cotton and Warehouse Program, Market News Division
Memphis, Tennessee | 901-384-3016 |cottonmn@usda.gov
https://www.ams.usda.gov/market-news/cotton
https://mymarketnews.ams.usda.gov

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	14.7	17.1	11.2	16.7	58.7	40.4	54.3	48.2	-	-	2.5	2.8
	3	9.1	8.2	6.7	9.6	15.7	7.2	15.8	17.2	-	-	1.3	1.6
	4	0.4	0.3	0.2	0.2	0.7	0.7	3.3	4.7	-	-	*	*
	5	*	*	-	-	0.1	*	0.1	0.4	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***24.1***	***25.6***	***18.0***	***26.5***	***75.1***	***48.2***	***73.5***	***70.6***	**-**	**-**	***3.8***	***4.4***
31	1 - 2	8.3	9.8	10.6	8.9	1.7	0.3	0.2	0.2	-	-	8.3	10.4
	3	25.3	27.2	32.6	31.5	3.1	0.4	0.5	0.5	-	-	19.5	29.8
	4	8.2	7.3	10.0	9.9	3.1	0.5	0.3	1.2	-	-	3.7	5.0
	5	1.5	0.8	0.5	0.6	2.0	0.3	0.3	1.5	-	-	0.1	0.1
	6	0.1	*	*	*	0.1	*	-	-	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***43.2***	***45.1***	***53.8***	***50.9***	***10.0***	***1.5***	***1.2***	***3.4***	**-**	**-**	***31.6***	***45.3***
41	1 - 2	0.5	0.4	0.6	0.3	0.1	*	-	-	-	-	1.0	1.0
	3	7.0	7.7	7.2	4.7	0.1	*	-	-	-	-	16.4	12.2
	4	8.6	7.4	10.8	7.8	0.6	0.1	-	-	-	-	12.6	10.8
	5	3.4	2.2	4.0	3.1	0.1	*	-	-	-	-	1.3	1.2
	6	0.4	0.2	0.6	0.6	-	-	-	-	-	-	*	*
	7	*	*	0.1	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***19.9***	***18.0***	***23.2***	***16.5***	***0.8***	***0.1***	**-**	**-**	**-**	**-**	***31.3***	***25.1***
51	1 - 2	-	*	*	*	-	-	-	-	-	-	0.1	*
	3	0.1	*	*	*	-	-	-	-	-	-	0.6	0.4
	4	0.2	0.1	0.1	*	-	-	-	-	-	-	2.0	1.4
	5	0.1	0.1	0.1	*	-	-	-	-	-	-	0.8	0.6
	6	*	0.1	*	*	-	-	-	-	-	-	*	*
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.3***	***0.3***	***0.3***	***0.2***	**-**	**-**	**-**	**-**	**-**	**-**	***3.4***	***2.4***
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*****	*****	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
12 & 22	1 - 2	0.1	0.3	0.2	0.8	11.6	44.4	3.2	8.2	-	-	0.2	0.1
	3	*	0.1	0.1	0.4	1.0	5.0	10.8	9.5	-	-	0.1	0.1
	4	-	*	*	*	-	0.2	8.0	5.2	-	-	*	*
	5	-	-	-	-	-	*	0.6	0.7	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.1***	***0.4***	***0.3***	***1.2***	***12.5***	***49.6***	***22.7***	***23.5***	**-**	**-**	***0.3***	***0.2***
32	1 - 2	0.8	0.6	0.1	0.3	0.1	*	0.1	0.2	-	-	0.5	0.6
	3	2.4	2.2	0.4	0.9	0.3	*	0.8	0.8	-	-	3.1	3.4
	4	1.0	0.9	0.3	0.4	0.1	*	0.9	0.8	-	-	1.0	1.3
	5	*	*	*	0.1	0.3	0.1	0.5	0.5	-	-	*	*
	6	-	-	-	*	0.1	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***4.2***	***3.8***	***0.8***	***1.7***	***0.8***	***0.2***	***2.3***	***2.3***	**-**	**-**	***4.7***	***5.5***
42	1 - 2	0.1	0.1	*	*	-	-	-	-	-	-	0.4	0.2
	3	2.8	2.3	0.5	0.3	-	-	-	*	-	-	8.3	5.7
	4	3.0	2.5	1.6	1.0	0.1	*	-	-	-	-	9.0	6.5
	5	0.5	0.5	1.2	1.1	0.4	*	0.1	0.1	-	-	1.2	1.0
	6	0.1	*	0.1	0.4	0.1	*	*	*	-	-	0.1	*
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***6.4***	***5.4***	***3.4***	***2.9***	***0.5***	***0.1***	***0.2***	***0.1***	**-**	**-**	***18.9***	***13.5***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	-	-	-	-	-	-	*	*
	3	0.1	0.1	*	*	-	-	-	-	-	-	0.2	0.1
	4	0.4	0.2	0.1	*	-	-	-	-	-	-	1.8	1.1
	5	0.1	0.1	0.1	*	-	-	-	-	-	-	1.5	0.8
	6	*	*	*	*	-	-	-	-	-	-	0.2	0.1
	7	-	-	*	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.6***	***0.3***	***0.2***	***0.1***	**-**	**-**	**-**	**-**	**-**	**-**	***3.7***	***2.1***
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*****	*****
13 & 23	1 - 2	-	-	-	*	0.2	0.2	-	-	-	-	-	*
	3	-	-	-	*	-	*	-	*	-	-	*	*
	4	-	-	-	-	-	-	0.1	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	*****	***0.2***	***0.3***	***0.1***	***0.1***	**-**	**-**	*****	*****
33	1 - 2	*	*	-	*	-	*	-	-	-	-	*	*
	3	0.1	0.1	-	-	-	*	-	-	-	-	0.1	0.1
	4	*	0.1	-	*	-	-	-	-	-	-	*	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.1***	***0.2***	**-**	*****	**-**	*****	**-**	**-**	**-**	**-**	***0.1***	***0.1***
43	1 - 2	*	*	-	*	-	-	-	-	-	-	*	*
	3	0.4	0.2	-	-	-	-	-	-	-	-	0.4	0.3
	4	0.4	0.4	*	*	-	-	-	-	-	-	1.2	0.7
	5	0.1	0.1	*	*	0.1	*	-	-	-	-	0.3	0.2
	6	*	*	-	*	-	-	-	-	-	-	*	*
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.8***	***0.7***	*****	*****	***0.1***	*****	**-**	**-**	**-**	**-**	***1.9***	***1.2***
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	*	*
	4	0.2	0.1	*	*	-	-	-	-	-	-	0.2	0.1
	5	0.1	*	*	*	-	-	-	-	-	-	0.1	0.1
	6	*	*	-	*	-	-	-	-	-	-	*	*
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.2***	***0.1***	*****	*****	**-**	**-**	**-**	**-**	**-**	**-**	***0.3***	***0.2***
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*****	*****
24 - 54	1 - 8	*	*	-	-	-	-	-	-	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	15.8	9.8	4.4	10.1	7.1	8.7	0.8	1.0	-	-
	3	-	-	10.6	7.6	5.7	9.3	6.7	7.3	0.7	0.9	-	-
	4	-	-	0.2	0.2	0.5	0.5	0.3	0.2	0.1	0.1	-	-
	5	-	-	*	*	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***26.6***	***17.7***	***10.6***	***19.9***	***14.0***	***16.3***	***1.6***	***1.9***	**-**	**-**
31	1 - 2	-	-	6.5	5.3	11.2	11.5	4.8	5.1	3.2	5.3	-	-
	3	-	-	29.9	30.6	42.5	41.0	32.4	34.1	25.8	27.5	-	-
	4	-	-	10.1	14.0	15.7	13.0	17.1	15.0	9.9	9.0	-	-
	5	-	-	1.4	1.7	0.5	0.5	2.0	1.5	0.5	0.4	-	-
	6	-	-	*	*	*	*	0.1	0.1	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***47.9***	***51.7***	***69.9***	***66.0***	***56.4***	***55.9***	***39.4***	***42.3***	**-**	**-**
41	1 - 2	-	-	0.6	0.2	0.5	0.5	0.1	0.1	0.5	0.4	-	-
	3	-	-	7.4	5.8	6.3	5.2	5.1	4.9	16.4	14.8	-	-
	4	-	-	9.2	11.9	9.4	6.2	12.6	10.5	20.6	19.1	-	-
	5	-	-	2.5	4.3	1.9	1.2	4.9	4.3	4.5	4.0	-	-
	6	-	-	0.4	0.4	0.1	0.1	1.1	0.8	0.3	0.2	-	-
	7	-	-	*	*	*	*	0.4	0.2	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***20.0***	***22.7***	***18.1***	***13.1***	***24.2***	***20.7***	***42.2***	***38.5***	**-**	**-**
51	1 - 2	-	-	-	-	*	*	-	-	-	-	-	-
	3	-	-	*	*	*	*	*	*	0.1	*	-	-
	4	-	-	0.1	*	*	*	*	*	0.2	0.2	-	-
	5	-	-	*	*	*	*	*	*	0.1	0.1	-	-
	6	-	-	*	*	*	*	*	*	*	*	-	-
	7	-	-	*	*	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.1***	***0.1***	*******	*******	***0.1***	***0.1***	***0.4***	***0.3***	**-**	**-**
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*******	*******	**-**	**-**
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*******	*******	**-**	**-**
12 & 22	1 - 2	-	-	0.1	0.1	*	*	0.1	0.4	0.1	0.3	-	-
	3	-	-	0.2	0.1	*	*	0.2	0.4	0.2	0.2	-	-
	4	-	-	-	*	-	-	*	*	*	*	-	-
	5	-	-	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.3***	***0.2***	*******	***0.1***	***0.3***	***0.8***	***0.3***	***0.5***	**-**	**-**
32	1 - 2	-	-	0.2	0.2	*	*	0.1	0.3	0.3	0.5	-	-
	3	-	-	1.1	2.2	0.2	0.1	1.1	1.6	3.5	3.9	-	-
	4	-	-	0.5	1.3	0.3	0.2	1.1	0.9	1.9	2.0	-	-
	5	-	-	0.2	0.2	*	*	0.3	0.2	0.2	0.2	-	-
	6	-	-	*	*	-	-	*	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***2.0***	***3.9***	***0.5***	***0.4***	***2.6***	***3.1***	***5.8***	***6.7***	**-**	**-**
42	1 - 2	-	-	*	*	*	*	*	*	0.1	*	-	-
	3	-	-	0.6	0.9	0.1	0.1	0.2	0.5	2.5	2.2	-	-
	4	-	-	1.3	1.7	0.4	0.3	0.8	1.3	5.4	5.2	-	-
	5	-	-	0.7	0.8	0.2	0.1	0.9	0.9	1.5	1.7	-	-
	6	-	-	0.3	0.2	*	*	0.2	0.2	0.1	0.1	-	-
	7	-	-	*	*	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***2.9***	***3.6***	***0.7***	***0.5***	***2.1***	***3.0***	***9.6***	***9.2***	**-**	**-**

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	*	*	*	*	*	-	-
	4	-	-	*	*	*	*	*	*	0.1	0.1	-	-
	5	-	-	*	*	*	*	*	*	0.3	0.3	-	-
	6	-	-	*	*	-	-	*	*	0.1	0.1	-	-
	7	-	-	-	-	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.1***	***0.1***	*******	*******	***0.1***	***0.1***	***0.5***	***0.5***	**-**	**-**
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*******	*******	**-**	**-**
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	*******	**-**	*******	**-**	**-**	**-**	**-**
33	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	*	-	*	*	*	-	-
	4	-	-	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*******	*******	*******	*******	*******	*******	*******	*******	**-**	**-**
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	*	*	*	*	*	-	-
	4	-	-	-	*	-	-	*	*	0.1	*	-	-
	5	-	-	*	*	-	-	*	*	*	*	-	-
	6	-	-	*	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*******	*******	**-**	*******	*******	*******	***0.1***	***0.1***	**-**	**-**
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*******	*******	*******	**-**	**-**
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	14.8	11.4	0.3	0.7	12.0	21.4	16.9	17.7	1.4	1.4
	3	21.6	17.0	0.7	1.5	6.7	9.1	13.9	18.3	1.3	1.3
	4	2.6	2.0	0.1	0.1	0.2	0.3	1.8	2.4	-	-
	5	-	-	-	-	-	-	0.1	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***39.0***	***30.5***	***1.1***	***2.3***	***18.9***	***30.8***	***32.7***	***38.5***	***2.7***	***2.7***
31	1 - 2	0.7	0.5	3.1	4.0	20.2	18.2	2.4	2.5	5.4	5.4
	3	1.7	1.4	23.8	27.5	37.0	32.1	13.1	15.6	38.7	38.7
	4	0.6	0.5	11.4	11.5	8.6	7.0	10.0	8.9	12.9	12.9
	5	*	*	0.6	0.6	0.5	0.3	2.0	1.1	1.0	1.0
	6	-	-	-	*	*	*	0.1	*	0.1	0.1
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***3.0***	***2.3***	***38.9***	***43.6***	***66.2***	***57.6***	***27.5***	***28.1***	***58.0***	***58.0***
41	1 - 2	-	-	0.6	0.5	0.6	0.4	0.3	0.2	0.4	0.4
	3	0.6	0.4	14.8	12.2	5.9	4.3	1.4	1.9	13.8	13.8
	4	0.1	0.1	25.7	22.6	5.1	3.7	1.9	3.4	18.3	18.3
	5	-	-	8.0	7.6	1.5	1.1	1.4	1.1	3.5	3.5
	6	-	-	0.7	1.0	0.3	0.2	0.4	0.1	0.2	0.2
	7	-	-	*	0.1	*	*	0.1	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***0.6***	***0.4***	***49.7***	***44.0***	***13.5***	***9.7***	***5.4***	***6.8***	***36.2***	***36.2***
51	1 - 2	-	-	-	-	*	*	0.1	*	-	-
	3	-	-	*	*	*	*	0.1	*	-	-
	4	-	-	0.1	0.1	*	*	*	*	*	*
	5	-	-	0.4	0.3	*	*	*	*	*	*
	6	-	-	0.1	0.1	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***-***	***-***	***0.6***	***0.5***	***0.1***	*******	***0.3***	***0.1***	***0.1***	***0.1***
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	***----***	***-***	***-***	***-***	***-***	***-***	***-***	*******	*******	***-***	***-***
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***
12 & 22	1 - 2	11.4	17.0	-	0.4	0.1	0.3	11.9	9.3	*	*
	3	18.8	21.6	*	0.3	0.1	0.1	6.9	7.3	*	*
	4	2.3	2.5	*	*	-	*	1.2	1.8	-	-
	5	-	*	-	-	-	-	0.1	0.2	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***32.5***	***41.2***	*******	***0.7***	***0.1***	***0.4***	***20.1***	***18.6***	*******	*******
32	1 - 2	1.5	1.2	0.1	0.2	0.1	0.3	0.9	0.3	0.2	0.2
	3	7.3	6.2	1.0	1.0	0.3	0.4	2.7	1.7	0.6	0.6
	4	5.5	5.6	1.1	1.0	0.2	0.2	2.5	1.9	0.5	0.5
	5	0.5	0.4	0.1	0.2	*	*	0.5	0.5	-	-
	6	-	-	*	*	*	*	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***14.8***	***13.4***	***2.4***	***2.4***	***0.7***	***0.9***	***6.7***	***4.4***	***1.3***	***1.3***
42	1 - 2	*	*	*	*	*	*	0.2	*	-	-
	3	0.5	0.4	1.2	1.0	0.1	0.1	0.3	0.2	0.6	0.6
	4	1.8	2.6	3.3	2.8	0.2	0.2	0.6	0.7	0.7	0.7
	5	2.8	2.5	2.3	2.1	0.1	0.1	0.5	0.4	0.4	0.4
	6	0.4	0.3	0.3	0.3	*	*	0.1	0.1	*	*
	7	-	-	*	*	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	***----***	***5.6***	***5.9***	***7.1***	***6.3***	***0.5***	***0.5***	***1.8***	***1.4***	***1.7***	***1.7***

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	0.1	*	*	*	-	-	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*
	5	-	-	0.1	0.1	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	**----**	***0.1***	***0.1***	***0.1***	***0.1***	*******	*******	***0.1***	***0.1***	***0.1***	***0.1***
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
13 & 23	1 - 2	0.1	0.7	-	-	-	-	1.2	0.3	-	-
	3	0.6	1.7	-	-	-	-	1.4	0.6	-	-
	4	0.5	0.8	-	-	-	-	0.4	0.3	-	-
	5	*	0.1	-	-	-	-	*	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.3***	***3.2***	**-**	**-**	**-**	**-**	***3.0***	***1.3***	**-**	**-**
33	1 - 2	0.2	0.5	-	*	-	*	0.1	*	-	-
	3	0.6	0.8	-	*	-	*	0.4	0.1	-	-
	4	0.4	0.4	-	-	-	-	0.3	0.1	-	-
	5	*	0.1	-	-	-	-	0.1	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.3***	***1.7***	**-**	*******	**-**	*******	***0.9***	***0.4***	**-**	**-**
43	1 - 2	-	-	-	-	-	*	-	*	-	-
	3	0.1	*	-	-	-	*	0.1	*	-	-
	4	0.4	0.3	-	-	-	-	0.2	*	-	-
	5	1.2	0.8	-	-	-	-	0.2	*	-	-
	6	0.2	0.2	*	*	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.8***	***1.3***	*******	*******	**-**	*******	***0.6***	***0.1***	**-**	**-**
53	1 - 2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	0.1	*	-	-
	4	-	-	-	-	-	-	0.2	*	-	-
	5	-	-	-	-	-	-	0.1	*	-	-
	6	-	-	*	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*******	*******	**-**	**-**	***0.4***	***0.1***	**-**	**-**
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	*******	*******	**-**	**-**
24 - 54	1 - 8	*	0.1	-	-	-	-	0.5	0.1	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE												
28 & Shorter	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-
31	*	*	*	*	-	-	-	-	-	-	-	-
32	0.2	0.2	*	*	-	-	-	-	-	-	*	*
33	1.3	1.1	0.1	0.2	-	-	4.4	2.4	-	-	0.4	0.4
34	5.2	5.1	0.9	1.0	0.1	0.7	8.3	5.0	-	-	5.0	4.2
35	21.2	19.2	8.8	8.8	2.1	3.7	18.9	14.4	-	-	22.2	19.8
36	31.8	32.8	28.8	31.0	10.3	26.2	27.9	26.9	-	-	36.5	36.3
37	33.9	35.3	52.4	50.9	53.0	53.5	23.8	36.2	-	-	31.7	33.6
38	4.8	4.8	7.5	6.9	28.8	14.2	12.3	11.4	-	-	3.7	5.1
39	1.4	1.2	1.2	1.1	3.9	1.4	4.5	3.6	-	-	0.5	0.6
40	0.2	0.2	0.2	0.1	1.7	0.2	-	-	-	-	*	*
41	*	*	*	*	0.1	*	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-	-	-	-	-
44 & Longer	-	-	-	-	-	-	-	-	-	-	-	-
Average Staple	***36.12***	***36.16***	***36.61***	***36.57***	***37.27***	***36.82***	***36.13***	***36.38***	**-**	**-**	***36.07***	***36.16***
Average Length	***1.13***	***1.13***	***1.14***	***1.14***	***1.16***	***1.15***	***1.13***	***1.13***	**-**	**-**	***1.12***	***1.13***

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE												
28 & Shorter	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	*	*	*	*	-	-	-	-
32	-	-	*	*	*	*	*	*	*	*	-	-
33	-	-	*	0.2	0.2	0.2	0.4	0.5	0.4	0.6	-	-
34	-	-	3.0	2.3	1.3	1.4	3.1	3.5	1.9	2.1	-	-
35	-	-	18.8	14.1	11.1	11.8	15.9	16.3	8.6	9.0	-	-
36	-	-	23.4	27.6	29.3	30.8	34.7	34.1	32.2	31.8	-	-
37	-	-	39.5	41.7	53.3	51.6	37.2	34.6	41.3	41.0	-	-
38	-	-	12.7	11.9	4.8	4.1	7.2	8.9	11.6	11.8	-	-
39	-	-	2.3	2.1	0.1	0.1	1.5	1.9	3.3	3.1	-	-
40	-	-	0.3	0.1	*	*	*	0.1	0.6	0.5	-	-
41	-	-	*	*	-	-	-	*	*	*	-	-
42	-	-	-	-	-	-	-	-	-	-	-	-
43	-	-	-	*	-	-	-	-	-	-	-	-
44 & Longer	-	-	-	-	-	-	-	-	-	-	-	-
Average Staple	**-**	**-**	***36.48***	***36.53***	***36.49***	***36.45***	***36.33***	***36.34***	***36.64***	***36.61***	**-**	**-**
Average Length	**-**	**-**	***1.14***	***1.14***	***1.14***	***1.14***	***1.13***	***1.13***	***1.14***	***1.14***	**-**	**-**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE										
28 & Shorter	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	*	*	-	-
30	-	-	-	-	-	-	*	*	-	-
31	-	-	-	-	-	-	0.4	0.1	-	-
32	0.4	0.3	*	*	*	*	1.7	0.4	-	-
33	1.4	1.1	0.2	0.2	0.4	0.3	5.4	1.3	0.2	0.2
34	1.3	1.3	1.9	2.7	2.8	3.5	9.0	2.7	2.0	2.0
35	4.2	4.3	10.7	11.3	15.9	17.7	13.8	7.4	7.4	7.4
36	13.9	13.9	31.2	29.4	47.4	45.5	21.5	21.6	39.0	39.0
37	25.4	25.8	42.2	42.7	32.1	31.1	31.0	45.1	47.4	47.4
38	30.4	30.1	10.7	11.0	1.4	1.7	11.3	16.1	3.8	3.8
39	20.3	17.4	2.7	2.4	*	0.2	4.6	4.2	0.1	0.1
40	2.6	4.4	0.3	0.3	*	*	0.8	0.9	-	-
41	*	1.4	*	*	*	*	0.1	0.1	*	*
42	-	-	-	-	-	-	*	*	-	-
43	-	-	-	-	-	-	*	*	-	-
44 & Longer	-	-	-	-	-	-	*	*	-	-
Average Staple	***37.45***	***37.51***	***36.58***	***36.56***	***36.12***	***36.10***	***36.14***	***36.75***	***36.43***	***36.43***
Average Length	***1.17***	***1.17***	***1.14***	***1.14***	***1.12***	***1.12***	***1.13***	***1.15***	***1.13***	***1.13***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	*	*	0.1	0.1	-	-	-	-	-	-	0.2	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	0.1	0.1	0.1	-	-	2.2	2.3	-	-	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.1	0.9	1.6	0.3	*	-	-	-	-	0.9	0.6
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	*	-	*	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	*	*	*	-	-	-	-	-	-	-	-
24	*	*	*	*	-	-	-	-	-	-	*	*
25	*	0.1	*	*	0.1	*	0.3	0.2	-	-	0.2	0.1
26	0.5	0.6	0.1	0.3	1.0	1.3	1.6	0.9	-	-	1.1	0.9
27	4.4	5.2	0.6	1.4	6.7	8.8	4.3	2.5	-	-	5.2	4.2
28	19.7	21.9	4.9	7.2	17.6	23.5	8.9	6.5	-	-	17.0	14.2
29	33.1	31.7	20.9	21.0	27.7	23.4	14.0	12.9	-	-	24.6	23.7
30	22.2	21.8	39.0	35.4	19.4	17.3	8.8	15.9	-	-	22.4	24.3
31	11.1	10.2	24.0	23.5	10.4	8.4	16.1	14.3	-	-	13.9	16.5
32	5.1	5.3	6.5	7.4	8.2	9.3	15.9	9.7	-	-	8.4	8.7
33	3.0	2.6	2.3	2.6	7.8	4.6	10.8	10.9	-	-	4.1	4.3
34	0.6	0.4	1.2	0.9	1.0	2.5	4.6	12.3	-	-	1.9	2.0
35	0.1	0.1	0.3	0.2	0.1	0.5	6.7	8.9	-	-	0.9	0.8
36	*	*	0.1	*	0.1	0.4	8.2	5.1	-	-	0.3	0.2
37	*	*	*	*	0.1	*	-	-	-	-	0.1	*
38	-	-	-	*	-	-	*	*	-	-	*	*
39	-	-	-	*	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	***29.92***	***29.83***	***30.63***	***30.55***	***30.16***	***29.99***	***31.75***	***31.98***	***-***	***-***	***30.22***	***30.37***
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	*	*	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0	-	*	-	-	-	-	-	-	-	-	-	-
3.1	*	*	-	-	-	-	-	-	-	-	-	-
3.2	*	*	*	*	-	-	-	-	-	-	-	-
3.3	0.1	0.3	*	*	-	-	-	-	-	-	-	-
3.4	0.2	0.3	*	0.1	-	-	0.8	0.5	-	-	-	*
3.5	0.8	0.8	0.1	0.2	-	-	1.4	0.8	-	-	*	*
3.6	1.3	1.5	0.1	0.2	0.2	0.4	2.8	1.6	-	-	0.1	0.1
3.7	3.1	2.5	0.1	0.3	0.7	1.0	6.4	4.4	-	-	0.4	0.4
3.8	5.9	4.9	0.3	0.4	1.4	1.9	5.6	5.1	-	-	0.6	0.8
3.9	6.4	6.3	0.6	0.8	1.8	2.9	6.8	5.3	-	-	1.5	1.6
4.0	8.6	8.1	1.0	1.1	1.1	4.7	5.6	4.7	-	-	2.3	2.7
4.1	10.0	9.1	1.9	2.0	0.7	6.2	6.3	6.1	-	-	3.2	3.7
4.2	11.9	10.5	2.9	3.6	7.4	11.7	5.0	6.8	-	-	5.6	5.5
4.3	10.9	10.8	5.1	6.1	12.6	9.9	7.8	10.4	-	-	8.4	7.7
4.4	9.8	10.5	9.0	9.4	23.2	12.7	6.6	9.1	-	-	10.1	9.1
4.5	9.4	10.3	13.2	12.7	16.6	11.2	8.3	9.1	-	-	10.0	10.2
4.6	7.3	8.0	16.7	15.0	6.3	9.2	10.9	9.6	-	-	12.2	12.2
4.7	4.4	5.4	16.5	14.8	1.2	10.2	7.5	10.8	-	-	11.7	12.2
4.8	3.2	4.1	14.6	13.3	5.2	8.8	8.9	9.3	-	-	10.2	10.9
4.9	2.1	2.4	9.0	9.4	9.5	4.9	5.7	4.4	-	-	10.1	9.1
5.0	1.9	1.7	5.5	5.9	5.3	2.7	2.4	1.3	-	-	6.7	7.0
5.1	1.3	1.4	2.4	2.9	5.1	1.3	0.4	0.2	-	-	4.2	4.0
5.2	0.8	0.8	0.9	1.1	1.6	0.3	0.6	0.3	-	-	1.8	1.8
5.3	0.3	0.3	0.1	0.4	0.1	*	0.3	0.1	-	-	0.6	0.6
5.4	0.1	0.1	*	0.1	-	-	-	-	-	-	0.3	0.4
5.5 & Above	0.1	*	*	*	-	-	-	-	-	-	*	*
Average	***4.28***	***4.31***	***4.63***	***4.62***	***4.52***	***4.44***	***4.33***	***4.36***	***-***	***-***	***4.60***	***4.60***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	*	*	*	*	*	*	0.7	0.9	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.1	*	*	*	*	*	0.2	0.4	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	1.4	0.8	-	*	0.1	0.1	0.1	0.1	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	*	*	-	-	-	-
23	-	-	-	-	-	-	*	*	-	-	-	-
24	-	-	-	-	-	-	*	*	*	*	-	-
25	-	-	*	*	*	*	*	*	0.1	0.1	-	-
26	-	-	0.2	0.1	*	*	0.2	0.5	0.5	0.4	-	-
27	-	-	2.2	1.6	0.3	0.2	1.3	2.1	1.5	1.6	-	-
28	-	-	7.7	9.0	2.2	2.2	7.3	8.6	7.0	7.3	-	-
29	-	-	13.6	16.2	18.4	21.8	19.8	20.6	16.6	17.3	-	-
30	-	-	19.4	19.3	51.8	52.1	26.0	25.5	29.7	28.9	-	-
31	-	-	17.7	16.6	23.9	20.7	21.6	19.5	24.8	24.2	-	-
32	-	-	13.0	13.8	3.0	2.6	11.7	11.6	12.8	13.1	-	-
33	-	-	9.0	8.2	0.3	0.2	5.8	6.2	4.8	4.9	-	-
34	-	-	7.0	6.9	*	*	2.7	2.8	1.7	1.6	-	-
35	-	-	5.8	5.0	*	*	1.8	1.4	0.5	0.5	-	-
36	-	-	2.9	2.3	-	-	1.1	0.8	*	*	-	-
37	-	-	1.3	0.7	-	-	0.5	0.3	-	-	-	-
38	-	-	0.1	0.1	-	-	0.1	*	-	-	-	-
39	-	-	*	0.1	-	-	*	*	-	-	-	-
40 & Above	-	-	*	*	-	-	*	*	-	-	-	-
Average	**-**	**-**	***31.64***	***31.47***	***30.53***	***30.45***	***30.98***	***30.85***	***30.82***	***30.81***	**-**	**-**
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	*	*	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	*	*	-	-
3.0	-	-	-	-	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-	-	-	-	-
3.2	-	-	-	*	-	-	0.1	*	-	-	-	-
3.3	-	-	-	*	-	-	0.4	0.2	*	*	-	-
3.4	-	-	*	*	-	-	0.5	0.3	*	*	-	-
3.5	-	-	*	*	*	*	0.8	0.4	*	*	-	-
3.6	-	-	*	0.1	*	*	0.8	0.6	0.1	0.1	-	-
3.7	-	-	0.3	0.3	*	*	0.9	0.7	0.2	0.2	-	-
3.8	-	-	0.6	0.4	0.3	0.2	1.3	1.1	0.5	0.5	-	-
3.9	-	-	0.8	0.6	0.5	0.6	1.4	1.5	1.2	1.2	-	-
4.0	-	-	1.1	1.1	1.5	1.5	1.7	2.3	2.0	2.0	-	-
4.1	-	-	1.6	2.4	3.5	3.0	2.3	3.7	3.1	3.2	-	-
4.2	-	-	3.3	4.7	5.8	6.0	3.3	4.6	4.4	4.9	-	-
4.3	-	-	5.0	7.3	10.3	10.0	5.4	6.0	6.9	7.7	-	-
4.4	-	-	8.6	9.8	12.6	13.4	7.3	7.9	10.1	11.5	-	-
4.5	-	-	14.6	14.0	15.3	15.7	10.3	10.4	14.4	14.8	-	-
4.6	-	-	13.3	14.5	15.3	15.4	13.9	13.2	15.9	15.5	-	-
4.7	-	-	14.7	15.6	15.2	15.0	14.8	14.9	13.1	12.8	-	-
4.8	-	-	15.7	14.7	9.7	10.2	13.6	13.4	11.5	10.8	-	-
4.9	-	-	9.6	7.4	5.3	4.9	11.0	9.6	6.2	5.7	-	-
5.0	-	-	4.6	4.0	2.6	2.4	5.8	5.2	4.1	3.6	-	-
5.1	-	-	3.2	1.8	1.5	1.3	2.8	2.6	3.2	2.9	-	-
5.2	-	-	1.6	0.8	0.4	0.3	1.1	1.1	1.3	1.1	-	-
5.3	-	-	0.9	0.3	*	*	0.3	0.3	0.9	0.8	-	-
5.4	-	-	0.2	0.1	-	*	0.3	0.1	0.6	0.5	-	-
5.5 & Above	-	-	-	-	-	-	*	*	0.2	0.2	-	-
Average	**-**	**-**	***4.64***	***4.60***	***4.54***	***4.54***	***4.59***	***4.58***	***4.59***	***4.57***	**-**	**-**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	-	-	4.2	4.9	*	*	2.3	0.7	0.1	0.1
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.1	0.1	*	*	0.5	1.4	-	-
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	-	-	-	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	*	*	-	-	0.1	*	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	0.1	*	*	*	*	*	*	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	-	-	-	-	-	0.1	*	-	-
23	0.1	0.1	-	-	*	*	0.3	0.1	-	-
24	-	0.1	-	*	*	*	0.8	0.1	-	-
25	*	0.1	*	*	*	*	1.5	0.4	*	*
26	-	0.1	*	0.1	0.2	0.1	3.3	0.9	0.1	0.1
27	0.2	0.1	0.5	0.5	2.0	1.7	5.6	2.4	0.3	0.3
28	0.9	0.9	4.3	4.3	11.7	11.4	11.1	6.4	5.6	5.6
29	2.0	1.6	11.1	10.5	37.0	37.4	16.5	14.1	17.5	17.5
30	2.3	2.2	28.3	26.2	29.9	31.4	20.5	21.5	35.0	35.0
31	2.8	3.1	27.9	26.8	12.3	12.5	16.5	18.2	21.5	21.5
32	2.2	3.0	16.1	17.4	3.8	3.6	10.1	12.2	6.4	6.4
33	4.2	4.3	6.4	7.5	1.4	1.1	6.4	9.9	7.0	7.0
34	7.0	6.1	4.6	5.2	1.4	0.8	4.0	7.5	4.7	4.7
35	8.6	10.0	1.0	1.3	0.1	0.1	2.1	3.9	1.8	1.8
36	16.2	17.5	*	*	*	*	0.8	1.5	0.2	0.2
37	28.8	29.9	-	-	-	-	0.3	0.6	-	-
38	19.2	16.2	-	-	-	-	0.1	0.2	-	-
39	5.3	4.2	-	-	-	-	0.1	*	-	-
40 & Above	0.2	0.3	-	-	-	-	*	*	-	-
Average	***36.32***	***36.21***	***31.25***	***31.34***	***30.08***	***30.06***	***30.52***	***31.40***	***31.01***	***31.01***
Mike										
2.4 & Below	*	0.1	-	-	-	-	*	*	-	-
2.5	0.2	0.3	-	-	-	-	0.1	*	-	-
2.6	0.3	0.5	-	-	-	-	0.1	*	-	-
2.7	0.3	0.3	-	-	-	-	0.1	*	-	-
2.8	0.1	0.5	-	-	-	-	0.2	0.1	-	-
2.9	0.4	0.7	-	-	-	-	0.3	0.1	-	-
3.0	0.2	0.5	-	-	-	-	0.3	0.1	-	-
3.1	*	1.5	-	*	-	-	0.7	0.2	-	-
3.2	0.3	1.4	-	*	*	*	0.7	0.3	-	-
3.3	0.5	1.6	-	0.1	*	*	1.0	0.5	-	-
3.4	1.0	2.6	*	0.2	0.1	*	1.0	0.7	-	-
3.5	2.3	3.0	0.1	0.3	0.2	0.1	1.4	1.0	*	*
3.6	1.2	3.2	0.4	0.6	0.5	0.3	1.7	1.6	*	*
3.7	3.9	5.8	0.3	0.4	1.0	0.8	2.2	2.2	0.1	0.1
3.8	2.7	3.8	1.1	1.3	1.4	1.2	2.9	3.1	0.7	0.7
3.9	4.2	4.9	1.0	1.0	2.4	1.9	4.7	4.2	1.0	1.0
4.0	12.0	11.8	1.5	1.5	4.8	4.0	6.4	5.8	2.8	2.8
4.1	13.5	12.1	2.7	3.1	8.1	7.1	8.6	7.7	9.9	9.9
4.2	14.0	12.4	3.6	4.0	11.2	10.4	10.1	9.3	17.1	17.1
4.3	10.1	9.3	8.2	7.3	14.5	14.6	10.8	10.7	19.7	19.7
4.4	16.5	12.4	11.9	10.1	15.9	16.4	10.6	11.8	17.3	17.3
4.5	6.7	4.7	13.3	12.8	13.7	14.4	11.0	12.2	10.1	10.1
4.6	4.8	3.3	10.7	11.3	7.7	10.5	10.0	10.9	8.8	8.8
4.7	4.1	2.8	9.0	9.1	8.4	8.1	6.9	7.8	7.7	7.7
4.8	0.8	0.5	13.1	11.8	6.1	5.5	4.2	4.7	3.1	3.1
4.9	*	*	9.4	9.7	3.1	3.2	2.0	2.4	1.4	1.4
5.0	0.1	0.1	5.9	7.0	0.7	1.2	0.7	1.1	0.2	0.2
5.1	*	*	3.6	4.0	*	0.2	0.4	0.6	*	*
5.2	*	*	2.0	2.3	*	*	0.3	0.4	-	-
5.3	-	-	1.4	1.2	*	*	0.2	0.2	-	-
5.4	-	-	0.7	0.6	-	-	0.1	0.1	-	-
5.5 & Above	-	-	0.2	0.2	-	-	0.1	0.1	-	-
Average	***4.17***	***4.04***	***4.61***	***4.61***	***4.38***	***4.41***	***4.27***	***4.33***	***4.37***	***4.37***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	ALABAMA Week	ALABAMA Season	ARKANSAS Week	ARKANSAS Season	ARIZONA Week	ARIZONA Season	CALIFORNIA Week	CALIFORNIA Season	FLORIDA Week	FLORIDA Season	GEORGIA Week	GEORGIA Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	*	*	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	*	*	*	*	-	-	-	-	-	-	-	-
3.3 - 3.4	0.3	0.6	*	0.1	-	-	0.8	0.5	-	-	-	*
3.5 - 3.6	2.1	2.3	0.1	0.4	0.2	0.4	4.2	2.5	-	-	0.1	0.1
3.7 - 4.2	46.0	41.3	6.8	8.3	13.1	28.4	35.7	32.3	-	-	13.6	14.8
4.3 - 4.9	47.1	51.4	84.0	80.8	74.6	66.9	55.7	62.7	-	-	72.7	71.3
5.0 - 5.2	4.0	3.9	8.9	9.9	12.0	4.3	3.4	1.9	-	-	12.7	12.7
5.3 & Above	0.5	0.4	0.2	0.5	0.1	*	0.3	0.1	-	-	1.0	1.1
Average	***4.28***	***4.31***	***4.63***	***4.62***	***4.52***	***4.44***	***4.33***	***4.36***	***-***	***-***	***4.60***	***4.60***
Leaf												
1 - 2	24.3	28.3	22.7	27.0	72.3	85.3	57.9	56.9	-	-	13.0	15.2
3	47.3	48.2	47.5	47.5	20.2	12.7	27.9	28.0	-	-	50.0	53.8
4	22.1	19.3	23.0	19.3	4.5	1.4	12.6	12.0	-	-	31.5	26.9
5	5.7	3.9	5.9	4.9	2.8	0.5	1.6	3.1	-	-	5.2	3.9
6	0.6	0.4	0.8	1.1	0.2	*	0.1	*	-	-	0.3	0.2
7	*	*	0.1	0.1	-	-	-	-	-	-	*	*
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	***3.09***	***2.98***	***3.14***	***3.04***	***2.24***	***1.92***	***2.29***	***2.35***	***-***	***-***	***3.30***	***3.20***
HVI Trash 1/												
00	-	-	-	-	-	*	-	-	-	-	-	-
01	4.4	5.7	4.2	5.9	33.0	49.7	40.7	37.5	-	-	1.5	1.7
02	25.0	28.1	24.0	27.4	42.9	40.7	22.7	24.2	-	-	16.1	18.1
03	26.9	27.0	25.9	26.4	12.3	6.6	14.8	15.5	-	-	25.3	27.9
04	18.3	18.2	18.9	17.2	4.8	1.6	10.7	10.8	-	-	24.5	23.8
05	11.7	10.4	12.1	10.3	2.1	0.6	6.5	6.0	-	-	16.9	14.8
06	6.8	5.5	7.2	5.9	1.8	0.3	3.0	3.2	-	-	8.9	7.7
07	3.6	2.7	4.1	3.3	1.4	0.2	0.9	1.6	-	-	4.0	3.5
08	1.9	1.4	2.0	1.8	1.0	0.1	0.4	0.8	-	-	1.7	1.5
09	0.8	0.6	0.9	0.9	0.3	*	0.1	0.3	-	-	0.6	0.6
10	0.4	0.3	0.4	0.5	0.3	*	*	*	-	-	0.3	0.2
11	0.1	0.1	0.2	0.2	0.1	*	*	*	-	-	0.1	0.1
12	0.1	*	0.1	0.1	-	-	-	-	-	-	0.1	*
13	*	*	*	*	-	-	-	-	-	-	*	*
14	*	*	*	*	-	-	-	-	-	-	*	*
15	-	*	*	*	-	-	-	-	-	-	*	*
16	*	*	*	*	-	-	-	-	-	-	*	*
17	*	*	-	*	-	-	-	-	-	-	*	*
18 & Above	*	*	-	-	-	-	-	-	-	-	*	*
Average	***0.36***	***0.34***	***0.37***	***0.35***	***0.22***	***0.17***	***0.24***	***0.25***	***-***	***-***	***0.40***	***0.38***
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	*	*	*	*	-	-	-	-	-	-	*	*
77	0.3	0.2	0.1	0.1	-	-	*	*	-	-	0.1	0.1
78	1.6	1.2	0.5	0.5	0.1	0.1	1.7	1.0	-	-	1.1	0.8
79	8.2	6.8	3.0	3.0	1.2	0.9	12.8	7.4	-	-	7.9	6.2
80	22.5	22.0	15.4	14.1	20.8	22.1	22.2	18.7	-	-	24.5	22.4
81	33.6	35.3	32.4	31.7	49.0	45.5	23.9	31.9	-	-	32.7	34.7
82	24.3	25.5	34.6	33.7	25.2	28.6	31.0	32.7	-	-	24.9	26.1
83	8.8	8.4	12.7	15.3	3.3	2.9	8.4	8.4	-	-	8.0	8.9
84	0.7	0.6	1.2	1.6	0.4	0.1	-	*	-	-	0.8	0.8
85 & Above	0.1	0.1	0.1	0.1	0.1	*	-	-	-	-	0.1	*
Average	***81.44***	***81.49***	***81.86***	***81.93***	***81.53***	***81.54***	***81.41***	***81.58***	***-***	***-***	***81.45***	***81.54***
Tenderable 3/	**87.8**	**88.5**	**86.3**	**84.9**	**86.4**	**95.0**	**83.1**	**87.9**	**-**	**-**	**65.1**	**71.1**
SAMPLES CLASSED	**38,885**	**78,296**	**141,948**	**371,792**	**1,844**	**16,376**	**4,755**	**8,598**	**-**	**-**	**43,058**	**78,263**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	KANSAS Week	KANSAS Season	LOUISIANA Week	LOUISIANA Season	MISSOURI Week	MISSOURI Season	MISSISSIPPI Week	MISSISSIPPI Season	NORTH CAROLINA Week	NORTH CAROLINA Season	NEW MEXICO Week	NEW MEXICO Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	*	*	-	-
3.0 - 3.2	-	-	-	*	-	-	0.1	*	-	-	-	-
3.3 - 3.4	-	-	*	*	-	-	0.9	0.4	0.1	*	-	-
3.5 - 3.6	-	-	*	0.1	*	*	1.6	1.0	0.1	0.2	-	-
3.7 - 4.2	-	-	7.9	9.5	11.7	11.4	10.9	13.8	11.3	11.9	-	-
4.3 - 4.9	-	-	81.5	83.3	83.8	84.6	76.2	75.4	78.2	78.8	-	-
5.0 - 5.2	-	-	9.4	6.7	4.5	4.0	9.7	8.9	8.6	7.6	-	-
5.3 & Above	-	-	1.1	0.4	*	*	0.6	0.4	1.7	1.5	-	-
Average	**-**	**-**	***4.64***	***4.60***	***4.54***	***4.54***	***4.59***	***4.58***	***4.59***	***4.57***	**-**	**-**
Leaf												
1 - 2	-	-	23.2	15.7	16.2	22.1	12.3	14.6	4.9	7.6	-	-
3	-	-	49.7	47.4	54.7	55.7	45.8	48.8	49.1	49.6	-	-
4	-	-	21.3	29.1	26.3	20.3	32.0	28.2	38.4	35.8	-	-
5	-	-	4.9	7.1	2.7	1.8	8.1	7.0	7.0	6.7	-	-
6	-	-	0.8	0.7	0.1	0.1	1.5	1.2	0.4	0.4	-	-
7	-	-	*	*	*	*	0.4	0.2	*	*	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.09***	***3.29***	***3.16***	***3.01***	***3.42***	***3.32***	***3.49***	***3.43***	**-**	**-**
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	4.3	2.6	1.6	3.5	1.7	2.0	0.4	0.8	-	-
02	-	-	24.5	17.5	18.6	23.6	14.6	17.4	6.7	9.5	-	-
03	-	-	27.9	25.3	28.5	30.6	23.7	26.2	21.3	22.4	-	-
04	-	-	19.1	22.6	24.9	22.1	23.3	22.6	27.0	25.3	-	-
05	-	-	11.7	15.3	14.6	11.6	16.3	14.4	20.5	18.9	-	-
06	-	-	6.5	8.9	7.0	5.2	9.5	8.2	12.5	11.7	-	-
07	-	-	2.8	4.3	2.9	2.2	5.4	4.6	6.3	6.1	-	-
08	-	-	1.5	1.9	1.1	0.8	2.7	2.3	3.1	3.0	-	-
09	-	-	0.8	0.8	0.5	0.3	1.4	1.2	1.4	1.3	-	-
10	-	-	0.4	0.3	0.2	0.1	0.7	0.6	0.6	0.5	-	-
11	-	-	0.2	0.1	0.1	*	0.3	0.3	0.2	0.2	-	-
12	-	-	0.1	*	*	*	0.2	0.1	0.1	0.1	-	-
13	-	-	0.1	*	*	*	0.1	0.1	*	*	-	-
14	-	-	*	*	*	*	*	*	*	*	-	-
15	-	-	-	-	*	*	*	*	*	*	-	-
16	-	-	-	-	-	-	*	*	*	*	-	-
17	-	-	-	-	-	-	-	-	*	*	-	-
18 & Above	-	-	-	-	-	-	-	-	*	*	-	-
Average	**-**	**-**	***0.36***	***0.39***	***0.38***	***0.35***	***0.42***	***0.40***	***0.45***	***0.44***	**-**	**-**
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	*	*	*	*	*	*	-	-
77	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.1	-	-
78	-	-	0.2	0.1	0.2	0.2	0.7	1.0	0.6	0.8	-	-
79	-	-	4.9	3.3	1.6	2.1	4.8	5.2	2.5	3.3	-	-
80	-	-	18.8	19.9	11.4	12.3	17.4	17.2	10.1	11.8	-	-
81	-	-	32.4	30.6	30.3	28.7	32.8	29.8	24.9	24.8	-	-
82	-	-	24.7	24.9	42.4	42.3	27.1	27.3	37.1	35.1	-	-
83	-	-	17.7	19.2	13.4	14.0	15.1	16.7	21.6	20.6	-	-
84	-	-	1.3	1.9	0.5	0.4	1.8	2.5	3.1	3.5	-	-
85 & Above	-	-	0.1	*	0.1	*	0.1	0.1	0.1	0.1	-	-
Average	**-**	**-**	***81.80***	***81.88***	***82.00***	***81.99***	***81.79***	***81.82***	***82.18***	***82.11***	**-**	**-**
Tenderable 3/	**-**	**-**	**84.5**	**87.1**	**94.2**	**95.1**	**84.1**	**85.2**	**78.2**	**79.1**	**-**	**-**
SAMPLES CLASSED	**-**	**-**	**27,674**	**118,479**	**54,888**	**96,211**	**95,118**	**236,262**	**40,742**	**48,297**	**-**	**-**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	OKLAHOMA Week	OKLAHOMA Season	SOUTH CAROLINA Week	SOUTH CAROLINA Season	TENNESSEE Week	TENNESSEE Season	TEXAS Week	TEXAS Season	VIRGINIA Week	VIRGINIA Season
MIKE										
2.4 & Below	*	0.1	-	-	-	-	*	*	-	-
2.5 - 2.6	0.5	0.8	-	-	-	-	0.1	*	-	-
2.7 - 2.9	0.7	1.4	-	-	-	-	0.7	0.2	-	-
3.0 - 3.2	0.6	3.4	-	*	*	*	1.7	0.7	-	-
3.3 - 3.4	1.4	4.2	*	0.3	0.1	0.1	2.0	1.1	-	-
3.5 - 3.6	3.5	6.3	0.4	0.9	0.7	0.4	3.1	2.7	0.1	0.1
3.7 - 4.2	50.2	50.8	10.2	11.5	28.9	25.5	35.0	32.3	31.6	31.6
4.3 - 4.9	42.8	33.0	75.6	72.1	69.5	72.6	55.5	60.5	68.1	68.1
5.0 - 5.2	0.2	0.1	11.5	13.3	0.8	1.4	1.4	2.1	0.2	0.2
5.3 & Above	-	-	2.3	2.0	*	*	0.4	0.4	-	-
Average	***4.17***	***4.04***	***4.61***	***4.61***	***4.38***	***4.41***	***4.27***	***4.33***	***4.37***	***4.37***
Leaf										
1 - 2	28.8	31.3	4.2	5.8	33.0	40.6	34.0	30.5	7.4	7.4
3	51.9	49.5	41.6	43.7	50.1	46.2	40.7	45.8	55.0	55.0
4	14.0	14.7	41.7	38.1	14.4	11.4	19.2	19.8	32.4	32.4
5	4.6	4.0	11.4	10.8	2.2	1.5	5.1	3.5	4.9	4.9
6	0.6	0.5	1.1	1.4	0.3	0.2	0.9	0.4	0.3	0.3
7	-	-	*	0.1	*	*	0.2	*	*	*
8	-	-	-	-	-	-	*	*	-	-
Average	***2.94***	***2.89***	***3.64***	***3.59***	***2.85***	***2.70***	***2.93***	***2.93***	***3.36***	***3.36***
HVI Trash 1/										
00	-	-	-	-	-	-	*	*	-	-
01	7.1	8.6	0.2	0.2	8.0	13.1	11.9	8.5	0.3	0.3
02	27.3	28.0	6.1	8.4	31.5	33.9	26.1	24.5	7.8	7.8
03	27.2	27.0	19.2	21.2	28.1	26.3	23.7	25.5	23.4	23.4
04	19.3	17.9	24.9	23.7	16.6	14.6	16.9	19.1	27.7	27.7
05	8.6	8.6	20.2	18.2	8.5	6.7	10.0	11.4	20.3	20.3
06	3.8	4.1	13.3	12.3	3.9	2.9	5.6	6.0	11.4	11.4
07	2.2	2.1	8.1	7.6	1.8	1.3	2.8	2.8	5.5	5.5
08	1.5	1.4	4.4	4.3	0.9	0.6	1.5	1.3	2.2	2.2
09	1.4	1.0	2.2	2.3	0.4	0.3	0.7	0.5	0.8	0.8
10	0.8	0.6	0.9	1.1	0.2	0.1	0.4	0.2	0.4	0.4
11	0.4	0.3	0.3	0.4	0.1	0.1	0.2	0.1	0.1	0.1
12	0.2	0.1	0.2	0.2	*	*	0.1	*	0.1	0.1
13	0.1	0.1	*	0.1	*	*	*	*	*	*
14	0.1	*	-	-	*	*	*	*	-	-
15	*	*	-	-	*	*	*	*	-	-
16	*	*	-	-	-	-	*	*	-	-
17	-	-	*	*	-	-	*	*	-	-
18 & Above	-	-	*	*	-	-	*	*	-	-
Average	***0.34***	***0.33***	***0.48***	***0.47***	***0.31***	***0.29***	***0.33***	***0.34***	***0.44***	***0.44***
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	0.1	*	-	-
75	*	*	-	-	-	-	0.1	*	-	-
76	0.1	0.2	*	*	*	*	0.7	0.2	-	-
77	0.1	0.3	0.1	0.1	0.2	0.1	2.1	0.6	0.1	0.1
78	1.2	1.0	0.4	0.3	0.8	0.6	6.0	1.9	0.5	0.5
79	4.2	3.3	2.6	3.1	3.9	3.5	12.3	4.8	2.9	2.9
80	6.5	7.7	9.1	8.8	19.8	19.0	23.3	12.3	12.4	12.4
81	11.3	12.7	21.6	20.2	40.7	37.2	29.9	28.6	19.0	19.0
82	21.3	22.4	43.5	41.4	30.4	33.7	17.8	32.2	28.3	28.3
83	31.3	30.7	21.4	24.1	4.0	5.6	6.5	15.1	32.7	32.7
84	20.2	18.9	1.2	1.8	0.2	0.2	1.1	3.9	4.0	4.0
85 & Above	3.6	2.7	*	*	*	*	0.1	0.3	0.1	0.1
Average	***82.83***	***82.77***	***82.20***	***82.24***	***81.54***	***81.63***	***81.01***	***81.90***	***82.31***	***82.31***
Tenderable 3/	**79.3**	**72.5**	**75.5**	**73.8**	**97.9**	**97.5**	**81.1**	**86.6**	**97.2**	**97.2**
SAMPLES CLASSED	**8,816**	**12,889**	**12,423**	**15,752**	**56,413**	**105,321**	**106,238**	**1,019,855**	**9,260**	**9,260**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
01	1	-	-	37.2	39.5	-	-	-	-
	2	-	-	11.5	12.2	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***48.7***	***51.7***	**-**	**-**	**-**	**-**
02	1	-	-	23.9	23.3	-	-	-	-
	2	-	-	26.1	23.8	-	-	-	-
	3	-	-	0.4	0.5	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***50.3***	***47.6***	**-**	**-**	**-**	**-**
03	1	-	-	0.3	0.2	-	-	-	-
	2	-	-	0.5	0.4	-	-	-	-
	3	-	-	0.1	0.1	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***1.0***	***0.7***	**-**	**-**	**-**	**-**
04	7	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
STAPLE									
44 & Shorter		-	-	5.5	5.5	-	-	-	-
46		-	-	11.5	14.4	-	-	-	-
48		-	-	49.1	52.1	-	-	-	-
50		-	-	33.3	27.4	-	-	-	-
52 & Longer		-	-	0.6	0.5	-	-	-	-
Average Staple		**-**	**-**	***48.24***	***48.06***	**-**	**-**	**-**	**-**
Average Length		**-**	**-**	***1.40***	***1.40***	**-**	**-**	**-**	**-**
EXTRANEOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	-	*	-	-	-	-
Spindle Twist		-	-	-	-	-	-	-	-
Preparation		-	-	-	-	-	-	-	-
All Other		-	-	-	*	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 22, 2026

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	0.6	0.3	-	-	-	-
3.0 - 3.2	-	-	2.1	1.3	-	-	-	-
3.3 - 3.4	-	-	1.6	1.2	-	-	-	-
3.5 - 3.6	-	-	6.8	10.3	-	-	-	-
3.7 - 4.2	-	-	87.9	85.6	-	-	-	-
4.3 - 4.9	-	-	1.0	1.4	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.88***	***3.87***	**-**	**-**	**-**	**-**
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	*	*	-	-	-	-
2.8	-	-	0.1	0.1	-	-	-	-
2.9	-	-	0.4	0.3	-	-	-	-
3.0	-	-	0.7	0.4	-	-	-	-
3.1	-	-	0.5	0.3	-	-	-	-
3.2	-	-	0.9	0.6	-	-	-	-
3.3	-	-	0.9	0.5	-	-	-	-
3.4	-	-	0.8	0.7	-	-	-	-
3.5	-	-	1.2	3.1	-	-	-	-
3.6	-	-	5.6	7.2	-	-	-	-
3.7	-	-	8.4	8.8	-	-	-	-
3.8	-	-	18.2	17.4	-	-	-	-
3.9	-	-	23.8	23.3	-	-	-	-
4.0	-	-	18.6	18.6	-	-	-	-
4.1	-	-	13.6	13.0	-	-	-	-
4.2	-	-	5.2	4.4	-	-	-	-
4.3	-	-	0.9	1.2	-	-	-	-
4.4	-	-	0.1	0.1	-	-	-	-
4.5	-	-	*	*	-	-	-	-
4.6	-	-	*	*	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	*	-	-	-	-
4.9	-	-	-	*	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.88***	***3.87***	**-**	**-**	**-**	**-**
STRENGTH 1/								
36 & Below	-	-	4.2	3.9	-	-	-	-
37	-	-	4.2	8.1	-	-	-	-
38	-	-	4.9	4.0	-	-	-	-
39	-	-	1.8	2.3	-	-	-	-
40	-	-	0.8	0.8	-	-	-	-
41	-	-	2.5	2.3	-	-	-	-
42	-	-	6.8	6.2	-	-	-	-
43	-	-	14.9	13.4	-	-	-	-
44	-	-	20.6	18.4	-	-	-	-
45	-	-	18.4	18.7	-	-	-	-
46	-	-	13.0	13.8	-	-	-	-
47	-	-	5.0	5.6	-	-	-	-
48 & Above	-	-	3.0	2.4	-	-	-	-
Average	**-**	**-**	***43.75***	***43.57***	**-**	**-**	**-**	**-**
UNIFORMITY								
83 & Below	-	-	2.2	1.5	-	-	-	-
84	-	-	10.6	11.9	-	-	-	-
85	-	-	23.1	24.4	-	-	-	-
86	-	-	48.5	48.6	-	-	-	-
87	-	-	13.8	12.2	-	-	-	-
88 & Above	-	-	1.7	1.4	-	-	-	-
Average	**-**	**-**	***86.09***	***86.06***	**-**	**-**	**-**	**-**
Samples Classed	**-**	**-**	**15,847**	**25,682**	**-**	**-**	**-**	**-**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.