Weekly Quality of Cotton Classed by State: Week Ending - 10/29/2026

Agricultural Marketing Service
Cotton Market News

Volume 28, No.13 October 30, 2026

State	Week Gins	Week Tenderable (%)	Week Eligible (%)	Week Bales	Season Gins	Season Tenderable (%)	Season Eligible (%)	Season Bales
			UPLAND					
AL	18	88.1	78.1	56,411	18	88.3	78.7	134,707
AR	23	86.0	63.7	159,970	23	85.3	61.9	531,760
AZ	2	86.9	51.1	4,176	2	93.3	43.4	20,552
CA	5	91.8	72.2	4,313	5	89.2	62.1	12,911
FL*	-	-	-	-	2	26.3	8.90	1,117
GA	45	66.0	53.0	88,976	46	68.4	52.9	167,239
KS*	-	-	-	-	-	-	-	-
LA	15	83.2	55.5	47,997	15	86.0	62.0	166,476
MO	16	96.7	81.5	68,867	16	95.8	80.6	165,078
MS	28	84.1	60.2	111,276	28	84.8	60.2	347,538
NC	23	82.8	61.6	49,492	23	81.0	60.9	97,789
NM*	-	-	-	-	-	-	-	-
OK	5	61.8	23.7	7,389	6	68.6	28.2	20,278
SC	8	74.6	54.3	8,625	8	74.1	53.6	24,377
TN	15	97.3	89.6	61,865	15	97.5	88.3	167,186
TX	81	74.9	47.6	174,000	98	84.9	59.8	1,193,850
VA	4	96.1	89.6	9,737	4	96.7	90.7	18,997
United States	**292**	**82.4**	**62.1**	**857,616**	**311**	**85.2**	**63.2**	**3,075,619**
			AMERICAN PIMA					
AZ	-		-		-			-
CA	6		16,812		6			42,494
NM*	-		-		-			-
TX	3		1,227		3			2,198
United States	10		18,040		10			44,693
United States all cotton	**300**		**875,656**		**319**			**3,120,312**

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed MP CN100

Source: USDA, AMS, Cotton and Warehouse Program, Market News Division
Memphis, Tennessee | 901-384-3016 |cottonmn@usda.gov
https://www.ams.usda.gov/market-news/cotton
https://mymarketnews.ams.usda.gov

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	6.1	12.5	9.7	14.6	45.9	41.5	65.8	54.1	-	-	0.5	1.6
	3	6.2	7.4	5.3	8.3	8.4	7.4	14.4	16.2	-	0.1	0.4	1.0
	4	0.1	0.2	0.1	0.2	1.3	0.8	2.5	4.0	-	-	*	*
	5	-	*	-	-	-	*	*	0.3	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***12.5***	***20.1***	***15.2***	***23.1***	***55.6***	***49.7***	***82.7***	***74.6***	***-***	***0.1***	***0.9***	***2.5***
31	1 - 2	5.3	7.9	11.3	9.6	2.8	0.8	4.7	1.7	-	-	2.3	6.1
	3	23.9	25.8	37.1	33.2	6.9	1.7	5.0	2.0	-	5.3	11.9	20.3
	4	7.7	7.4	9.2	9.7	2.3	0.9	3.6	2.0	-	2.1	2.3	3.5
	5	0.6	0.7	0.5	0.5	0.1	0.3	1.1	1.3	-	-	0.1	0.1
	6	*	*	*	*	-	*	-	-	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***37.5***	***41.9***	***58.1***	***53.0***	***12.2***	***3.7***	***14.3***	***7.1***	***-***	***7.3***	***16.5***	***30.0***
41	1 - 2	1.7	0.9	1.0	0.5	0.1	*	-	-	-	0.2	1.4	1.2
	3	16.9	11.6	9.4	6.1	0.9	0.2	-	-	-	8.0	24.3	18.7
	4	16.2	11.1	9.5	8.3	3.5	0.8	*	*	-	9.4	19.4	15.3
	5	4.9	3.4	3.1	3.1	0.8	0.2	-	-	-	0.2	2.2	1.7
	6	0.7	0.4	0.7	0.6	-	-	-	-	-	-	0.1	0.1
	7	0.1	*	0.2	0.1	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***40.6***	***27.5***	***23.9***	***18.8***	***5.3***	***1.2***	*******	*******	***-***	***17.7***	***47.3***	***37.0***
51	1 - 2	*	*	*	*	-	-	-	-	-	-	*	*
	3	0.2	0.1	*	*	0.1	*	-	-	-	-	1.1	0.8
	4	0.3	0.2	0.1	0.1	0.3	0.1	-	-	-	-	2.9	2.2
	5	0.2	0.1	0.1	0.1	*	*	-	-	-	-	1.2	0.9
	6	0.1	0.1	0.2	0.1	-	-	-	-	-	-	0.2	0.1
	7	*	*	0.2	0.1	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***0.7***	***0.5***	***0.6***	***0.3***	***0.4***	***0.1***	***-***	***-***	***-***	***-***	***5.5***	***4.0***
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***-***	***-***	***-***	*******	***-***	***-***	***-***	***-***	***-***	***-***	*******	*******
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***
12 & 22	1 - 2	*	0.2	*	0.6	14.9	38.4	2.5	6.3	-	-	*	0.1
	3	*	0.1	*	0.3	6.4	5.3	0.3	6.4	-	-	*	0.1
	4	-	*	*	*	1.3	0.4	-	3.5	-	-	-	*
	5	-	-	-	-	*	*	-	0.4	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	*******	***0.2***	*******	***0.9***	***22.6***	***44.1***	***2.8***	***16.6***	***-***	***-***	*******	***0.1***
32	1 - 2	0.1	0.4	0.1	0.2	*	*	*	0.1	-	0.1	0.2	0.4
	3	0.9	1.7	0.5	0.8	0.5	0.1	0.1	0.6	-	8.3	1.1	2.2
	4	0.4	0.7	0.3	0.3	2.0	0.4	-	0.5	-	2.7	0.5	0.9
	5	*	*	0.1	0.1	0.9	0.3	*	0.4	-	-	*	*
	6	-	-	*	*	*	*	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***1.4***	***2.8***	***0.9***	***1.5***	***3.5***	***0.9***	***0.2***	***1.6***	***-***	***11.1***	***1.9***	***3.5***
42	1 - 2	0.4	0.2	*	*	-	-	*	*	-	0.2	0.3	0.3
	3	3.9	3.0	0.3	0.3	-	-	-	*	-	18.2	7.1	6.5
	4	2.0	2.3	0.4	0.8	*	*	-	-	-	13.2	8.5	7.6
	5	0.4	0.5	0.3	0.9	-	*	-	*	-	1.2	1.8	1.4
	6	0.1	0.1	0.1	0.3	-	*	-	*	-	-	0.1	0.1
	7	*	*	*	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***6.9***	***6.0***	***1.2***	***2.4***	*******	***0.1***	*******	***0.1***	***-***	***32.8***	***17.8***	***15.8***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	*	*	-	*	-	-	-	-	-	-	*	*
	3	0.1	0.1	*	*	-	-	-	-	-	0.1	1.0	0.6
	4	0.1	0.1	*	*	-	-	-	-	-	0.3	4.0	2.6
	5	*	*	*	*	-	-	-	-	-	-	2.1	1.5
	6	-	*	*	*	-	-	-	-	-	-	0.3	0.2
	7	-	-	*	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.2***	***0.3***	***0.1***	***0.1***	**-**	**-**	**-**	**-**	**-**	***0.4***	***7.5***	***5.0***
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	*	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*****	*****	**-**	**-**	**-**	**-**	**-**	**-**	*****	*****
13 & 23	1 - 2	-	-	-	*	0.2	0.2	-	-	-	-	-	*
	3	-	-	-	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*****	*****	***0.3***	***0.3***	**-**	*****	**-**	**-**	**-**	*****
33	1 - 2	-	*	-	*	-	*	-	-	-	-	-	*
	3	*	0.1	*	*	*	*	-	-	-	0.5	*	*
	4	*	0.1	-	*	-	-	-	-	-	0.6	*	*
	5	*	*	*	*	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	***0.1***	*****	*****	*****	*****	**-**	**-**	**-**	***1.2***	*****	*****
43	1 - 2	*	*	-	*	-	-	-	-	-	0.4	*	*
	3	0.1	0.2	-	-	-	-	-	-	-	14.4	0.3	0.3
	4	0.1	0.3	*	*	-	-	-	-	-	14.3	0.6	0.6
	5	*	*	*	*	-	*	-	-	-	0.1	0.2	0.2
	6	-	*	*	*	-	-	-	-	-	-	*	*
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.2***	***0.5***	*****	*****	**-**	*****	**-**	**-**	**-**	***29.2***	***1.1***	***1.2***
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	*	-	-	-	-	-	-	-	-	0.3	0.2
	4	*	*	-	*	-	-	-	-	-	-	0.7	0.4
	5	-	*	-	*	-	-	-	-	-	0.3	0.3	0.2
	6	*	*	-	*	-	-	-	-	-	-	*	*
	7	-	-	-	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	***0.1***	**-**	*****	**-**	**-**	**-**	**-**	**-**	***0.3***	***1.3***	***0.8***
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	0.1	*
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	***0.1***	***0.1***
24 - 54	1 - 8	*	*	-	-	-	-	-	-	-	-	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	-	-	13.4	10.9	2.1	6.8	9.2	8.8	0.1	0.5	-	-
	3	-	-	8.5	7.9	1.6	6.1	6.1	6.9	0.3	0.6	-	-
	4	-	-	0.3	0.2	*	0.3	0.2	0.2	*	0.1	-	-
	5	-	-	-	*	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***22.1***	***19.0***	***3.7***	***13.1***	***15.4***	***16.0***	***0.4***	***1.2***	**-**	**-**
31	1 - 2	-	-	8.5	6.2	10.0	10.9	6.3	5.5	2.9	4.1	-	-
	3	-	-	38.7	32.9	46.6	43.3	32.6	33.6	17.5	22.4	-	-
	4	-	-	12.6	13.6	12.4	12.8	12.1	14.1	6.1	7.5	-	-
	5	-	-	0.7	1.4	0.8	0.6	0.8	1.3	0.2	0.3	-	-
	6	-	-	*	*	*	*	*	0.1	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***60.4***	***54.2***	***69.9***	***67.6***	***51.8***	***54.6***	***26.7***	***34.4***	**-**	**-**
41	1 - 2	-	-	0.7	0.3	0.7	0.5	0.2	0.1	1.1	0.8	-	-
	3	-	-	4.4	5.4	12.0	8.0	7.0	5.5	22.4	18.7	-	-
	4	-	-	7.3	10.5	10.8	8.1	15.0	11.9	30.1	24.6	-	-
	5	-	-	2.4	3.8	1.8	1.5	4.9	4.5	5.8	4.9	-	-
	6	-	-	0.2	0.4	0.2	0.1	0.5	0.7	0.4	0.3	-	-
	7	-	-	*	*	*	*	*	0.1	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***15.0***	***20.5***	***25.4***	***18.3***	***27.7***	***22.9***	***59.8***	***49.3***	**-**	**-**
51	1 - 2	-	-	*	*	-	*	-	-	-	-	-	-
	3	-	-	*	*	*	*	*	*	0.1	0.1	-	-
	4	-	-	*	*	*	*	0.1	0.1	0.9	0.5	-	-
	5	-	-	*	*	*	*	0.2	0.1	0.9	0.5	-	-
	6	-	-	*	*	*	*	0.1	*	0.2	0.1	-	-
	7	-	-	-	*	*	*	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.1***	***0.1***	***0.1***	***0.1***	***0.4***	***0.2***	***2.1***	***1.2***	**-**	**-**
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*****	**-**	**-**
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*****	**-**	**-**
12 & 22	1 - 2	-	-	0.2	0.1	*	*	0.1	0.3	-	0.1	-	-
	3	-	-	*	0.1	*	*	0.1	0.3	*	0.1	-	-
	4	-	-	*	*	-	-	*	*	-	*	-	-
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.2***	***0.2***	*****	*****	***0.2***	***0.6***	*****	***0.2***	**-**	**-**
32	1 - 2	-	-	0.1	0.2	0.1	*	0.1	0.3	0.1	0.3	-	-
	3	-	-	0.5	1.7	0.2	0.2	0.5	1.2	1.4	2.6	-	-
	4	-	-	0.3	1.0	0.1	0.2	0.9	0.9	0.9	1.4	-	-
	5	-	-	0.1	0.2	*	*	0.5	0.3	0.1	0.2	-	-
	6	-	-	*	*	-	-	*	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***1.0***	***3.1***	***0.4***	***0.4***	***2.0***	***2.8***	***2.5***	***4.6***	**-**	**-**
42	1 - 2	-	-	*	*	*	*	*	*	0.1	0.1	-	-
	3	-	-	0.2	0.7	0.1	0.1	0.3	0.5	2.6	2.4	-	-
	4	-	-	0.4	1.3	0.2	0.3	1.2	1.3	4.0	4.6	-	-
	5	-	-	0.3	0.7	*	0.1	0.7	0.8	1.0	1.3	-	-
	6	-	-	0.1	0.1	*	*	0.1	0.2	0.1	0.1	-	-
	7	-	-	*	*	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***1.1***	***2.9***	***0.4***	***0.5***	***2.3***	***2.8***	***7.8***	***8.5***	**-**	**-**

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	*	*	*	-	*	-	-	-	-
	3	-	-	*	*	*	*	*	*	*	*	-	-
	4	-	-	*	*	*	*	*	*	0.1	0.1	-	-
	5	-	-	*	*	*	*	*	*	0.2	0.2	-	-
	6	-	-	-	*	*	*	*	*	0.1	0.1	-	-
	7	-	-	*	*	-	-	*	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	***0.1***	***0.1***	*******	*******	***0.1***	***0.1***	***0.5***	***0.5***	**-**	**-**
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*******	*******	**-**	**-**
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	*******	*******	*******	**-**	**-**	**-**	**-**
33	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	*	*	*	*	-	-
	4	-	-	*	*	*	*	*	*	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*******	*******	*******	*******	*******	*******	*******	*******	**-**	**-**
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	-	*	*	*	-	-
	4	-	-	-	*	*	*	*	*	0.1	0.1	-	-
	5	-	-	*	*	-	-	0.1	*	*	*	-	-
	6	-	-	-	*	-	-	*	*	-	-	-	-
	7	-	-	*	*	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*******	*******	*******	*******	***0.1***	***0.1***	***0.1***	***0.1***	**-**	**-**
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*******	*******	*******	**-**	**-**
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	2.4	8.1	-	0.4	5.6	15.5	11.4	16.8	0.3	0.9
	3	5.7	12.9	*	1.0	2.0	6.5	10.6	17.2	0.1	0.7
	4	0.3	1.4	*	*	*	0.2	1.0	2.2	-	-
	5	-	-	-	-	-	-	*	0.1	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***8.4***	***22.4***	*******	***1.5***	***7.6***	***22.2***	***23.0***	***36.3***	***0.5***	***1.6***
31	1 - 2	0.4	0.4	2.1	3.3	20.6	19.1	3.1	2.6	4.7	5.0
	3	5.7	3.0	18.6	24.4	33.6	32.6	14.5	15.4	38.7	38.7
	4	5.9	2.4	5.8	9.5	6.2	6.7	10.4	9.2	15.0	14.0
	5	0.7	0.3	0.4	0.5	0.3	0.3	2.1	1.2	1.4	1.2
	6	-	-	*	*	-	*	0.1	*	*	*
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***12.7***	***6.1***	***27.0***	***37.7***	***60.8***	***58.8***	***30.3***	***28.4***	***59.8***	***58.9***
41	1 - 2	0.3	0.1	1.7	0.9	1.7	0.9	0.1	0.2	0.5	0.5
	3	2.2	1.1	26.4	17.2	13.6	7.8	1.8	1.9	13.4	13.6
	4	1.1	0.4	25.8	23.7	11.6	6.6	3.2	3.4	18.4	18.4
	5	0.2	0.1	6.0	7.0	2.5	1.6	2.6	1.3	5.1	4.3
	6	-	-	0.2	0.7	0.3	0.2	0.8	0.2	0.2	0.2
	7	-	-	-	*	*	*	0.1	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***3.8***	***1.7***	***60.1***	***49.7***	***29.7***	***17.1***	***8.6***	***7.0***	***37.6***	***36.9***
51	1 - 2	-	-	-	-	*	*	*	*	-	-
	3	-	-	0.1	*	*	*	*	*	*	*
	4	-	-	0.7	0.3	*	*	0.1	*	0.1	*
	5	-	-	0.6	0.4	0.1	*	*	*	*	*
	6	-	-	*	0.1	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***-***	***-***	***1.4***	***0.8***	***0.1***	***0.1***	***0.2***	***0.1***	***0.1***	***0.1***
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***-***	***-***	***-***	***-***	***-***	***-***	*******	*******	***-***	***-***
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***
12 & 22	1 - 2	3.7	12.2	-	0.3	*	0.2	9.8	9.4	-	*
	3	14.3	19.0	-	0.2	*	0.1	7.7	7.3	-	*
	4	0.8	1.9	-	*	*	*	1.4	1.8	-	-
	5	-	*	-	-	-	-	*	0.2	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***18.9***	***33.0***	***-***	***0.5***	***0.1***	***0.3***	***19.0***	***18.7***	***-***	*******
32	1 - 2	1.7	1.4	*	0.2	0.2	0.2	0.8	0.4	*	0.1
	3	18.8	10.8	0.3	0.8	0.5	0.5	4.5	2.1	0.1	0.3
	4	16.5	9.6	0.1	0.7	0.2	0.2	4.0	2.2	0.2	0.3
	5	1.3	0.7	-	0.1	*	*	0.9	0.5	0.1	*
	6	-	-	-	*	-	*	0.1	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***38.3***	***22.5***	***0.5***	***1.8***	***0.9***	***0.9***	***10.4***	***5.3***	***0.3***	***0.8***
42	1 - 2	1.4	0.5	0.1	0.1	*	*	0.1	*	*	*
	3	3.8	1.7	2.1	1.4	0.2	0.2	0.5	0.2	0.1	0.4
	4	6.1	3.9	4.2	3.3	0.3	0.2	1.5	0.8	0.6	0.6
	5	1.4	2.1	2.4	2.2	0.1	0.1	1.6	0.6	0.9	0.6
	6	*	0.2	0.2	0.3	*	*	0.5	0.1	*	*
	7	-	-	-	*	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	***----***	***12.7***	***8.4***	***9.0***	***7.3***	***0.7***	***0.6***	***4.3***	***1.8***	***1.6***	***1.6***

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	-	-	-	-	0.1	*	-	-
	3	*	*	0.1	0.1	*	*	0.1	*	-	*
	4	0.1	*	0.6	0.2	*	*	0.1	*	-	*
	5	0.1	*	0.8	0.3	*	*	0.1	*	*	*
	6	*	*	0.1	*	-	*	0.1	*	-	-
	7	0.1	*	-	-	-	-	*	*	-	-
	8	0.2	0.1	-	-	-	-	-	*	-	-
Total	**----**	***0.6***	***0.2***	***1.7***	***0.7***	*******	*******	***0.5***	***0.1***	*******	*******
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***-***	***-***	***-***	***-***	***-***	***-***	*******	*******	***-***	***-***
13 & 23	1 - 2	1.2	0.9	-	-	-	-	0.6	0.4	-	-
	3	0.5	1.2	-	-	-	-	0.9	0.6	-	-
	4	-	0.5	-	-	-	-	0.3	0.3	-	-
	5	-	0.1	-	-	-	-	*	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.8***	***2.7***	***-***	***-***	***-***	***-***	***1.9***	***1.4***	***-***	***-***
33	1 - 2	*	0.3	-	*	*	*	0.1	*	-	-
	3	0.7	0.8	-	*	*	*	0.4	0.2	-	-
	4	0.6	0.4	-	-	*	*	0.5	0.2	-	-
	5	0.2	0.1	-	-	*	*	0.1	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.5***	***1.6***	***-***	*******	*******	*******	***1.1***	***0.5***	***-***	***-***
43	1 - 2	*	*	-	-	-	*	*	*	-	-
	3	0.3	0.1	*	*	*	*	0.1	*	-	-
	4	0.9	0.5	0.2	0.1	*	*	0.2	0.1	-	-
	5	0.1	0.5	*	*	-	-	0.2	*	-	-
	6	-	0.1	-	*	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.3***	***1.3***	***0.2***	***0.1***	*******	*******	***0.6***	***0.2***	***-***	***-***
53	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	*	*	-	-	-	-	*	*	-	-
	4	0.1	*	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.1***	*******	***-***	*******	***-***	***-***	***0.1***	***0.1***	***-***	***-***
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***-***	***-***	***-***	***-***	***-***	***-***	***-***	*******	***-***	***-***
24 - 54	1 - 8	-	*	0.1	*	-	-	0.1	0.1	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE												
28 & Shorter	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	*	*
31	-	*	-	*	-	-	-	-	-	0.1	*	*
32	*	0.1	*	*	-	-	-	-	-	1.2	0.1	0.1
33	0.3	0.8	0.1	0.1	0.1	*	-	1.6	-	8.7	1.4	0.9
34	5.6	5.3	1.0	1.0	1.1	0.8	1.6	3.9	-	7.9	5.7	5.0
35	22.9	20.8	8.6	8.8	5.6	4.1	4.3	11.1	-	15.3	20.5	20.2
36	34.2	33.4	30.5	30.9	20.1	25.0	5.5	19.8	-	56.8	35.3	35.8
37	28.8	32.6	49.3	50.4	54.1	53.6	30.1	34.2	-	10.1	29.7	31.5
38	6.3	5.4	8.8	7.4	18.2	15.0	42.6	21.8	-	-	6.1	5.7
39	1.6	1.4	1.5	1.2	0.7	1.3	11.1	6.1	-	-	1.1	0.8
40	0.4	0.2	0.2	0.1	*	0.2	4.6	1.5	-	-	0.1	0.1
41	*	*	*	*	-	*	0.1	*	-	-	*	*
42	-	-	*	*	-	-	*	*	-	-	-	-
43	-	-	-	-	-	-	-	-	-	-	-	-
44 & Longer	-	-	-	-	-	-	-	-	-	-	-	-
Average Staple	***36.13***	***36.14***	***36.61***	***36.58***	***36.85***	***36.83***	***37.60***	***36.79***	***-***	***35.48***	***36.09***	***36.12***
Average Length	***1.13***	***1.13***	***1.14***	***1.14***	***1.15***	***1.15***	***1.18***	***1.15***	***-***	***1.10***	***1.12***	***1.13***

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE												
28 & Shorter	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	*	-	*	-	-	-	-
32	-	-	-	*	*	*	*	*	*	*	-	-
33	-	-	*	0.1	0.2	0.2	0.4	0.5	0.2	0.4	-	-
34	-	-	2.0	2.2	1.9	1.6	3.9	3.7	2.1	2.1	-	-
35	-	-	12.0	13.5	9.6	10.9	17.3	16.6	14.5	11.8	-	-
36	-	-	32.9	29.1	28.5	29.8	34.8	34.3	36.4	34.1	-	-
37	-	-	39.3	41.0	55.9	53.4	34.7	34.6	37.5	39.2	-	-
38	-	-	11.4	11.8	4.0	4.0	7.2	8.4	7.6	9.7	-	-
39	-	-	2.2	2.1	0.1	0.1	1.5	1.8	1.4	2.2	-	-
40	-	-	0.1	0.1	*	*	0.2	0.1	0.2	0.4	-	-
41	-	-	*	*	-	-	*	*	*	*	-	-
42	-	-	-	-	*	*	-	-	-	-	-	-
43	-	-	*	*	-	-	-	-	-	-	-	-
44 & Longer	-	-	-	-	-	-	-	-	-	-	-	-
Average Staple	***-***	***-***	***36.53***	***36.53***	***36.50***	***36.47***	***36.28***	***36.32***	***36.38***	***36.50***	***-***	***-***
Average Length	***-***	***-***	***1.14***	***1.14***	***1.14***	***1.14***	***1.13***	***1.13***	***1.13***	***1.14***	***-***	***-***

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE										
28 & Shorter	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	*	*	-	-
30	0.2	0.1	-	-	-	-	0.1	*	-	-
31	0.4	0.1	-	-	-	-	0.3	0.1	-	-
32	0.2	0.3	*	*	*	*	1.7	0.6	-	-
33	0.7	1.0	0.3	0.2	0.1	0.2	5.5	1.9	0.1	0.2
34	3.8	2.2	4.3	3.2	2.4	3.1	11.1	4.0	2.6	2.3
35	3.9	4.2	20.2	14.4	16.5	17.2	16.2	8.7	10.1	8.8
36	6.9	11.3	29.8	29.5	40.2	43.6	22.4	21.7	35.1	37.0
37	16.5	22.4	33.6	39.5	38.6	33.9	28.9	42.8	46.9	47.1
38	36.0	32.3	8.0	10.0	2.0	1.8	10.1	15.2	4.8	4.3
39	28.5	21.5	3.3	2.7	0.2	0.2	3.0	4.0	0.4	0.3
40	2.9	3.8	0.4	0.3	-	*	0.7	0.9	*	*
41	0.1	0.9	*	*	-	*	0.1	0.1	-	*
42	-	-	-	-	-	-	*	*	-	-
43	-	-	-	-	-	-	-	*	-	-
44 & Longer	-	-	-	-	-	-	-	*	-	-
Average Staple	***37.68***	***37.57***	***36.31***	***36.47***	***36.21***	***36.14***	***35.98***	***36.64***	***36.42***	***36.43***
Average Length	***1.18***	***1.17***	***1.13***	***1.14***	***1.13***	***1.13***	***1.12***	***1.14***	***1.13***	***1.13***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.1	*	*	*	-	-	-	-	-	-	0.4	0.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	*	-	-	0.7	1.7	-	-	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	-	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.1	0.1	1.1	0.4	0.1	-	-	-	1.6	3.2	2.0
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	*	-	*	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	*	-	*	-	-	-	-	-	-	*	*
24	*	*	*	*	-	-	-	-	-	-	0.1	*
25	0.1	0.1	*	*	0.2	0.1	-	0.1	-	-	0.4	0.3
26	0.7	0.7	0.2	0.2	1.1	1.2	*	0.6	-	-	2.1	1.5
27	4.0	4.7	1.7	1.5	3.6	7.8	0.7	1.9	-	0.2	7.9	6.1
28	14.1	18.6	8.5	7.6	6.0	19.9	3.8	5.6	-	4.5	17.2	15.8
29	28.6	30.4	20.7	20.9	20.5	22.8	4.1	9.9	-	13.3	21.4	22.5
30	25.0	23.1	33.2	34.8	27.6	19.4	7.1	13.0	-	18.7	18.0	21.0
31	11.9	10.9	24.0	23.6	30.1	12.8	10.1	12.9	-	15.8	14.1	15.2
32	7.5	6.3	6.7	7.2	8.3	9.1	10.5	9.9	-	13.3	10.0	9.4
33	5.2	3.7	2.6	2.6	1.8	4.1	16.1	12.7	-	17.2	5.5	4.9
34	2.2	1.1	2.0	1.2	0.6	2.1	16.0	13.6	-	13.4	2.2	2.1
35	0.4	0.2	0.3	0.3	0.2	0.4	11.0	9.6	-	3.5	0.8	0.8
36	0.2	0.1	*	*	0.1	0.3	10.6	6.9	-	-	0.2	0.2
37	0.1	*	*	*	*	*	8.2	2.7	-	-	0.1	0.1
38	*	*	*	*	*	*	1.2	0.4	-	-	*	*
39	-	-	-	*	-	-	0.2	0.1	-	-	-	-
40 & Above	-	-	-	-	-	-	0.3	0.1	-	-	-	-
Average	***30.27***	***30.01***	***30.56***	***30.56***	***30.54***	***30.10***	***33.68***	***32.55***	***-***	***31.88***	***30.20***	***30.28***
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	*	*	-	-	-	-	-	-	-	-	-	-
2.9	*	*	-	-	-	-	-	-	-	-	-	-
3.0	*	*	-	-	-	-	-	-	-	-	-	-
3.1	0.1	*	*	*	-	-	-	-	-	-	-	-
3.2	0.1	0.1	*	*	-	-	1.0	0.3	-	-	*	*
3.3	0.3	0.3	*	*	-	-	0.5	0.2	-	-	*	*
3.4	0.6	0.4	*	0.1	-	-	1.3	0.7	-	-	*	*
3.5	1.5	1.1	*	0.1	-	-	2.1	1.3	-	-	0.1	0.1
3.6	2.7	2.0	0.2	0.2	0.1	0.3	2.6	2.0	-	-	0.2	0.2
3.7	4.1	3.2	0.3	0.3	0.6	0.9	5.9	4.9	-	-	0.5	0.5
3.8	5.5	5.1	0.5	0.5	0.3	1.6	10.3	6.8	-	-	1.1	1.0
3.9	6.5	6.4	0.6	0.7	0.5	2.4	10.2	7.0	-	-	2.0	1.8
4.0	7.9	8.0	1.2	1.1	0.9	3.9	5.9	5.1	-	-	3.2	2.9
4.1	9.9	9.4	2.2	2.1	1.1	5.2	3.1	5.1	-	-	4.5	4.1
4.2	9.5	10.1	2.9	3.4	3.2	9.9	3.7	5.7	-	0.1	6.1	5.8
4.3	9.3	10.1	5.1	5.8	5.0	8.9	5.9	8.9	-	0.4	8.7	8.2
4.4	8.2	9.5	8.0	9.0	13.1	12.8	6.1	8.1	-	2.2	10.3	9.8
4.5	8.7	9.6	12.9	12.8	14.3	11.9	6.8	8.3	-	3.5	12.1	11.2
4.6	8.9	8.4	16.5	15.5	17.4	10.8	10.4	9.9	-	1.3	12.8	12.5
4.7	4.9	5.2	15.6	15.0	18.0	11.8	5.3	9.0	-	9.2	11.5	11.8
4.8	4.0	4.1	13.2	13.3	11.0	9.3	8.7	9.1	-	10.7	9.4	10.1
4.9	2.9	2.6	9.4	9.4	6.3	5.2	5.4	4.8	-	14.3	7.3	8.1
5.0	2.0	1.9	5.6	5.8	6.4	3.5	2.6	1.7	-	27.2	4.8	5.8
5.1	1.0	1.2	3.0	2.9	0.4	1.1	0.7	0.4	-	19.8	2.6	3.2
5.2	0.5	0.7	1.6	1.3	0.8	0.4	0.7	0.5	-	10.8	1.2	1.4
5.3	0.4	0.3	0.6	0.4	0.4	0.1	0.6	0.3	-	0.4	0.7	0.7
5.4	0.2	0.2	0.2	0.2	-	-	-	-	-	-	0.5	0.4
5.5 & Above	0.1	0.1	*	*	-	-	-	-	-	-	0.3	0.2
Average	***4.27***	***4.29***	***4.63***	***4.62***	***4.60***	***4.47***	***4.27***	***4.33***	***-***	***4.94***	***4.55***	***4.57***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	*	*	*	*	*	*	1.3	1.1	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	*	*	*	*	*	*	0.2	0.3	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	*	0.6	*	*	0.1	0.1	0.7	0.4	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	*	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	-	*	-	-	-	-
23	-	-	-	-	-	-	*	*	-	-	-	-
24	-	-	-	-	-	-	*	*	*	*	-	-
25	-	-	*	*	*	*	*	*	*	0.1	-	-
26	-	-	0.3	0.2	*	*	0.2	0.4	0.3	0.4	-	-
27	-	-	1.4	1.6	0.2	0.2	1.7	2.0	2.1	1.9	-	-
28	-	-	6.7	8.3	2.3	2.3	6.8	8.0	8.3	7.8	-	-
29	-	-	16.4	16.3	16.7	19.7	19.8	20.4	20.7	19.0	-	-
30	-	-	21.4	19.9	44.3	48.9	26.1	25.7	31.5	30.2	-	-
31	-	-	21.4	18.0	29.0	24.2	20.5	19.8	23.7	24.0	-	-
32	-	-	14.8	14.1	6.2	4.1	12.3	11.8	8.3	10.7	-	-
33	-	-	8.2	8.2	0.9	0.5	6.8	6.4	3.0	3.9	-	-
34	-	-	3.8	6.0	0.3	0.1	3.4	3.0	1.4	1.5	-	-
35	-	-	3.6	4.6	*	*	1.7	1.5	0.6	0.5	-	-
36	-	-	1.7	2.2	-	-	0.5	0.7	0.1	0.1	-	-
37	-	-	0.4	0.6	-	-	0.1	0.2	*	*	-	-
38	-	-	*	0.1	-	-	*	*	*	*	-	-
39	-	-	*	0.1	-	-	*	*	-	-	-	-
40 & Above	-	-	-	*	-	-	-	*	-	-	-	-
Average	**-**	**-**	***31.32***	***31.43***	***30.69***	***30.55***	***30.97***	***30.89***	***30.58***	***30.70***	**-**	**-**
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	*	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	*	-	-
3.0	-	-	-	-	-	-	-	-	*	*	-	-
3.1	-	-	-	-	-	-	-	-	-	-	-	-
3.2	-	-	-	*	-	-	*	*	*	*	-	-
3.3	-	-	*	*	-	-	*	0.1	*	*	-	-
3.4	-	-	*	*	*	*	*	0.2	*	*	-	-
3.5	-	-	*	*	*	*	0.2	0.3	*	*	-	-
3.6	-	-	0.1	0.1	*	*	0.4	0.5	0.1	0.1	-	-
3.7	-	-	0.3	0.3	*	*	0.5	0.6	0.4	0.3	-	-
3.8	-	-	0.5	0.5	0.1	0.2	0.6	1.0	1.2	0.8	-	-
3.9	-	-	0.9	0.7	0.2	0.4	1.0	1.3	1.8	1.5	-	-
4.0	-	-	0.8	1.0	0.5	1.1	1.5	2.0	2.3	2.1	-	-
4.1	-	-	1.1	2.0	1.7	2.5	2.1	3.2	3.5	3.4	-	-
4.2	-	-	2.1	4.0	4.2	5.3	3.5	4.2	5.7	5.3	-	-
4.3	-	-	2.7	6.0	9.4	9.8	5.5	5.8	7.9	7.8	-	-
4.4	-	-	4.8	8.3	13.7	13.5	8.4	8.0	9.9	10.7	-	-
4.5	-	-	8.9	12.6	18.2	16.7	11.6	10.8	9.5	12.1	-	-
4.6	-	-	15.1	14.7	19.2	17.0	13.2	13.2	13.2	14.4	-	-
4.7	-	-	20.2	16.9	14.9	15.0	16.5	15.4	14.3	13.6	-	-
4.8	-	-	15.1	14.8	9.7	10.0	13.7	13.5	13.4	12.1	-	-
4.9	-	-	12.3	8.8	5.4	5.1	10.0	9.8	9.4	7.6	-	-
5.0	-	-	7.1	4.9	2.1	2.2	5.6	5.3	4.3	4.0	-	-
5.1	-	-	4.2	2.5	0.3	0.9	2.6	2.6	1.6	2.2	-	-
5.2	-	-	2.0	1.2	0.1	0.2	1.6	1.3	1.0	1.0	-	-
5.3	-	-	1.1	0.6	*	*	0.9	0.5	0.3	0.5	-	-
5.4	-	-	0.4	0.2	-	*	0.4	0.2	0.2	0.3	-	-
5.5 & Above	-	-	0.2	0.1	-	-	0.2	0.1	0.1	0.1	-	-
Average	**-**	**-**	***4.70***	***4.63***	***4.55***	***4.55***	***4.63***	***4.59***	***4.57***	***4.57***	**-**	**-**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	0.7	0.3	2.1	3.9	*	*	3.4	1.1	0.7	0.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	*	0.1	*	*	0.2	1.2	*	*
Grass - Level 2	-	-	-	-	-	-	-	*	-	-
Prep - Level 1	-	-	-	-	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.5	0.2	1.3	0.5	*	*	*	*	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	*	*	*	*	*	0.1	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	0.2	0.1	-	-	-	-	0.1	*	-	-
23	*	0.1	-	-	-	*	0.3	0.1	-	-
24	0.2	0.1	-	*	*	*	0.7	0.2	-	-
25	0.3	0.2	-	*	*	*	1.0	0.5	-	*
26	0.5	0.3	*	0.1	0.1	0.1	2.3	1.1	0.1	0.1
27	0.6	0.3	0.3	0.4	1.3	1.5	4.6	2.8	1.0	0.7
28	2.1	1.3	2.8	3.8	8.0	10.1	8.7	6.8	6.1	5.9
29	2.0	1.8	15.0	12.1	28.1	34.0	16.2	14.4	19.9	18.7
30	2.1	2.2	27.6	26.7	34.8	32.7	20.2	21.3	34.3	34.6
31	1.8	2.6	26.4	26.6	20.0	15.3	16.6	17.9	19.8	20.6
32	2.4	2.8	13.9	16.2	5.2	4.2	11.9	12.1	8.1	7.2
33	5.5	4.7	7.1	7.4	1.4	1.2	8.5	9.7	5.9	6.4
34	6.3	6.2	3.6	4.6	0.8	0.8	4.8	7.1	2.9	3.7
35	16.7	12.5	2.6	1.7	0.1	0.1	2.2	3.7	1.3	1.5
36	23.5	19.7	0.6	0.2	-	*	1.2	1.5	0.4	0.3
37	20.1	26.3	0.1	*	-	-	0.4	0.6	0.2	0.1
38	9.4	13.7	*	*	-	-	0.1	0.2	*	*
39	5.5	4.7	-	-	-	-	*	*	-	-
40 & Above	0.9	0.5	-	-	-	-	-	*	-	-
Average	***35.77***	***36.05***	***31.31***	***31.33***	***30.35***	***30.17***	***30.84***	***31.32***	***30.86***	***30.93***
Mike										
2.4 & Below	-	0.1	-	-	-	-	*	*	-	-
2.5	-	0.2	-	-	-	-	*	*	-	-
2.6	-	0.3	-	-	-	-	*	*	-	-
2.7	0.2	0.2	-	-	-	-	0.1	*	-	-
2.8	0.2	0.4	-	-	-	-	0.1	0.1	-	-
2.9	0.6	0.7	-	-	-	-	0.2	0.1	-	-
3.0	0.2	0.4	-	-	*	*	0.2	0.1	-	-
3.1	0.1	1.0	-	*	*	*	0.2	0.2	-	-
3.2	0.2	1.0	*	*	*	*	0.2	0.3	-	-
3.3	0.4	1.2	*	*	0.1	0.1	0.5	0.5	*	*
3.4	0.6	1.8	-	0.1	0.2	0.1	0.9	0.7	*	*
3.5	0.9	2.2	*	0.2	0.3	0.2	1.0	1.0	-	*
3.6	2.6	3.0	0.2	0.5	0.4	0.3	1.7	1.6	0.2	0.1
3.7	4.6	5.4	0.3	0.4	0.8	0.8	2.4	2.2	0.7	0.4
3.8	4.5	4.0	1.1	1.2	3.2	2.0	3.4	3.1	1.1	0.9
3.9	6.3	5.4	2.1	1.4	3.7	2.5	4.3	4.2	1.2	1.1
4.0	8.0	10.4	2.2	1.8	4.6	4.2	5.7	5.8	3.6	3.2
4.1	9.1	11.0	4.6	3.7	7.4	7.2	7.6	7.7	10.2	10.0
4.2	15.3	13.4	5.5	4.6	11.3	10.7	8.3	9.2	15.7	16.3
4.3	13.9	11.0	7.2	7.3	12.9	14.0	9.9	10.6	19.2	19.4
4.4	11.8	12.2	10.0	10.1	13.5	15.3	10.6	11.6	11.4	14.3
4.5	9.8	6.5	7.6	11.0	13.2	13.9	11.4	12.1	9.3	9.6
4.6	7.1	4.7	10.9	11.1	12.6	11.2	10.6	10.8	10.2	9.5
4.7	3.6	3.1	11.8	10.0	8.3	8.2	7.5	7.8	9.7	8.7
4.8	0.2	0.4	12.7	12.1	5.0	5.3	5.1	4.8	5.0	4.1
4.9	-	*	10.0	9.8	1.5	2.6	3.2	2.5	1.5	1.4
5.0	-	0.1	6.0	6.6	0.8	1.0	2.1	1.3	0.8	0.5
5.1	-	*	3.2	3.7	0.1	0.2	1.5	0.7	0.2	0.1
5.2	-	*	1.2	1.9	-	*	0.6	0.4	0.1	0.1
5.3	-	-	0.6	1.0	*	*	0.3	0.2	*	*
5.4	-	-	2.6	1.3	-	-	0.2	0.1	-	-
5.5 & Above	-	-	0.2	0.2	-	-	0.1	0.1	-	-
Average	***4.18***	***4.09***	***4.61***	***4.61***	***4.37***	***4.39***	***4.34***	***4.33***	***4.38***	***4.37***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	ALABAMA Week	ALABAMA Season	ARKANSAS Week	ARKANSAS Season	ARIZONA Week	ARIZONA Season	CALIFORNIA Week	CALIFORNIA Season	FLORIDA Week	FLORIDA Season	GEORGIA Week	GEORGIA Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	*	*	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	0.2	0.1	*	*	-	-	1.0	0.3	-	-	*	*
3.3 - 3.4	0.8	0.7	*	0.1	-	-	1.8	0.9	-	-	*	*
3.5 - 3.6	4.2	3.1	0.2	0.3	0.1	0.3	4.7	3.2	-	-	0.4	0.3
3.7 - 4.2	43.5	42.2	7.8	8.2	6.6	24.0	39.2	34.6	-	0.1	17.5	16.2
4.3 - 4.9	47.0	49.6	80.9	80.8	85.3	70.6	48.6	58.0	-	41.7	72.2	71.8
5.0 - 5.2	3.6	3.7	10.3	10.0	7.6	4.9	4.0	2.6	-	57.8	8.6	10.5
5.3 & Above	0.7	0.6	0.8	0.6	0.4	0.1	0.6	0.3	-	0.4	1.4	1.3
Average	***4.27***	***4.29***	***4.63***	***4.62***	***4.60***	***4.47***	***4.27***	***4.33***	***-***	***4.94***	***4.55***	***4.57***
Leaf												
1 - 2	13.7	22.2	22.2	25.6	63.9	81.0	73.0	62.3	-	0.8	4.7	9.6
3	52.3	49.9	52.7	49.1	23.3	14.9	19.8	25.3	-	54.9	47.7	50.6
4	26.9	22.5	19.6	19.4	10.8	3.3	6.1	10.0	-	42.6	38.9	33.3
5	6.2	4.8	4.0	4.6	1.9	0.8	1.1	2.5	-	1.7	8.0	6.1
6	0.9	0.6	1.0	1.1	*	*	-	*	-	-	0.7	0.4
7	0.1	*	0.4	0.2	-	-	-	-	-	-	*	*
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	***3.28***	***3.11***	***3.10***	***3.06***	***2.40***	***2.01***	***2.22***	***2.31***	***-***	***3.45***	***3.52***	***3.37***
HVI Trash 1/												
00	-	-	-	-	-	*	-	-	-	-	-	-
01	1.1	3.8	3.3	5.1	29.7	45.7	32.8	35.9	-	-	0.3	0.9
02	17.5	23.7	25.5	26.8	40.3	40.6	42.2	30.2	-	2.6	7.4	12.4
03	27.8	27.4	29.6	27.4	12.8	7.9	12.6	14.5	-	22.8	23.9	25.8
04	23.3	20.3	19.0	17.8	8.1	2.9	6.2	9.2	-	36.4	27.8	25.9
05	14.7	12.2	10.7	10.4	5.0	1.5	3.3	5.1	-	23.5	19.9	17.5
06	7.8	6.5	5.6	5.8	2.6	0.8	1.6	2.7	-	10.7	11.1	9.5
07	3.9	3.2	3.1	3.2	0.9	0.3	0.9	1.4	-	2.6	5.3	4.5
08	1.9	1.6	1.5	1.7	0.5	0.2	0.3	0.6	-	0.9	2.4	1.9
09	0.9	0.7	0.9	0.9	0.1	0.1	0.1	0.3	-	0.1	1.1	0.9
10	0.4	0.3	0.5	0.5	-	*	-	*	-	0.2	0.5	0.4
11	0.3	0.2	0.3	0.2	*	*	-	*	-	0.1	0.2	0.1
12	0.1	0.1	0.1	0.1	-	-	-	-	-	-	0.1	0.1
13	*	*	0.1	*	-	-	-	-	-	-	*	*
14	*	*	*	*	-	-	-	-	-	-	*	*
15	*	*	*	*	-	-	-	-	-	-	*	*
16	*	*	*	*	-	-	-	-	-	-	*	*
17	*	*	-	*	-	-	-	-	-	-	*	*
18 & Above	-	*	-	-	-	-	-	-	-	-	*	*
Average	***0.39***	***0.36***	***0.36***	***0.35***	***0.23***	***0.18***	***0.22***	***0.24***	***-***	***0.43***	***0.44***	***0.41***
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	*	*	*	*	-	-	-	-	-	-	*	*
77	0.2	0.2	0.1	0.1	-	-	*	*	-	-	0.2	0.2
78	1.1	1.2	1.0	0.6	0.2	0.1	0.1	0.7	-	0.4	2.0	1.5
79	8.4	7.5	3.8	3.2	1.4	1.0	1.3	5.4	-	2.5	10.1	8.3
80	25.3	23.4	17.7	15.2	6.0	18.8	7.3	14.9	-	14.4	27.0	24.9
81	35.1	35.2	34.0	32.4	26.4	41.6	17.6	27.1	-	26.1	31.8	33.2
82	22.6	24.3	30.5	32.7	56.2	34.2	24.4	29.9	-	46.8	21.2	23.5
83	6.6	7.6	11.7	14.2	9.7	4.2	43.1	20.0	-	9.7	6.6	7.7
84	0.5	0.6	1.2	1.5	0.2	0.1	6.1	2.0	-	0.1	0.9	0.8
85 & Above	0.1	0.1	0.1	0.1	-	*	0.2	0.1	-	-	*	*
Average	***81.37***	***81.44***	***81.74***	***81.87***	***82.11***	***81.66***	***82.64***	***81.93***	***-***	***81.90***	***81.28***	***81.40***
Tenderable 3/	**88.1**	**88.3**	**86.0**	**85.3**	**86.9**	**93.3**	**91.8**	**89.2**	**-**	**26.3**	**66.0**	**68.4**
SAMPLES CLASSED	**56,411**	**134,707**	**159,970**	**531,760**	**4,176**	**20,552**	**4,313**	**12,911**	**-**	**1,117**	**88,976**	**167,239**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	KANSAS Week	KANSAS Season	LOUISIANA Week	LOUISIANA Season	MISSOURI Week	MISSOURI Season	MISSISSIPPI Week	MISSISSIPPI Season	NORTH CAROLINA Week	NORTH CAROLINA Season	NEW MEXICO Week	NEW MEXICO Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	*	-	-
3.0 - 3.2	-	-	-	*	-	-	*	*	*	*	-	-
3.3 - 3.4	-	-	*	*	*	*	0.1	0.3	*	*	-	-
3.5 - 3.6	-	-	0.2	0.1	*	*	0.5	0.9	0.1	0.1	-	-
3.7 - 4.2	-	-	5.8	8.4	6.9	9.5	9.2	12.4	14.9	13.4	-	-
4.3 - 4.9	-	-	79.1	82.1	90.6	87.1	78.9	76.5	77.6	78.2	-	-
5.0 - 5.2	-	-	13.3	8.6	2.4	3.4	9.8	9.2	6.8	7.2	-	-
5.3 & Above	-	-	1.7	0.8	*	*	1.4	0.7	0.5	1.0	-	-
Average	**-**	**-**	***4.70***	***4.63***	***4.55***	***4.55***	***4.63***	***4.59***	***4.57***	***4.57***	**-**	**-**
Leaf												
1 - 2	-	-	22.8	17.8	12.8	18.2	15.9	15.0	4.4	6.0	-	-
3	-	-	52.3	48.8	60.7	57.8	46.6	48.1	44.3	46.9	-	-
4	-	-	20.9	26.8	23.6	21.6	29.5	28.6	42.2	39.0	-	-
5	-	-	3.6	6.1	2.7	2.2	7.2	7.1	8.2	7.5	-	-
6	-	-	0.3	0.6	0.2	0.1	0.7	1.0	0.8	0.6	-	-
7	-	-	*	*	*	*	*	0.2	0.1	0.1	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.05***	***3.22***	***3.17***	***3.08***	***3.30***	***3.31***	***3.57***	***3.50***	**-**	**-**
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	4.3	3.1	1.3	2.6	2.8	2.2	0.3	0.6	-	-
02	-	-	24.1	19.4	16.6	20.7	18.2	17.7	6.5	8.0	-	-
03	-	-	29.8	26.6	32.2	31.3	25.6	26.0	20.2	21.3	-	-
04	-	-	19.8	21.8	25.8	23.6	21.6	22.2	25.3	25.3	-	-
05	-	-	11.3	14.2	13.7	12.5	14.4	14.4	21.2	20.1	-	-
06	-	-	5.7	8.0	6.0	5.5	8.6	8.3	13.5	12.6	-	-
07	-	-	2.8	3.9	2.5	2.3	4.8	4.7	7.1	6.6	-	-
08	-	-	1.2	1.7	1.1	0.9	2.3	2.3	3.2	3.1	-	-
09	-	-	0.6	0.8	0.4	0.4	1.0	1.1	1.5	1.4	-	-
10	-	-	0.2	0.3	0.2	0.1	0.4	0.5	0.7	0.6	-	-
11	-	-	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	-	-
12	-	-	*	*	*	*	0.1	0.1	0.1	0.1	-	-
13	-	-	*	*	*	*	*	*	0.1	0.1	-	-
14	-	-	*	*	*	*	*	*	*	*	-	-
15	-	-	-	-	*	*	*	*	*	*	-	-
16	-	-	-	-	-	-	*	*	-	*	-	-
17	-	-	-	-	-	-	*	*	*	*	-	-
18 & Above	-	-	-	-	-	-	-	-	-	*	-	-
Average	**-**	**-**	***0.35***	***0.38***	***0.37***	***0.36***	***0.39***	***0.40***	***0.46***	***0.45***	**-**	**-**
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	*	*	*	*	*	*	-	-
77	-	-	*	*	0.1	0.1	0.2	0.2	0.1	0.1	-	-
78	-	-	0.6	0.2	0.4	0.2	1.3	1.1	0.6	0.7	-	-
79	-	-	2.9	3.2	1.7	1.9	6.6	5.6	3.4	3.4	-	-
80	-	-	18.7	19.6	11.3	11.9	20.5	18.2	11.5	11.7	-	-
81	-	-	39.4	33.2	28.3	28.5	34.3	31.3	28.3	26.6	-	-
82	-	-	23.3	24.4	41.7	42.0	26.3	27.0	36.7	35.9	-	-
83	-	-	14.2	17.8	15.5	14.6	9.6	14.4	17.8	19.2	-	-
84	-	-	0.8	1.6	1.1	0.6	1.2	2.1	1.5	2.5	-	-
85 & Above	-	-	*	*	0.1	0.1	*	0.1	*	0.1	-	-
Average	**-**	**-**	***81.72***	***81.83***	***82.05***	***82.02***	***81.55***	***81.74***	***82.02***	***82.06***	**-**	**-**
Tenderable 3/	**-**	**-**	**83.2**	**86.0**	**96.7**	**95.8**	**84.1**	**84.8**	**82.8**	**81.0**	**-**	**-**
SAMPLES CLASSED	**-**	**-**	**47,997**	**166,476**	**68,867**	**165,078**	**111,276**	**347,538**	**49,492**	**97,789**	**-**	**-**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	OKLAHOMA Week	OKLAHOMA Season	SOUTH CAROLINA Week	SOUTH CAROLINA Season	TENNESSEE Week	TENNESSEE Season	TEXAS Week	TEXAS Season	VIRGINIA Week	VIRGINIA Season
MIKE										
2.4 & Below	-	0.1	-	-	-	-	*	*	-	-
2.5 - 2.6	-	0.5	-	-	-	-	*	*	-	-
2.7 - 2.9	1.0	1.3	-	-	-	-	0.4	0.2	-	-
3.0 - 3.2	0.5	2.3	*	*	*	*	0.6	0.7	-	-
3.3 - 3.4	1.0	3.0	*	0.2	0.4	0.2	1.4	1.2	*	*
3.5 - 3.6	3.5	5.3	0.3	0.7	0.7	0.5	2.7	2.7	0.2	0.1
3.7 - 4.2	47.6	49.6	15.8	13.0	30.9	27.5	31.6	32.2	32.5	32.1
4.3 - 4.9	46.4	37.9	70.1	71.4	67.1	70.6	58.3	60.2	66.2	67.1
5.0 - 5.2	-	0.1	10.4	12.2	0.9	1.2	4.3	2.4	1.1	0.7
5.3 & Above	-	-	3.5	2.5	*	*	0.6	0.4	*	*
Average	***4.18***	***4.09***	***4.61***	***4.61***	***4.37***	***4.39***	***4.34***	***4.33***	***4.38***	***4.37***
Leaf										
1 - 2	11.3	24.0	3.9	5.1	28.2	36.0	26.4	29.9	5.6	6.4
3	52.3	50.5	47.7	45.1	50.1	47.6	41.3	45.1	52.4	53.7
4	32.2	21.1	37.6	37.9	18.4	14.0	22.8	20.2	34.2	33.3
5	3.9	4.0	10.2	10.6	3.0	2.1	7.7	4.1	7.5	6.3
6	0.1	0.3	0.6	1.1	0.3	0.3	1.7	0.6	0.3	0.3
7	0.1	*	*	0.1	*	*	0.2	0.1	*	*
8	0.2	0.1	-	-	-	-	-	*	-	-
Average	***3.30***	***3.04***	***3.56***	***3.58***	***2.95***	***2.79***	***3.15***	***2.96***	***3.45***	***3.40***
HVI Trash 1/										
00	-	-	-	-	-	-	-	*	-	-
01	0.9	5.8	0.1	0.2	6.7	10.7	7.0	8.3	0.2	0.2
02	12.3	22.3	7.0	7.9	27.5	31.5	23.3	24.3	6.9	7.3
03	25.9	26.6	24.0	22.2	27.0	26.6	23.4	25.2	21.3	22.3
04	25.2	20.6	26.0	24.5	18.8	16.1	17.9	18.9	26.8	27.2
05	18.4	12.2	19.4	18.6	10.6	8.2	11.8	11.5	20.1	20.2
06	10.4	6.4	11.2	11.9	5.2	3.8	7.2	6.2	12.3	11.8
07	4.1	2.8	6.5	7.2	2.3	1.7	4.2	3.0	6.9	6.2
08	1.7	1.5	3.4	4.0	1.0	0.8	2.5	1.4	3.3	2.8
09	0.5	0.8	1.4	2.0	0.5	0.4	1.3	0.6	1.6	1.2
10	0.1	0.5	0.7	0.9	0.2	0.2	0.6	0.3	0.5	0.5
11	0.1	0.2	0.2	0.3	0.1	0.1	0.4	0.1	0.1	0.1
12	0.1	0.1	0.1	0.2	*	*	0.2	0.1	0.1	0.1
13	*	*	*	*	*	*	0.1	*	*	*
14	0.1	0.1	*	*	*	*	0.1	*	-	-
15	*	*	*	*	*	*	*	*	-	-
16	*	*	-	-	-	-	*	*	-	-
17	*	*	-	*	-	-	*	*	-	-
18 & Above	-	-	*	*	-	-	*	*	-	-
Average	***0.41***	***0.36***	***0.45***	***0.46***	***0.34***	***0.31***	***0.37***	***0.35***	***0.46***	***0.45***
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	*	*	-	-
75	*	*	-	-	-	-	0.1	*	-	-
76	0.2	0.2	-	*	*	*	0.4	0.2	-	-
77	0.8	0.5	0.1	0.1	0.1	0.1	2.0	0.8	*	0.1
78	1.8	1.3	0.4	0.3	0.6	0.6	6.8	2.6	0.5	0.5
79	4.5	3.7	2.7	3.0	4.6	3.9	14.0	6.2	3.1	3.0
80	3.5	6.2	10.5	9.4	18.0	18.6	25.0	14.2	9.8	11.0
81	10.1	11.7	31.0	24.0	37.0	37.1	26.8	28.4	19.5	19.3
82	25.1	23.4	42.5	41.8	34.0	33.8	17.5	30.0	38.4	33.5
83	36.4	32.8	11.9	19.8	5.4	5.5	6.1	13.8	23.7	28.1
84	16.5	18.0	0.8	1.5	0.4	0.3	1.2	3.5	5.0	4.5
85 & Above	1.1	2.2	*	*	*	*	0.1	0.3	0.1	0.1
Average	***82.74***	***82.76***	***81.97***	***82.15***	***81.62***	***81.63***	***80.94***	***81.76***	***82.29***	***82.30***
Tenderable 3/	**61.8**	**68.6**	**74.6**	**74.1**	**97.3**	**97.5**	**74.9**	**84.9**	**96.1**	**96.7**
SAMPLES CLASSED	**7,389**	**20,278**	**8,625**	**24,377**	**61,865**	**167,186**	**174,000**	**1,193,850**	**9,737**	**18,997**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
01	1	-	-	32.3	36.6	-	-	9.8	5.7
	2	-	-	12.5	12.3	-	-	18.0	12.2
	3	-	-	0.1	0.1	-	-	0.4	1.0
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***44.9***	***49.0***	**-**	**-**	***28.2***	***19.0***
02	1	-	-	18.0	21.2	-	-	4.9	4.3
	2	-	-	31.8	27.0	-	-	34.7	31.0
	3	-	-	2.1	1.1	-	-	14.7	14.7
	4	-	-	*	*	-	-	0.6	0.7
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***51.9***	***49.3***	**-**	**-**	***54.8***	***50.7***
03	1	-	-	0.1	0.2	-	-	-	*
	2	-	-	0.9	0.6	-	-	4.4	5.0
	3	-	-	1.4	0.6	-	-	9.6	15.0
	4	-	-	0.4	0.1	-	-	2.1	9.0
	5	-	-	*	*	-	-	0.1	0.3
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***2.8***	***1.5***	**-**	**-**	***16.2***	***29.3***
04	1	-	-	-	-	-	-	-	-
	2	-	-	*	*	-	-	-	*
	3	-	-	0.2	0.1	-	-	0.4	0.6
	4	-	-	0.1	*	-	-	0.2	0.2
	5	-	-	0.1	*	-	-	-	-
	6	-	-	*	*	-	-	-	-
	7	-	-	*	*	-	-	-	-
Total	----------	**-**	**-**	***0.4***	***0.2***	**-**	**-**	***0.7***	***0.9***
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	*
	4	-	-	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	0.1	0.1
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	*******	*******	**-**	**-**	***0.1***	***0.2***
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
STAPLE									
44 & Shorter		-	-	2.8	4.4	-	-	18.8	38.9
46		-	-	7.7	11.8	-	-	45.0	34.7
48		-	-	54.2	52.9	-	-	21.5	18.2
50		-	-	33.3	29.8	-	-	14.7	8.2
52 & Longer		-	-	1.9	1.1	-	-	-	-
Average Staple		**-**	**-**	***48.48***	***48.23***	**-**	**-**	***46.59***	***45.84***
Average Length		**-**	**-**	***1.41***	***1.40***	**-**	**-**	***1.35***	***1.33***
EXTRANEOUS MATTER									
Bark		-	-	-	-	-	-	-	-
Grass		-	-	-	*	-	-	1.0	0.7
Spindle Twist		-	-	-	-	-	-	-	-
Preparation		-	-	-	-	-	-	-	-
All Other		-	-	-	*	-	-	0.2	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2026

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	*	0.2	-	-	-	-
3.0 - 3.2	-	-	0.6	1.0	-	-	0.2	0.1
3.3 - 3.4	-	-	0.1	0.8	-	-	0.1	1.0
3.5 - 3.6	-	-	3.2	7.4	-	-	14.3	22.8
3.7 - 4.2	-	-	88.5	86.7	-	-	83.9	75.2
4.3 - 4.9	-	-	7.6	3.8	-	-	1.4	0.9
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.99***	***3.92***	**-**	**-**	***3.88***	***3.82***
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	*	*	-	-	-	-
2.8	-	-	*	*	-	-	-	-
2.9	-	-	-	0.2	-	-	-	-
3.0	-	-	*	0.3	-	-	0.1	*
3.1	-	-	0.4	0.3	-	-	0.1	*
3.2	-	-	0.2	0.4	-	-	0.1	*
3.3	-	-	0.1	0.4	-	-	-	-
3.4	-	-	0.1	0.4	-	-	0.1	1.0
3.5	-	-	0.2	1.9	-	-	1.4	9.1
3.6	-	-	2.9	5.5	-	-	13.0	13.7
3.7	-	-	6.7	8.0	-	-	24.4	21.5
3.8	-	-	8.0	13.7	-	-	13.6	16.1
3.9	-	-	17.5	21.0	-	-	6.9	9.8
4.0	-	-	28.2	22.4	-	-	7.3	7.4
4.1	-	-	18.7	15.3	-	-	17.8	11.0
4.2	-	-	9.4	6.4	-	-	13.9	9.3
4.3	-	-	5.1	2.8	-	-	1.3	0.8
4.4	-	-	2.2	0.9	-	-	0.1	0.1
4.5	-	-	0.3	0.1	-	-	-	-
4.6	-	-	0.1	*	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	*	-	-	-	-
4.9	-	-	*	*	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.99***	***3.92***	**-**	**-**	***3.88***	***3.82***
STRENGTH 1/								
36 & Below	-	-	*	2.3	-	-	0.1	0.2
37	-	-	1.6	5.6	-	-	13.0	9.7
38	-	-	3.9	4.0	-	-	21.8	19.6
39	-	-	1.1	1.8	-	-	3.3	11.5
40	-	-	1.1	0.9	-	-	-	3.0
41	-	-	2.7	2.4	-	-	0.1	0.3
42	-	-	7.7	6.8	-	-	0.2	0.6
43	-	-	16.0	14.4	-	-	0.1	2.5
44	-	-	20.6	19.3	-	-	8.4	12.0
45	-	-	21.5	19.8	-	-	26.7	24.7
46	-	-	15.0	14.3	-	-	24.5	14.6
47	-	-	6.4	5.9	-	-	1.2	0.8
48 & Above	-	-	2.5	2.5	-	-	0.7	0.5
Average	**-**	**-**	***44.43***	***43.91***	**-**	**-**	***42.93***	***42.43***
UNIFORMITY								
83 & Below	-	-	0.1	0.9	-	-	0.3	1.5
84	-	-	6.5	9.8	-	-	8.1	19.1
85	-	-	29.1	26.3	-	-	59.9	61.5
86	-	-	44.6	47.0	-	-	28.2	16.0
87	-	-	16.8	14.1	-	-	3.3	1.9
88 & Above	-	-	2.7	1.9	-	-	0.1	0.1
Average	**-**	**-**	***86.24***	***86.13***	**-**	**-**	***85.73***	***85.42***
Samples Classed	**-**	**-**	**16,812**	**42,494**	**-**	**-**	**1,227**	**2,198**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.