Weekly Quality of Cotton Classed by Classing Office: Week Ending - 11/12/2026

Agricultural Marketing Service
Cotton Market News

Volume 68, No.15 November 13, 2026

Classing Office	Week Gins	Week Tenderable (%)	Week Eligible (%)	Week Bales	Season Gins	Season Tenderable (%)	Season Eligible (%)	Season Bales
				UPLAND				
Abilene	18	66.5	41.8	21,122	20	62.9	33.1	90,620
Corpus Christi	22	82.7	53.3	68,592	41	86.7	60.9	1,160,764
Dumas	31	78.0	46.0	134,227	31	78.9	51.0	681,625
Florence	37	88.3	71.5	163,933	37	85.6	68.2	414,367
Lamesa	18	56.4	33.3	28,776	18	69.5	38.5	85,366
Lubbock	37	59.3	45.7	67,880	40	61.8	46.0	223,852
Macon	64	73.8	58.6	145,416	64	72.0	56.7	544,450
Memphis	58	91.7	72.4	296,152	58	93.0	76.0	1,451,636
Rayville	12	76.5	47.2	35,287	17	84.1	59.6	240,138
Visalia	7	82.6	64.4	8,313	11	90.2	55.7	50,923
United States	**304**	**81.4**	**60.5**	**969,698**	**337**	**83.8**	**62.4**	**4,943,741**
				AMERICAN PIMA				
Visalia	15			28,027	16			96,146
United States	15			28,027	16			96,146
United States all cotton	**318**			**997,725**	**350**			**5,039,887**

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

Source: USDA, AMS, Cotton and Warehouse Program, Market News Division
Memphis, Tennessee | 901-384-3016 |cottonmn@usda.gov
https://www.ams.usda.gov/market-news/cotton
https://mymarketnews.ams.usda.gov

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 12, 2026

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	25.1	18.7	12.1	16.8	6.9	8.1	*	0.2	15.0	20.6
	3	5.7	7.8	12.1	17.8	8.0	7.0	*	0.3	4.7	8.5
	4	0.2	0.5	1.5	2.3	0.2	0.2	*	*	0.4	0.6
	5	*	*	*	0.1	-	*	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	**----**	***31.0***	***27.0***	***25.7***	***37.1***	***15.1***	***15.3***	***0.1***	***0.5***	***20.1***	***29.7***
31	1 - 2	2.2	2.1	1.8	2.6	6.4	6.6	3.0	3.7	3.9	3.4
	3	6.2	4.6	13.2	15.5	37.7	36.1	20.7	22.3	4.8	6.0
	4	1.6	1.7	6.8	8.4	14.4	13.2	6.5	7.1	2.6	3.2
	5	0.3	0.3	0.4	0.8	0.8	0.8	0.3	0.4	0.1	0.3
	6	*	*	*	*	*	*	*	*	-	*
	7	*	*	-	*	-	*	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	**----**	***10.3***	***8.7***	***22.2***	***27.3***	***59.4***	***56.7***	***30.4***	***33.5***	***11.5***	***13.0***
41	1 - 2	0.7	0.3	0.2	0.2	0.2	0.3	1.2	1.3	3.0	1.0
	3	3.4	1.4	4.6	2.3	6.2	6.4	23.9	22.3	3.7	1.5
	4	2.2	1.3	7.4	4.0	12.1	11.9	30.4	27.3	4.2	1.9
	5	0.7	0.6	1.9	1.1	3.4	3.4	8.6	6.8	1.7	0.7
	6	0.2	0.1	*	0.1	0.2	0.2	0.9	0.6	0.3	0.1
	7	-	*	-	*	*	*	0.1	*	*	*
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***7.2***	***3.6***	***14.2***	***7.7***	***22.1***	***22.3***	***65.2***	***58.3***	***12.9***	***5.2***
51	1 - 2	-	-	*	*	*	*	*	*	*	*
	3	*	*	0.7	0.1	*	*	0.1	0.1	*	*
	4	*	*	0.5	0.1	*	0.1	0.3	0.4	*	*
	5	*	*	0.2	*	0.1	0.1	0.3	0.3	0.1	*
	6	*	*	*	*	*	*	0.2	0.1	0.1	*
	7	-	*	-	*	*	*	*	*	*	*
	8	-	-	*	*	-	-	-	-	-	-
Total	**----**	***0.1***	***0.1***	***1.5***	***0.2***	***0.1***	***0.2***	***0.8***	***0.9***	***0.2***	***0.1***
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	**----**	***-***	*******	*******	*******	***-***	***-***	***-***	*******	***-***	***-***
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***-***	***-***	***-***	***-***	***-***	***-***	***-***	*******	***-***	***-***
12 & 22	1 - 2	10.6	14.0	10.3	9.6	*	0.1	-	*	6.5	12.6
	3	6.3	9.9	10.9	7.9	0.1	0.1	-	*	4.1	7.5
	4	0.8	1.0	2.5	2.0	*	*	-	*	0.8	0.9
	5	-	*	0.1	0.2	-	*	-	-	0.1	*
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	**----**	***17.7***	***25.0***	***23.8***	***19.7***	***0.1***	***0.3***	***-***	***0.1***	***11.5***	***21.1***
32	1 - 2	0.9	0.9	0.4	0.3	*	0.1	*	0.1	2.3	1.9
	3	5.4	6.2	2.1	1.6	0.3	0.7	0.2	0.9	6.6	7.4
	4	3.1	6.3	1.4	1.7	0.5	0.7	0.2	0.6	5.6	4.5
	5	1.0	0.9	0.2	0.4	0.5	0.4	*	0.1	1.4	0.9
	6	0.1	*	*	*	0.1	*	-	*	0.1	0.1
	7	*	*	-	*	-	*	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
Total	**----**	***10.5***	***14.4***	***4.2***	***4.1***	***1.4***	***1.9***	***0.5***	***1.7***	***16.0***	***14.7***
42	1 - 2	0.5	0.2	0.4	0.1	*	*	*	*	4.0	1.3
	3	2.2	1.1	0.8	0.3	0.1	0.3	0.7	1.3	3.6	1.3
	4	2.7	3.0	1.0	0.7	0.7	1.2	1.5	2.5	5.9	2.2
	5	2.6	3.2	0.9	0.4	0.6	1.1	0.5	0.9	3.4	1.5
	6	0.9	1.0	0.2	0.1	0.1	0.4	*	0.1	0.7	0.3
	7	0.1	0.1	*	*	*	*	*	*	0.1	*
	8	0.1	*	-	*	-	-	-	-	-	-
Total	**----**	***9.0***	***8.7***	***3.3***	***1.6***	***1.5***	***3.0***	***2.8***	***4.7***	***17.8***	***6.7***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 12, 2026

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	0.2	*	-	*	*	*	*	*
	3	0.1	*	0.3	0.1	*	*	*	*	*	*
	4	0.1	0.1	0.1	*	*	*	0.1	0.1	0.3	0.1
	5	0.4	0.3	0.3	*	*	*	*	0.1	0.4	0.1
	6	0.6	0.6	0.1	*	*	*	*	*	0.4	0.1
	7	0.1	0.3	*	*	-	*	*	*	0.1	*
	8	-	0.1	*	*	-	-	-	-	-	-
Total	**----**	***1.3***	***1.5***	***1.0***	***0.2***	***0.1***	***0.1***	***0.2***	***0.3***	***1.2***	***0.4***
62	1 - 2	-	-	*	*	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	*	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	**----**	**-**	*****	*****	*****	**-**	**-**	**-**	*****	**-**	**-**
13 & 23	1 - 2	0.5	0.8	0.8	0.4	-	-	-	-	0.4	1.2
	3	1.2	1.3	1.3	0.6	-	*	*	*	0.4	1.3
	4	0.1	0.4	0.5	0.3	-	*	-	-	*	0.3
	5	*	0.1	0.1	0.1	-	*	-	-	*	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.8***	***2.6***	***2.6***	***1.5***	**-**	*****	*****	*****	***0.8***	***2.8***
33	1 - 2	0.1	0.2	0.1	*	-	-	-	*	0.5	0.4
	3	1.5	0.9	0.4	0.1	*	*	-	*	1.5	1.8
	4	0.9	0.7	0.4	0.1	*	*	*	*	1.3	1.5
	5	0.3	0.3	0.1	0.1	*	*	*	*	0.5	0.6
	6	*	0.1	*	*	*	*	-	-	0.1	0.2
	7	-	*	-	*	*	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***2.8***	***2.2***	***0.9***	***0.3***	***0.1***	*****	*****	*****	***3.9***	***4.5***
43	1 - 2	0.1	*	*	*	-	-	-	-	0.4	0.1
	3	0.6	0.3	0.2	0.1	*	*	*	*	0.3	0.1
	4	2.6	1.6	0.1	0.1	*	*	*	*	1.2	0.4
	5	2.1	2.0	0.1	*	*	*	*	*	1.1	0.4
	6	0.9	0.8	*	*	0.1	*	-	*	0.3	0.1
	7	*	0.2	-	*	*	*	-	-	0.1	*
	8	-	*	-	*	-	-	-	-	-	-
Total	**----**	***6.4***	***4.8***	***0.4***	***0.2***	***0.1***	***0.1***	***0.1***	***0.1***	***3.5***	***1.3***
53	1 - 2	-	-	*	*	-	-	-	-	-	-
	3	*	*	*	*	-	-	-	-	-	-
	4	0.1	*	*	0.1	-	*	*	*	*	*
	5	0.6	0.3	*	*	-	*	*	*	*	*
	6	0.8	0.4	*	*	*	*	*	*	*	*
	7	0.2	0.3	-	*	*	*	-	-	*	*
	8	*	0.1	-	-	-	-	-	-	-	-
Total	**----**	***1.6***	***1.2***	***0.1***	***0.1***	*****	*****	*****	*****	***0.1***	*****
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-
Total	**----**	**-**	*****	*****	*****	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	0.1	0.4	0.1	0.1	*	*	-	*	0.5	0.5
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	*	*	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 12, 2026

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	1.4	3.6	0.3	1.3	3.2	10.3	11.5	11.1	33.6	44.2
	3	5.0	6.4	0.2	0.8	2.6	5.9	5.3	7.2	12.4	12.6
	4	1.0	1.1	*	*	0.1	0.2	0.1	0.2	0.9	1.6
	5	*	*	-	-	-	*	-	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***7.4***	***11.1***	***0.5***	***2.1***	***5.9***	***16.4***	***17.0***	***18.4***	***46.9***	***58.5***
31	1 - 2	1.7	1.8	3.4	4.4	11.6	11.5	9.2	6.9	12.8	3.6
	3	11.5	14.6	17.8	18.7	38.3	35.1	33.1	31.8	16.9	5.3
	4	11.4	17.3	4.4	4.1	11.4	10.6	12.4	12.8	1.9	1.3
	5	2.3	4.4	0.1	0.1	0.6	0.7	1.0	1.2	0.2	0.5
	6	0.1	0.2	*	*	*	*	*	*	0.2	*
	7	-	*	-	-	-	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***27.0***	***38.3***	***25.7***	***27.3***	***61.9***	***57.9***	***55.7***	***52.8***	***32.0***	***10.8***
41	1 - 2	0.3	0.1	1.3	1.3	0.9	0.7	0.3	0.5	2.3	0.5
	3	6.5	2.4	25.5	22.0	11.2	8.1	7.5	6.4	5.2	1.4
	4	16.2	6.8	23.5	19.9	12.8	9.8	11.7	11.2	2.3	1.0
	5	11.4	6.6	3.9	3.0	4.4	3.5	3.4	3.7	0.7	0.4
	6	2.3	2.1	0.2	0.1	0.7	0.7	1.2	0.5	0.3	0.2
	7	0.2	0.3	*	*	0.1	0.1	0.2	*	*	*
	8	*	*	-	-	-	-	-	-	-	-
Total	***----***	***36.9***	***18.4***	***54.4***	***46.3***	***30.2***	***22.9***	***24.3***	***22.3***	***10.9***	***3.4***
51	1 - 2	-	-	*	*	*	*	*	*	-	-
	3	0.1	*	0.4	0.5	*	*	*	*	-	*
	4	1.3	0.4	0.9	1.4	0.1	0.1	0.1	0.1	-	*
	5	1.6	0.5	0.5	0.7	0.1	0.1	0.1	*	-	*
	6	0.6	0.2	0.1	0.1	0.1	0.1	0.1	*	*	*
	7	0.1	0.1	*	*	*	0.1	*	*	-	-
	8	*	*	*	*	-	-	-	-	-	-
Total	***----***	***3.8***	***1.2***	***1.9***	***2.6***	***0.4***	***0.3***	***0.3***	***0.2***	*******	***0.1***
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-
	4	-	*	-	*	*	*	-	-	-	-
	5	-	*	-	*	*	*	-	-	-	-
	6	-	-	*	*	-	*	-	-	-	-
	7	-	-	-	*	-	*	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	***----***	*******	*******	*******	*******	*******	*******	***-***	***-***	***-***	***-***
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***
12 & 22	1 - 2	0.1	1.5	*	0.1	*	0.3	0.1	0.1	2.2	18.2
	3	0.4	2.5	*	*	0.1	0.2	0.1	0.1	3.7	5.5
	4	*	0.5	*	*	*	*	*	*	0.6	1.5
	5	-	*	-	-	-	*	-	*	0.1	0.1
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***0.5***	***4.4***	*******	***0.1***	***0.2***	***0.4***	***0.2***	***0.3***	***6.6***	***25.4***
32	1 - 2	0.3	0.7	0.1	0.3	0.1	0.1	0.1	0.2	0.4	0.1
	3	3.1	5.3	0.8	1.7	0.3	0.5	0.5	1.5	0.8	0.4
	4	2.2	5.8	0.3	0.7	0.2	0.3	0.4	0.9	0.7	0.5
	5	0.3	1.6	*	*	*	*	0.1	0.1	0.5	0.3
	6	*	0.2	-	*	*	*	-	*	*	*
	7	-	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-
Total	***----***	***6.0***	***13.6***	***1.2***	***2.7***	***0.6***	***1.0***	***1.1***	***2.7***	***2.4***	***1.3***
42	1 - 2	0.1	0.1	0.1	0.2	*	*	*	*	0.1	*
	3	3.1	1.6	3.2	5.0	0.2	0.2	0.2	0.7	0.4	0.1
	4	6.7	3.7	6.4	6.5	0.4	0.4	0.5	1.4	0.1	*
	5	4.0	3.1	1.4	1.3	0.2	0.3	0.3	0.7	0.1	*
	6	0.9	1.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	*
	7	0.1	0.2	*	*	*	*	0.1	*	0.2	*
	8	*	*	-	-	-	-	-	-	*	*
Total	***----***	***14.9***	***9.7***	***11.2***	***13.1***	***0.8***	***1.0***	***1.3***	***2.9***	***1.0***	***0.2***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 12, 2026

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	-	*	*	*	-	-
	3	0.2	0.1	0.8	0.6	*	*	*	*	-	-
	4	0.9	0.3	2.1	2.0	*	*	*	*	-	-
	5	0.9	0.3	0.9	1.2	*	*	*	*	-	-
	6	0.3	0.1	0.1	0.2	*	*	0.1	*	-	-
	7	0.1	*	*	*	*	*	*	*	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	**----**	***2.3***	***0.7***	***3.9***	***4.0***	***0.1***	***0.1***	***0.2***	***0.1***	**-**	**-**
62	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	-	-	*	*	-	-	-	-	-	-
	6	-	-	*	*	-	*	-	-	-	-
	7	-	-	*	*	-	*	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	**----**	*****	*****	*****	*****	**-**	*****	**-**	**-**	**-**	**-**
13 & 23	1 - 2	-	*	-	*	-	*	-	*	-	0.1
	3	*	0.1	-	*	-	*	-	*	0.1	*
	4	*	*	-	*	-	*	*	0.1	*	*
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	*****	***0.2***	**-**	*****	**-**	*****	*****	***0.1***	***0.1***	***0.2***
33	1 - 2	*	*	-	*	*	*	-	*	-	*
	3	0.1	0.3	*	*	*	*	*	*	-	*
	4	0.1	0.5	*	*	*	*	*	*	*	*
	5	0.1	0.2	*	*	-	*	-	*	-	*
	6	*	*	-	-	-	-	-	-	-	*
	7	*	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.3***	***1.0***	*****	***0.1***	*****	*****	*****	*****	*****	***0.1***
43	1 - 2	-	*	-	*	*	*	-	-	-	-
	3	0.1	0.1	*	0.2	*	*	-	0.1	-	*
	4	0.3	0.5	0.2	0.4	*	*	-	*	-	*
	5	0.3	0.5	0.1	0.1	*	*	-	*	-	*
	6	0.2	0.2	*	*	*	*	-	*	*	*
	7	*	*	-	-	-	-	*	*	*	*
	8	*	*	-	-	-	-	-	-	-	-
Total	**----**	***0.8***	***1.2***	***0.4***	***0.8***	*****	*****	*****	***0.1***	*****	*****
53	1 - 2	-	-	*	*	-	-	-	-	-	-
	3	-	*	0.1	0.1	-	-	-	-	-	-
	4	*	*	0.4	0.4	-	*	-	-	-	-
	5	*	*	0.2	0.2	-	*	-	-	-	-
	6	*	*	*	0.1	*	*	-	-	-	-
	7	*	*	*	*	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-
Total	**----**	***0.1***	*****	***0.7***	***0.8***	*****	*****	**-**	**-**	**-**	**-**
63	1 - 2	-	-	*	*	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	*****	*****	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	*	*	-	*	*	*	-	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	*	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 12, 2026

	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE										
28 & Shorter	-	-	-	-	-	-	-	-	-	-
29	*	*	-	-	-	-	-	-	-	-
30	*	0.1	-	*	-	-	*	*	0.1	0.1
31	0.7	0.4	*	*	-	*	*	*	0.5	0.8
32	3.4	3.2	0.1	0.1	*	*	*	*	1.9	3.1
33	6.4	8.5	0.4	0.5	0.1	0.3	0.2	0.3	7.5	10.0
34	14.1	13.5	2.0	1.6	1.3	2.1	2.2	2.5	14.2	17.2
35	17.4	15.4	4.9	6.2	8.2	12.0	12.6	12.7	26.2	22.8
36	20.0	16.0	18.8	21.2	32.7	35.0	32.7	33.7	24.9	23.1
37	16.5	18.2	44.8	46.6	44.4	39.4	39.8	40.0	20.7	16.8
38	11.6	12.7	21.7	17.7	10.0	8.9	10.0	8.6	1.8	4.2
39	6.3	8.7	5.9	4.8	3.1	2.1	2.3	1.9	1.4	1.5
40	3.3	3.1	1.2	1.1	0.2	0.2	0.2	0.2	0.7	0.3
41	0.2	0.3	0.1	0.1	*	*	*	*	0.1	0.1
42	*	*	*	*	-	-	-	-	*	*
43	-	-	-	*	-	-	-	-	*	*
44 & Longer	-	*	-	-	-	-	-	-	-	-
Average Staple	***35.91***	***36.00***	***37.01***	***36.90***	***36.64***	***36.47***	***36.50***	***36.45***	***35.45***	***35.27***
Average Length	***1.12***	***1.12***	***1.16***	***1.15***	***1.14***	***1.14***	***1.14***	***1.14***	***1.10***	***1.10***

	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE										
28 & Shorter	-	-	-	-	-	-	-	-	-	-
29	*	*	-	-	-	-	-	-	-	-
30	0.1	0.1	-	*	-	*	-	-	-	-
31	0.5	0.6	*	*	*	*	-	-	-	*
32	2.0	2.7	*	0.1	*	*	*	*	-	*
33	7.5	8.7	0.5	0.8	0.2	0.3	0.3	0.5	0.2	0.6
34	16.6	17.4	3.8	4.6	1.7	1.8	2.3	3.0	2.0	1.8
35	27.9	25.3	14.3	17.6	9.3	10.8	13.4	13.9	6.9	6.1
36	24.8	24.9	31.2	33.6	28.0	31.2	29.7	29.4	21.1	20.4
37	17.0	16.2	39.5	35.3	51.2	48.6	35.1	38.8	37.9	42.4
38	2.7	3.0	9.3	6.8	8.4	6.2	17.1	12.0	21.5	21.4
39	0.9	0.9	1.3	1.0	1.0	0.9	2.0	2.2	4.8	4.4
40	*	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.8
41	*	*	*	*	*	*	*	*	1.0	0.4
42	-	*	-	-	-	*	-	-	1.4	0.6
43	-	-	-	-	-	-	*	*	0.9	0.2
44 & Longer	-	-	-	-	-	-	-	-	2.3	0.9
Average Staple	***35.30***	***35.25***	***36.39***	***36.23***	***36.58***	***36.49***	***36.57***	***36.49***	***37.22***	***37.05***
Average Length	***1.10***	***1.10***	***1.13***	***1.13***	***1.14***	***1.14***	***1.14***	***1.14***	***1.16***	***1.16***

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 12, 2026

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	2.5	3.6	0.6	0.4	*	0.1	1.0	1.1	8.7	4.6
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	1.0	1.3	*	*	0.1	0.1	0.2	0.1
Grass - Level 2	-	-	-	*	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	-	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.7	-	*	*	1.0	0.6	0.5	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	*	*	-	*	*	*	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	*	*	-	-	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	0.1	*	*	*	*	0.1	0.1
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	0.1	0.1	-	*	-	*	-	-	0.2	0.3
23	0.3	0.3	-	*	-	*	*	*	1.0	1.3
24	1.2	0.9	0.2	0.1	*	*	*	*	2.2	2.2
25	2.1	1.6	0.7	0.2	*	*	0.1	0.1	3.3	3.6
26	2.9	2.9	1.6	0.7	0.1	0.3	0.4	0.4	6.5	6.8
27	5.5	4.7	3.3	2.3	0.8	1.9	2.2	2.0	12.0	10.8
28	9.0	8.7	8.4	6.3	5.4	8.4	9.2	9.1	18.0	15.7
29	8.9	10.2	16.2	14.3	18.7	21.4	22.9	21.3	17.9	16.0
30	10.9	11.0	19.4	21.4	28.0	27.0	28.4	29.0	12.7	13.4
31	10.0	9.6	13.9	17.7	23.4	20.0	17.8	20.2	7.3	10.5
32	5.8	6.3	11.3	12.1	13.3	10.8	8.4	9.2	8.0	9.5
33	5.8	5.6	11.0	10.3	5.4	5.2	5.2	4.7	6.8	6.4
34	7.6	6.2	8.2	7.9	2.8	2.8	3.5	2.7	3.2	2.6
35	8.7	6.6	4.2	4.1	1.5	1.4	1.4	1.0	0.6	0.6
36	8.0	7.4	1.3	1.6	0.6	0.6	0.5	0.2	0.2	0.2
37	6.8	8.7	0.4	0.6	0.1	0.1	0.1	0.1	*	*
38	4.8	6.5	0.1	0.2	*	*	*	*	-	-
39	0.9	2.4	*	*	-	*	-	-	-	-
40 & Above	0.6	0.4	-	-	-	*	-	-	-	-
Average	***32.31***	***32.55***	***31.26***	***31.48***	***31.02***	***30.79***	***30.70***	***30.69***	***29.52***	***29.58***
Mike										
2.4 & Below	-	*	-	-	-	-	-	-	-	-
2.5	*	0.1	-	-	-	-	-	-	-	*
2.6	-	0.2	-	*	-	-	-	-	-	*
2.7	*	0.3	-	*	-	-	-	*	*	*
2.8	0.3	0.5	*	*	-	-	-	-	*	0.1
2.9	0.5	0.8	*	*	-	-	-	*	0.1	0.3
3.0	0.9	0.8	0.1	0.1	-	-	*	*	0.2	0.2
3.1	1.0	1.1	0.3	0.2	-	-	*	*	0.1	0.5
3.2	1.4	1.0	0.5	0.3	*	*	*	*	0.3	0.7
3.3	1.5	1.7	0.7	0.5	*	0.1	*	*	0.4	0.8
3.4	1.7	1.8	1.0	0.7	*	0.1	*	*	0.6	1.2
3.5	1.6	2.0	1.3	1.0	*	0.1	0.1	0.1	1.5	2.0
3.6	1.2	2.3	1.9	1.6	0.2	0.3	0.3	0.2	2.0	2.7
3.7	1.8	3.6	2.3	2.1	0.2	0.4	0.5	0.4	2.8	3.4
3.8	2.5	4.3	3.6	3.1	0.2	0.5	0.9	0.9	3.3	3.8
3.9	3.6	5.7	5.3	4.2	0.6	0.8	1.4	1.5	3.4	4.2
4.0	4.5	7.2	6.6	5.7	0.7	1.3	2.3	2.3	4.2	6.1
4.1	4.4	7.7	7.5	7.5	1.4	2.1	4.0	3.9	7.5	8.7
4.2	7.7	10.0	9.1	9.1	2.5	3.1	6.8	6.4	10.6	10.5
4.3	12.1	11.0	11.8	10.8	4.1	4.7	8.8	9.0	9.2	10.3
4.4	15.9	11.2	12.1	11.9	5.1	6.7	11.1	11.0	10.0	10.6
4.5	15.1	9.8	11.3	12.4	7.9	9.2	13.2	12.7	11.6	10.3
4.6	11.4	7.8	9.3	11.0	11.3	12.3	14.0	13.7	13.0	10.3
4.7	5.9	4.9	6.6	7.9	14.6	14.7	12.8	12.6	8.5	6.8
4.8	2.2	2.2	3.9	4.9	16.7	14.8	10.9	11.0	5.6	3.3
4.9	1.1	1.1	2.6	2.5	15.4	12.5	6.4	6.8	2.9	1.6
5.0	1.4	0.5	1.7	1.3	10.0	8.4	3.4	3.8	1.6	1.1
5.1	0.2	0.1	0.3	0.6	4.7	4.3	1.6	1.9	0.7	0.3
5.2	0.1	*	*	0.3	2.4	2.1	0.7	0.9	*	*
5.3	-	-	*	0.2	1.2	0.9	0.4	0.5	-	-
5.4	-	-	-	0.1	0.6	0.4	0.2	0.3	-	-
5.5 & Above	-	-	*	0.1	0.2	0.1	0.1	0.1	-	-
Average	***4.26***	***4.15***	***4.29***	***4.34***	***4.72***	***4.67***	***4.53***	***4.55***	***4.34***	***4.25***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 12, 2026

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	14.4	10.8	0.2	0.2	*	*	*	*	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	0.1	*	*	*	*	*	*	0.5
Grass - Level 2	*	*	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	-	*	-	-	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	6.1	3.6	-	*	*	0.4	1.0	0.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	-	*	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	*	*	*	*	-	*	-	-	-	-
23	0.1	0.1	*	*	-	*	-	*	-	-
24	0.3	0.4	0.1	*	*	*	*	*	*	0.1
25	0.8	0.9	0.2	0.2	*	*	*	*	0.1	0.1
26	2.0	2.3	1.2	1.3	0.2	0.1	0.1	0.3	1.1	1.0
27	4.2	4.9	4.5	5.2	1.4	1.1	0.5	2.0	7.9	5.7
28	8.5	9.2	11.5	13.7	7.6	7.0	3.0	7.5	9.8	12.1
29	13.9	14.4	21.1	22.1	22.1	22.9	13.2	15.7	18.1	15.9
30	20.4	19.8	23.2	22.6	35.8	36.7	20.3	20.1	21.4	17.6
31	17.2	18.4	16.4	15.9	21.6	22.0	21.7	18.2	7.4	11.4
32	13.6	13.6	10.0	10.0	7.2	6.7	20.9	14.9	5.8	8.1
33	8.3	7.6	5.9	5.2	2.6	2.3	11.0	8.5	3.7	6.5
34	4.8	4.0	3.6	2.5	1.1	1.0	5.2	5.7	7.5	6.8
35	3.1	2.1	1.6	0.9	0.3	0.2	2.3	4.3	8.0	6.6
36	1.7	1.3	0.7	0.3	0.1	*	1.3	2.0	7.5	5.8
37	0.7	0.6	0.1	0.1	*	*	0.6	0.6	1.5	2.0
38	0.3	0.1	*	*	-	-	*	0.1	0.1	0.2
39	*	*	*	*	-	-	*	*	0.1	0.1
40 & Above	-	-	-	-	-	-	-	*	0.1	0.1
Average	***31.07***	***30.88***	***30.63***	***30.42***	***30.53***	***30.51***	***31.66***	***31.42***	***31.37***	***31.42***
Mike										
2.4 & Below	-	*	-	-	-	-	-	-	-	-
2.5	-	*	-	*	-	-	-	-	-	-
2.6	*	*	*	*	-	-	-	-	-	-
2.7	*	*	*	*	-	*	-	-	-	-
2.8	*	*	-	*	-	*	-	-	-	-
2.9	0.1	0.1	-	*	-	*	-	*	-	*
3.0	0.1	0.1	*	*	-	*	-	*	*	*
3.1	0.2	0.3	*	*	*	*	-	*	-	*
3.2	0.4	0.4	*	*	*	*	*	*	-	0.1
3.3	0.6	0.6	0.1	*	*	0.1	*	*	0.2	0.1
3.4	0.6	0.9	0.1	0.1	0.1	0.1	-	0.1	1.4	0.6
3.5	0.9	1.1	0.2	0.2	0.2	0.2	*	0.1	2.4	1.2
3.6	1.5	1.8	0.5	0.5	0.4	0.4	0.2	0.2	2.0	1.6
3.7	2.2	2.6	1.1	0.9	0.7	0.7	0.2	0.3	1.6	2.5
3.8	3.2	3.5	1.9	1.7	1.3	1.3	0.2	0.5	1.8	3.7
3.9	4.2	4.4	2.7	2.4	2.1	1.9	0.3	0.7	1.9	4.1
4.0	5.5	5.4	3.0	3.1	2.7	2.7	0.5	1.1	4.3	4.6
4.1	7.6	7.5	4.2	4.4	3.9	4.2	0.9	1.9	8.0	6.0
4.2	9.0	8.4	5.3	5.8	5.4	6.0	1.6	3.7	9.8	8.6
4.3	8.7	8.8	7.0	7.7	7.1	8.2	2.3	5.3	7.6	8.3
4.4	9.0	9.5	9.8	9.8	10.0	11.2	6.0	7.6	12.4	11.2
4.5	9.6	10.3	12.0	11.3	12.0	13.6	8.3	11.6	6.7	10.8
4.6	9.0	9.6	12.4	12.3	14.4	14.9	13.8	14.7	10.7	9.9
4.7	7.3	7.4	11.8	11.5	14.3	13.6	14.9	17.0	8.3	9.2
4.8	6.9	5.8	10.6	9.9	11.7	10.4	15.2	14.7	5.6	8.0
4.9	5.7	4.7	7.5	7.4	7.4	6.0	15.5	9.7	3.7	4.4
5.0	4.0	3.1	5.2	5.3	4.0	2.9	10.9	5.8	4.0	2.7
5.1	2.1	1.9	2.6	2.9	1.5	1.1	3.4	2.6	2.1	1.0
5.2	1.1	1.0	1.2	1.5	0.5	0.4	1.9	1.3	2.1	0.6
5.3	0.3	0.4	0.6	0.7	0.2	0.1	2.6	0.8	1.6	0.4
5.4	0.1	0.1	0.3	0.4	*	*	1.2	0.3	1.4	0.2
5.5 & Above	-	-	0.1	0.1	-	-	0.1	0.1	0.5	0.1
Average	***4.39***	***4.36***	***4.54***	***4.54***	***4.54***	***4.51***	***4.74***	***4.64***	***4.43***	***4.39***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 12, 2026

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	-	*	-	-	-	-	-	-	-	-
2.5 - 2.6	*	0.3	-	*	-	-	-	-	-	*
2.7 - 2.9	0.9	1.6	*	0.1	-	-	-	*	0.1	0.5
3.0 - 3.2	3.2	2.9	0.9	0.6	*	*	*	*	0.6	1.3
3.3 - 3.4	3.2	3.5	1.7	1.1	*	0.1	0.1	0.1	1.0	2.0
3.5 - 3.6	2.8	4.4	3.2	2.6	0.2	0.4	0.4	0.3	3.5	4.7
3.7 - 4.2	24.6	38.6	34.5	31.7	5.7	8.2	15.9	15.4	31.7	36.7
4.3 - 4.9	63.7	48.0	57.6	61.3	75.0	75.0	77.2	76.9	60.9	53.3
5.0 - 5.2	1.6	0.6	2.1	2.2	17.0	14.8	5.7	6.5	2.2	1.4
5.3 & Above	-	-	*	0.4	2.0	1.4	0.7	0.9	-	-
Average	***4.26***	***4.15***	***4.29***	***4.34***	***4.72***	***4.67***	***4.53***	***4.55***	***4.34***	***4.25***
Leaf										
1 - 2	40.7	37.2	26.3	30.1	13.6	15.3	4.3	5.5	36.0	42.7
3	32.6	33.6	46.6	46.5	52.5	50.8	45.6	47.1	29.9	35.6
4	14.7	16.8	22.3	19.8	28.0	27.3	39.0	38.0	22.6	15.8
5	7.9	8.0	4.4	3.3	5.4	5.9	9.8	8.5	9.1	4.7
6	3.6	3.2	0.4	0.3	0.5	0.7	1.1	0.8	2.1	1.1
7	0.5	0.9	*	*	*	0.1	0.1	0.1	0.4	0.2
8	0.1	0.3	*	*	-	-	-	-	-	-
Average	***2.95***	***3.05***	***3.02***	***2.93***	***3.27***	***3.26***	***3.58***	***3.52***	***3.07***	***2.78***
HVI Trash 1/										
00	*	*	*	*	-	-	-	-	-	*
01	15.8	12.9	7.5	8.1	1.5	1.9	0.2	0.3	12.5	15.9
02	27.5	27.2	22.7	24.7	17.8	18.7	6.4	7.6	24.8	30.0
03	17.9	18.6	25.3	25.8	28.3	27.5	20.8	21.9	15.8	20.3
04	13.3	13.1	19.4	19.2	23.3	22.4	25.4	25.4	13.7	13.1
05	8.3	9.0	12.6	11.5	14.2	14.0	20.3	19.9	11.7	8.6
06	4.7	5.8	6.5	6.0	7.8	7.8	13.0	12.4	7.9	5.0
07	3.5	3.9	3.2	2.8	4.0	4.1	7.1	6.7	5.3	3.0
08	2.8	3.0	1.6	1.2	1.9	2.0	3.6	3.2	3.4	1.8
09	2.7	2.2	0.8	0.5	0.8	0.9	1.7	1.5	2.1	1.0
10	1.5	1.5	0.3	0.2	0.3	0.4	0.8	0.7	1.3	0.6
11	0.9	0.9	0.2	0.1	0.1	0.2	0.3	0.3	0.8	0.3
12	0.5	0.6	0.1	*	*	0.1	0.1	0.1	0.5	0.2
13	0.3	0.4	*	*	*	*	0.1	0.1	0.2	0.1
14	0.1	0.3	*	*	*	*	*	*	0.1	0.1
15	0.1	0.2	*	*	*	*	*	*	*	*
16	*	0.1	*	*	*	*	*	*	*	*
17	*	0.1	*	*	*	*	*	*	-	-
18 & Above	*	0.2	*	*	-	-	*	*	*	*
Average	***0.36***	***0.38***	***0.36***	***0.34***	***0.39***	***0.39***	***0.47***	***0.45***	***0.39***	***0.32***
UNIFORMITY 2/										
74 & Below	*	*	*	*	-	-	-	-	-	*
75	0.2	0.1	*	*	-	-	-	*	*	*
76	1.1	0.9	0.1	0.1	*	*	*	*	0.4	0.8
77	3.8	2.4	0.4	0.3	0.1	0.1	0.1	0.1	1.8	3.2
78	7.1	7.2	1.8	1.3	0.5	0.8	0.3	0.5	5.8	8.1
79	16.7	15.6	4.6	3.7	3.2	4.5	2.6	2.9	18.4	17.9
80	23.6	22.8	14.2	11.5	17.4	17.9	11.3	11.4	37.2	32.7
81	19.9	18.2	31.0	29.5	34.8	33.7	25.6	25.9	26.3	25.6
82	13.0	12.9	32.5	33.6	29.5	27.9	35.7	36.3	8.2	10.3
83	13.3	13.5	13.2	15.8	12.9	13.1	21.3	20.3	1.9	1.1
84	1.3	5.7	1.9	3.9	1.6	1.9	3.0	2.6	*	*
85 & Above	*	0.6	0.2	0.3	*	*	0.1	0.1	-	-
Average	***80.88***	***81.14***	***81.80***	***81.99***	***81.80***	***81.75***	***82.16***	***82.11***	***80.56***	***80.47***
Tenderable 3/	**66.5**	**62.9**	**82.7**	**86.7**	**78.0**	**78.9**	**88.3**	**85.6**	**56.4**	**69.5**
SAMPLES CLASSED										
Week	**21,122**		**68,592**		**134,227**		**163,933**		**28,776**	
Season		**90,620**		**1,160,764**		**681,625**		**414,367**		**85,366**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 12, 2026

Quality	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
MIKE	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
2.4 & Below	-	*	-	-	-	-	-	-	-	-
2.5 - 2.6	*	*	*	*	-	-	-	-	-	-
2.7 - 2.9	0.1	0.2	*	*	-	*	-	*	-	*
3.0 - 3.2	0.7	0.8	*	*	*	*	*	*	*	0.1
3.3 - 3.4	1.2	1.6	0.1	0.1	0.1	0.2	*	0.1	1.6	0.7
3.5 - 3.6	2.4	2.9	0.6	0.7	0.6	0.7	0.2	0.2	4.4	2.8
3.7 - 4.2	31.6	31.9	18.1	18.4	16.1	16.7	3.7	8.2	27.3	29.4
4.3 - 4.9	56.3	56.0	71.2	69.9	76.9	77.9	76.0	80.6	55.0	61.9
5.0 - 5.2	7.2	6.0	9.0	9.7	6.0	4.3	16.2	9.6	8.2	4.4
5.3 & Above	0.4	0.5	0.9	1.2	0.2	0.1	3.9	1.3	3.5	0.7
Average	***4.39***	***4.36***	***4.54***	***4.54***	***4.54***	***4.51***	***4.74***	***4.64***	***4.43***	***4.39***
Leaf										
1 - 2	3.9	7.8	5.2	7.6	15.8	22.9	21.2	18.8	51.3	66.8
3	30.1	33.4	48.9	49.7	52.8	50.1	46.8	47.8	39.5	25.4
4	40.0	36.8	38.1	35.4	25.0	21.3	25.1	26.7	6.5	6.0
5	21.0	17.1	7.2	6.7	5.4	4.6	4.9	5.9	1.6	1.5
6	4.4	4.2	0.5	0.5	0.9	0.9	1.7	0.8	0.7	0.3
7	0.5	0.6	*	*	0.1	0.2	0.3	0.1	0.3	0.1
8	0.1	*	*	*	-	-	-	-	*	*
Average	***3.94***	***3.78***	***3.49***	***3.43***	***3.23***	***3.10***	***3.19***	***3.21***	***2.48***	***2.25***
HVI Trash 1/										
00	-	-	-	-	-	-	*	*	*	*
01	0.4	1.3	0.3	0.7	2.2	4.8	3.5	3.2	21.4	33.9
02	6.0	9.5	7.8	10.3	18.4	23.8	22.5	20.4	38.5	38.7
03	15.6	18.2	23.2	24.6	28.1	27.4	25.2	26.2	23.3	14.8
04	19.8	20.5	27.6	26.9	22.4	19.7	20.0	21.4	7.8	6.2
05	19.1	17.8	20.4	18.7	13.6	11.6	13.2	14.0	4.1	3.1
06	15.6	13.2	11.2	10.2	7.4	6.2	7.3	7.8	2.2	1.6
07	10.3	8.4	5.5	4.9	3.9	3.3	3.5	3.8	0.8	0.7
08	6.1	5.1	2.4	2.1	1.9	1.6	1.9	1.7	0.5	0.4
09	3.5	2.9	1.0	0.9	1.0	0.8	1.0	0.8	0.5	0.2
10	1.8	1.5	0.4	0.4	0.5	0.4	0.6	0.4	0.3	0.1
11	0.9	0.8	0.2	0.2	0.2	0.2	0.5	0.2	0.2	0.1
12	0.5	0.4	0.1	0.1	0.1	0.1	0.4	0.1	0.2	0.1
13	0.3	0.2	*	*	0.1	*	0.2	0.1	0.1	0.1
14	0.1	0.1	*	*	*	*	0.1	*	0.1	0.1
15	0.1	0.1	*	*	*	*	-	-	*	*
16	*	*	*	*	-	-	-	-	*	*
17	*	*	*	*	-	-	-	-	-	-
18 & Above	*	*	*	*	-	-	-	-	*	*
Average	***0.52***	***0.49***	***0.44***	***0.42***	***0.39***	***0.36***	***0.38***	***0.38***	***0.26***	***0.22***
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	-	-	-	-
75	0.2	0.2	-	-	-	-	-	-	-	-
76	0.7	0.7	*	*	*	*	-	*	-	-
77	3.4	3.2	0.1	0.1	0.1	0.1	*	0.1	-	*
78	9.7	10.4	0.8	1.1	0.6	0.6	0.2	0.7	0.2	0.3
79	25.4	24.4	4.4	6.5	2.5	3.1	2.5	3.7	5.0	3.0
80	33.4	32.4	16.7	21.7	14.0	15.5	14.2	18.2	18.8	16.5
81	20.3	21.5	34.9	33.5	33.6	32.7	30.1	32.4	30.7	32.4
82	6.0	6.1	28.3	26.0	36.4	35.0	39.5	27.5	28.4	31.9
83	1.0	1.0	12.1	9.6	11.5	11.9	11.6	15.9	13.8	12.8
84	*	0.1	2.5	1.4	1.4	1.0	1.7	1.4	2.6	2.9
85 & Above	-	*	0.2	0.1	0.1	0.1	0.1	*	0.6	0.2
Average	***80.21***	***80.23***	***81.77***	***81.56***	***81.88***	***81.83***	***81.94***	***81.81***	***81.84***	***81.88***
Tenderable 3/	**59.3**	**61.8**	**73.8**	**72.0**	**91.7**	**93.0**	**76.5**	**84.1**	**82.6**	**90.2**
SAMPLES CLASSED										
Week	**67,880**		**145,416**		**296,152**		**35,287**		**8,313**	
Season		**223,852**		**544,450**		**1,451,636**		**240,138**		**50,923**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Nov 12, 2026

Color Grade	Leaf	VISALIA Week	VISALIA Season
01	1	17.3	26.0
	2	13.5	12.8
	3	0.2	0.2
	4	-	-
	5	-	-
	6	-	-
	7	-	-
Total ----------		***31.0***	***38.9***
02	1	8.6	15.0
	2	34.8	31.3
	3	7.1	4.2
	4	0.2	0.2
	5	*	*
	6	-	-
	7	-	-
Total ----------		***50.7***	***50.7***
03	1	0.2	0.2
	2	4.5	2.8
	3	6.8	4.0
	4	2.9	1.6
	5	0.3	0.1
	6	*	*
	7	-	-
Total ----------		***14.7***	***8.8***
04	1	*	*
	2	0.4	0.2
	3	1.1	0.5
	4	1.4	0.6
	5	0.4	0.2
	6	0.1	*
	7	-	*
Total ----------		***3.4***	***1.4***
05	1	-	-
	2	*	*
	3	*	*
	4	0.1	*
	5	0.1	*
	6	*	*
	7	-	*
Total ----------		***0.2***	***0.1***
06	1	-	-
	2	-	-
	3	-	-
	4	-	-
	5	-	-
	6	-	-
	7	-	-
Total ----------		***-***	***-***
07	1	-	-
	2	-	-
	3	-	-
	4	-	-
	5	-	-
	6	-	-
	7	-	-
Total ----------		***-***	***-***
STAPLE			
44 & Shorter		2.2	5.5
46		8.2	11.7
48		46.6	47.4
50		41.4	34.2
52 & Longer		1.5	1.2
Average Staple		***48.64***	***48.27***
Average Length		1.41	1.40
EXTRANEOUS MATTER			
Bark		*	*
Grass		0.2	0.1
Spindle Twist		*	*
Preparation		-	-
All Other		-	*

Quality Designation	VISALIA Week	VISALIA Season
MIKE		
2.4 & Below	-	-
2.5 - 2.6	-	-
2.7 - 2.9	0.1	0.1
3.0 - 3.2	0.6	0.7
3.3 - 3.4	1.4	1.9
3.5 - 3.6	7.6	7.7
3.7 - 4.2	87.5	85.9
4.3 - 4.9	2.8	3.7
5.0 - 5.2	-	-
5.3 & Above	-	-
Average	***3.92***	***3.92***
ALL RANGE MIKE		
2.4 & Below	-	-
2.5	-	-
2.6	-	-
2.7	-	*
2.8	*	*
2.9	0.1	0.1
3.0	*	0.1
3.1	0.4	0.3
3.2	0.2	0.3
3.3	0.4	0.7
3.4	1.0	1.2
3.5	2.2	2.3
3.6	5.4	5.3
3.7	10.8	9.5
3.8	12.8	13.7
3.9	17.7	18.5
4.0	19.7	20.6
4.1	15.9	15.4
4.2	10.6	8.2
4.3	2.1	2.7
4.4	0.6	0.8
4.5	*	0.1
4.6	*	*
4.7	*	*
4.8	*	*
4.9	*	*
5.0	-	-
5.1	-	-
5.2	-	-
5.3 & Above	-	-
Average	***3.92***	***3.92***
STRENGTH 1/		
36 & Below	0.1	1.1
37	1.1	3.3
38	3.1	4.6
39	2.1	3.1
40	2.2	1.9
41	5.0	3.4
42	9.9	8.4
43	13.1	14.6
44	19.0	18.9
45	20.2	19.5
46	14.1	13.2
47	7.4	5.6
48 & Above	2.6	2.3
Average	***44.33***	***43.93***
UNIFORMITY		
83 & Below	0.2	0.7
84	4.0	8.2
85	25.9	27.2
86	52.2	48.8
87	16.0	13.6
88 & Above	1.6	1.6
Average	***86.29***	***86.15***
Samples Classed		
Week	28,027	
Season		96,146

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.