Weekly Quality of Cotton Classed by State: Week Ending - 11/12/2026

Agricultural Marketing Service
Cotton Market News

Volume 28, No.15 November 13, 2026

State	Week Gins	Week Tenderable (%)	Week Eligible (%)	Week Bales	Season Gins	Season Tenderable (%)	Season Eligible (%)	Season Bales
			UPLAND					
AL	18	90.9	80.0	56,812	18	89.0	78.8	263,313
AR	23	83.6	54.3	164,791	23	85.1	60.4	855,605
AZ	3	89.7	78.4	5,164	3	93.0	52.3	28,983
CA	3	70.1	36.6	2,568	5	87.2	60.4	20,669
FL	3	53.6	29.2	3,984	3	52.3	22.0	8,964
GA	51	70.2	55.0	106,862	51	68.3	53.0	387,159
KS	2	26.2	20.6	4,108	2	11.6	8.00	14,077
LA	10	78.4	48.6	30,432	15	85.5	61.0	222,513
MO	16	92.9	71.6	74,733	16	94.3	75.8	327,100
MS	28	82.1	54.8	108,604	28	84.1	59.6	557,373
NC	24	89.0	68.5	97,312	24	85.3	65.3	274,615
NM	-	-	-	-	-	-	-	-
OK	6	69.7	38.6	5,489	7	65.9	28.6	33,359
SC	9	82.2	67.9	36,825	9	79.1	62.8	76,820
TN	15	96.3	87.2	63,104	15	96.8	87.6	290,689
TX	89	68.9	46.8	179,114	113	81.6	56.9	1,519,562
VA	4	93.3	85.8	29,796	4	94.9	87.1	62,932
United States	**304**	**81.4**	**60.5**	**969,698**	**337**	**83.8**	**62.4**	**4,943,741**
			AMERICAN PIMA					
AZ*	-		-		-			-
CA	9		24,114		9			86,115
NM*	-		-		2			2,266
TX	4		2,914		4			7,513
United States	15		28,027		16			96,146
United States all cotton	**318**		**997,725**		**350**			**5,039,887**

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed MP CN100

Source: USDA, AMS, Cotton and Warehouse Program, Market News Division
Memphis, Tennessee | 901-384-3016 |cottonmn@usda.gov
https://www.ams.usda.gov/market-news/cotton
https://mymarketnews.ams.usda.gov

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	0.8	7.2	6.0	11.9	26.9	38.7	54.5	54.7	2.4	1.1	0.2	0.8
	3	1.0	4.6	5.5	7.3	14.2	10.9	11.6	15.9	1.7	0.8	0.1	0.5
	4	*	0.1	0.1	0.1	1.3	0.9	0.3	2.6	-	-	*	*
	5	-	*	-	*	0.1	*	-	0.2	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.8***	***11.9***	***11.6***	***19.3***	***42.5***	***50.5***	***66.5***	***73.5***	***4.0***	***1.9***	***0.3***	***1.2***
31	1 - 2	7.0	7.5	9.3	9.5	12.4	2.9	9.2	3.3	8.4	6.4	2.1	3.6
	3	29.7	27.3	39.0	34.7	24.5	6.1	2.4	3.7	26.7	20.8	13.6	15.9
	4	8.3	7.4	11.1	10.0	2.7	1.2	0.1	1.5	3.1	3.2	3.9	3.6
	5	0.5	0.6	0.5	0.5	0.3	0.3	-	0.8	*	0.1	0.1	0.1
	6	*	*	*	*	0.3	0.1	-	*	-	*	-	-
	7	-	-	-	*	*	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***45.6***	***42.8***	***59.8***	***54.7***	***40.2***	***10.5***	***11.6***	***9.3***	***38.3***	***30.5***	***19.7***	***23.3***
41	1 - 2	2.2	1.4	0.5	0.6	3.2	0.6	*	*	0.4	1.6	0.9	1.1
	3	21.7	15.9	9.9	7.6	6.9	1.8	-	*	14.7	17.8	25.9	22.4
	4	17.8	14.5	11.9	9.7	1.9	1.1	-	*	15.0	16.0	25.8	21.1
	5	4.7	4.2	3.5	3.2	0.3	0.3	-	*	4.0	3.9	4.3	3.0
	6	0.7	0.6	0.4	0.5	-	*	-	-	0.3	0.3	0.2	0.1
	7	0.1	0.1	*	0.1	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***47.3***	***36.6***	***26.2***	***21.6***	***12.3***	***3.8***	*******	***0.1***	***34.4***	***39.6***	***57.1***	***47.7***
51	1 - 2	-	*	*	*	-	-	-	-	-	-	*	*
	3	0.2	0.1	*	*	-	*	-	-	*	*	0.5	0.6
	4	0.4	0.3	0.1	0.1	-	*	-	-	0.1	0.1	1.0	1.7
	5	0.2	0.2	0.1	0.1	-	*	-	-	0.2	0.1	0.5	0.8
	6	0.1	0.1	*	0.1	-	*	-	-	-	*	0.1	0.1
	7	*	*	*	0.1	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*
Total	**----**	***0.9***	***0.7***	***0.3***	***0.4***	***-***	***0.1***	***-***	***-***	***0.3***	***0.3***	***2.2***	***3.2***
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-	-	*
	5	*	*	*	*	-	-	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	-	*	*
	7	-	-	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*******	*******	*******	*******	***-***	***-***	***-***	***-***	***-***	***-***	*******	*******
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***
12 & 22	1 - 2	*	0.1	*	0.4	1.0	28.7	5.2	4.7	0.1	*	*	*
	3	-	*	0.2	0.2	0.5	4.5	10.9	7.2	0.1	*	*	*
	4	-	*	*	*	0.4	0.4	1.1	3.1	-	-	*	*
	5	-	-	-	-	0.1	*	0.2	0.3	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*******	***0.1***	***0.2***	***0.6***	***2.0***	***33.7***	***17.4***	***15.3***	***0.1***	***0.1***	*******	***0.1***
32	1 - 2	0.1	0.3	0.1	0.2	0.4	0.1	0.4	0.2	1.3	0.6	0.1	0.2
	3	0.8	1.3	0.4	0.7	1.0	0.3	0.3	0.5	1.0	1.8	0.6	1.4
	4	0.3	0.5	0.2	0.3	0.2	0.4	1.9	0.6	0.1	0.4	0.3	0.6
	5	*	*	*	0.1	0.2	0.2	1.2	0.4	-	-	*	*
	6	-	-	*	*	0.1	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***1.3***	***2.2***	***0.7***	***1.2***	***1.9***	***1.0***	***3.9***	***1.6***	***2.4***	***2.8***	***1.0***	***2.3***
42	1 - 2	*	0.1	*	*	0.1	*	0.1	*	0.1	0.2	0.1	0.2
	3	1.3	2.4	0.2	0.3	0.6	0.1	-	*	6.6	7.8	3.4	5.2
	4	1.4	2.0	0.4	0.8	0.1	*	-	-	10.5	9.1	7.6	7.6
	5	0.2	0.4	0.3	0.7	*	*	-	*	1.7	1.3	1.8	1.7
	6	0.1	*	0.1	0.2	0.2	*	-	*	0.2	0.1	0.1	0.1
	7	*	*	*	*	0.2	*	-	-	-	-	*	*
	8	-	-	-	-	0.1	*	-	-	-	-	-	-
Total	**----**	***3.0***	***5.0***	***1.0***	***2.0***	***1.3***	***0.3***	***0.1***	***0.1***	***19.1***	***18.6***	***13.0***	***14.7***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	-	*	-	-	-	-	-	-	*	*
	3	*	0.1	*	*	-	-	-	-	0.3	0.6	1.1	0.8
	4	*	0.1	*	*	-	-	-	-	0.6	1.3	2.8	2.8
	5	*	*	*	*	-	-	-	-	0.2	0.2	1.2	1.7
	6	*	*	*	*	-	-	-	-	-	*	0.1	0.2
	7	*	*	*	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.1***	***0.2***	***0.1***	***0.1***	***-***	***-***	***-***	***-***	***1.1***	***2.1***	***5.3***	***5.4***
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	-	*	*
	7	-	-	-	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***-***	***-***	***-***	*******	***-***	***-***	***-***	***-***	***-***	***-***	*******	*******
13 & 23	1 - 2	-	-	-	*	-	0.2	-	-	-	-	-	*
	3	-	-	-	*	-	*	0.4	0.1	-	-	-	*
	4	-	-	-	-	-	-	0.1	*	-	-	-	*
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***-***	***-***	***-***	*******	***-***	***0.2***	***0.5***	***0.1***	***-***	***-***	***-***	*******
33	1 - 2	*	*	*	*	-	*	-	-	-	-	-	*
	3	*	0.1	*	*	-	*	-	*	-	0.1	-	*
	4	-	*	*	*	-	-	*	*	-	0.1	*	*
	5	-	*	-	*	-	-	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*******	***0.1***	*******	*******	***-***	*******	*******	*******	***-***	***0.1***	*******	*******
43	1 - 2	-	*	*	*	-	-	-	-	-	*	-	*
	3	*	0.2	*	*	-	-	-	*	-	1.8	0.1	0.2
	4	*	0.2	*	*	-	-	-	-	0.2	1.9	0.3	0.4
	5	*	*	*	*	-	*	-	-	*	0.1	0.1	0.2
	6	*	*	*	*	-	-	-	-	*	*	*	*
	7	-	-	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***0.1***	***0.4***	*******	*******	***-***	*******	***-***	*******	***0.2***	***3.8***	***0.5***	***0.8***
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	*	-	-	-	-	-	-	0.1	0.1	0.1	0.1
	4	*	*	-	*	-	-	-	-	0.1	0.2	0.5	0.5
	5	-	*	-	*	-	-	-	-	-	*	0.3	0.3
	6	-	*	-	*	-	-	-	-	-	-	0.1	0.1
	7	-	-	-	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	*******	*******	***-***	*******	***-***	***-***	***-***	***-***	***0.2***	***0.3***	***1.0***	***1.0***
63	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	***-***	*******	***0.1***
24 - 54	1 - 8	-	*	-	*	-	-	-	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	6.1	1.8	11.4	11.2	1.6	4.1	5.0	7.6	*	0.2	-	-
	3	1.7	0.5	5.3	7.4	2.6	4.2	5.7	6.3	*	0.2	-	-
	4	*	*	0.1	0.2	0.2	0.2	0.2	0.2	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***7.8***	***2.3***	***16.8***	***18.8***	***4.5***	***8.6***	***10.9***	***14.2***	*******	***0.5***	**-**	**-**
31	1 - 2	0.4	0.1	8.2	6.9	8.8	9.5	5.0	5.4	3.1	3.7	-	-
	3	7.4	2.6	33.5	32.6	47.7	45.5	34.0	33.1	18.9	19.9	-	-
	4	2.1	1.7	14.2	13.5	18.4	15.3	13.4	14.1	5.9	6.6	-	-
	5	-	0.1	1.2	1.3	1.0	0.8	1.0	1.2	0.3	0.3	-	-
	6	-	-	*	*	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***10.0***	***4.5***	***57.1***	***54.3***	***76.0***	***71.0***	***53.3***	***53.8***	***28.2***	***30.4***	**-**	**-**
41	1 - 2	-	-	0.3	0.4	0.3	0.4	0.3	0.2	1.3	1.4	-	-
	3	0.2	0.1	6.0	5.5	6.4	7.7	8.4	6.4	24.9	23.2	-	-
	4	4.4	2.0	11.7	10.9	10.0	9.4	15.6	13.4	31.7	28.4	-	-
	5	0.8	1.4	3.7	3.8	2.2	1.9	5.7	5.0	9.0	6.8	-	-
	6	-	0.2	1.4	0.5	0.1	0.1	1.0	0.8	1.1	0.6	-	-
	7	-	*	0.2	*	*	*	0.1	0.1	0.1	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***5.4***	***3.7***	***23.3***	***21.3***	***19.1***	***19.6***	***30.9***	***25.9***	***68.1***	***60.5***	**-**	**-**
51	1 - 2	-	-	-	*	*	*	*	*	*	*	-	-
	3	-	-	*	*	*	*	*	*	0.1	0.1	-	-
	4	-	-	0.1	0.1	*	*	0.1	0.1	0.3	0.4	-	-
	5	-	*	0.1	*	*	*	0.1	0.1	0.3	0.4	-	-
	6	-	0.1	0.1	*	*	*	0.1	0.1	0.2	0.1	-	-
	7	-	*	*	*	-	*	0.1	*	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	**-**	***0.1***	***0.3***	***0.1***	*******	***0.1***	***0.4***	***0.3***	***1.0***	***1.0***	**-**	**-**
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*******	**-**	*******	**-**	**-**
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*******	**-**	**-**
12 & 22	1 - 2	0.4	0.1	0.1	0.1	-	*	*	0.2	-	*	-	-
	3	0.3	0.5	0.1	0.1	-	*	0.1	0.2	-	*	-	-
	4	-	*	-	*	-	-	*	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***0.7***	***0.7***	***0.2***	***0.2***	**-**	*******	***0.2***	***0.4***	**-**	***0.1***	**-**	**-**
32	1 - 2	0.3	0.1	0.1	0.2	*	*	*	0.2	*	0.1	-	-
	3	4.0	3.0	0.5	1.4	0.1	0.2	0.6	1.0	0.3	1.2	-	-
	4	1.5	6.1	0.4	0.9	0.1	0.1	0.7	0.9	0.2	0.7	-	-
	5	0.1	1.7	0.1	0.1	*	*	0.6	0.4	*	0.1	-	-
	6	-	*	-	*	-	-	0.1	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	***----***	***6.0***	***11.0***	***1.0***	***2.6***	***0.2***	***0.3***	***1.9***	***2.5***	***0.5***	***2.2***	**-**	**-**
42	1 - 2	-	-	*	*	*	*	*	*	*	0.1	-	-
	3	1.3	0.9	0.1	0.6	*	0.1	0.2	0.4	0.6	1.5	-	-
	4	5.5	7.4	0.3	1.2	0.2	0.2	1.0	1.2	1.1	2.6	-	-
	5	9.4	13.8	0.3	0.6	*	0.1	0.7	0.9	0.3	0.8	-	-
	6	3.6	5.8	0.3	0.2	*	*	0.2	0.2	*	0.1	-	-
	7	0.4	0.4	0.1	*	-	-	*	*	*	*	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	***----***	***20.2***	***28.4***	***1.1***	***2.5***	***0.2***	***0.4***	***2.1***	***2.7***	***2.0***	***4.9***	**-**	**-**

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	*	*	*	-	*	-	*	*	*	-	-
	3	0.1	0.1	*	*	-	*	*	*	*	*	-	-
	4	0.4	0.3	*	*	*	*	*	*	*	0.1	-	-
	5	1.7	2.0	*	*	*	*	*	*	*	0.1	-	-
	6	3.1	4.1	0.1	*	-	*	*	*	*	*	-	-
	7	0.8	1.9	*	*	-	-	*	*	*	*	-	-
	8	-	0.8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***6.1***	***9.2***	***0.2***	***0.1***	*******	*******	***0.1***	***0.1***	***0.1***	***0.2***	**-**	**-**
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	*******	**-**	**-**	**-**	**-**	**-**	**-**	**-**	*******	**-**	**-**
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	*	-	*	*	*	-	-
	4	-	-	*	*	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	*******	*******	*******	**-**	*******	**-**	*******	*******	*******	**-**	**-**
33	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	0.9	0.8	*	*	*	*	-	*	-	*	-	-
	4	2.6	1.9	*	*	-	*	*	*	*	*	-	-
	5	1.1	1.7	-	*	-	-	*	*	-	*	-	-
	6	-	0.6	-	-	-	-	*	*	-	-	-	-
	7	-	*	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	**----**	***4.6***	***5.1***	*******	*******	*******	*******	***0.1***	*******	*******	*******	**-**	**-**
43	1 - 2	-	-	-	-	*	*	-	-	-	-	-	-
	3	2.7	1.2	-	*	*	*	*	*	*	*	-	-
	4	12.9	8.6	-	*	*	*	*	*	*	*	-	-
	5	10.7	11.4	-	*	-	-	0.1	*	*	*	-	-
	6	4.6	4.9	-	*	-	-	0.1	*	-	*	-	-
	7	0.1	1.0	*	*	-	-	*	*	-	-	-	-
	8	-	0.1	-	-	-	-	-	-	-	-	-	-
Total	**----**	***31.1***	***27.2***	*******	*******	*******	*******	***0.2***	***0.1***	*******	***0.1***	**-**	**-**
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	0.1	*	-	-	-	-	-	-	-	-	-	-
	4	0.4	0.2	-	-	-	-	-	-	*	*	-	-
	5	2.8	1.6	-	-	-	-	-	*	-	*	-	-
	6	4.0	2.8	-	-	-	-	*	*	-	*	-	-
	7	0.8	1.8	-	-	-	-	*	*	-	-	-	-
	8	*	0.9	-	-	-	-	-	-	-	-	-	-
Total	**----**	***8.1***	***7.3***	**-**	**-**	**-**	**-**	*******	*******	*******	*******	**-**	**-**
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	*******	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
24 - 54	1 - 8	*	0.5	-	-	-	-	*	*	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1 - 2	13.9	8.0	*	0.1	3.2	10.9	10.3	15.6	0.2	0.4
	3	5.4	9.0	*	0.3	1.2	4.3	7.9	15.4	0.2	0.3
	4	-	0.9	-	*	*	0.1	1.1	2.0	*	*
	5	-	-	-	-	-	-	*	0.1	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	***19.3***	***17.9***	*******	***0.5***	***4.5***	***15.3***	***19.2***	***33.0***	***0.4***	***0.7***
31	1 - 2	2.8	1.6	1.3	2.1	23.0	21.0	2.4	2.6	4.7	5.7
	3	7.5	4.1	12.8	16.0	34.2	32.8	10.8	14.6	36.2	40.8
	4	1.5	1.9	4.6	6.0	6.1	6.3	7.5	9.2	10.5	10.9
	5	*	0.2	0.2	0.3	0.3	0.3	1.1	1.3	0.4	0.6
	6	-	-	*	*	*	*	*	0.1	-	*
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	***11.8***	***7.9***	***19.0***	***24.4***	***63.5***	***60.3***	***21.9***	***27.7***	***51.7***	***57.9***
41	1 - 2	0.9	0.3	1.7	1.5	2.1	1.4	0.7	0.3	0.5	0.5
	3	6.9	2.4	30.4	26.0	13.9	9.9	5.1	2.2	12.7	13.7
	4	4.0	2.2	33.6	30.5	10.2	8.2	9.7	4.2	22.4	18.4
	5	0.3	0.5	7.7	7.6	3.7	2.4	5.4	1.9	8.6	5.8
	6	-	*	0.6	0.6	0.5	0.3	1.0	0.4	0.6	0.4
	7	-	-	*	*	*	*	0.1	0.1	*	*
	8	-	-	-	-	-	-	*	*	-	-
Total	**----**	***12.1***	***5.4***	***74.0***	***66.1***	***30.4***	***22.3***	***22.0***	***9.0***	***44.8***	***38.8***
51	1 - 2	-	-	-	-	*	*	*	*	-	-
	3	*	*	*	0.1	*	*	0.3	0.1	*	*
	4	0.2	0.1	0.4	0.4	0.1	0.1	0.7	0.1	*	*
	5	0.1	0.1	0.4	0.4	0.2	0.1	0.7	0.1	0.1	*
	6	-	*	0.2	0.1	0.1	0.1	0.3	*	*	*
	7	-	-	*	*	*	*	0.1	*	-	*
	8	-	-	-	-	-	-	*	*	-	-
Total	**----**	***0.3***	***0.2***	***1.1***	***1.0***	***0.5***	***0.2***	***2.0***	***0.4***	***0.1***	***0.1***
61	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	*	*	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	**----**	**-**	**-**	**-**	**-**	*******	*******	*******	*******	**-**	**-**
71	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
12 & 22	1 - 2	4.4	9.2	-	0.1	*	0.1	6.1	8.9	-	*
	3	6.4	14.3	-	0.1	*	*	5.5	7.1	-	*
	4	0.7	1.4	-	*	-	*	1.2	1.7	-	-
	5	-	*	-	-	-	-	*	0.1	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	***11.5***	***24.9***	**-**	***0.1***	*******	***0.2***	***12.9***	***17.8***	**-**	*******
32	1 - 2	1.5	1.6	-	0.1	*	0.2	0.7	0.5	*	*
	3	14.9	12.9	0.1	0.3	0.2	0.4	3.2	2.5	0.1	0.2
	4	6.9	12.1	0.1	0.3	0.1	0.3	2.4	2.4	0.2	0.2
	5	0.5	0.9	*	*	*	*	0.5	0.6	*	*
	6	-	-	-	*	-	*	*	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	**----**	***23.7***	***27.5***	***0.3***	***0.8***	***0.3***	***0.9***	***6.9***	***6.1***	***0.4***	***0.5***
42	1 - 2	0.5	0.4	*	0.1	*	*	0.9	0.1	*	*
	3	4.7	2.1	1.1	1.4	0.2	0.2	2.2	0.5	0.2	0.2
	4	4.9	4.4	2.8	3.3	0.2	0.3	3.9	1.2	1.4	1.0
	5	1.2	2.2	0.8	1.4	0.2	0.1	2.5	0.9	0.9	0.7
	6	0.1	0.2	0.1	0.1	*	*	0.6	0.2	*	*
	7	-	-	*	*	*	*	0.1	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	**----**	***11.4***	***9.3***	***4.9***	***6.2***	***0.6***	***0.7***	***10.0***	***3.1***	***2.6***	***2.0***

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	-	-	0.1	*	-	-
	3	*	*	0.1	0.1	*	*	0.2	0.1	-	*
	4	0.1	0.1	0.2	0.3	*	*	0.4	0.1	*	*
	5	0.1	*	*	0.2	*	*	0.5	0.1	*	*
	6	-	*	0.1	0.1	*	*	0.2	*	*	*
	7	-	*	*	*	*	*	*	*	*	*
	8	-	*	-	-	-	-	*	*	-	-
Total	**----**	***0.2***	***0.2***	***0.4***	***0.6***	***0.1***	*******	***1.5***	***0.3***	***0.1***	*******
62	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	**----**	***-***	***-***	***-***	***-***	***-***	***-***	*******	*******	***-***	***-***
13 & 23	1 - 2	0.6	0.7	-	-	-	-	0.4	0.4	-	-
	3	2.0	1.2	-	-	-	-	0.6	0.6	-	-
	4	0.2	0.3	-	-	-	-	0.2	0.3	-	-
	5	-	*	-	-	-	-	*	0.1	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***2.8***	***2.2***	***-***	***-***	***-***	***-***	***1.3***	***1.4***	***-***	***-***
33	1 - 2	0.1	0.3	-	*	*	*	0.1	*	-	-
	3	4.3	1.6	-	*	*	*	0.4	0.2	-	-
	4	1.4	0.8	-	*	*	*	0.4	0.3	-	-
	5	*	0.1	*	*	-	*	0.1	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***5.8***	***2.8***	*******	*******	*******	*******	***1.1***	***0.7***	***-***	***-***
43	1 - 2	-	0.1	-	-	*	*	0.1	*	-	-
	3	0.3	0.2	*	*	*	*	0.2	0.1	-	-
	4	0.3	0.6	0.2	0.1	-	*	0.3	0.2	-	-
	5	0.1	0.5	0.1	*	-	-	0.3	0.1	-	-
	6	*	0.1	-	*	-	-	0.1	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	**----**	***0.8***	***1.3***	***0.2***	***0.2***	*******	*******	***1.0***	***0.4***	***-***	***-***
53	1 - 2	-	-	-	-	-	-	*	*	-	-
	3	-	*	-	-	-	-	*	*	-	-
	4	-	*	*	*	-	-	*	*	-	-
	5	0.1	*	*	*	-	-	*	*	-	-
	6	0.1	*	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
Total	**----**	***0.2***	***0.1***	*******	*******	*******	*******	***0.1***	***0.1***	*******	*******
63	1 - 2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	**----**	***-***	***-***	***-***	***-***	***-***	***-***	*******	*******	***-***	***-***
24 - 54	1 - 8	0.1	0.2	-	*	*	*	0.1	0.1	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE												
28 & Shorter	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	*	-	-	-	-	-	-	-	*
31	-	*	-	*	-	*	-	-	-	*	*	*
32	*	0.1	*	*	-	*	-	-	-	0.1	*	*
33	0.3	0.7	0.1	0.1	-	0.1	0.7	1.1	-	1.1	0.5	0.7
34	3.2	4.4	0.9	0.9	0.9	0.9	4.6	3.1	-	1.8	3.8	4.4
35	12.9	17.8	5.6	7.6	4.3	4.0	13.6	9.5	6.0	9.1	15.0	17.4
36	27.1	30.9	25.9	29.9	20.9	23.7	26.2	16.9	38.3	35.4	31.8	34.0
37	43.9	37.0	57.0	52.5	46.5	51.5	29.2	32.2	33.5	33.7	38.0	35.0
38	10.9	7.2	9.0	7.5	23.8	17.6	20.3	27.9	15.0	11.6	9.2	7.3
39	1.4	1.5	1.5	1.3	3.6	2.1	4.4	7.4	6.4	5.9	1.5	1.1
40	0.3	0.3	0.1	0.1	*	0.1	-	1.5	0.8	1.1	*	*
41	0.1	*	*	*	-	*	*	*	0.1	*	*	*
42	-	-	-	*	-	-	0.9	0.1	-	-	-	-
43	-	-	-	-	-	-	-	*	-	-	-	-
44 & Longer	-	-	-	-	-	-	*	0.3	-	-	-	-
Average Staple	***36.51***	***36.29***	***36.72***	***36.62***	***36.99***	***36.88***	***36.64***	***37.00***	***36.80***	***36.63***	***36.37***	***36.25***
Average Length	***1.14***	***1.13***	***1.15***	***1.14***	***1.15***	***1.15***	***1.14***	***1.16***	***1.15***	***1.14***	***1.13***	***1.13***

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE												
28 & Shorter	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	*	-	-	-	-	-	-	-	-	-	-
31	-	0.7	-	-	-	*	*	*	-	*	-	-
32	1.0	7.0	*	*	*	*	*	*	*	*	-	-
33	10.6	19.7	0.3	0.3	*	0.1	0.4	0.5	0.2	0.3	-	-
34	22.4	24.0	1.8	2.3	0.5	1.0	2.8	3.3	2.3	2.5	-	-
35	27.3	19.7	8.6	12.5	3.3	7.4	13.0	14.9	13.2	13.1	-	-
36	26.5	19.8	29.3	29.1	23.2	27.7	33.5	34.0	34.1	34.6	-	-
37	9.4	7.3	38.2	40.4	64.2	58.7	35.1	35.2	37.5	38.5	-	-
38	0.4	0.4	19.4	12.9	8.5	5.0	11.3	9.6	10.1	8.7	-	-
39	1.4	1.2	2.3	2.3	0.2	0.1	3.5	2.3	2.3	1.9	-	-
40	0.7	0.2	0.1	0.1	*	*	0.3	0.2	0.2	0.3	-	-
41	0.3	0.1	*	*	-	-	*	*	*	*	-	-
42	-	-	-	-	-	*	-	-	-	-	-	-
43	-	-	*	*	-	-	-	-	-	-	-	-
44 & Longer	-	-	-	-	-	-	-	-	-	-	-	-
Average Staple	***35.11***	***34.55***	***36.71***	***36.56***	***36.78***	***36.59***	***36.49***	***36.39***	***36.47***	***36.44***	***-***	***-***
Average Length	***1.09***	***1.08***	***1.15***	***1.14***	***1.15***	***1.14***	***1.14***	***1.13***	***1.14***	***1.14***	***-***	***-***

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
STAPLE										
28 & Shorter	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	*	*	-	-
30	-	*	-	-	-	-	*	*	*	*
31	-	0.1	-	-	-	-	0.4	0.2	*	*
32	*	0.2	-	*	*	*	1.5	0.8	*	*
33	0.5	0.7	0.1	0.2	0.3	0.7	4.7	2.6	0.2	0.3
34	4.7	2.4	2.7	3.0	2.8	3.2	10.4	5.3	1.2	1.9
35	7.7	5.4	13.2	13.1	17.2	17.8	18.5	10.5	9.8	10.6
36	9.4	11.0	30.5	29.3	41.3	43.4	22.3	21.8	30.7	34.8
37	28.1	24.1	38.5	40.8	35.4	32.7	27.9	39.4	49.1	45.7
38	29.4	27.4	11.3	10.5	2.9	2.0	10.1	14.4	7.9	5.8
39	17.1	21.4	3.6	2.9	0.2	0.2	3.1	3.9	1.0	0.8
40	2.7	6.6	0.1	0.2	*	*	0.9	0.9	*	*
41	0.3	0.7	*	*	-	*	0.1	0.1	-	*
42	-	*	-	-	-	-	0.1	*	-	-
43	-	-	-	-	-	-	*	*	-	-
44 & Longer	-	-	-	-	-	-	0.1	*	-	-
Average Staple	***37.32***	***37.59***	***36.53***	***36.51***	***36.18***	***36.11***	***36.01***	***36.52***	***36.55***	***36.44***
Average Length	***1.17***	***1.17***	***1.14***	***1.14***	***1.13***	***1.12***	***1.12***	***1.14***	***1.14***	***1.14***

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	*	*	*	0.1	-	-	-	-	0.3	0.1	0.2	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	0.1	0.1	0.1	*	-	1.1	-	-	0.1	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	-	-	-	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	1.2	0.4	*	0.8	1.6	0.4	-	-	6.8	3.8	7.4	4.7
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	-	*	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	-	-	-	-	*	*
23	-	*	-	*	-	-	-	-	-	-	*	*
24	*	*	*	*	*	0.1	-	-	-	-	0.1	*
25	*	0.1	*	*	0.1	0.2	-	0.1	-	-	0.3	0.2
26	0.4	0.5	*	0.2	1.7	1.4	-	0.4	*	*	1.6	1.6
27	3.5	4.2	0.4	1.1	12.7	9.1	0.1	1.2	0.3	0.2	5.3	5.8
28	15.6	16.4	3.5	6.2	14.6	17.7	2.5	5.0	3.9	3.2	11.8	14.3
29	26.0	28.2	18.9	20.4	24.7	21.5	8.9	8.9	11.2	10.0	20.9	21.8
30	21.6	22.8	38.1	35.9	23.3	20.8	22.5	14.0	13.0	13.4	23.4	22.1
31	13.5	12.6	26.7	24.6	9.4	12.6	5.1	10.4	12.4	18.3	16.5	16.0
32	8.7	8.3	8.5	7.7	9.1	9.3	0.5	6.9	27.1	24.2	9.6	9.5
33	4.8	4.2	3.0	2.7	3.4	4.7	4.4	9.2	18.6	18.3	5.6	5.0
34	2.9	1.7	0.7	1.1	0.8	1.9	19.1	13.5	10.5	9.8	3.2	2.5
35	1.8	0.6	0.1	0.2	0.2	0.4	20.2	14.4	2.2	2.2	1.2	0.9
36	1.1	0.3	*	*	-	0.2	14.3	11.3	0.8	0.3	0.3	0.2
37	0.1	*	*	*	-	*	2.3	3.9	0.1	*	0.1	*
38	*	*	-	*	-	*	0.1	0.5	-	-	*	*
39	-	-	-	*	-	-	-	0.1	-	-	*	*
40 & Above	-	-	-	-	-	-	*	0.1	-	-	-	-
Average	***30.49***	***30.23***	***30.74***	***30.62***	***29.88***	***30.10***	***33.31***	***33.01***	***32.07***	***32.02***	***30.50***	***30.36***
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	*
2.6	-	*	-	-	-	-	-	-	-	-	*	*
2.7	-	*	-	*	-	-	-	-	-	-	*	*
2.8	-	*	-	*	-	-	-	-	-	-	-	*
2.9	-	*	-	-	-	-	-	0.1	-	-	-	*
3.0	-	*	-	*	-	-	-	0.1	-	-	*	*
3.1	*	*	-	*	-	-	-	*	-	-	*	*
3.2	*	0.1	-	*	-	-	-	0.3	-	-	*	*
3.3	0.2	0.2	-	*	-	-	-	0.2	-	-	*	*
3.4	0.4	0.5	*	*	2.1	0.4	0.4	0.8	-	-	*	*
3.5	1.0	1.1	*	0.1	3.2	0.8	1.2	1.6	-	*	0.1	0.1
3.6	2.4	2.0	*	0.1	2.2	1.0	2.0	2.6	-	-	0.3	0.2
3.7	4.2	3.1	*	0.2	1.2	1.2	2.8	4.4	-	-	0.6	0.5
3.8	7.2	5.3	0.1	0.3	1.1	1.6	2.8	6.6	*	*	1.0	1.0
3.9	8.2	6.7	0.5	0.7	1.6	2.5	2.8	6.2	0.1	*	1.8	1.8
4.0	7.8	8.0	0.9	1.0	4.8	4.4	2.9	4.4	0.2	0.1	2.5	2.6
4.1	9.8	9.8	1.6	1.9	8.3	6.0	3.8	5.1	1.6	0.7	3.2	3.6
4.2	10.1	10.3	2.3	3.1	12.8	10.9	3.0	5.4	3.4	1.7	4.5	5.1
4.3	8.6	9.9	3.8	5.1	10.0	8.9	4.6	8.0	4.5	2.3	6.8	7.4
4.4	8.0	9.4	6.6	8.3	17.7	14.5	4.4	7.3	4.9	2.7	10.3	9.8
4.5	7.3	8.6	9.1	12.0	8.0	11.5	5.0	10.4	6.5	4.1	13.0	11.8
4.6	7.0	7.6	13.5	15.3	13.3	10.6	7.6	9.6	5.8	4.4	13.3	13.1
4.7	6.6	5.6	17.2	15.8	5.5	9.7	12.1	8.2	6.7	9.8	12.5	12.6
4.8	4.8	4.5	16.5	14.3	1.5	7.2	12.1	8.1	10.9	16.7	11.6	10.7
4.9	3.2	3.1	13.1	10.3	2.0	4.1	7.4	5.1	18.5	20.3	7.8	7.8
5.0	2.0	2.1	8.3	6.3	2.6	3.0	4.4	2.1	22.9	21.2	5.1	5.5
5.1	0.9	1.2	4.0	3.2	0.9	0.9	4.8	1.1	10.9	11.4	2.7	3.1
5.2	0.3	0.5	1.6	1.3	0.6	0.4	5.1	0.9	1.7	3.6	1.4	1.6
5.3	*	0.2	0.7	0.5	0.1	0.1	5.0	0.8	1.0	0.7	0.7	0.8
5.4	*	0.1	0.1	0.1	0.2	*	4.0	0.5	0.3	0.1	0.4	0.4
5.5 & Above	-	*	*	*	-	-	1.6	0.2	*	*	0.1	0.2
Average	***4.26***	***4.29***	***4.70***	***4.64***	***4.33***	***4.42***	***4.63***	***4.35***	***4.80***	***4.85***	***4.57***	***4.58***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	6.1	11.2	*	*	*	*	0.1	0.1	0.9	1.0	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	*	*	*	*	*	0.1	0.2	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	0.9	-	0.4	-	*	*	0.1	0.6	0.4	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	-	-	-	*	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	-	*	-	-	-	-
23	-	*	-	-	-	*	-	*	-	-	-	-
24	-	-	*	*	*	*	*	*	*	*	-	-
25	0.1	0.1	*	*	*	*	*	*	0.1	0.1	-	-
26	0.3	0.7	*	0.2	*	*	0.1	0.3	0.6	0.5	-	-
27	1.8	3.5	0.3	1.6	0.1	0.1	1.2	1.7	2.7	2.4	-	-
28	6.0	10.7	2.0	7.3	1.7	1.9	6.5	7.3	10.3	10.1	-	-
29	12.3	15.4	11.1	15.3	15.0	17.7	18.6	19.7	23.4	22.3	-	-
30	15.0	16.1	19.3	20.1	45.8	47.8	23.7	25.5	27.3	28.6	-	-
31	16.7	15.0	22.6	18.9	27.8	25.9	21.4	20.3	17.8	20.2	-	-
32	13.9	11.5	23.8	15.7	7.2	5.1	14.9	12.7	8.4	8.7	-	-
33	14.5	9.0	11.5	8.5	1.5	0.9	6.8	6.4	5.1	4.1	-	-
34	11.2	8.4	4.8	5.6	0.6	0.3	3.7	3.4	3.0	2.1	-	-
35	4.5	5.7	2.5	4.3	0.3	0.1	2.0	1.7	1.0	0.6	-	-
36	2.8	3.0	1.4	2.0	*	*	0.9	0.7	0.2	0.1	-	-
37	0.5	0.7	0.7	0.6	*	*	0.1	0.2	*	*	-	-
38	0.2	0.2	*	0.1	-	-	*	*	*	*	-	-
39	0.1	*	*	*	-	-	-	*	-	-	-	-
40 & Above	-	*	-	*	-	-	-	*	-	-	-	-
Average	***31.92***	***31.47***	***31.80***	***31.46***	***30.76***	***30.64***	***31.12***	***30.97***	***30.58***	***30.56***	**-**	**-**
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	*	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	*	-	-	-	*	-	-	-	*	-	-
2.8	0.3	0.2	-	-	-	-	-	-	-	-	-	-
2.9	1.9	0.7	-	-	-	-	-	-	-	*	-	-
3.0	2.1	0.9	-	-	-	-	-	-	*	*	-	-
3.1	2.5	1.3	-	-	-	-	-	*	-	*	-	-
3.2	4.2	1.9	-	*	-	-	*	*	-	*	-	-
3.3	6.0	2.4	*	*	-	-	0.1	0.1	*	*	-	-
3.4	4.7	1.9	-	*	-	*	*	0.2	*	*	-	-
3.5	3.7	2.1	*	*	-	*	0.1	0.3	*	*	-	-
3.6	2.6	2.1	0.2	0.1	*	*	0.3	0.4	0.1	0.1	-	-
3.7	3.6	2.5	0.2	0.3	*	*	0.3	0.5	0.4	0.3	-	-
3.8	4.3	3.7	0.2	0.4	0.1	0.1	0.3	0.8	0.7	0.7	-	-
3.9	8.2	6.9	0.3	0.6	0.3	0.3	0.6	1.1	1.4	1.4	-	-
4.0	6.2	7.3	0.4	1.0	1.2	1.0	1.0	1.8	1.8	2.0	-	-
4.1	3.1	9.5	0.7	1.8	3.1	2.6	1.9	2.8	3.0	3.0	-	-
4.2	5.3	11.1	1.3	3.7	5.6	5.0	3.5	4.0	5.5	5.2	-	-
4.3	8.9	12.1	2.3	5.4	7.1	8.1	5.3	5.7	8.0	7.9	-	-
4.4	10.8	9.7	6.5	7.8	11.4	12.3	6.8	8.0	10.8	10.5	-	-
4.5	7.7	7.7	8.8	11.9	13.5	15.2	9.8	10.9	13.1	12.9	-	-
4.6	6.0	5.9	14.3	15.2	14.7	16.2	13.7	13.7	13.9	14.5	-	-
4.7	3.1	4.0	15.5	17.4	15.0	15.6	15.5	15.3	13.9	13.7	-	-
4.8	1.2	2.6	15.7	14.8	13.1	11.8	15.6	13.7	13.3	12.5	-	-
4.9	1.6	1.5	15.5	9.6	8.4	6.8	12.4	10.1	7.9	7.8	-	-
5.0	0.9	0.9	11.0	5.6	4.4	3.2	7.2	5.7	3.8	4.1	-	-
5.1	0.9	0.7	3.3	2.4	1.5	1.2	2.6	2.5	1.4	1.9	-	-
5.2	0.2	0.1	1.5	1.1	0.4	0.4	1.5	1.3	0.5	0.8	-	-
5.3	-	-	1.8	0.7	0.2	0.1	0.9	0.6	0.4	0.4	-	-
5.4	-	-	0.4	0.2	*	*	0.6	0.3	0.2	0.2	-	-
5.5 & Above	-	-	*	*	-	-	0.2	0.1	*	0.1	-	-
Average	***4.00***	***4.14***	***4.73***	***4.64***	***4.59***	***4.57***	***4.67***	***4.61***	***4.57***	***4.57***	**-**	**-**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	1.5	1.4	1.6	2.1	*	*	7.2	2.3	0.4	0.4
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.1	0.1	*	*	0.4	1.0	0.1	*
Grass - Level 2	-	-	-	-	-	-	*	*	-	-
Prep - Level 1	*	*	-	-	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	0.4	0.4	0.5	-	*	*	*	1.2	0.6
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/										
22 & Below	-	*	-	-	-	*	*	*	-	-
23	-	*	-	-	-	*	0.3	0.1	*	*
24	0.1	0.1	*	*	*	*	0.7	0.3	*	*
25	0.1	0.1	*	*	*	*	1.3	0.6	*	*
26	0.5	0.3	0.2	0.1	0.3	0.2	2.7	1.5	0.1	0.2
27	1.4	0.5	1.8	1.1	3.6	2.1	5.4	3.3	1.1	1.5
28	3.2	1.6	9.0	7.1	17.2	12.3	10.4	7.5	5.6	7.0
29	2.2	2.1	22.0	17.8	34.8	34.1	15.4	14.5	22.1	21.0
30	2.4	2.5	26.2	25.9	27.9	30.9	18.3	20.6	34.8	34.1
31	1.6	2.6	17.3	20.9	9.4	13.4	13.8	17.2	18.1	19.1
32	2.3	3.6	10.2	13.1	3.2	4.0	11.1	12.0	6.2	6.8
33	4.4	5.0	5.5	6.8	1.6	1.5	8.7	9.5	5.0	4.9
34	10.2	7.4	5.0	4.7	1.8	1.2	6.0	7.0	3.5	3.0
35	20.7	12.7	2.0	1.8	0.2	0.1	3.3	3.6	1.9	1.4
36	25.9	17.8	0.7	0.4	*	*	1.4	1.5	1.0	0.6
37	15.6	21.2	0.1	0.1	*	*	0.8	0.6	0.5	0.3
38	8.7	15.9	*	*	-	-	0.4	0.2	*	*
39	0.2	5.9	-	-	-	-	0.1	0.1	-	-
40 & Above	0.5	0.7	-	-	-	-	0.1	*	-	-
Average	***35.36***	***35.96***	***30.88***	***31.07***	***29.93***	***30.10***	***30.90***	***31.25***	***30.87***	***30.77***
Mike										
2.4 & Below	-	*	-	-	-	-	-	*	-	-
2.5	-	0.1	-	-	-	-	*	*	-	-
2.6	-	0.3	-	-	-	-	*	*	-	-
2.7	-	0.1	-	-	-	-	*	*	-	-
2.8	-	0.3	-	-	-	*	*	0.1	-	-
2.9	-	0.4	-	-	-	-	0.1	0.1	-	-
3.0	-	0.3	*	*	-	*	0.2	0.1	*	*
3.1	-	0.6	-	*	-	*	0.3	0.3	*	*
3.2	0.1	0.7	-	*	*	*	0.4	0.4	0.2	0.1
3.3	0.1	0.8	*	*	*	*	0.6	0.6	0.2	0.1
3.4	0.7	1.3	*	*	0.1	0.1	0.8	0.8	0.2	0.1
3.5	0.8	2.4	0.1	0.1	0.1	0.2	1.2	1.1	0.2	0.1
3.6	0.2	2.9	0.2	0.3	0.2	0.3	1.7	1.7	1.1	0.7
3.7	0.4	6.0	0.4	0.5	1.0	0.9	2.3	2.3	1.2	0.9
3.8	0.5	5.3	1.0	1.1	2.0	1.9	3.3	3.2	1.5	1.2
3.9	1.1	5.8	1.2	1.6	4.1	2.9	4.4	4.3	2.0	1.7
4.0	2.0	8.1	1.9	2.2	4.5	4.2	5.7	5.7	4.5	3.8
4.1	3.8	8.7	3.1	3.4	5.7	6.6	7.3	7.5	8.3	8.4
4.2	9.3	10.9	5.2	4.9	7.1	9.5	9.2	9.0	13.1	13.6
4.3	11.7	10.4	7.7	7.3	11.2	13.0	10.2	10.5	12.6	15.7
4.4	20.0	12.1	10.9	10.6	13.2	14.9	10.7	11.4	12.3	13.7
4.5	20.3	9.3	12.5	12.3	15.4	14.3	10.8	11.9	14.2	12.6
4.6	15.5	7.2	15.1	13.1	15.6	12.7	9.8	10.6	13.1	11.3
4.7	6.9	4.3	14.4	12.4	9.1	8.9	7.2	7.7	7.4	7.8
4.8	4.3	1.2	9.3	10.3	5.6	5.4	5.2	4.9	5.0	5.0
4.9	1.6	0.3	6.0	7.3	3.0	2.6	3.7	2.7	1.9	2.0
5.0	0.5	0.1	4.5	5.2	1.4	1.1	2.7	1.5	0.8	0.8
5.1	*	*	3.1	3.2	0.5	0.3	1.1	0.8	0.3	0.3
5.2	*	*	1.8	1.8	0.1	*	0.5	0.4	*	0.1
5.3	-	-	0.8	1.1	*	*	0.3	0.2	-	*
5.4	-	-	0.5	0.9	*	*	0.2	0.1	-	-
5.5 & Above	-	-	0.2	0.3	-	-	*	0.1	-	-
Average	***4.42***	***4.14***	***4.58***	***4.59***	***4.42***	***4.40***	***4.34***	***4.33***	***4.37***	***4.38***

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	ALABAMA Week	ALABAMA Season	ARKANSAS Week	ARKANSAS Season	ARIZONA Week	ARIZONA Season	CALIFORNIA Week	CALIFORNIA Season	FLORIDA Week	FLORIDA Season	GEORGIA Week	GEORGIA Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	*	-	-	-	-	-	-	-	-	*	*
2.7 - 2.9	-	*	-	*	-	-	-	0.1	-	-	*	*
3.0 - 3.2	*	0.1	-	*	-	-	-	0.4	-	-	*	*
3.3 - 3.4	0.6	0.7	*	0.1	2.1	0.4	0.4	1.0	-	-	0.1	*
3.5 - 3.6	3.4	3.1	*	0.2	5.4	1.8	3.3	4.1	-	*	0.4	0.3
3.7 - 4.2	47.2	43.3	5.5	7.2	29.9	26.8	18.1	32.1	5.3	2.5	13.7	14.8
4.3 - 4.9	45.5	48.7	79.8	81.1	58.1	66.5	53.3	56.6	57.9	60.4	75.3	73.2
5.0 - 5.2	3.2	3.8	13.9	10.8	4.1	4.3	14.3	4.1	35.5	36.2	9.2	10.2
5.3 & Above	*	0.4	0.9	0.6	0.3	0.1	10.6	1.5	1.3	0.8	1.2	1.4
Average	***4.26***	***4.29***	***4.70***	***4.64***	***4.33***	***4.42***	***4.63***	***4.35***	***4.80***	***4.85***	***4.57***	***4.58***
Leaf												
1 - 2	10.3	16.8	15.9	22.5	43.9	71.1	69.4	62.9	12.6	10.0	3.3	5.9
3	54.7	51.9	55.2	50.9	47.7	23.7	25.6	27.3	51.1	51.6	45.5	47.2
4	28.4	25.1	24.0	21.0	6.7	4.1	3.6	7.9	29.7	32.4	42.2	38.5
5	5.6	5.4	4.4	4.5	0.9	0.9	1.4	1.8	6.1	5.6	8.4	7.7
6	0.9	0.7	0.5	0.9	0.5	0.2	*	*	0.5	0.4	0.6	0.6
7	0.1	0.1	*	0.2	0.3	0.1	-	-	-	-	*	*
8	-	-	-	-	0.1	*	-	-	-	-	*	*
Average	***3.32***	***3.21***	***3.18***	***3.10***	***2.60***	***2.17***	***2.08***	***2.30***	***3.31***	***3.35***	***3.58***	***3.50***
HVI Trash 1/												
00	-	-	-	-	*	*	0.1	*	-	-	-	-
01	0.7	2.3	1.7	4.0	14.1	37.1	40.3	31.5	0.8	0.5	0.2	0.5
02	14.2	19.4	19.5	24.6	41.1	41.3	36.1	36.0	13.7	11.0	5.2	8.2
03	29.0	27.9	29.9	28.1	27.5	13.0	15.8	16.9	24.4	24.3	20.6	22.8
04	25.0	22.7	22.5	19.3	9.8	4.5	2.8	8.0	24.6	25.9	28.0	27.1
05	15.7	13.8	13.1	11.3	3.9	2.0	2.6	4.1	17.4	19.1	22.1	20.0
06	8.1	7.2	6.9	6.1	1.8	1.0	1.4	2.0	9.9	10.1	12.7	11.4
07	3.9	3.6	3.5	3.3	0.6	0.4	0.4	1.0	4.3	4.7	6.4	5.6
08	1.7	1.7	1.6	1.6	0.3	0.3	0.2	0.4	2.6	2.4	2.8	2.5
09	0.9	0.8	0.7	0.8	0.4	0.2	0.2	0.2	1.3	1.1	1.2	1.1
10	0.4	0.4	0.3	0.4	0.1	0.1	*	*	0.6	0.5	0.4	0.5
11	0.2	0.2	0.2	0.2	0.1	*	*	*	0.2	0.2	0.2	0.2
12	0.1	0.1	0.1	0.1	0.1	*	-	-	0.1	0.1	0.1	0.1
13	0.1	*	*	*	*	*	-	-	-	*	0.1	*
14	*	*	*	*	0.1	*	-	-	0.1	0.1	*	*
15	*	*	*	*	-	-	-	-	*	*	*	*
16	*	*	-	*	-	-	-	-	*	*	*	*
17	*	*	-	*	-	-	-	-	*	*	*	*
18 & Above	-	*	-	-	-	-	-	-	-	-	*	*
Average	***0.40***	***0.38***	***0.38***	***0.36***	***0.26***	***0.20***	***0.20***	***0.23***	***0.42***	***0.43***	***0.46***	***0.44***
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	*	*	*	*	-	-	-	-	-	-	*	*
77	0.1	0.2	*	0.1	-	*	-	*	-	-	0.1	0.1
78	0.7	1.1	0.3	0.5	0.2	0.2	0.1	0.5	-	0.1	1.0	1.2
79	3.6	6.2	2.1	2.8	6.6	2.2	2.8	4.0	0.1	0.9	5.1	7.0
80	15.5	21.5	14.0	15.2	24.9	20.2	10.2	12.2	1.8	5.2	17.8	22.1
81	32.4	34.0	35.9	33.8	38.0	39.6	22.8	24.3	25.6	24.7	36.7	33.7
82	35.0	27.3	34.2	33.1	23.2	32.1	44.0	33.1	36.0	39.1	25.6	25.2
83	11.3	8.9	12.2	13.0	6.6	5.5	19.3	21.4	30.3	26.7	10.9	9.1
84	1.3	0.8	1.3	1.4	0.4	0.2	0.7	4.5	6.2	3.3	2.6	1.5
85 & Above	0.1	0.1	0.1	0.1	0.1	*	*	0.1	0.2	0.1	0.3	0.1
Average	***81.82***	***81.55***	***81.88***	***81.86***	***81.47***	***81.63***	***82.12***	***82.13***	***82.59***	***82.40***	***81.69***	***81.53***
Tenderable 3/	**90.9**	**89.0**	**83.6**	**85.1**	**89.7**	**93.0**	**70.1**	**87.2**	**53.6**	**52.3**	**70.2**	**68.3**
SAMPLES CLASSED	**56,812**	**263,313**	**164,791**	**855,605**	**5,164**	**28,983**	**2,568**	**20,669**	**3,984**	**8,964**	**106,862**	**387,159**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	*	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	2.3	1.0	-	-	-	*	-	-	-	*	-	-
3.0 - 3.2	8.8	4.1	-	*	-	-	*	*	*	*	-	-
3.3 - 3.4	10.6	4.3	*	*	-	*	0.1	0.3	*	*	-	-
3.5 - 3.6	6.3	4.2	0.2	0.1	*	*	0.3	0.7	0.1	0.2	-	-
3.7 - 4.2	30.6	41.1	3.1	7.8	10.3	9.1	7.5	11.1	12.6	12.6	-	-
4.3 - 4.9	39.3	43.5	78.5	82.0	83.2	85.9	79.1	77.4	80.9	79.8	-	-
5.0 - 5.2	2.0	1.7	15.9	9.2	6.3	4.8	11.3	9.5	5.7	6.7	-	-
5.3 & Above	-	-	2.2	0.9	0.2	0.1	1.7	1.0	0.6	0.7	-	-
Average	***4.00***	***4.14***	***4.73***	***4.64***	***4.59***	***4.57***	***4.67***	***4.61***	***4.57***	***4.57***	**-**	**-**
Leaf												
1 - 2	7.2	2.1	20.1	18.8	10.7	14.0	10.2	13.6	4.5	5.6	-	-
3	18.8	9.8	45.4	47.7	56.9	57.8	49.0	47.4	44.8	46.1	-	-
4	29.9	28.3	26.8	26.7	29.0	25.3	31.0	30.0	39.3	38.9	-	-
5	26.6	33.8	5.5	6.0	3.3	2.8	8.3	7.7	9.9	8.4	-	-
6	15.4	18.7	1.9	0.8	0.2	0.1	1.4	1.2	1.4	0.9	-	-
7	2.1	5.3	0.3	0.1	*	*	0.2	0.2	0.1	0.1	-	-
8	*	1.9	-	-	-	-	-	-	-	-	-	-
Average	***4.29***	***4.80***	***3.24***	***3.22***	***3.25***	***3.17***	***3.42***	***3.36***	***3.59***	***3.53***	**-**	**-**
HVI Trash 1/												
00	-	-	*	*	-	-	-	-	-	-	-	-
01	3.2	0.9	3.4	3.2	0.8	1.6	1.1	2.1	0.2	0.4	-	-
02	5.0	1.5	20.9	20.3	13.6	16.7	13.9	16.3	6.6	7.8	-	-
03	9.2	4.0	23.6	25.8	28.8	30.4	26.3	25.5	20.2	21.2	-	-
04	15.3	9.3	20.3	21.2	27.1	25.7	23.8	22.6	24.8	25.0	-	-
05	14.9	12.6	14.4	14.1	16.3	14.3	15.2	15.0	20.5	20.2	-	-
06	10.6	13.2	8.1	8.0	7.9	6.6	9.2	8.8	13.4	12.7	-	-
07	9.9	12.6	4.0	3.9	3.3	2.7	5.2	4.9	7.3	6.8	-	-
08	9.4	12.1	2.2	1.8	1.3	1.1	2.8	2.5	3.7	3.3	-	-
09	10.2	10.4	1.1	0.8	0.5	0.4	1.3	1.2	1.7	1.5	-	-
10	5.2	7.7	0.7	0.4	0.2	0.2	0.6	0.6	0.9	0.7	-	-
11	3.0	4.9	0.5	0.2	0.1	0.1	0.3	0.3	0.4	0.3	-	-
12	2.0	3.3	0.5	0.1	*	*	0.2	0.1	0.2	0.1	-	-
13	1.1	2.4	0.2	0.1	*	*	0.1	0.1	0.1	0.1	-	-
14	0.4	1.5	0.1	*	*	*	0.1	*	*	*	-	-
15	0.3	1.0	-	-	*	*	*	*	*	*	-	-
16	0.1	0.8	-	-	-	-	*	*	*	*	-	-
17	*	0.5	-	-	-	-	*	*	*	*	-	-
18 & Above	0.1	1.3	-	-	-	-	-	-	*	*	-	-
Average	***0.62***	***0.76***	***0.40***	***0.38***	***0.39***	***0.38***	***0.42***	***0.41***	***0.47***	***0.46***	**-**	**-**
UNIFORMITY 2/												
74 & Below	*	*	-	-	-	-	-	-	-	-	-	-
75	0.2	0.1	-	-	-	-	-	-	-	*	-	-
76	1.3	0.7	-	*	-	*	*	*	*	*	-	-
77	4.5	2.7	*	*	*	0.1	0.1	0.1	0.1	0.1	-	-
78	14.7	14.3	0.2	0.4	0.1	0.2	0.7	0.9	0.4	0.6	-	-
79	23.3	29.5	1.9	3.3	0.6	1.3	4.0	5.1	3.1	3.1	-	-
80	27.2	26.8	12.0	18.0	9.0	10.4	19.1	18.4	11.6	11.7	-	-
81	20.0	17.3	30.6	32.7	27.8	27.6	31.1	31.9	25.1	26.0	-	-
82	6.5	7.4	40.6	27.5	45.5	44.3	29.0	27.4	35.5	36.1	-	-
83	1.7	1.1	12.8	16.5	15.0	15.0	13.7	14.1	21.2	20.0	-	-
84	0.4	0.1	1.9	1.5	2.0	1.0	2.1	2.0	3.0	2.5	-	-
85 & Above	-	-	0.1	0.1	0.1	0.1	0.1	0.1	*	*	-	-
Average	***80.13***	***80.12***	***82.02***	***81.84***	***82.16***	***82.09***	***81.79***	***81.75***	***82.13***	***82.09***	**-**	**-**
Tenderable 3/	**26.2**	**11.6**	**78.4**	**85.5**	**92.9**	**94.3**	**82.1**	**84.1**	**89.0**	**85.3**	**-**	**-**
SAMPLES CLASSED	**4,108**	**14,077**	**30,432**	**222,513**	**74,733**	**327,100**	**108,604**	**557,373**	**97,312**	**274,615**	**-**	**-**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	OKLAHOMA Week	OKLAHOMA Season	SOUTH CAROLINA Week	SOUTH CAROLINA Season	TENNESSEE Week	TENNESSEE Season	TEXAS Week	TEXAS Season	VIRGINIA Week	VIRGINIA Season
MIKE										
2.4 & Below	-	*	-	-	-	-	-	*	-	-
2.5 - 2.6	-	0.4	-	-	-	-	*	*	-	-
2.7 - 2.9	-	0.8	-	-	-	*	0.1	0.2	-	-
3.0 - 3.2	0.1	1.5	*	*	*	*	0.9	0.8	0.2	0.1
3.3 - 3.4	0.7	2.1	*	0.1	0.1	0.2	1.4	1.4	0.4	0.2
3.5 - 3.6	1.0	5.3	0.3	0.4	0.4	0.5	2.9	2.8	1.4	0.8
3.7 - 4.2	17.2	44.9	12.8	13.7	24.4	26.0	32.1	32.0	30.5	29.6
4.3 - 4.9	80.4	44.8	76.0	73.5	73.1	71.8	57.7	59.7	66.4	68.1
5.0 - 5.2	0.5	0.1	9.4	10.1	2.0	1.5	4.3	2.8	1.1	1.2
5.3 & Above	-	-	1.5	2.3	*	*	0.5	0.4	-	*
Average	***4.42***	***4.14***	***4.58***	***4.59***	***4.42***	***4.40***	***4.34***	***4.33***	***4.37***	***4.38***
Leaf										
1 - 2	24.7	22.3	3.0	4.0	28.4	33.6	21.9	28.4	5.3	6.6
3	52.5	47.8	44.7	44.2	49.8	47.7	36.4	43.5	49.5	55.3
4	20.1	24.8	42.0	40.9	16.8	15.3	27.8	21.7	34.5	30.5
5	2.4	4.6	9.3	9.9	4.3	3.0	11.4	5.4	10.0	7.1
6	0.2	0.4	1.0	1.0	0.7	0.4	2.2	0.9	0.6	0.4
7	-	*	*	*	0.1	*	0.3	0.1	*	*
8	-	*	-	-	-	-	*	*	-	-
Average	***2.96***	***3.10***	***3.61***	***3.60***	***2.98***	***2.86***	***3.34***	***3.03***	***3.51***	***3.40***
HVI Trash 1/										
00	*	*	-	-	-	-	*	*	-	-
01	9.6	6.2	0.1	0.1	6.0	9.2	6.6	7.9	0.2	0.2
02	16.8	18.8	5.5	6.5	30.1	30.9	18.1	23.3	6.9	8.3
03	23.5	24.0	21.3	21.5	27.4	26.6	19.6	24.2	22.4	25.1
04	24.8	21.7	27.5	26.3	16.4	16.2	17.7	18.7	24.6	26.2
05	14.4	14.4	21.6	20.6	9.3	8.6	14.2	12.0	18.3	17.8
06	6.0	7.6	12.8	12.5	4.9	4.3	9.8	6.8	12.2	10.7
07	2.6	3.7	6.3	6.7	2.8	2.1	6.1	3.6	7.5	6.1
08	1.2	1.8	3.0	3.3	1.6	1.1	3.5	1.8	4.2	3.1
09	0.6	0.9	1.2	1.5	0.7	0.5	2.0	0.9	2.2	1.5
10	0.2	0.4	0.5	0.6	0.4	0.3	1.1	0.4	0.9	0.6
11	0.2	0.2	0.2	0.2	0.2	0.1	0.6	0.2	0.4	0.2
12	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.2	0.1
13	*	*	*	*	0.1	*	0.2	0.1	0.1	*
14	*	*	*	*	*	*	0.1	*	*	*
15	-	*	*	*	*	*	*	*	*	*
16	-	*	-	*	-	-	*	*	*	*
17	-	*	-	*	-	-	*	*	*	*
18 & Above	-	-	-	*	-	-	*	*	*	*
Average	***0.36***	***0.38***	***0.46***	***0.46***	***0.34***	***0.32***	***0.42***	***0.36***	***0.47***	***0.44***
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	*	*	-	-
75	*	*	-	-	-	-	0.1	*	-	-
76	*	0.1	*	*	*	*	0.5	0.3	-	-
77	0.7	0.5	*	0.1	0.1	0.1	2.0	1.0	*	0.1
78	2.0	1.3	0.3	0.3	1.2	1.0	5.7	3.2	0.1	0.6
79	5.0	3.8	2.4	2.3	4.1	4.4	15.7	8.0	1.2	2.9
80	6.5	7.1	13.5	11.3	18.3	20.1	26.3	16.4	7.7	9.9
81	11.0	12.5	33.6	31.1	40.5	38.6	25.5	27.9	17.5	19.4
82	24.3	23.6	34.4	38.3	29.9	30.5	17.1	27.5	37.6	34.7
83	46.0	34.1	14.3	15.3	5.7	5.0	6.1	12.4	30.4	27.8
84	4.2	15.4	1.4	1.3	0.2	0.2	0.9	3.0	5.2	4.5
85 & Above	0.1	1.5	*	*	*	*	0.1	0.3	0.2	0.2
Average	***82.47***	***82.68***	***81.93***	***82.01***	***81.56***	***81.54***	***80.91***	***81.59***	***82.50***	***82.32***
Tenderable 3/	**69.7**	**65.9**	**82.2**	**79.1**	**96.3**	**96.8**	**68.9**	**81.6**	**93.3**	**94.9**
SAMPLES CLASSED	**5,489**	**33,359**	**36,825**	**76,820**	**63,104**	**290,689**	**179,114**	**1,519,562**	**29,796**	**62,932**

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
01	1	-	-	19.6	28.6	-	3.6	3.9	3.6
	2	-	-	14.0	13.2	-	10.5	12.5	9.3
	3	-	-	0.2	0.1	-	0.6	0.4	0.5
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***33.8***	***41.9***	**-**	***14.8***	***16.8***	***13.4***
02	1	-	-	9.9	16.5	-	4.1	0.2	1.9
	2	-	-	38.6	32.3	-	34.6	11.2	19.9
	3	-	-	7.1	3.4	-	11.0	8.5	11.6
	4	-	-	0.1	*	-	1.9	0.3	1.0
	5	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***55.6***	***52.2***	**-**	***51.8***	***20.4***	***34.3***
03	1	-	-	0.2	0.2	-	0.4	-	*
	2	-	-	3.2	2.2	-	3.9	13.0	8.3
	3	-	-	4.8	2.4	-	7.0	22.1	21.5
	4	-	-	1.0	0.4	-	14.3	9.9	12.0
	5	-	-	*	*	-	4.2	0.3	0.5
	6	-	-	-	*	-	0.4	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	***9.2***	***5.2***	**-**	***30.2***	***45.4***	***42.3***
04	1	-	-	*	*	-	-	-	-
	2	-	-	*	0.1	-	0.5	0.9	0.4
	3	-	-	0.5	0.2	-	0.5	5.5	3.0
	4	-	-	0.6	0.2	-	1.2	7.8	4.6
	5	-	-	0.2	0.1	-	0.9	1.5	0.9
	6	-	-	*	*	-	0.1	0.3	0.1
	7	-	-	-	*	-	-	-	*
Total	----------	**-**	**-**	***1.4***	***0.6***	**-**	***3.2***	***16.0***	***9.0***
05	1	-	-	-	-	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	0.2	0.1
	4	-	-	*	*	-	-	0.8	0.5
	5	-	-	*	*	-	-	0.4	0.3
	6	-	-	-	*	-	-	*	*
	7	-	-	-	*	-	-	-	*
Total	----------	**-**	**-**	***0.1***	*******	**-**	**-**	***1.5***	***0.9***
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total	----------	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
STAPLE									
44 & Shorter		-	-	0.6	3.5	-	7.5	15.9	27.8
46		-	-	6.5	9.7	-	29.9	21.4	29.3
48		-	-	45.9	48.7	-	46.1	43.1	31.5
50		-	-	45.2	36.7	-	16.5	19.5	11.3
52 & Longer		-	-	1.8	1.3	-	0.1	0.1	*
Average Staple		**-**	**-**	***48.82***	***48.45***	**-**	***47.43***	***47.33***	***46.48***
Average Length		**-**	**-**	***1.42***	***1.41***	**-**	***1.38***	***1.38***	***1.35***
EXTRANEOUS MATTER									
Bark		-	-	-	-	-	*	0.1	0.1
Grass		-	-	-	0.1	-	0.1	1.6	0.9
Spindle Twist		-	-	-	-	-	-	0.1	*
Preparation		-	-	-	-	-	-	-	-
All Other		-	-	-	*	-	-	-	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Nov 12, 2026

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	*Season*	*Week*	*Season*	*Week*	*Season*	*Week*	*Season*
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	0.1	-	1.5	-	-
3.0 - 3.2	-	-	*	0.6	-	7.7	*	0.1
3.3 - 3.4	-	-	1.5	1.9	-	2.8	0.1	0.8
3.5 - 3.6	-	-	7.6	7.0	-	12.8	7.0	13.7
3.7 - 4.2	-	-	87.8	86.4	-	69.9	92.1	84.9
4.3 - 4.9	-	-	3.1	3.9	-	5.3	0.7	0.5
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.94***	***3.93***	**-**	***3.83***	***3.86***	***3.84***
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	*	-	-	-	-
2.8	-	-	-	*	-	0.1	-	-
2.9	-	-	-	0.1	-	1.3	-	-
3.0	-	-	-	0.1	-	0.2	-	*
3.1	-	-	*	0.2	-	4.5	*	*
3.2	-	-	*	0.3	-	3.0	-	*
3.3	-	-	0.4	0.7	-	0.5	-	0.4
3.4	-	-	1.0	1.3	-	2.3	0.1	0.3
3.5	-	-	2.2	2.1	-	3.3	2.2	4.9
3.6	-	-	5.4	4.9	-	9.5	4.8	8.9
3.7	-	-	9.8	8.5	-	13.9	17.6	18.8
3.8	-	-	11.1	12.9	-	9.0	23.4	23.2
3.9	-	-	17.5	18.9	-	11.8	22.5	16.2
4.0	-	-	20.2	21.5	-	12.9	19.5	13.1
4.1	-	-	17.6	16.3	-	10.0	4.6	7.3
4.2	-	-	11.6	8.3	-	12.3	4.5	6.3
4.3	-	-	2.4	2.9	-	4.1	0.5	0.5
4.4	-	-	0.6	0.9	-	1.1	0.1	0.1
4.5	-	-	*	0.1	-	0.1	-	-
4.6	-	-	*	*	-	0.1	*	*
4.7	-	-	*	*	-	-	-	-
4.8	-	-	*	*	-	-	-	-
4.9	-	-	*	*	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	**-**	**-**	***3.94***	***3.93***	**-**	***3.83***	***3.86***	***3.84***
STRENGTH 1/								
36 & Below	-	-	*	1.2	-	0.1	0.6	0.3
37	-	-	0.7	3.2	-	0.9	4.5	5.7
38	-	-	1.9	3.6	-	0.7	13.9	17.6
39	-	-	1.7	2.4	-	0.4	6.4	12.8
40	-	-	1.5	1.5	-	2.5	6.2	5.4
41	-	-	3.8	3.2	-	6.2	8.0	4.1
42	-	-	10.3	8.7	-	14.6	5.0	2.4
43	-	-	13.1	14.9	-	24.1	12.5	8.4
44	-	-	19.0	19.2	-	22.2	20.1	15.1
45	-	-	21.0	19.9	-	17.0	15.6	17.4
46	-	-	15.6	13.9	-	6.7	5.5	7.8
47	-	-	8.5	6.1	-	3.0	0.8	1.9
48 & Above	-	-	2.9	2.4	-	1.8	0.8	1.0
Average	**-**	**-**	***44.60***	***44.08***	**-**	***43.96***	***42.55***	***42.29***
UNIFORMITY								
83 & Below	-	-	0.2	0.7	-	1.6	0.2	0.6
84	-	-	3.6	7.7	-	12.2	5.8	12.0
85	-	-	24.0	24.7	-	58.0	30.6	45.2
86	-	-	52.8	50.4	-	27.0	54.6	36.7
87	-	-	17.5	14.7	-	1.1	8.3	5.2
88 & Above	-	-	1.8	1.8	-	0.1	0.5	0.3
Average	**-**	**-**	***86.33***	***86.20***	**-**	***85.60***	***86.12***	***85.79***
Samples Classed	**-**	**-**	**24,114**	**86,115**	**-**	**2,266**	**2,914**	**7,513**

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.