

## Daily Spot Cotton Quotations

Volume 100, No. 219

13-Jun-18

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

| Growth Areas  | UPLAND SPOT PRICE QUOTATIONS        |                                     |   |   | SPOT TRANSACTIONS                           |   |      |      |
|---|-------------------------------------|-------------------------------------|---|---|---|---|------|------|
|   | Basis                               | Color 41<br>Leaf 4                  | Color 31<br>Leaf 3  | Number of Bales Provided<br>to Cotton Program |   |   |      |      |
|   | N.Y. Futures                        | Staple 34                           | Staple 35   | Today   | Season                                      |   |      |      |
|   | <i>Points</i>                       | <i>Cents per pound</i>              |   | <i>Bales</i>                                  | <i>Bales</i>                                |   |      |      |
| Southeast   | 50 Jul-18                           | 94.31                               | 96.56   | 145   | 49,220                                      |   |      |      |
| North Delta   | -100 Jul-18                         | 92.81                               | 94.56   | 0   | 51,465                                      |   |      |      |
| South Delta   | -100 Jul-18                         | 92.81                               | 94.56   | 0   | 13,157                                      |   |      |      |
| East TX-OK  | -781 Jul-18                         | 86.00                               | 88.50   | 993   | 909,068                                     |   |      |      |
| West Texas  | -831 Jul-18                         | 85.50                               | 88.00   | 2   | 970,448                                     |   |      |      |
| Desert SW   | -500 Jul-18                         | 88.81                               | 92.81   | 0   | 39,135                                      |   |      |      |
| SJ Valley   | -450 Jul-18                         | 89.31                               | 98.21   | 0   | 760   |   |      |      |
| Average   | -387 Jul-18                         | 89.94                               | 93.31   | Upland Total                                  |   |   |      |      |
| Previous day  | -427 Jul-18                         | 90.94                               | 94.31   | <b>1,140</b>                                  | <b>2,033,253</b>                            |   |      |      |
| <b>AMERICAN PIMA SPOT PRICE QUOTATIONS</b>  |                                     |                                     |   |   |   |   |      |      |
|   | <b>Color 02, Leaf 2 - Staple 46</b> | <b>Color 03, Leaf 3 - Staple 44</b> | <b>Color 03, Leaf 3 - Staple 46</b>                       | AP Total                                      |   |   |      |      |
| American Pima   | 139.25                              | 116.75                              | 124.50  | <b>0</b>                                      | <b>6,252</b>                                |   |      |      |
| <b>ICE FUTURES US - CONTRACT NO. 2 1/<br/>COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER</b> |                                     |                                     | <b>7-MARKET<br/>BASE QUOTATIONS<br/>FOR UPLAND COTTON</b> |   | <b>Jun 08 - Jun 14<br/>ADJ. WORLD PRICE</b> |   |      |      |
| Month   | <i>Cents per pound</i>              |                                     |   |   |   | 81.27                                   |      |      |
|   | Today                               | Previous                            | Change  |   |   | <b>CC ADJUSTMENT</b>                    |      |      |
| Jul-18  | 93.81                               | 95.21                               | ↓ -1.40   | <b>Season high</b>                            |   | 0.00                                    |      |      |
| Oct-18  | 93.94                               | 93.63                               | ↑ 0.31  | 6/12/2018 90.94                               |   | <b>FC ADJUSTMENT</b>                    |      |      |
| Dec-18  | 92.93                               | 92.90                               | ↑ 0.03  |   |   | 2017 2018                               |      |      |
| Mar-19  | 92.82                               | 92.79                               | ↑ 0.03  |   |   | 1.30 1.35                               |      |      |
| May-19  | 92.61                               | 92.61                               | ↔ 0.00  | <b>Season low</b>                             |   | <b>LOAN DEFICIENCY PMT.</b>             |      |      |
| Jul-19  | 92.34                               | 92.37                               | ↓ -0.03   | 10/20/2017 65.24                              |   | 0.00                                    |      |      |
| Oct-19  | 87.96                               | 87.69                               | ↑ 0.27  |   |   | <b>Pima Competitiveness<br/>Payment</b> |      |      |
| Dec-19  | 84.30                               | 83.11                               | ↑ 1.19  |   |   | 0.00                                    |      |      |
| Mar-20  | 84.04                               | 82.97                               | ↑ 1.07  |   |   |   |      |      |
| May-20  | 83.51                               | 82.44                               | ↑ 1.07  |   |   |   |      |      |
| <b>PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/</b>   |                                     |                                     |   |   |   |   |      |      |
|   | Color                               |                                     |   |   |   |   |      |      |
|   | 11                                  | 21                                  | 31  | 41  | 51  | 12                                      | 22   | 32   |
| Staple 33   |                                     |                                     |   |   |   |   |      |      |
| Leaf 1 & 2  | -68                                 | -68                                 | -108  | -255  | -470  | -220                                    | -220 | -320 |
| 3   | -83                                 | -83                                 | -118  | -265  | -475  | -235                                    | -235 | -335 |
| 4   | -190                                | -190                                | -240  | -360  | -505  | NOT TENDERABLE                          |      |      |
| 5   | -305                                | -305                                | -335  | -460  | -665  | NOT TENDERABLE                          |      |      |
| Staple 34   |                                     |                                     |   |   |   |   |      |      |
| Leaf 1 & 2  | 152                                 | 152                                 | 97  | 39  | -240  | 55                                      | 55   | -95  |
| 3   | 127                                 | 127                                 | 92  | 34  | -260  | 45                                      | 45   | -115 |
| 4   | 75                                  | 75                                  | 55  | 0   | -315  | NOT TENDERABLE                          |      |      |
| 5   | -75                                 | -75                                 | -110  | -240  | -460  | NOT TENDERABLE                          |      |      |
| Staple 35   |                                     |                                     |   |   |   |   |      |      |
| Leaf 1 & 2  | 350                                 | 350                                 | 295   | 140   | -150  | 150                                     | 150  | 30   |
| 3   | 295                                 | 295                                 | 260   | 97  | -165  | 110                                     | 110  | -3   |
| 4   | 180                                 | 180                                 | 135   | 65  | -235  | NOT TENDERABLE                          |      |      |
| 5   | 65                                  | 65                                  | 5   | -135  | -375  | NOT TENDERABLE                          |      |      |
| Staple 36   |                                     |                                     |   |   |   |   |      |      |
| Leaf 1 & 2  | 502                                 | 502                                 | 446   | 234   | -81   | 279                                     | 279  | 109  |
| 3   | 442                                 | 442                                 | 411   | 194   | -91   | 234                                     | 234  | 84   |
| 4   | 319                                 | 319                                 | 254   | 149   | -153  | NOT TENDERABLE                          |      |      |
| 5   | 182                                 | 182                                 | 99  | -21   | -300  | NOT TENDERABLE                          |      |      |

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP\_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT: <http://www.ams.usda.gov/mnreports/cnndsqs.pdf>

SOUTHEAST DIFFERENCES

| Color   | Leaf  | Staple |       |       |       |       |       |       | Mike              |        |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
|         |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    | Range             | Diff.  |
| 11 & 21 | 1 & 2 | -225   | -50   | 150   | 250   | 425   | 475   | 475   | 25-26             | -825   |
|         | 3     | -225   | -50   | 150   | 225   | 400   | 450   | 450   | 27-29             | -425   |
|         | 4     | -225   | -125  | 75    | 175   | 275   | 300   | 300   | 30-32             | -275   |
|         | 5     | -375   | -225  | -125  | 25    | 75    | 75    | 75    | 33-34             | -150   |
|         | 6     | -500   | -350  | -300  | -225  | -200  | -200  | -200  | Base 35-36        | 0      |
| 31      | 7     | -625   | -475  | -450  | -350  | -325  | -325  | -325  | 37-42             | 0      |
|         | 1 & 2 | -225   | -50   | 125   | 225   | 400   | 425   | 425   | Base 43-49        | 0      |
|         | 3     | -225   | -50   | 125   | 225   | 375   | 400   | 400   | 50-52             | -200   |
|         | 4     | -225   | -125  | 75    | 175   | 250   | 275   | 275   | 53 & Above        | -375   |
|         | 5     | -375   | -225  | -125  | 25    | 50    | 50    | 50    |                   |        |
| 41      | 6     | -500   | -350  | -300  | -275  | -250  | -250  | -250  |                   |        |
|         | 7     | -625   | -475  | -450  | -400  | -375  | -375  | -375  |                   |        |
|         | 1 & 2 | -275   | -100  | 50    | 200   | 225   | 225   | 250   | Strength          |        |
|         | 3     | -275   | -100  | 50    | 175   | 200   | 200   | 225   | (Grams per Tex)   |        |
|         | 4     | -275   | -200  | 94.31 | 150   | 175   | 175   | 200   | Range             | Diff.  |
| 51      | 5     | -450   | -350  | -200  | -75   | -25   | -25   | -25   | 21.0 - 21.9       | -425   |
|         | 6     | -575   | -450  | -425  | -350  | -325  | -325  | -325  | 22.0 - 22.9       | -350   |
|         | 7     | -675   | -575  | -550  | -500  | -475  | -475  | -475  | 23.0 - 23.9       | -300   |
|         | 1 & 2 | -475   | -300  | -175  | -175  | -150  | -150  | -150  | 24.0 - 24.9       | -250   |
|         | 3     | -550   | -325  | -250  | -225  | -175  | -175  | -175  | 25.0 - 25.9       | -200   |
| 61      | 4     | -575   | -325  | -275  | -275  | -250  | -250  | -250  | 26.0 - 26.9       | -25    |
|         | 5     | -675   | -550  | -450  | -400  | -375  | -375  | -375  | Base 27.0 - 28.9  | 0      |
|         | 6     | -750   | -575  | -525  | -525  | -500  | -500  | -500  | 29.0 - 29.9       | 0      |
|         | 7     | -825   | -700  | -675  | -675  | -650  | -650  | -650  | 30.0 - 30.9       | 25     |
|         | 1-5   | -775   | -700  | -625  | -600  | -600  | -600  | -600  | 31.0 - 32.9       | 50     |
| 71      | 6     | -950   | -875  | -825  | -800  | -800  | -800  | -800  | 33.0 & Above      | 50     |
|         | 7     | -1075  | -950  | -900  | -875  | -875  | -875  | -875  |                   |        |
|         | 1-6   | -1075  | -1000 | -950  | -950  | -950  | -950  | -950  |                   |        |
| 12 & 22 | 7     | -1100  | -1025 | -975  | -975  | -975  | -975  | -975  |                   |        |
|         | 1 & 2 | -275   | -100  | 50    | 150   | 275   | 275   | 300   | Extraneous Matter |        |
|         | 3     | -275   | -100  | 50    | 125   | 250   | 250   | 275   | Prep              | Diff.  |
|         | 4     | -275   | -125  | 0     | 100   | 225   | 225   | 250   | Level 1           | -200   |
|         | 5     | -425   | -325  | -200  | 0     | 25    | 25    | 25    | Level 2           | -800   |
| 32      | 6     | -550   | -425  | -425  | -350  | -325  | -325  | -325  |                   |        |
|         | 7     | -650   | -550  | -550  | -500  | -475  | -475  | -475  | Other             | Diff.  |
|         | 1 & 2 | -325   | -175  | -25   | 0     | 50    | 50    | 50    | Level 1           | -400   |
|         | 3     | -350   | -200  | -50   | 0     | 25    | 25    | 25    | Level 2           | -800   |
|         | 4     | -450   | -200  | -150  | -100  | -50   | -50   | -50   |                   |        |
| 42      | 5     | -525   | -350  | -300  | -275  | -250  | -250  | -250  |                   |        |
|         | 6     | -600   | -450  | -450  | -425  | -400  | -400  | -400  |                   |        |
|         | 7     | -700   | -575  | -575  | -550  | -525  | -525  | -525  |                   |        |
|         | 1-3   | -625   | -425  | -225  | -200  | -175  | -175  | -175  | Uniformity        |        |
|         | 4     | -675   | -425  | -275  | -275  | -250  | -250  | -250  | Unit              | Points |
| 52      | 5     | -775   | -650  | -425  | -375  | -350  | -350  | -350  | 77.9 & Below      | -125   |
|         | 6     | -825   | -775  | -625  | -625  | -600  | -600  | -600  | 78.0 - 78.9       | -110   |
|         | 7     | -925   | -800  | -775  | -750  | -725  | -725  | -725  | 79.0 - 79.9       | -100   |
|         | 1-4   | -825   | -700  | -575  | -500  | -500  | -500  | -500  | 80.0 - 80.9       | -25    |
|         | 5     | -850   | -850  | -675  | -650  | -650  | -650  | -650  | Base 81.0 - 81.9  | 0      |
| 62      | 6     | -925   | -900  | -850  | -825  | -825  | -825  | -825  | 82.0 - 82.9       | 0      |
|         | 7     | -1075  | -1000 | -950  | -925  | -925  | -925  | -925  | 83.0 - 83.9       | 20     |
|         | 1-5   | -950   | -875  | -825  | -825  | -825  | -825  | -825  | 84.0 - 84.9       | 30     |
| 43      | 6     | -1125  | -1050 | -1000 | -1000 | -1000 | -1000 | -1000 | 85.0 - 85.9       | 40     |
|         | 1-3   | -900   | -850  | -800  | -750  | -725  | -725  | -725  | 86.0 & Above      | 50     |
|         | 4     | -925   | -900  | -850  | -775  | -750  | -750  | -750  |                   |        |
|         | 5     | -950   | -900  | -850  | -825  | -825  | -825  | -825  |                   |        |
|         | 6     | -1000  | -925  | -875  | -850  | -850  | -850  | -850  |                   |        |
| 53      | 7     | -1125  | -1000 | -950  | -925  | -925  | -925  | -925  |                   |        |
|         | 1-4   | -1000  | -900  | -850  | -800  | -800  | -800  | -800  |                   |        |
|         | 5     | -1125  | -1075 | -975  | -975  | -975  | -975  | -975  |                   |        |
|         | 6     | -1150  | -1100 | -1000 | -1000 | -1000 | -1000 | -1000 |                   |        |
| 63      | 7     | -1250  | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |                   |        |
|         | 1-5   | -1125  | -1075 | -975  | -975  | -975  | -975  | -975  |                   |        |
| 63      | 6     | -1250  | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |                   |        |

NORTH DELTA DIFFERENCES

| Color   | Leaf  | Staple |       |       |       |       |       |       | Mike              |        |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
|         |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    | Range             | Diff.  |
| 11 & 21 | 1 & 2 | -225   | -75   | 125   | 250   | 475   | 500   | 500   | 25-26             | -1000  |
|         | 3     | -225   | -75   | 100   | 200   | 400   | 425   | 425   | 27-29             | -650   |
|         | 4     | -275   | -200  | 25    | 75    | 300   | 325   | 325   | 30-32             | -325   |
|         | 5     | -450   | -325  | -75   | 0     | 25    | 50    | 50    | 33-34             | -125   |
|         | 6     | -500   | -475  | -350  | -300  | -300  | -300  | -300  | Base 35-36        | 0      |
| 31      | 7     | -600   | -575  | -450  | -400  | -400  | -400  | -400  | 37-42             | 25     |
|         | 1 & 2 | -225   | -100  | 75    | 200   | 450   | 475   | 475   | Base 43-49        | 0      |
|         | 3     | -225   | -100  | 75    | 175   | 400   | 425   | 425   | 50-52             | -225   |
|         | 4     | -275   | -250  | 25    | 75    | 250   | 275   | 275   | 53 & Above        | -375   |
|         | 5     | -450   | -325  | -125  | -50   | -25   | 0     | 0     |                   |        |
| 41      | 6     | -500   | -475  | -350  | -300  | -300  | -300  | -300  |                   |        |
|         | 7     | -600   | -575  | -450  | -400  | -400  | -400  | -400  |                   |        |
|         | 1 & 2 | -350   | -250  | 50    | 100   | 225   | 250   | 250   | Strength          |        |
|         | 3     | -350   | -250  | 25    | 50    | 200   | 225   | 225   | (Grams per Tex)   |        |
|         | 4     | -375   | -275  | 92.81 | 0     | 125   | 150   | 150   | Range             | Diff.  |
| 51      | 5     | -525   | -400  | -225  | -125  | -75   | -75   | -75   | 21.0 - 21.9       | -300   |
|         | 6     | -575   | -500  | -400  | -325  | -300  | -300  | -300  | 22.0 - 22.9       | -250   |
|         | 7     | -700   | -675  | -550  | -450  | -450  | -450  | -450  | 23.0 - 23.9       | -200   |
|         | 1-2   | -675   | -475  | -350  | -250  | -250  | -250  | -250  | 24.0 - 24.9       | -175   |
|         | 3     | -725   | -475  | -375  | -275  | -275  | -275  | -275  | 25.0 - 25.9       | -150   |
| 61      | 4     | -750   | -500  | -400  | -350  | -350  | -350  | -350  | 26.0 - 26.9       | -25    |
|         | 5     | -825   | -725  | -525  | -475  | -450  | -450  | -450  | Base 27.0 - 28.9  | 0      |
|         | 6     | -850   | -825  | -675  | -600  | -600  | -600  | -600  | 29.0 - 29.9       | 0      |
|         | 7     | -1000  | -975  | -825  | -700  | -700  | -700  | -700  | 30.0 - 30.9       | 25     |
|         | 1-5   | -850   | -750  | -650  | -575  | -575  | -575  | -575  | 31.0 - 32.9       | 50     |
| 71      | 6     | -925   | -850  | -775  | -750  | -750  | -750  | -750  | 33.0 & Above      | 50     |
|         | 7     | -1025  | -1000 | -875  | -850  | -850  | -850  | -850  |                   |        |
|         | 1-6   | -1225  | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 |                   |        |
| 12 & 22 | 7     | -1275  | -1225 | -1075 | -1075 | -1075 | -1075 | -1075 |                   |        |
|         | 1 & 2 | -275   | -125  | 50    | 100   | 250   | 275   | 275   | Extraneous Matter |        |
|         | 3     | -275   | -125  | 25    | 50    | 200   | 250   | 250   | Prep              | Diff.  |
|         | 4     | -300   | -250  | 0     | 0     | 150   | 175   | 175   | Level 1           | -200   |
|         | 5     | -500   | -375  | -200  | -100  | -75   | -50   | -50   | Level 2           | -800   |
| 32      | 6     | -625   | -550  | -425  | -325  | -300  | -300  | -300  |                   |        |
|         | 7     | -675   | -650  | -525  | -450  | -425  | -425  | -425  | Other             |        |
|         | 1 & 2 | -400   | -250  | -100  | 0     | 50    | 50    | 50    | Level 1           | -375   |
|         | 3     | -400   | -250  | -100  | -25   | 25    | 25    | 25    | Level 2           | -785   |
|         | 4     | -425   | -275  | -200  | -100  | -75   | -75   | -75   |                   |        |
| 42      | 5     | -600   | -425  | -250  | -225  | -200  | -200  | -200  |                   |        |
|         | 6     | -700   | -650  | -475  | -425  | -400  | -400  | -400  |                   |        |
|         | 7     | -800   | -750  | -575  | -525  | -525  | -525  | -525  |                   |        |
|         | 1-3   | -550   | -425  | -350  | -225  | -225  | -225  | -225  | Uniformity        |        |
|         | 4     | -575   | -450  | -375  | -300  | -300  | -300  | -300  | Unit              | Points |
| 52      | 5     | -725   | -575  | -450  | -400  | -375  | -375  | -375  | 77.9 & Below      | -90    |
|         | 6     | -850   | -750  | -600  | -550  | -525  | -525  | -525  | 78.0 - 78.9       | -80    |
|         | 7     | -900   | -800  | -700  | -650  | -650  | -650  | -650  | 79.0 - 79.9       | -70    |
|         | 1-4   | -750   | -575  | -525  | -500  | -500  | -500  | -500  | 80.0 - 80.9       | 0      |
|         | 5     | -825   | -725  | -650  | -600  | -600  | -600  | -600  | Base 81.0 - 81.9  | 0      |
| 62      | 6     | -975   | -875  | -800  | -775  | -775  | -775  | -775  | 82.0 - 82.9       | 0      |
|         | 7     | -1000  | -975  | -900  | -875  | -875  | -875  | -875  | 83.0 - 83.9       | 30     |
|         | 1-5   | -1025  | -925  | -850  | -825  | -825  | -825  | -825  | 84.0 - 84.9       | 40     |
|         | 6     | -1175  | -1075 | -950  | -925  | -925  | -925  | -925  | 85.0 - 85.9       | 50     |
|         | 1-3   | -900   | -675  | -500  | -475  | -475  | -475  | -475  | 86.0 & Above      | 60     |
| 43      | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  |                   |        |
|         | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |                   |        |
|         | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |                   |        |
|         | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |                   |        |
|         | 1-4   | -1000  | -900  | -825  | -800  | -800  | -800  | -800  |                   |        |
| 53      | 5     | -1075  | -1000 | -925  | -900  | -900  | -900  | -900  |                   |        |
|         | 6     | -1250  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |                   |        |
|         | 7     | -1275  | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |                   |        |
|         | 1-5   | -1225  | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |                   |        |
|         | 6     | -1275  | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |                   |        |

SOUTH DELTA DIFFERENCES

| Color   | Leaf  | Staple |       |       |       |       |       |       | Mike              |        |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
|         |       | 32     | 33    | 34    | 35    | 36    | 37    | 38    | Range             | Diff.  |
| 11 & 21 | 1 & 2 | -225   | -75   | 125   | 250   | 475   | 500   | 500   | 25-26             | -1100  |
|         | 3     | -225   | -75   | 100   | 200   | 400   | 425   | 425   | 27-29             | -750   |
|         | 4     | -275   | -200  | 25    | 75    | 300   | 325   | 325   | 30-32             | -325   |
|         | 5     | -450   | -325  | -75   | 0     | 25    | 50    | 50    | 33-34             | -125   |
|         | 6     | -500   | -475  | -350  | -300  | -300  | -300  | -300  | Base 35-36        | 0      |
| 31      | 7     | -600   | -575  | -450  | -400  | -400  | -400  | -400  | 37-42             | 25     |
|         | 1 & 2 | -225   | -100  | 75    | 200   | 450   | 475   | 475   | Base 43-49        | 0      |
|         | 3     | -225   | -100  | 75    | 175   | 400   | 425   | 425   | 50-52             | -225   |
|         | 4     | -275   | -250  | 25    | 75    | 250   | 275   | 275   | 53 & Above        | -375   |
|         | 5     | -450   | -325  | -125  | -50   | -25   | 0     | 0     |                   |        |
| 41      | 6     | -500   | -475  | -350  | -300  | -300  | -300  | -300  |                   |        |
|         | 7     | -600   | -575  | -450  | -400  | -400  | -400  | -400  |                   |        |
|         | 1 & 2 | -350   | -250  | 50    | 100   | 225   | 250   | 250   | Strength          |        |
|         | 3     | -350   | -250  | 25    | 50    | 200   | 225   | 225   | (Grams per Tex)   |        |
|         | 4     | -375   | -275  | 92.81 | 0     | 125   | 150   | 150   | Range             | Diff.  |
| 51      | 5     | -525   | -400  | -225  | -125  | -75   | -75   | -75   | 21.0 - 21.9       | -275   |
|         | 6     | -575   | -500  | -400  | -325  | -300  | -300  | -300  | 22.0 - 22.9       | -225   |
|         | 7     | -700   | -675  | -550  | -450  | -450  | -450  | -450  | 23.0 - 23.9       | -200   |
|         | 1-2   | -675   | -475  | -350  | -250  | -250  | -250  | -250  | 24.0 - 24.9       | -175   |
|         | 3     | -725   | -475  | -375  | -275  | -275  | -275  | -275  | 25.0 - 25.9       | -150   |
| 61      | 4     | -750   | -500  | -400  | -350  | -350  | -350  | -350  | 26.0 - 26.9       | -25    |
|         | 5     | -825   | -725  | -525  | -475  | -450  | -450  | -450  | Base 27.0 - 28.9  | 0      |
|         | 6     | -925   | -825  | -675  | -600  | -600  | -600  | -600  | 29.0 - 29.9       | 0      |
|         | 7     | -1000  | -975  | -825  | -700  | -700  | -700  | -700  | 30.0 - 30.9       | 25     |
|         | 1-5   | -850   | -750  | -650  | -575  | -575  | -575  | -575  | 31.0 - 32.9       | 50     |
| 71      | 6     | -925   | -850  | -775  | -750  | -750  | -750  | -750  | 33.0 & Above      | 50     |
|         | 7     | -1025  | -1000 | -875  | -850  | -850  | -850  | -850  |                   |        |
|         | 1-6   | -1225  | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 |                   |        |
| 12 & 22 | 7     | -1275  | -1225 | -1125 | -1075 | -1075 | -1075 | -1075 |                   |        |
|         | 1 & 2 | -275   | -125  | 50    | 100   | 250   | 275   | 275   | Extraneous Matter |        |
|         | 3     | -275   | -125  | 25    | 50    | 200   | 250   | 250   | Prep              | Diff.  |
|         | 4     | -300   | -250  | 0     | 0     | 150   | 175   | 175   | Level 1           | -200   |
|         | 5     | -500   | -375  | -200  | -100  | -75   | -50   | -50   | Level 2           | -800   |
| 32      | 6     | -625   | -550  | -425  | -325  | -300  | -300  | -300  |                   |        |
|         | 7     | -675   | -650  | -525  | -450  | -425  | -425  | -425  | Other             |        |
|         | 1 & 2 | -400   | -250  | -100  | 0     | 50    | 50    | 50    | Level 1           | -375   |
|         | 3     | -400   | -250  | -100  | -25   | 25    | 25    | 25    | Level 2           | -785   |
|         | 4     | -425   | -275  | -200  | -100  | -75   | -75   | -75   |                   |        |
| 42      | 5     | -600   | -425  | -250  | -225  | -200  | -200  | -200  |                   |        |
|         | 6     | -700   | -650  | -475  | -425  | -400  | -400  | -400  |                   |        |
|         | 7     | -800   | -750  | -575  | -525  | -525  | -525  | -525  |                   |        |
|         | 1-3   | -550   | -425  | -350  | -225  | -225  | -225  | -225  | Uniformity        |        |
|         | 4     | -575   | -450  | -375  | -300  | -275  | -275  | -275  | Unit              | Points |
| 52      | 5     | -725   | -575  | -450  | -400  | -375  | -375  | -375  | 77.9 & Below      | -90    |
|         | 6     | -850   | -750  | -600  | -525  | -500  | -500  | -500  | 78.0 - 78.9       | -80    |
|         | 7     | -900   | -800  | -700  | -650  | -650  | -650  | -650  | 79.0 - 79.9       | -70    |
|         | 1-4   | -750   | -575  | -525  | -500  | -500  | -500  | -500  | 80.0 - 80.9       | 0      |
|         | 5     | -825   | -725  | -650  | -600  | -600  | -600  | -600  | Base 81.0 - 81.9  | 0      |
| 62      | 6     | -975   | -875  | -800  | -775  | -775  | -775  | -775  | 82.0 - 82.9       | 0      |
|         | 7     | -1000  | -975  | -900  | -875  | -875  | -875  | -875  | 83.0 - 83.9       | 30     |
|         | 1-5   | -1025  | -925  | -850  | -825  | -825  | -825  | -825  | 84.0 - 84.9       | 40     |
| 43      | 6     | -1175  | -1075 | -950  | -925  | -925  | -925  | -925  | 85.0 - 85.9       | 50     |
|         | 1-3   | -900   | -675  | -475  | -450  | -450  | -450  | -450  | 86.0 & Above      | 60     |
|         | 4     | -925   | -700  | -525  | -500  | -500  | -500  | -500  |                   |        |
|         | 5     | -950   | -850  | -775  | -750  | -750  | -750  | -750  |                   |        |
|         | 6     | -1050  | -950  | -875  | -850  | -850  | -850  | -850  |                   |        |
| 53      | 7     | -1200  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |                   |        |
|         | 1-4   | -1000  | -900  | -825  | -800  | -800  | -800  | -800  |                   |        |
|         | 5     | -1075  | -1000 | -925  | -900  | -900  | -900  | -900  |                   |        |
|         | 6     | -1250  | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |                   |        |
| 63      | 7     | -1275  | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |                   |        |
|         | 1-5   | -1225  | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |                   |        |
|         | 6     | -1275  | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |                   |        |

## EAST TEXAS-OKLAHOMA DIFFERENCES

13-Jun-18

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -350   | -300  | -125  | 200   | 350  | 500  | 525  | 550  |
|         | 3     | -400   | -350  | -150  | 150   | 300  | 425  | 450  | 475  |
|         | 4     | -475   | -350  | -175  | 100   | 100  | 325  | 350  | 350  |
|         | 5     | -525   | -400  | -350  | -25   | 100  | 300  | 300  | 300  |
|         | 6     | -675   | -525  | -525  | -275  | -275 | -75  | -75  | -75  |
|         | 7     | -750   | -625  | -625  | -350  | -350 | -150 | -150 | -150 |
| 31      | 1 & 2 | -400   | -325  | -125  | 125   | 300  | 400  | 475  | 500  |
|         | 3     | -425   | -350  | -150  | 125   | 250  | 375  | 425  | 450  |
|         | 4     | -525   | -425  | -225  | 75    | 100  | 225  | 225  | 225  |
|         | 5     | -575   | -425  | -375  | -25   | 75   | 225  | 225  | 225  |
|         | 6     | -700   | -550  | -550  | -275  | -275 | -125 | -125 | -125 |
|         | 7     | -775   | -650  | -650  | -350  | -350 | -225 | -225 | -225 |
| 41      | 1 & 2 | -500   | -325  | -150  | 50    | 175  | 325  | 350  | 350  |
|         | 3     | -525   | -350  | -175  | 50    | 125  | 200  | 225  | 225  |
|         | 4     | -575   | -425  | -325  | 86.00 | 75   | 175  | 200  | 200  |
|         | 5     | -700   | -525  | -475  | -125  | -75  | 175  | 200  | 200  |
|         | 6     | -850   | -650  | -625  | -350  | -350 | -125 | -125 | -125 |
|         | 7     | -950   | -750  | -725  | -450  | -425 | -300 | -300 | -300 |
| 51      | 1 & 2 | -675   | -525  | -425  | -50   | -50  | 125  | 150  | 150  |
|         | 3     | -675   | -550  | -425  | -50   | -50  | 125  | 150  | 150  |
|         | 4     | -725   | -575  | -450  | -125  | -100 | 75   | 100  | 100  |
|         | 5     | -775   | -650  | -600  | -225  | -175 | -50  | -25  | -25  |
|         | 6     | -950   | -750  | -750  | -375  | -375 | -250 | -250 | -250 |
|         | 7     | -1050  | -775  | -775  | -450  | -450 | -325 | -325 | -325 |
| 61      | 1-5   | -850   | -700  | -650  | -275  | -275 | -150 | -150 | -150 |
|         | 6     | -1025  | -825  | -800  | -450  | -425 | -300 | -300 | -300 |
|         | 7     | -1125  | -925  | -900  | -550  | -525 | -400 | -400 | -400 |
| 71      | 1-6   | -1050  | -950  | -900  | -525  | -525 | -400 | -400 | -400 |
|         | 7     | -1150  | -1000 | -975  | -600  | -600 | -475 | -475 | -475 |
| 12 & 22 | 1 & 2 | -600   | -400  | -225  | 75    | 75   | 200  | 250  | 250  |
|         | 3     | -625   | -450  | -275  | 50    | 25   | 125  | 175  | 175  |
|         | 4     | -675   | -475  | -300  | -25   | -25  | 125  | 175  | 175  |
|         | 5     | -750   | -650  | -600  | -300  | -200 | 25   | 75   | 75   |
|         | 6     | -925   | -750  | -750  | -450  | -400 | -325 | -275 | -275 |
|         | 7     | -1050  | -875  | -850  | -550  | -500 | -425 | -375 | -375 |
| 32      | 1 & 2 | -625   | -550  | -375  | -75   | 25   | 150  | 200  | 200  |
|         | 3     | -650   | -550  | -400  | -100  | -75  | 75   | 125  | 125  |
|         | 4     | -700   | -575  | -475  | -175  | -150 | -75  | -25  | -25  |
|         | 5     | -800   | -700  | -675  | -350  | -275 | -75  | -25  | -25  |
|         | 6     | -975   | -800  | -800  | -525  | -475 | -400 | -350 | -350 |
|         | 7     | -1125  | -925  | -925  | -625  | -575 | -500 | -450 | -450 |
| 42      | 1-3   | -675   | -600  | -525  | -150  | -100 | 0    | 50   | 50   |
|         | 4     | -725   | -625  | -550  | -175  | -150 | -75  | -25  | -25  |
|         | 5     | -875   | -750  | -700  | -400  | -350 | -300 | -250 | -250 |
|         | 6     | -1100  | -850  | -825  | -550  | -500 | -450 | -400 | -400 |
|         | 7     | -1225  | -975  | -950  | -675  | -600 | -550 | -500 | -500 |
|         | 52    | 1-4    | -925  | -750  | -675  | -450 | -450 | -400 | -350 |
| 5       |       | -1000  | -850  | -750  | -500  | -500 | -450 | -400 | -400 |
| 6       |       | -1225  | -1050 | -975  | -650  | -625 | -575 | -525 | -525 |
| 7       |       | -1325  | -1175 | -1100 | -775  | -750 | -650 | -600 | -600 |
| 62      | 1-5   | -1050  | -925  | -900  | -575  | -550 | -500 | -450 | -450 |
|         | 6     | -1275  | -1125 | -1100 | -775  | -750 | -675 | -625 | -625 |

| Color   | Leaf  | Staple |       |       |       |       |       |      |      |
|---------|-------|--------|-------|-------|-------|-------|-------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37   | 38   |
| 13 & 23 | 1 & 2 | -975   | -850  | -775  | -450  | -375  | -275  | -175 | -175 |
|         | 3     | -1000  | -875  | -800  | -475  | -400  | -300  | -200 | -200 |
|         | 4     | -1050  | -950  | -850  | -525  | -450  | -350  | -250 | -250 |
|         | 5     | -1175  | -1050 | -975  | -650  | -575  | -475  | -375 | -375 |
|         | 6     | -1300  | -1125 | -1025 | -750  | -675  | -575  | -475 | -475 |
|         | 7     | -1400  | -1225 | -1150 | -875  | -800  | -700  | -600 | -600 |
| 33      | 1 & 2 | -1075  | -925  | -850  | -505  | -450  | -350  | -250 | -250 |
|         | 3     | -1075  | -925  | -850  | -530  | -475  | -375  | -250 | -250 |
|         | 4     | -1150  | -1000 | -900  | -580  | -525  | -425  | -300 | -300 |
|         | 5     | -1300  | -1100 | -1000 | -705  | -650  | -550  | -425 | -425 |
|         | 6     | -1375  | -1175 | -1100 | -830  | -775  | -675  | -550 | -550 |
|         | 7     | -1475  | -1300 | -1200 | -955  | -900  | -800  | -675 | -675 |
| 43      | 1-3   | -1125  | -1000 | -900  | -580  | -525  | -425  | -300 | -300 |
|         | 4     | -1200  | -1075 | -950  | -605  | -550  | -450  | -325 | -325 |
|         | 5     | -1325  | -1175 | -1050 | -735  | -675  | -575  | -450 | -450 |
|         | 6     | -1425  | -1250 | -1150 | -855  | -825  | -725  | -600 | -600 |
|         | 7     | -1525  | -1350 | -1250 | -955  | -925  | -825  | -700 | -700 |
| 53      | 1-4   | -1250  | -1175 | -1075 | -755  | -750  | -675  | -550 | -550 |
|         | 5     | -1350  | -1250 | -1175 | -830  | -825  | -750  | -625 | -625 |
|         | 6     | -1450  | -1350 | -1275 | -980  | -950  | -875  | -750 | -750 |
|         | 7     | -1550  | -1450 | -1400 | -1080 | -1025 | -950  | -825 | -825 |
| 63      | 1-5   | -1450  | -1325 | -1225 | -930  | -825  | -750  | -625 | -625 |
|         | 6     | -1550  | -1450 | -1325 | -1030 | -975  | -900  | -775 | -775 |
| 34      | 1 & 2 | -1200  | -1100 | -1050 | -725  | -700  | -625  | -550 | -550 |
|         | 3     | -1200  | -1100 | -1050 | -725  | -700  | -625  | -550 | -550 |
|         | 4     | -1325  | -1225 | -1150 | -825  | -800  | -725  | -650 | -650 |
|         | 5     | -1425  | -1325 | -1275 | -950  | -925  | -850  | -775 | -775 |
|         | 6     | -1600  | -1500 | -1450 | -1125 | -1100 | -1025 | -950 | -950 |
| 44      | 1-3   | -1300  | -1200 | -1150 | -825  | -800  | -725  | -650 | -650 |
|         | 4     | -1375  | -1300 | -1200 | -875  | -850  | -775  | -700 | -700 |
|         | 5     | -1450  | -1375 | -1300 | -975  | -950  | -875  | -800 | -800 |
|         | 6     | -1625  | -1525 | -1475 | -1150 | -1125 | -1050 | -975 | -975 |
| 54      | 1-4   | -1400  | -1325 | -1275 | -900  | -900  | -825  | -775 | -775 |
|         | 5     | -1500  | -1425 | -1350 | -975  | -975  | -900  | -850 | -850 |

| Mike       |       |
|------------|-------|
| Range      | Diff. |
| 24 & Below | -2475 |
| 25-26      | -2475 |
| 27-29      | -1600 |
| 30-32      | -1250 |
| 33-34      | -1025 |
| Base 35-36 | 0     |
| 37-42      | 0     |
| Base 43-49 | 0     |
| 50-52      | -250  |
| 53 & Above | -375  |

| Strength<br>(Grams per Tex) |       |
|-----------------------------|-------|
| Range                       | Diff. |
| 19.0 - 19.9                 | -300  |
| 20.0 - 20.9                 | -300  |
| 21.0 - 21.9                 | -275  |
| 22.0 - 22.9                 | -250  |
| 23.0 - 23.9                 | -225  |
| 24.0 - 24.9                 | -225  |
| 25.0 - 25.9                 | -150  |
| 26.0 - 26.9                 | -100  |
| Base 27.0 - 28.9            | 0     |
| 29.0 - 29.9                 | 0     |
| 30.0 - 30.9                 | 25    |
| 31.0 - 32.9                 | 25    |
| 33.0 & above                | 25    |

| Uniformity       |        |
|------------------|--------|
| Unit             | Points |
| 77.9 & Below     | -90    |
| 78.0 - 78.9      | -75    |
| 79.0 - 79.9      | -60    |
| 80.0 - 80.9      | 0      |
| Base 81.0 - 81.9 | 0      |
| 82.0 - 82.9      | 0      |
| 83.0 - 83.9      | 10     |
| 84.0 - 84.9      | 10     |
| 85.0 - 85.9      | 20     |
| 86.0 & Above     | 30     |

| Extraneous Matter |       |
|-------------------|-------|
| Prep              | Diff. |
| Level 1           | -200  |
| Level 2           | -500  |
| Bark              |       |
| Level 1           | -350  |
| Level 2           | -525  |
| Other             |       |
| Level 1           | -550  |
| Level 2           | -600  |

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -275   | -190  | 10    | 160   | 350  | 400  | 475  | 500  |
|         | 3     | -350   | -240  | -40   | 135   | 275  | 375  | 450  | 475  |
|         | 4     | -375   | -275  | -150  | 125   | 250  | 325  | 375  | 375  |
|         | 5     | -500   | -300  | -250  | 25    | 175  | 325  | 325  | 325  |
|         | 6     | -675   | -500  | -425  | -175  | -150 | -100 | -100 | -100 |
|         | 7     | -750   | -550  | -500  | -250  | -225 | -175 | -175 | -175 |
| 31      | 1 & 2 | -425   | -290  | -90   | 85    | 250  | 350  | 450  | 475  |
|         | 3     | -475   | -315  | -115  | 85    | 250  | 350  | 425  | 450  |
|         | 4     | -525   | -375  | -250  | 75    | 125  | 225  | 250  | 250  |
|         | 5     | -600   | -425  | -350  | -75   | 25   | 175  | 175  | 175  |
|         | 6     | -775   | -600  | -475  | -250  | -250 | -225 | -225 | -225 |
|         | 7     | -875   | -650  | -550  | -300  | -300 | -275 | -275 | -275 |
| 41      | 1 & 2 | -575   | -400  | -200  | 45    | 175  | 275  | 300  | 300  |
|         | 3     | -600   | -425  | -225  | 45    | 100  | 250  | 275  | 275  |
|         | 4     | -650   | -450  | -375  | 85.50 | 75   | 175  | 200  | 200  |
|         | 5     | -725   | -525  | -450  | -150  | -50  | 100  | 100  | 100  |
|         | 6     | -875   | -700  | -625  | -350  | -350 | -225 | -225 | -225 |
|         | 7     | -1000  | -800  | -725  | -450  | -400 | -300 | -300 | -300 |
| 51      | 1 & 2 | -750   | -550  | -475  | -125  | -25  | 75   | 75   | 75   |
|         | 3     | -750   | -550  | -475  | -125  | -25  | 75   | 75   | 75   |
|         | 4     | -775   | -550  | -550  | -200  | -75  | 25   | 25   | 25   |
|         | 5     | -825   | -650  | -650  | -350  | -250 | -125 | -125 | -125 |
|         | 6     | -975   | -750  | -750  | -475  | -400 | -275 | -275 | -275 |
|         | 7     | -1075  | -850  | -850  | -575  | -500 | -400 | -400 | -400 |
| 61      | 1-5   | -900   | -725  | -725  | -400  | -300 | -200 | -200 | -200 |
|         | 6     | -1025  | -800  | -800  | -600  | -500 | -375 | -375 | -375 |
|         | 7     | -1125  | -950  | -925  | -675  | -575 | -475 | -475 | -475 |
| 71      | 1-6   | -1100  | -925  | -875  | -675  | -575 | -500 | -500 | -500 |
|         | 7     | -1175  | -950  | -925  | -700  | -650 | -575 | -575 | -575 |
| 12 & 22 | 1 & 2 | -525   | -325  | -175  | 50    | 100  | 225  | 300  | 300  |
|         | 3     | -575   | -375  | -200  | 50    | 50   | 175  | 250  | 250  |
|         | 4     | -600   | -425  | -375  | -175  | 0    | 150  | 225  | 225  |
|         | 5     | -725   | -550  | -550  | -350  | -150 | -100 | -50  | -50  |
|         | 6     | -875   | -675  | -675  | -450  | -375 | -325 | -275 | -275 |
|         | 7     | -950   | -775  | -750  | -525  | -450 | -400 | -350 | -350 |
| 32      | 1 & 2 | -575   | -375  | -225  | -75   | -25  | 50   | 125  | 125  |
|         | 3     | -625   | -425  | -250  | -125  | -50  | 50   | 125  | 125  |
|         | 4     | -700   | -500  | -425  | -200  | -75  | 0    | 50   | 50   |
|         | 5     | -825   | -700  | -650  | -400  | -250 | -200 | -150 | -150 |
|         | 6     | -975   | -775  | -750  | -525  | -450 | -400 | -350 | -350 |
|         | 7     | -1075  | -875  | -800  | -625  | -525 | -475 | -425 | -425 |
| 42      | 1-3   | -725   | -525  | -475  | -225  | -150 | 25   | 75   | 75   |
|         | 4     | -775   | -600  | -500  | -250  | -175 | 0    | 50   | 50   |
|         | 5     | -875   | -750  | -675  | -425  | -275 | -250 | -200 | -200 |
|         | 6     | -1075  | -800  | -775  | -550  | -475 | -425 | -375 | -375 |
|         | 7     | -1150  | -950  | -875  | -675  | -550 | -500 | -450 | -450 |
| 52      | 1-4   | -1000  | -775  | -750  | -575  | -450 | -400 | -350 | -350 |
|         | 5     | -1075  | -875  | -825  | -625  | -500 | -450 | -400 | -400 |
|         | 6     | -1275  | -1050 | -1000 | -750  | -650 | -600 | -550 | -550 |
|         | 7     | -1350  | -1150 | -1100 | -850  | -750 | -700 | -650 | -650 |
| 62      | 1-5   | -1125  | -950  | -925  | -725  | -625 | -575 | -525 | -525 |
|         | 6     | -1300  | -1100 | -1075 | -875  | -800 | -750 | -700 | -700 |

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -850   | -650  | -600  | -400  | -325  | -300  | -250  | -250  |
|         | 3     | -900   | -675  | -625  | -425  | -350  | -325  | -275  | -275  |
|         | 4     | -925   | -750  | -700  | -475  | -400  | -375  | -325  | -325  |
|         | 5     | -1050  | -850  | -825  | -600  | -525  | -475  | -425  | -425  |
|         | 6     | -1150  | -925  | -900  | -675  | -600  | -550  | -500  | -500  |
|         | 7     | -1225  | -1025 | -975  | -725  | -700  | -650  | -600  | -600  |
| 33      | 1 & 2 | -975   | -725  | -675  | -450  | -400  | -375  | -325  | -325  |
|         | 3     | -975   | -725  | -675  | -450  | -400  | -375  | -325  | -325  |
|         | 4     | -1050  | -800  | -750  | -500  | -450  | -425  | -375  | -375  |
|         | 5     | -1200  | -925  | -875  | -650  | -575  | -525  | -475  | -475  |
|         | 6     | -1250  | -1000 | -1000 | -700  | -675  | -625  | -575  | -575  |
|         | 7     | -1325  | -1100 | -1050 | -825  | -775  | -725  | -675  | -675  |
| 43      | 1-3   | -1025  | -825  | -775  | -525  | -475  | -425  | -375  | -375  |
|         | 4     | -1100  | -900  | -825  | -550  | -475  | -425  | -375  | -375  |
|         | 5     | -1225  | -1000 | -925  | -675  | -600  | -550  | -500  | -500  |
|         | 6     | -1300  | -1075 | -1025 | -775  | -750  | -700  | -650  | -650  |
|         | 7     | -1375  | -1175 | -1100 | -850  | -825  | -775  | -725  | -725  |
| 53      | 1-4   | -1200  | -1075 | -1000 | -725  | -675  | -625  | -575  | -575  |
|         | 5     | -1300  | -1125 | -1075 | -825  | -775  | -725  | -675  | -675  |
|         | 6     | -1425  | -1225 | -1175 | -925  | -900  | -850  | -800  | -800  |
|         | 7     | -1500  | -1300 | -1275 | -1050 | -1025 | -975  | -925  | -925  |
| 63      | 1-5   | -1425  | -1225 | -1150 | -875  | -800  | -750  | -700  | -700  |
|         | 6     | -1500  | -1325 | -1225 | -1025 | -975  | -925  | -875  | -875  |
| 34      | 1 & 2 | -1100  | -900  | -850  | -625  | -600  | -550  | -500  | -500  |
|         | 3     | -1100  | -900  | -850  | -625  | -600  | -550  | -500  | -500  |
|         | 4     | -1225  | -1025 | -950  | -725  | -700  | -650  | -600  | -600  |
|         | 5     | -1325  | -1125 | -1075 | -850  | -825  | -775  | -725  | -725  |
|         | 6     | -1475  | -1275 | -1225 | -1050 | -1025 | -975  | -925  | -925  |
| 44      | 1-3   | -1225  | -1025 | -975  | -750  | -725  | -675  | -625  | -625  |
|         | 4     | -1300  | -1125 | -1025 | -800  | -775  | -725  | -675  | -675  |
|         | 5     | -1400  | -1200 | -1125 | -900  | -875  | -825  | -775  | -775  |
|         | 6     | -1550  | -1350 | -1300 | -1125 | -1100 | -1050 | -1000 | -1000 |
| 54      | 1-4   | -1325  | -1150 | -1100 | -875  | -850  | -800  | -750  | -750  |
|         | 5     | -1425  | -1225 | -1150 | -1000 | -975  | -925  | -875  | -875  |

| Mike       |       |
|------------|-------|
| Range      | Diff. |
| 24 & Below | -2475 |
| 25-26      | -2475 |
| 27-29      | -1600 |
| 30-32      | -1250 |
| 33-34      | -1025 |
| Base 35-36 | 0     |
| 37-42      | 0     |
| Base 43-49 | 0     |
| 50-52      | -250  |
| 53 & Above | -375  |

| Strength<br>(Grams per Tex) |       |
|-----------------------------|-------|
| Range                       | Diff. |
| 19.0 - 19.9                 | -300  |
| 20.0 - 20.9                 | -300  |
| 21.0 - 21.9                 | -275  |
| 22.0 - 22.9                 | -250  |
| 23.0 - 23.9                 | -225  |
| 24.0 - 24.9                 | -225  |
| 25.0 - 25.9                 | -150  |
| 26.0 - 26.9                 | -100  |
| Base 27.0 - 28.9            | 0     |
| 29.0 - 29.9                 | 0     |
| 30.0 - 30.9                 | 25    |
| 31.0 - 32.9                 | 25    |
| 33.0 & above                | 25    |

| Uniformity       |        |
|------------------|--------|
| Unit             | Points |
| 77.9 & Below     | -125   |
| 78.0 - 78.9      | -95    |
| 79.0 - 79.9      | -80    |
| 80.0 - 80.9      | 0      |
| Base 81.0 - 81.9 | 0      |
| 82.0 - 82.9      | 0      |
| 83.0 - 83.9      | 0      |
| 84.0 - 84.9      | 10     |
| 85.0 - 85.9      | 20     |
| 86.0 & Above     | 30     |

| Extraneous Matter |       |
|-------------------|-------|
| Prep              | Diff. |
| Level 1           | -200  |
| Level 2           | -500  |
| Bark              |       |
| Level 1           | -350  |
| Level 2           | -525  |
| Other             |       |
| Level 1           | -550  |
| Level 2           | -600  |



DESERT SOUTHWEST DIFFERENCES

| Color   | Leaf  | Staple |       |       |       |       |       | Mike              |                          |
|---------|-------|--------|-------|-------|-------|-------|-------|-------------------|--------------------------|
|         |       | 33     | 34    | 35    | 36    | 37    | 38    | Range             | Diff.                    |
| 11 & 21 | 1 & 2 | -100   | 125   | 550   | 645   | 710   | 745   | 24 & Below        | -1350                    |
|         | 3     | -100   | 100   | 475   | 595   | 610   | 645   | 25-26             | -1150                    |
|         | 4     | -300   | 50    | 300   | 335   | 370   | 370   | 27-29             | -1050                    |
|         | 5     | -375   | -175  | 25    | 100   | 185   | 185   | 30-32             | -650                     |
|         | 6     | -450   | -350  | -100  | -85   | -30   | -30   | 33-34             | -450                     |
|         | 7     | -650   | -375  | -175  | -140  | -100  | -100  | 35-36             | 0                        |
|         | 31    | 1 & 2  | -175  | 75    | 500   | 595   | 630   | 655               | 37-42                    |
| 3       |       | -175   | 50    | 400   | 545   | 555   | 580   | 43-49             | 0                        |
| 4       |       | -350   | 25    | 200   | 285   | 320   | 345   | 50-52             | -300                     |
| 5       |       | -400   | -200  | -50   | 0     | 70    | 70    | 53 & Above        | -550                     |
| 6       |       | -475   | -375  | -135  | -120  | -40   | -40   |                   |                          |
| 7       |       | -675   | -400  | -225  | -195  | -115  | -115  |                   |                          |
|         |       |        |       |       |       |       |       |                   |                          |
| 41      | 1 & 2 | -575   | 0     | 50    | 110   | 120   | 145   | <b>Strength</b>   |                          |
|         | 3     | -575   | 0     | 35    | 85    | 120   | 145   | (Grams per Tex)   |                          |
|         | 4     | -625   | 88.81 | 25    | 35    | 95    | 95    | Range             | Diff.                    |
|         | 5     | -625   | -500  | -350  | -340  | -280  | -280  | 21.0 - 21.9       | -600                     |
|         | 6     | -800   | -675  | -450  | -440  | -390  | -390  | 22.0 - 22.9       | -450                     |
|         | 7     | -950   | -825  | -625  | -620  | -585  | -585  | 23.0 - 23.9       | -300                     |
|         | 51    | 1 & 2  | -675  | -500  | -250  | -215  | -205  | -205              | 24.0 - 24.9              |
| 3       |       | -675   | -500  | -250  | -215  | -205  | -205  | 25.0 - 25.9       | -200                     |
| 4       |       | -700   | -575  | -375  | -325  | -265  | -265  | 26.0 - 26.9       | -125                     |
| 5       |       | -800   | -750  | -575  | -550  | -500  | -500  | Base 27.0 - 28.9  | 0                        |
| 6       |       | -950   | -850  | -650  | -650  | -600  | -600  | 29.0 - 29.9       | 0                        |
| 7       |       | -1150  | -1050 | -850  | -850  | -825  | -825  | 30.0 - 30.9       | 25                       |
| 12 & 22 |       | 1 & 2  | -475  | 50    | 325   | 385   | 445   | 445               | 31.0 - 32.9              |
|         | 3     | -475   | 50    | 300   | 360   | 420   | 420   | 33.0 & above      | 100                      |
|         | 4     | -575   | 0     | 225   | 285   | 370   | 370   |                   |                          |
|         | 5     | -600   | -425  | -125  | -125  | -50   | -50   |                   |                          |
|         | 6     | -750   | -625  | -325  | -325  | -250  | -250  |                   |                          |
|         | 7     | -925   | -800  | -575  | -575  | -500  | -500  |                   |                          |
|         | 32    | 1 & 2  | -575  | -200  | 150   | 235   | 245   | 245               | <b>Extraneous Matter</b> |
| 3       |       | -575   | -200  | 150   | 235   | 245   | 245   | Prep              | Diff.                    |
| 4       |       | -625   | -425  | 0     | 85    | 95    | 95    | Level 1           | -50                      |
| 5       |       | -675   | -675  | -400  | -400  | -400  | -400  | Level 2           | -800                     |
| 6       |       | -875   | -800  | -525  | -525  | -525  | -525  |                   |                          |
| 7       |       | -1025  | -975  | -775  | -775  | -775  | -775  | Other             |                          |
| 42      |       | 1-3    | -625  | -450  | -150  | -100  | -100  | -100              | Level 1                  |
|         | 4     | -650   | -525  | -250  | -200  | -200  | -200  | Level 2           | -800                     |
|         | 5     | -725   | -700  | -450  | -450  | -450  | -450  |                   |                          |
|         | 6     | -900   | -825  | -575  | -575  | -575  | -575  |                   |                          |
|         | 7     | -1100  | -1000 | -825  | -825  | -825  | -825  |                   |                          |
| 52      | 1-4   | -850   | -725  | -500  | -450  | -450  | -450  | <b>Uniformity</b> |                          |
|         | 5     | -900   | -800  | -575  | -575  | -575  | -575  | Unit              | Points                   |
|         | 6     | -1000  | -900  | -675  | -675  | -675  | -675  | 77.9 & Below      | -100                     |
|         | 7     | -1250  | -1150 | -975  | -950  | -950  | -950  | 78.0 - 78.9       | -90                      |
| 43      | 1-3   | -725   | -650  | -575  | -500  | -500  | -500  | 79.0 - 79.9       | -80                      |
|         | 4     | -825   | -750  | -625  | -575  | -575  | -575  | 80.0 - 80.9       | 0                        |
|         | 5     | -925   | -825  | -650  | -625  | -625  | -625  | Base 81.0 - 81.9  | 0                        |
|         | 6     | -1025  | -925  | -900  | -900  | -900  | -900  | 82.0 - 82.9       | 0                        |
|         | 7     | -1125  | -1050 | -1025 | -1025 | -1025 | -1025 | 83.0 - 83.9       | 30                       |
| 53      | 1-4   | -975   | -875  | -800  | -800  | -800  | -800  | 84.0 - 84.9       | 40                       |
|         | 5     | -1025  | -925  | -850  | -850  | -850  | -850  | 85.0 - 85.9       | 50                       |
|         | 6     | -1125  | -1025 | -950  | -950  | -950  | -950  | 86.0 & Above      | 60                       |
|         | 7     | -1375  | -1275 | -1275 | -1275 | -1275 | -1275 |                   |                          |

| Color   | Leaf  | Staple |       |       |       |       | Mike              |        |
|---------|-------|--------|-------|-------|-------|-------|-------------------|--------|
|         |       | 34     | 35    | 36    | 37    | 38    | Range             | Diff.  |
| 11 & 21 | 1 & 2 | 415    | 1040  | 1390  | 1540  | 1765  | 27-29             | -1600  |
|         | 3     | 365    | 990   | 1340  | 1465  | 1665  | 30-32             | -1000  |
|         | 4     | 75     | 350   | 400   | 500   | 500   | 33-34             | -500   |
|         | 5     | -125   | 75    | 130   | 190   | 190   | Base 35-36        | 0      |
|         | 6     | -400   | -200  | -150  | -100  | -100  | 37-42             | 25     |
|         | 7     | -625   | -525  | -475  | -425  | -425  | Base 43-49        | 0      |
| 31      | 1 & 2 | 315    | 940   | 1290  | 1415  | 1590  | 50-52             | -500   |
|         | 3     | 265    | 890   | 1240  | 1365  | 1540  |                   |        |
|         | 4     | 50     | 300   | 330   | 410   | 410   |                   |        |
|         | 5     | -200   | 0     | 55    | 115   | 115   |                   |        |
|         | 6     | -500   | -325  | -275  | -225  | -225  |                   |        |
|         | 7     | -675   | -575  | -525  | -475  | -475  |                   |        |
| 41      | 1 & 2 | 100    | 350   | 430   | 440   | 440   | Strength          |        |
|         | 3     | 50     | 250   | 330   | 340   | 340   | (Grams per Tex)   |        |
|         | 4     | 89.31  | 200   | 280   | 290   | 290   | Range             | Diff.  |
|         | 5     | -425   | -200  | -195  | -185  | -185  | 24.0 - 24.9       | -500   |
|         | 6     | -625   | -450  | -450  | -450  | -450  | 25.0 - 25.9       | -400   |
|         | 7     | -825   | -725  | -725  | -725  | -725  | 26.0 - 26.9       | -300   |
| 51      | 1 & 2 | -675   | -225  | -175  | -175  | -175  | Base 27.0 - 28.9  | 0      |
|         | 3     | -700   | -250  | -200  | -200  | -200  | 29.0 - 29.9       | 0      |
|         | 4     | -750   | -300  | -275  | -275  | -275  | 30.0 - 30.9       | 75     |
|         | 5     | -775   | -375  | -325  | -325  | -325  | 31.0 - 32.9       | 125    |
|         | 6     | -900   | -800  | -800  | -800  | -800  | 33.0 & Above      | 250    |
|         | 7     | -1050  | -1000 | -1000 | -1000 | -1000 |                   |        |
| 12 & 22 | 1 & 2 | 125    | 575   | 830   | 965   | 1140  |                   |        |
|         | 3     | 50     | 500   | 780   | 890   | 1040  |                   |        |
|         | 4     | -75    | 325   | 375   | 440   | 440   |                   |        |
|         | 5     | -250   | -50   | 0     | 50    | 50    |                   |        |
|         | 6     | -525   | -400  | -350  | -300  | -300  |                   |        |
|         | 7     | -775   | -700  | -650  | -600  | -600  |                   |        |
| 32      | 1 & 2 | 0      | 250   | 325   | 375   | 475   | Extraneous Matter |        |
|         | 3     | -50    | 200   | 275   | 325   | 425   | Prep              | Diff.  |
|         | 4     | -200   | 25    | 50    | 100   | 100   | Level 1           | -50    |
|         | 5     | -525   | -275  | -275  | -275  | -275  | Level 2           | -800   |
|         | 6     | -675   | -475  | -475  | -475  | -475  |                   |        |
|         | 7     | -850   | -750  | -750  | -750  | -750  | Other             |        |
| 42      | 1-3   | -450   | -100  | -75   | -75   | -75   | Level 1           | -350   |
|         | 4     | -500   | -175  | -150  | -150  | -150  | Level 2           | -925   |
|         | 5     | -675   | -350  | -300  | -300  | -300  |                   |        |
|         | 6     | -800   | -775  | -775  | -775  | -775  |                   |        |
|         | 7     | -1000  | -950  | -950  | -950  | -950  |                   |        |
|         |       |        |       |       |       |       |                   |        |
| 52      | 1-4   | -825   | -775  | -775  | -775  | -775  | Uniformity        |        |
|         | 5     | -875   | -825  | -825  | -825  | -825  | Unit              | Points |
|         | 6     | -1025  | -1025 | -1025 | -1025 | -1025 | 77.9 & Below      | -60    |
|         | 7     | -1225  | -1225 | -1225 | -1225 | -1225 | 78.0 - 78.9       | -50    |
|         |       |        |       |       |       |       | 79.0 - 79.9       | -40    |
| 33      | 1 & 2 | -500   | -500  | -500  | -500  | -500  | 80.0 - 80.9       | 0      |
|         | 3     | -500   | -500  | -500  | -500  | -500  | Base 81.0 - 81.9  | 0      |
|         | 4     | -600   | -600  | -600  | -600  | -600  | 82.0 - 82.9       | 50     |
|         | 5     | -800   | -800  | -800  | -800  | -800  | 83.0 - 83.9       | 80     |
|         | 6     | -1075  | -1075 | -1075 | -1075 | -1075 | 84.0 - 84.9       | 90     |
|         | 7     | -1225  | -1225 | -1225 | -1225 | -1225 | 85.0 - 85.9       | 100    |
| 43      | 1-3   | -875   | -875  | -875  | -875  | -875  | 86.0 & Above      | 110    |
|         | 4     | -925   | -925  | -925  | -925  | -925  |                   |        |
|         | 5     | -1075  | -1075 | -1075 | -1075 | -1075 |                   |        |
|         | 6     | -1225  | -1225 | -1225 | -1225 | -1225 |                   |        |
|         | 7     | -1425  | -1425 | -1425 | -1425 | -1425 |                   |        |

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

**AMERICAN PIMA SPOT QUOTATIONS**

| Color | Leaf | Staple |        |        |
|-------|------|--------|--------|--------|
|       |      | 44     | 46     | 48     |
| 1     | 1    | 131.00 | 139.75 | 142.25 |
|       | 2    | 130.75 | 139.50 | 142.00 |
|       | 3    | 123.00 | 130.75 | 132.25 |
|       | 4    |        |        |        |
|       | 5    |        |        |        |
|       | 6    |        |        |        |
| 2     | 1    | 130.75 | 139.50 | 142.00 |
|       | 2    | 130.50 | 139.25 | 141.75 |
|       | 3    | 122.75 | 130.50 | 132.00 |
|       | 4    | 112.75 | 121.00 | 122.50 |
|       | 5    |        |        |        |
|       | 6    |        |        |        |
| 3     | 1    | 120.50 | 128.25 | 129.75 |
|       | 2    | 118.00 | 125.75 | 127.25 |
|       | 3    | 116.75 | 124.50 | 126.00 |
|       | 4    | 107.75 | 115.50 | 117.00 |
|       | 5    | 91.75  | 99.00  | 100.50 |
|       | 6    |        |        |        |
| 4     | 1    | 101.50 | 109.25 | 111.50 |
|       | 2    | 101.25 | 109.00 | 110.75 |
|       | 3    | 101.00 | 108.75 | 110.00 |
|       | 4    | 96.00  | 103.75 | 105.00 |
|       | 5    | 84.75  | 92.50  | 93.75  |
|       | 6    |        |        |        |
| 5     | 1    |        |        |        |
|       | 2    | 80.50  | 90.50  | 91.75  |
|       | 3    | 80.50  | 90.00  | 91.75  |
|       | 4    | 80.50  | 84.50  | 85.75  |
|       | 5    | 80.25  | 84.25  | 85.50  |
|       | 6    |        |        |        |
| 6     | 1    |        |        |        |
|       | 2    | 72.75  | 75.75  | 77.00  |
|       | 3    | 72.75  | 75.75  | 77.00  |
|       | 4    | 72.75  | 75.75  | 77.00  |
|       | 5    | 72.50  | 75.50  | 76.75  |
|       | 6    | 72.00  | 75.00  | 76.25  |

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on May 30, 2018.

**Mike**

| Range      | Diff. |
|------------|-------|
| 26 & Below | -1900 |
| 27-29      | -1400 |
| 30-32      | -900  |
| 33-34      | -400  |
| 35 & Above | 0     |

**Strength**

| (Grams per Tex) |       |
|-----------------|-------|
| Range           | Diff. |
| 35.4 & Below    | -1350 |
| 35.5-36.4       | -1100 |
| 36.5-37.4       | -850  |
| 37.5 & Above    | 0     |

**Extraneous Matter**

| Prep    | Diff. |
|---------|-------|
| Level 1 | -810  |
| Level 2 | -1095 |
| Other   |       |
| Level 1 | -715  |
| Level 2 | -1035 |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

| Color   | Leaf  | Staple |       |       |       |      |      |      |      |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
|         |       | 26-31  | 32    | 33    | 34    | 35   | 36   | 37   | 38   |
| 11 & 21 | 1 & 2 | -313   | -233  | -69   | 186   | 434  | 616  | 675  | 719  |
|         | 3     | -375   | -253  | -82   | 157   | 381  | 562  | 611  | 651  |
|         | 4     | -425   | -280  | -192  | 68    | 189  | 323  | 364  | 364  |
|         | 5     | -513   | -395  | -308  | -82   | 57   | 140  | 168  | 168  |
|         | 6     | -675   | -505  | -450  | -314  | -221 | -173 | -158 | -158 |
|         | 7     | -750   | -600  | -567  | -421  | -346 | -295 | -282 | -282 |
|         | 31    | 1 & 2  | -413  | -258  | -107  | 125  | 374  | 562  | 621  |
| 3       |       | -450   | -268  | -115  | 114   | 338  | 526  | 574  | 610  |
| 4       |       | -525   | -315  | -242  | 50    | 150  | 259  | 290  | 294  |
| 5       |       | -588   | -425  | -333  | -125  | -4   | 65   | 91   | 91   |
| 6       |       | -738   | -530  | -467  | -343  | -266 | -228 | -209 | -209 |
| 7       |       | -825   | -625  | -583  | -439  | -379 | -342 | -324 | -324 |
| 41      |       | 1 & 2  | -538  | -340  | -254  | 49   | 164  | 259  | 276  |
|         | 3     | -563   | -350  | -263  | 35    | 112  | 209  | 230  | 237  |
|         | 4     | -613   | -380  | -346  | 89.94 | 75   | 156  | 180  | 184  |
|         | 5     | -713   | -510  | -450  | -264  | -143 | -62  | -49  | -49  |
|         | 6     | -863   | -615  | -583  | -461  | -371 | -309 | -302 | -302 |
|         | 7     | -975   | -725  | -721  | -600  | -511 | -474 | -469 | -469 |
|         | 51    | 1 & 2  | -713  | -580  | -471  | -318 | -175 | -120 | -115 |
| 3       |       | -713   | -620  | -475  | -339  | -193 | -134 | -129 | -129 |
| 4       |       | -750   | -640  | -504  | -389  | -261 | -207 | -195 | -195 |
| 5       |       | -800   | -725  | -675  | -514  | -389 | -332 | -321 | -321 |
| 6       |       | -963   | -805  | -779  | -639  | -564 | -525 | -518 | -518 |
| 7       |       | -1063  | -890  | -904  | -779  | -696 | -661 | -657 | -657 |
| 61      |       | 1-5    | -875  | -780  | -715  | -520 | -465 | -420 | -420 |
|         | 6     | -1025  | -885  | -835  | -685  | -645 | -595 | -595 | -595 |
|         | 7     | -1125  | -1000 | -955  | -775  | -735 | -690 | -690 | -690 |
| 71      | 1-6   | -1075  | -1080 | -1025 | -860  | -820 | -780 | -780 | -780 |
|         | 7     | -1163  | -1120 | -1075 | -895  | -875 | -835 | -835 | -835 |
|         |       |        |       |       |       |      |      |      |      |
| 12 & 22 | 1 & 2 | -563   | -310  | -204  | 64    | 204  | 345  | 398  | 426  |
|         | 3     | -600   | -330  | -217  | 43    | 157  | 299  | 355  | 380  |
|         | 4     | -638   | -355  | -313  | -39   | 89   | 209  | 255  | 259  |
|         | 5     | -738   | -525  | -471  | -275  | -104 | -46  | -7   | -7   |
|         | 6     | -900   | -645  | -617  | -475  | -357 | -321 | -289 | -289 |
|         | 7     | -1000  | -730  | -729  | -607  | -518 | -482 | -450 | -450 |
|         | 32    | 1 & 2  | -600  | -410  | -308  | -82  | 57   | 130  | 156  |
| 3       |       | -638   | -425  | -321  | -104  | 25   | 101  | 128  | 142  |
| 4       |       | -700   | -475  | -379  | -221  | -71  | -20  | 3    | 3    |
| 5       |       | -813   | -625  | -533  | -393  | -275 | -229 | -214 | -214 |
| 6       |       | -975   | -715  | -696  | -561  | -457 | -429 | -414 | -414 |
| 7       |       | -1100  | -820  | -804  | -686  | -604 | -582 | -568 | -568 |
| 42      |       | 1-3    | -700  | -570  | -483  | -314 | -164 | -111 | -96  |
|         | 4     | -750   | -610  | -504  | -354  | -232 | -179 | -164 | -164 |
|         | 5     | -875   | -745  | -650  | -504  | -371 | -343 | -329 | -329 |
|         | 6     | -1088  | -835  | -796  | -650  | -575 | -550 | -536 | -536 |
|         | 7     | -1188  | -930  | -888  | -789  | -711 | -693 | -679 | -679 |
| 52      | 1-4   | -963   | -770  | -688  | -600  | -525 | -504 | -489 | -489 |
|         | 5     | -1038  | -845  | -796  | -682  | -607 | -593 | -579 | -579 |
|         | 6     | -1250  | -995  | -938  | -825  | -764 | -750 | -736 | -736 |
|         | 7     | -1338  | -1080 | -1067 | -964  | -911 | -886 | -871 | -871 |
| 62      | 1-5   | -1088  | -975  | -910  | -765  | -730 | -710 | -690 | -690 |
|         | 6     | -1288  | -1140 | -1075 | -910  | -880 | -855 | -835 | -835 |

| Color   | Leaf  | Staple |       |       |       |       |       |       |       |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
|         |       | 26-31  | 32    | 33    | 34    | 35    | 36    | 37    | 38    |
| 13 & 23 | 1 & 2 | -913   | -750  | -688  | -425  | -350  | -288  | -213  | -213  |
|         | 3     | -950   | -775  | -713  | -450  | -375  | -313  | -238  | -238  |
|         | 4     | -988   | -850  | -775  | -500  | -425  | -363  | -288  | -288  |
|         | 5     | -1113  | -950  | -900  | -625  | -550  | -475  | -400  | -400  |
|         | 6     | -1225  | -1025 | -963  | -713  | -638  | -563  | -488  | -488  |
| 33      | 1 & 2 | -1313  | -1125 | -1063 | -800  | -750  | -675  | -600  | -600  |
|         | 3     | -1025  | -825  | -763  | -485  | -450  | -408  | -358  | -358  |
|         | 4     | -1025  | -825  | -763  | -493  | -458  | -417  | -358  | -358  |
|         | 5     | -1100  | -900  | -825  | -560  | -525  | -483  | -425  | -425  |
|         | 6     | -1250  | -1013 | -938  | -718  | -675  | -625  | -567  | -567  |
| 43      | 1-3   | -1313  | -1088 | -1050 | -868  | -842  | -792  | -733  | -733  |
|         | 4     | -1400  | -1200 | -1125 | -1002 | -967  | -917  | -858  | -858  |
|         | 5     | -1075  | -905  | -767  | -629  | -589  | -554  | -529  | -529  |
|         | 6     | -1150  | -950  | -817  | -676  | -621  | -589  | -564  | -564  |
|         | 7     | -1275  | -1005 | -917  | -816  | -761  | -736  | -711  | -711  |
| 53      | 1-4   | -1363  | -1085 | -1004 | -915  | -893  | -871  | -846  | -846  |
|         | 5     | -1450  | -1210 | -1113 | -1040 | -1018 | -996  | -971  | -971  |
|         | 6     | -1225  | -1050 | -958  | -809  | -771  | -750  | -721  | -721  |
|         | 7     | -1325  | -1130 | -1058 | -901  | -871  | -850  | -821  | -821  |
|         | 6     | -1438  | -1245 | -1146 | -997  | -967  | -946  | -917  | -917  |
| 63      | 1-5   | -1525  | -1310 | -1283 | -1126 | -1104 | -1083 | -1054 | -1054 |
|         | 6     | -1438  | -1225 | -1160 | -996  | -950  | -925  | -890  | -890  |
| 34      | 1-5   | -1525  | -1315 | -1240 | -1071 | -1040 | -1015 | -980  | -980  |
|         | 1 & 2 | -1150  | -1000 | -950  | -675  | -650  | -588  | -525  | -525  |
|         | 3     | -1150  | -1000 | -950  | -675  | -650  | -588  | -525  | -525  |
|         | 4     | -1275  | -1125 | -1050 | -775  | -750  | -688  | -625  | -625  |
|         | 5     | -1375  | -1225 | -1175 | -900  | -875  | -813  | -750  | -750  |
| 44      | 6     | -1538  | -1388 | -1338 | -1088 | -1063 | -1000 | -938  | -938  |
|         | 1-3   | -1263  | -1113 | -1063 | -788  | -763  | -700  | -638  | -638  |
|         | 4     | -1338  | -1213 | -1113 | -838  | -813  | -750  | -688  | -688  |
|         | 5     | -1425  | -1288 | -1213 | -938  | -913  | -850  | -788  | -788  |
| 54      | 6     | -1588  | -1438 | -1388 | -1138 | -1113 | -1050 | -988  | -988  |
|         | 1-4   | -1363  | -1238 | -1188 | -888  | -875  | -813  | -763  | -763  |
|         | 5     | -1463  | -1325 | -1250 | -988  | -975  | -913  | -863  | -863  |

| Mike       |       |
|------------|-------|
| Range      | Diff. |
| 24 & Below | -2100 |
| 25-26      | -1504 |
| 27-29      | -1096 |
| 30-32      | -725  |
| 33-34      | -486  |
| Base 35-36 | 0     |
| 37-42      | 14    |
| Base 43-49 | 0     |
| 50-52      | -279  |
| 53 & Above | -404  |

| Strength<br>(Grams per Tex) |       |
|-----------------------------|-------|
| Range                       | Diff. |
| 19.0 - 19.9                 | -300  |
| 20.0 - 20.9                 | -300  |
| 21.0 - 21.9                 | -358  |
| 22.0 - 22.9                 | -296  |
| 23.0 - 23.9                 | -242  |
| 24.0 - 24.9                 | -254  |
| 25.0 - 25.9                 | -200  |
| 26.0 - 26.9                 | -100  |
| Base 27.0 - 28.9            | 0     |
| 29.0 - 29.9                 | 0     |
| 30.0 - 30.9                 | 32    |
| 31.0 - 32.9                 | 54    |
| 33.0 & Above                | 79    |

| Uniformity       |        |
|------------------|--------|
| Unit             | Points |
| 77.9 & Below     | -97    |
| 78.0 - 78.9      | -83    |
| 79.0 - 79.9      | -71    |
| 80.0 - 80.9      | -4     |
| Base 81.0 - 81.9 | 0      |
| 82.0 - 82.9      | 7      |
| 83.0 - 83.9      | 29     |
| 84.0 - 84.9      | 37     |
| 85.0 - 85.9      | 47     |
| 86.0 & Above     | 57     |

| Extraneous Matter                 |       |
|-----------------------------------|-------|
| Prep                              | Diff. |
| Level 1                           | -157  |
| Level 2                           | -714  |
| Other (ET-OK and WT not included) |       |
| Level 1                           | -421  |
| Level 2                           | -756  |
| Bark - ET-OK and WT only          |       |
| Level 1                           | -350  |
| Level 2                           | -525  |