



**Daily Spot Cotton Quotations**

Agricultural Marketing Service

Cotton and Tobacco Market News

09-Aug-18

Volume 101, No. 7

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS	
	Basis	Color 41 Leaf 4	Color 31 Leaf 3		Number of Bales Provided to Cotton Program	
	ICE Futures	Staple 34	Staple 35		Today	Season
	<i>Points</i>	<i>Cents per pound</i>			<i>Bales</i>	<i>Bales</i>
Southeast	-50 Oct-18	86.76	89.01		0	0
North Delta	-150 Oct-18	85.76	87.51		0	0
South Delta	-150 Oct-18	85.76	87.51		0	0
East TX-OK	-600 Oct-18	81.26	83.76		0	4,628
West Texas	-600 Oct-18	81.26	83.76		0	0
Desert SW	-575 Oct-18	81.51	85.51		3	3
SJ Valley	-525 Oct-18	82.01	90.91		0	0
Average	-379 Oct-18	83.47	86.85		Upland Total	
Previous day	-379 Oct-18	83.60	86.98		<b>3</b>	<b>4,631</b>
<b>AMERICAN PIMA SPOT PRICE QUOTATIONS</b>						
	<b>Color 02, Leaf 2 - Staple 46</b>	<b>Color 03, Leaf 3 - Staple 44</b>	<b>Color 03, Leaf 3 - Staple 46</b>		AP Total	
American Pima	139.25	116.75	124.50		<b>0</b>	<b>0</b>
<b>ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER</b>				<b>7-MARKET BASE QUOTATIONS FOR UPLAND COTTON</b>		<b>Aug 03 - Aug 09 ADJ. WORLD PRICE</b>
Month	<i>Cents per pound</i>					80.06
	Today	Previous	Change			<b>CC ADJUSTMENT</b>
Oct-18	87.26	87.39 ↓	-0.13	<b>Season high</b>		0.00
Dec-18	87.26	87.18 ↑	0.08			<b>FC ADJUSTMENT</b>
Mar-19	87.69	87.47 ↑	0.22	8/2/2018	85.65	2017 2018
May-19	88.13	87.81 ↑	0.32			0.65 0.70
Jul-19	88.22	87.89 ↑	0.33	<b>Season low</b>		<b>LOAN DEFICIENCY PMT.</b>
Oct-19	82.48	82.43 ↑	0.05			0.00
Dec-19	80.79	80.68 ↑	0.11			<b>PIMA COMPETITIVENESS PAYMENT</b>
Mar-20	80.77	80.63 ↑	0.14	8/9/2018	83.47	0.00
May-20	81.03	80.89 ↑	0.14			
Jul-20	81.20	81.06 ↑	0.14			

**TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:**

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast						
North Delta						
South Delta						
East TX-OK						
West Texas						
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News  
 Memphis, Tennessee | 901-384-3016 | [cottonmn@ams.usda.gov](mailto:cottonmn@ams.usda.gov)  
<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	250	425	475	475	25-26	-825
	3	-225	-50	150	225	400	450	450	27-29	-425
	4	-225	-125	75	175	275	300	300	30-32	-275
	5	-375	-225	-125	25	75	75	75	33-34	-150
	6	-500	-350	-300	-225	-200	-200	-200	Base 35-36	0
31	7	-625	-475	-450	-350	-325	-325	-325	37-42	0
	1 & 2	-225	-50	125	225	400	425	425	Base 43-49	0
	3	-225	-50	125	225	375	400	400	50-52	-200
	4	-225	-125	75	175	250	275	275	53 & Above	-375
	5	-375	-225	-125	25	50	50	50		
41	6	-500	-350	-300	-275	-250	-250	-250		
	7	-625	-475	-450	-400	-375	-375	-375		
	1 & 2	-275	-100	50	200	225	225	250	Strength	
	3	-275	-100	50	175	200	200	225	(Grams per Tex)	
	4	-275	-200	86.76	150	175	175	200	Range	Diff.
51	5	-450	-350	-200	-75	-25	-25	-25	21.0 - 21.9	-425
	6	-575	-450	-425	-350	-325	-325	-325	22.0 - 22.9	-350
	7	-675	-575	-550	-500	-475	-475	-475	23.0 - 23.9	-300
	1 & 2	-475	-300	-175	-175	-150	-150	-150	24.0 - 24.9	-250
	3	-550	-325	-250	-225	-175	-175	-175	25.0 - 25.9	-200
61	4	-575	-325	-275	-275	-250	-250	-250	26.0 - 26.9	-25
	5	-675	-550	-450	-400	-375	-375	-375	Base 27.0 - 28.9	0
	6	-750	-575	-525	-525	-500	-500	-500	29.0 - 29.9	0
	7	-825	-700	-675	-675	-650	-650	-650	30.0 - 30.9	25
	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
71	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
	1-6	-1075	-1000	-950	-950	-950	-950	-950		
12 & 22	7	-1100	-1025	-975	-975	-975	-975	-975	Extraneous Matter	
	1 & 2	-275	-100	50	150	275	275	300	Type - Level	Diff.
	3	-275	-100	50	125	250	250	275	Prep - Level 1	-200
	4	-275	-125	0	100	225	225	250	Prep - Level 2	-800
	5	-425	-325	-200	0	25	25	25	Other - Level 1	-400
32	6	-550	-425	-425	-350	-325	-325	-325	Other - Level 2	-800
	7	-650	-550	-550	-500	-475	-475	-475	Plastic - Level 1	-400
	1 & 2	-325	-175	-25	0	50	50	50	Plastic - Level 2	-800
	3	-350	-200	-50	0	25	25	25		
	4	-450	-200	-150	-100	-50	-50	-50		
42	5	-525	-350	-300	-275	-250	-250	-250	Uniformity	
	6	-600	-450	-450	-425	-400	-400	-400	Unit	Points
	7	-700	-575	-575	-550	-525	-525	-525	77.9 & Below	-125
	1-3	-625	-425	-225	-200	-175	-175	-175	78.0 - 78.9	-110
	4	-675	-425	-275	-275	-250	-250	-250	79.0 - 79.9	-100
52	5	-775	-650	-425	-375	-350	-350	-350	80.0 - 80.9	-25
	6	-825	-775	-625	-625	-600	-600	-600	Base 81.0 - 81.9	0
	7	-925	-800	-775	-750	-725	-725	-725	82.0 - 82.9	0
	1-4	-825	-700	-575	-500	-500	-500	-500	83.0 - 83.9	20
	5	-850	-850	-675	-650	-650	-650	-650	84.0 - 84.9	30
62	6	-925	-900	-850	-825	-825	-825	-825	85.0 - 85.9	40
	7	-1075	-1000	-950	-925	-925	-925	-925	86.0 & Above	50
	1-5	-950	-875	-825	-825	-825	-825	-825		
43	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000		
	1-3	-900	-850	-800	-750	-725	-725	-725		
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
53	7	-1125	-1000	-950	-925	-925	-925	-925		
	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
63	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	125	250	475	500	500	25-26	-1000
	3	-225	-75	100	200	400	425	425	27-29	-650
	4	-275	-200	25	75	300	325	325	30-32	-325
	5	-450	-325	-75	0	25	50	50	33-34	-125
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
31	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
	1 & 2	-225	-100	75	200	450	475	475	Base 43-49	0
	3	-225	-100	75	175	400	425	425	50-52	-225
	4	-275	-250	25	75	250	275	275	53 & Above	-375
	5	-450	-325	-125	-50	-25	0	0		
41	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
	1 & 2	-350	-250	50	100	225	250	250	Strength	
	3	-350	-250	25	50	200	225	225	(Grams per Tex)	
	4	-375	-275	85.76	0	125	150	150	Range	Diff.
51	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-300
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250
	7	-700	-675	-550	-450	-450	-450	-450	23.0 - 23.9	-200
	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-150
61	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-525	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-850	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075	Extraneous Matter	
	1 & 2	-275	-125	50	100	250	275	275	Type - Level	Diff.
	3	-275	-125	25	50	200	250	250	Prep - Level 1	-200
	4	-300	-250	0	0	150	175	175	Prep - Level 2	-800
	5	-500	-375	-200	-100	-75	-50	-50	Other - Level 1	-375
32	6	-625	-550	-425	-325	-300	-300	-300	Other - Level 2	-785
	7	-675	-650	-525	-450	-425	-425	-425	Plastic - Level 1	-375
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-785
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-600	-425	-250	-225	-200	-200	-200	Uniformity	
	6	-700	-650	-475	-425	-400	-400	-400	Unit	Points
	7	-800	-750	-575	-525	-525	-525	-525	77.9 & Below	-90
	1-3	-550	-425	-350	-225	-225	-225	-225	78.0 - 78.9	-80
	4	-575	-450	-375	-300	-300	-300	-300	79.0 - 79.9	-70
52	5	-725	-575	-450	-400	-375	-375	-375	80.0 - 80.9	0
	6	-850	-750	-600	-550	-525	-525	-525	Base 81.0 - 81.9	0
	7	-900	-800	-700	-650	-650	-650	-650	82.0 - 82.9	0
	1-4	-750	-575	-525	-500	-500	-500	-500	83.0 - 83.9	30
	5	-825	-725	-650	-600	-600	-600	-600	84.0 - 84.9	40
62	6	-975	-875	-800	-775	-775	-775	-775	85.0 - 85.9	50
	7	-1000	-975	-900	-875	-875	-875	-875	86.0 & Above	60
	1-5	-1025	-925	-850	-825	-825	-825	-825		
43	6	-1175	-1075	-950	-925	-925	-925	-925		
	1-3	-900	-675	-500	-475	-475	-475	-475		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

SOUTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	125	250	475	500	500	25-26	-1100
	3	-225	-75	100	200	400	425	425	27-29	-750
	4	-275	-200	25	75	300	325	325	30-32	-325
	5	-450	-325	-75	0	25	50	50	33-34	-125
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
31	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
	1 & 2	-225	-100	75	200	450	475	475	Base 43-49	0
	3	-225	-100	75	175	400	425	425	50-52	-225
	4	-275	-250	25	75	250	275	275	53 & Above	-375
	5	-450	-325	-125	-50	-25	0	0		
41	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
	1 & 2	-350	-250	50	100	225	250	250	Strength	
	3	-350	-250	25	50	200	225	225	(Grams per Tex)	
	4	-375	-275	85.76	0	125	150	150	Range	Diff.
51	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-275
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-225
	7	-700	-675	-550	-450	-450	-450	-450	23.0 - 23.9	-200
	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-150
61	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-525	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-925	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
	3	-275	-125	25	50	200	250	250	Type - Level	Diff.
	4	-300	-250	0	0	150	175	175	Prep - Level 1	-200
	5	-500	-375	-200	-100	-75	-50	-50	Prep - Level 2	-800
32	6	-625	-550	-425	-325	-300	-300	-300	Other - Level 1	-375
	7	-675	-650	-525	-450	-425	-425	-425	Other - Level 2	-785
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 1	-375
	3	-400	-250	-100	-25	25	25	25	Plastic - Level 2	-785
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
	1-3	-550	-425	-350	-225	-225	-225	-225	Uniformity	
	4	-575	-450	-375	-300	-275	-275	-275	Unit	Points
52	5	-725	-575	-450	-400	-375	-375	-375	77.9 & Below	-90
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80
	7	-900	-800	-700	-650	-650	-650	-650	79.0 - 79.9	-70
	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
62	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
43	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
	1-3	-900	-675	-475	-450	-450	-450	-450	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

## EAST TEXAS-OKLAHOMA DIFFERENCES

09-Aug-18

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-350	-300	-125	200	350	500	525	550
	3	-400	-350	-150	150	300	425	450	475
	4	-475	-350	-175	100	100	325	350	350
	5	-525	-400	-350	-25	100	300	300	300
	6	-675	-525	-525	-275	-275	-75	-75	-75
	7	-750	-625	-625	-350	-350	-150	-150	-150
31	1 & 2	-400	-325	-125	125	300	400	475	500
	3	-425	-350	-150	125	250	375	425	450
	4	-525	-425	-225	75	100	225	225	225
	5	-575	-425	-375	-25	75	225	225	225
	6	-700	-550	-550	-275	-275	-125	-125	-125
	7	-775	-650	-650	-350	-350	-225	-225	-225
41	1 & 2	-500	-325	-150	50	175	325	350	350
	3	-525	-350	-175	50	125	200	225	225
	4	-575	-425	-325	81.26	75	175	200	200
	5	-700	-525	-475	-125	-75	175	200	200
	6	-850	-650	-625	-350	-350	-125	-125	-125
	7	-950	-750	-725	-450	-425	-300	-300	-300
51	1 & 2	-675	-525	-425	-50	-50	125	150	150
	3	-675	-550	-425	-50	-50	125	150	150
	4	-725	-575	-450	-125	-100	75	100	100
	5	-775	-650	-600	-225	-175	-50	-25	-25
	6	-950	-750	-750	-375	-375	-250	-250	-250
	7	-1050	-775	-775	-450	-450	-325	-325	-325
61	1-5	-850	-700	-650	-275	-275	-150	-150	-150
	6	-1025	-825	-800	-450	-425	-300	-300	-300
	7	-1125	-925	-900	-550	-525	-400	-400	-400
71	1-6	-1050	-950	-900	-525	-525	-400	-400	-400
	7	-1150	-1000	-975	-600	-600	-475	-475	-475
12 & 22	1 & 2	-600	-400	-225	75	75	200	250	250
	3	-625	-450	-275	0	25	125	175	175
	4	-675	-475	-300	-25	-25	125	175	175
	5	-750	-650	-600	-300	-200	25	75	75
	6	-925	-750	-750	-450	-400	-325	-275	-275
	7	-1050	-875	-850	-550	-500	-425	-375	-375
32	1 & 2	-625	-550	-375	-75	25	150	200	200
	3	-650	-550	-400	-100	-75	75	125	125
	4	-700	-575	-475	-175	-150	-75	-25	-25
	5	-800	-700	-675	-350	-275	-75	-25	-25
	6	-975	-800	-800	-525	-475	-400	-350	-350
	7	-1125	-925	-925	-625	-575	-500	-450	-450
42	1-3	-675	-600	-525	-150	-100	0	50	50
	4	-725	-625	-550	-175	-150	-75	-25	-25
	5	-875	-750	-700	-400	-350	-300	-250	-250
	6	-1100	-850	-825	-550	-500	-450	-400	-400
	7	-1225	-975	-950	-675	-600	-550	-500	-500
	52	1-4	-925	-750	-675	-450	-450	-400	-350
5		-1000	-850	-750	-500	-500	-450	-400	-400
6		-1225	-1050	-975	-650	-625	-575	-525	-525
7		-1325	-1175	-1100	-775	-750	-650	-600	-600
62	1-5	-1050	-925	-900	-575	-550	-500	-450	-450
	6	-1275	-1125	-1100	-775	-750	-675	-625	-625

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-975	-850	-775	-450	-375	-275	-175	-175
	3	-1000	-875	-800	-475	-400	-300	-200	-200
	4	-1050	-950	-850	-525	-450	-350	-250	-250
	5	-1175	-1050	-975	-650	-575	-475	-375	-375
	6	-1300	-1125	-1025	-750	-675	-575	-475	-475
	7	-1400	-1225	-1150	-875	-800	-700	-600	-600
33	1 & 2	-1075	-925	-850	-505	-450	-350	-250	-250
	3	-1075	-925	-850	-530	-475	-375	-250	-250
	4	-1150	-1000	-900	-580	-525	-425	-300	-300
	5	-1300	-1100	-1000	-705	-650	-550	-425	-425
	6	-1375	-1175	-1100	-830	-775	-675	-550	-550
	7	-1475	-1300	-1200	-955	-900	-800	-675	-675
43	1-3	-1125	-1000	-900	-580	-525	-425	-300	-300
	4	-1200	-1075	-950	-605	-550	-450	-325	-325
	5	-1325	-1175	-1050	-735	-675	-575	-450	-450
	6	-1425	-1250	-1150	-855	-825	-725	-600	-600
	7	-1525	-1350	-1250	-955	-925	-825	-700	-700
53	1-4	-1250	-1175	-1075	-755	-750	-675	-550	-550
	5	-1350	-1250	-1175	-830	-825	-750	-625	-625
	6	-1450	-1350	-1275	-980	-950	-875	-750	-750
	7	-1550	-1450	-1400	-1080	-1025	-950	-825	-825
63	1-5	-1450	-1325	-1225	-930	-825	-750	-625	-625
	6	-1550	-1450	-1325	-1030	-975	-900	-775	-775
34	1 & 2	-1200	-1100	-1050	-725	-700	-625	-550	-550
	3	-1200	-1100	-1050	-725	-700	-625	-550	-550
	4	-1325	-1225	-1150	-825	-800	-725	-650	-650
	5	-1425	-1325	-1275	-950	-925	-850	-775	-775
	6	-1600	-1500	-1450	-1125	-1100	-1025	-950	-950
44	1-3	-1300	-1200	-1150	-825	-800	-725	-650	-650
	4	-1375	-1300	-1200	-875	-850	-775	-700	-700
	5	-1450	-1375	-1300	-975	-950	-875	-800	-800
	6	-1625	-1525	-1475	-1150	-1125	-1050	-975	-975
54	1-4	-1400	-1325	-1275	-900	-900	-825	-775	-775
	5	-1500	-1425	-1350	-975	-975	-900	-850	-850

Mike	
Range	Diff.
24 & Below	-2475
25-26	-2475
27-29	-1600
30-32	-1250
33-34	-1025
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-275
22.0 - 22.9	-250
23.0 - 23.9	-225
24.0 - 24.9	-225
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	10
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-550
Plastic - Level 2	-600

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-275	-190	10	160	350	400	475	500
	3	-350	-240	-40	135	275	375	450	475
	4	-375	-275	-150	125	250	325	375	375
	5	-500	-300	-250	25	175	325	325	325
	6	-675	-500	-425	-175	-150	-100	-100	-100
	7	-750	-550	-500	-250	-225	-175	-175	-175
31	1 & 2	-425	-290	-90	85	250	350	450	475
	3	-475	-315	-115	85	250	350	425	450
	4	-525	-375	-250	75	125	225	250	250
	5	-600	-425	-350	-75	25	175	175	175
	6	-775	-600	-475	-250	-250	-225	-225	-225
	7	-875	-650	-550	-300	-300	-275	-275	-275
41	1 & 2	-575	-400	-200	45	175	275	300	300
	3	-600	-425	-225	45	100	250	275	275
	4	-650	-450	-375	81.26	75	175	200	200
	5	-725	-525	-450	-150	-50	100	100	100
	6	-875	-700	-625	-350	-350	-225	-225	-225
	7	-1000	-800	-725	-450	-400	-300	-300	-300
51	1 & 2	-750	-550	-475	-125	-25	75	75	75
	3	-750	-550	-475	-125	-25	75	75	75
	4	-775	-550	-550	-200	-75	25	25	25
	5	-825	-650	-650	-350	-250	-125	-125	-125
	6	-975	-750	-750	-475	-400	-275	-275	-275
	7	-1075	-850	-850	-575	-500	-400	-400	-400
61	1-5	-900	-725	-725	-400	-300	-200	-200	-200
	6	-1025	-800	-800	-600	-500	-375	-375	-375
	7	-1125	-950	-925	-675	-575	-475	-475	-475
71	1-6	-1100	-925	-875	-675	-575	-500	-500	-500
	7	-1175	-950	-925	-700	-650	-575	-575	-575
12 & 22	1 & 2	-525	-325	-175	50	100	225	300	300
	3	-575	-375	-200	50	50	175	250	250
	4	-600	-425	-375	-175	0	150	225	225
	5	-725	-550	-550	-350	-150	-100	-50	-50
	6	-875	-675	-675	-450	-375	-325	-275	-275
	7	-950	-775	-750	-525	-450	-400	-350	-350
32	1 & 2	-575	-375	-225	-75	-25	50	125	125
	3	-625	-425	-250	-125	-50	50	125	125
	4	-700	-500	-425	-200	-75	0	50	50
	5	-825	-700	-650	-400	-250	-200	-150	-150
	6	-975	-775	-750	-525	-450	-400	-350	-350
	7	-1075	-875	-800	-625	-525	-475	-425	-425
42	1-3	-725	-525	-475	-225	-150	25	75	75
	4	-775	-600	-500	-250	-175	0	50	50
	5	-875	-750	-675	-425	-275	-250	-200	-200
	6	-1075	-800	-775	-550	-475	-425	-375	-375
	7	-1150	-950	-875	-675	-550	-500	-450	-450
52	1-4	-1000	-775	-750	-575	-450	-400	-350	-350
	5	-1075	-875	-825	-625	-500	-450	-400	-400
	6	-1275	-1050	-1000	-750	-650	-600	-550	-550
	7	-1350	-1150	-1100	-850	-750	-700	-650	-650
62	1-5	-1125	-950	-925	-725	-625	-575	-525	-525
	6	-1300	-1100	-1075	-875	-800	-750	-700	-700

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-850	-650	-600	-400	-325	-300	-250	-250
	3	-900	-675	-625	-425	-350	-325	-275	-275
	4	-925	-750	-700	-475	-400	-375	-325	-325
	5	-1050	-850	-825	-600	-525	-475	-425	-425
	6	-1150	-925	-900	-675	-600	-550	-500	-500
	7	-1225	-1025	-975	-725	-700	-650	-600	-600
33	1 & 2	-975	-725	-675	-450	-400	-375	-325	-325
	3	-975	-725	-675	-450	-400	-375	-325	-325
	4	-1050	-800	-750	-500	-450	-425	-375	-375
	5	-1200	-925	-875	-650	-575	-525	-475	-475
	6	-1250	-1000	-1000	-700	-675	-625	-575	-575
	7	-1325	-1100	-1050	-825	-775	-725	-675	-675
43	1-3	-1025	-825	-775	-525	-475	-425	-375	-375
	4	-1100	-900	-825	-550	-475	-425	-375	-375
	5	-1225	-1000	-925	-675	-600	-550	-500	-500
	6	-1300	-1075	-1025	-775	-750	-700	-650	-650
	7	-1375	-1175	-1100	-850	-825	-775	-725	-725
53	1-4	-1200	-1075	-1000	-725	-675	-625	-575	-575
	5	-1300	-1125	-1075	-825	-775	-725	-675	-675
	6	-1425	-1225	-1175	-925	-900	-850	-800	-800
	7	-1500	-1300	-1275	-1050	-1025	-975	-925	-925
63	1-5	-1425	-1225	-1150	-875	-800	-750	-700	-700
	6	-1500	-1325	-1225	-1025	-975	-925	-875	-875
34	1 & 2	-1100	-900	-850	-625	-600	-550	-500	-500
	3	-1100	-900	-850	-625	-600	-550	-500	-500
	4	-1225	-1025	-950	-725	-700	-650	-600	-600
	5	-1325	-1125	-1075	-850	-825	-775	-725	-725
	6	-1475	-1275	-1225	-1050	-1025	-975	-925	-925
	44	1-3	-1225	-1025	-975	-750	-725	-675	-625
4	-1300	-1125	-1025	-800	-775	-725	-675	-675	
5	-1400	-1200	-1125	-900	-875	-825	-775	-775	
6	-1550	-1350	-1300	-1125	-1100	-1050	-1000	-1000	
54	1-4	-1325	-1150	-1100	-875	-850	-800	-750	-750
	5	-1425	-1225	-1150	-1000	-975	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-2475
25-26	-2475
27-29	-1600
30-32	-1250
33-34	-1025
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-275
22.0 - 22.9	-250
23.0 - 23.9	-225
24.0 - 24.9	-225
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-125
78.0 - 78.9	-95
79.0 - 79.9	-80
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-550
Plastic - Level 2	-600



DESERT SOUTHWEST DIFFERENCES

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-100	125	550	645	710	745	24 & Below	-1350
	3	-100	100	475	595	610	645	25-26	-1150
	4	-300	50	300	335	370	370	27-29	-1050
	5	-375	-175	25	100	185	185	30-32	-650
	6	-450	-350	-100	-85	-30	-30	33-34	-450
	7	-650	-375	-175	-140	-100	-100	35-36	0
	31	1 & 2	-175	75	500	595	630	655	37-42
3		-175	50	400	545	555	580	43-49	0
4		-350	25	200	285	320	345	50-52	-300
5		-400	-200	-50	0	70	70	53 & Above	-550
6		-475	-375	-135	-120	-40	-40		
7		-675	-400	-225	-195	-115	-115		
41	1 & 2	-575	0	50	110	120	145	<b>Strength</b>	
	3	-575	0	35	85	120	145	(Grams per Tex)	
	4	-625	81.51	25	35	95	95	Range	Diff.
	5	-625	-500	-350	-340	-280	-280	21.0 - 21.9	-600
	6	-800	-675	-450	-440	-390	-390	22.0 - 22.9	-450
	7	-950	-825	-625	-620	-585	-585	23.0 - 23.9	-300
	51	1 & 2	-675	-500	-250	-215	-205	-205	24.0 - 24.9
3		-675	-500	-250	-215	-205	-205	25.0 - 25.9	-200
4		-700	-575	-375	-325	-265	-265	26.0 - 26.9	-125
5		-800	-750	-575	-550	-500	-500	Base 27.0 - 28.9	0
6		-950	-850	-650	-650	-600	-600	29.0 - 29.9	0
7		-1150	-1050	-850	-850	-825	-825	30.0 - 30.9	25
12 & 22		1 & 2	-475	50	325	385	445	445	31.0 - 32.9
	3	-475	50	300	360	420	420	33.0 & above	100
	4	-575	0	225	285	370	370		
	5	-600	-425	-125	-125	-50	-50		
	6	-750	-625	-325	-325	-250	-250		
	7	-925	-800	-575	-575	-500	-500		
	32	1 & 2	-575	-200	150	235	245	245	<b>Extraneous Matter</b>
3		-575	-200	150	235	245	245	Type - Level	Diff.
4		-625	-425	0	85	95	95	Prep - Level 1	-50
5		-675	-675	-400	-400	-400	-400	Prep - Level 2	-800
6		-875	-800	-525	-525	-525	-525	Other - Level 1	-350
7		-1025	-975	-775	-775	-775	-775	Other - Level 2	-800
42		1-3	-625	-450	-150	-100	-100	-100	Plastic - Level 1
	4	-650	-525	-250	-200	-200	-200	Plastic - Level 2	-800
	5	-725	-700	-450	-450	-450	-450		
	6	-900	-825	-575	-575	-575	-575		
	7	-1100	-1000	-825	-825	-825	-825		
52	1-4	-850	-725	-500	-450	-450	-450	<b>Uniformity</b>	
	5	-900	-800	-575	-575	-575	-575	Unit	Points
	6	-1000	-900	-675	-675	-675	-675	77.9 & Below	-100
	7	-1250	-1150	-975	-950	-950	-950	78.0 - 78.9	-90
43	1-3	-725	-650	-575	-500	-500	-500	79.0 - 79.9	-80
	4	-825	-750	-625	-575	-575	-575	80.0 - 80.9	0
	5	-925	-825	-650	-625	-625	-625	Base 81.0 - 81.9	0
	6	-1025	-925	-900	-900	-900	-900	82.0 - 82.9	0
	7	-1125	-1050	-1025	-1025	-1025	-1025	83.0 - 83.9	30
53	1-4	-975	-875	-800	-800	-800	-800	84.0 - 84.9	40
	5	-1025	-925	-850	-850	-850	-850	85.0 - 85.9	50
	6	-1125	-1025	-950	-950	-950	-950	86.0 & Above	60
	7	-1375	-1275	-1275	-1275	-1275	-1275		

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	315	940	1290	1415	1590		
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	82.01	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-675	-225	-175	-175	-175	29.0 - 29.9	0
	3	-700	-250	-200	-200	-200	30.0 - 30.9	75
	4	-750	-300	-275	-275	-275	31.0 - 32.9	125
	5	-775	-375	-325	-325	-325	33.0 & Above	250
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Type - Level	Diff.
	4	-200	25	50	100	100	Prep - Level 1	-50
	5	-525	-275	-275	-275	-275	Prep - Level 2	-800
	6	-675	-475	-475	-475	-475	Other - Level 1	-350
	7	-850	-750	-750	-750	-750	Other - Level 2	-925
							Plastic - Level 1	-350
42	1-3	-450	-100	-75	-75	-75	Plastic - Level 2	-925
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	50
	3	-500	-500	-500	-500	-500	83.0 - 83.9	80
	4	-600	-600	-600	-600	-600	84.0 - 84.9	90
	5	-800	-800	-800	-800	-800	85.0 - 85.9	100
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	110
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

## AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	131.00	139.75	142.25	142.25
	2	130.75	139.50	142.00	142.00
	3	123.00	130.75	132.25	132.25
	4				
	5				
	6				
2	1	130.75	139.50	142.00	142.00
	2	130.50	139.25	141.75	141.75
	3	122.75	130.50	132.00	132.00
	4	112.75	121.00	122.50	122.50
	5				
	6				
3	1	120.50	128.25	129.75	129.75
	2	118.00	125.75	127.25	127.25
	3	116.75	124.50	126.00	126.00
	4	107.75	115.50	117.00	117.00
	5	91.75	99.00	100.50	100.50
	6				
4	1	101.50	109.25	111.50	111.50
	2	101.25	109.00	110.75	110.75
	3	101.00	108.75	110.00	110.00
	4	96.00	103.75	105.00	105.00
	5	84.75	92.50	93.75	93.75
	6				
5	1				
	2	80.50	90.50	91.75	91.75
	3	80.50	90.00	91.75	91.75
	4	80.50	84.50	85.75	85.75
	5	80.25	84.25	85.50	85.50
	6				
6	1				
	2	72.75	75.75	77.00	77.00
	3	72.75	75.75	77.00	77.00
	4	72.75	75.75	77.00	77.00
	5	72.50	75.50	76.75	76.75
	6	72.00	75.00	76.25	76.25

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on May 30, 2018.

### Mike

Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

### Strength

(Grams per Tex)	
Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	0
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

### Extraneous Matter

Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-715
Plastic - Level 2	-1035

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

## UNITED STATES AVERAGE DIFFERENCES

9-Aug-18

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-313	-233	-69	186	434	616	675	719
	3	-375	-253	-82	157	381	562	611	651
	4	-425	-280	-192	68	189	323	364	364
	5	-513	-395	-308	-82	57	140	168	168
	6	-675	-505	-450	-314	-221	-173	-158	-158
	7	-750	-600	-567	-421	-346	-295	-282	-282
31	1 & 2	-413	-258	-107	125	374	562	621	656
	3	-450	-268	-115	114	338	526	574	610
	4	-525	-315	-242	50	150	259	290	294
	5	-588	-425	-333	-125	-4	65	91	91
	6	-738	-530	-467	-343	-266	-228	-209	-209
	7	-825	-625	-583	-439	-379	-342	-324	-324
41	1 & 2	-538	-340	-254	49	164	259	276	284
	3	-563	-350	-263	35	112	209	230	237
	4	-613	-380	-346	83.47	75	156	180	184
	5	-713	-510	-450	-264	-143	-62	-49	-49
	6	-863	-615	-583	-461	-371	-309	-302	-302
	7	-975	-725	-721	-600	-511	-474	-469	-469
51	1 & 2	-713	-580	-471	-318	-175	-120	-115	-115
	3	-713	-620	-475	-339	-193	-134	-129	-129
	4	-750	-640	-504	-389	-261	-207	-195	-195
	5	-800	-725	-675	-514	-389	-332	-321	-321
	6	-963	-805	-779	-639	-564	-525	-518	-518
	7	-1063	-890	-904	-779	-696	-661	-657	-657
61	1-5	-875	-780	-715	-520	-465	-420	-420	-420
	6	-1025	-885	-835	-685	-645	-595	-595	-595
	7	-1125	-1000	-955	-775	-735	-690	-690	-690
71	1-6	-1075	-1080	-1025	-860	-820	-780	-780	-780
	7	-1163	-1120	-1075	-895	-875	-835	-835	-835
12 & 22	1 & 2	-563	-310	-204	64	204	345	398	426
	3	-600	-330	-217	36	157	299	355	380
	4	-638	-355	-313	-39	89	209	255	259
	5	-738	-525	-471	-275	-104	-46	-7	-7
	6	-900	-645	-617	-475	-357	-321	-289	-289
	7	-1000	-730	-729	-607	-518	-482	-450	-450
32	1 & 2	-600	-410	-308	-82	57	130	156	171
	3	-638	-425	-321	-104	25	101	128	142
	4	-700	-475	-379	-221	-71	-20	3	3
	5	-813	-625	-533	-393	-275	-229	-214	-214
	6	-975	-715	-696	-561	-457	-429	-414	-414
	7	-1100	-820	-804	-686	-604	-582	-568	-568
42	1-3	-700	-570	-483	-314	-164	-111	-96	-96
	4	-750	-610	-504	-354	-232	-179	-164	-164
	5	-875	-745	-650	-504	-371	-343	-329	-329
	6	-1088	-835	-796	-650	-575	-550	-536	-536
	7	-1188	-930	-888	-789	-711	-693	-679	-679
52	1-4	-963	-770	-688	-600	-525	-504	-489	-489
	5	-1038	-845	-796	-682	-607	-593	-579	-579
	6	-1250	-995	-938	-825	-764	-750	-736	-736
	7	-1338	-1080	-1067	-964	-911	-886	-871	-871
62	1-5	-1088	-975	-910	-765	-730	-710	-690	-690
	6	-1288	-1140	-1075	-910	-880	-855	-835	-835

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-913	-750	-688	-425	-350	-288	-213	-213
	3	-950	-775	-713	-450	-375	-313	-238	-238
	4	-988	-850	-775	-500	-425	-363	-288	-288
	5	-1113	-950	-900	-625	-550	-475	-400	-400
	6	-1225	-1025	-963	-713	-638	-563	-488	-488
	7	-1313	-1125	-1063	-800	-750	-675	-600	-600
33	1 & 2	-1025	-825	-763	-485	-450	-408	-358	-358
	3	-1025	-825	-763	-493	-458	-417	-358	-358
	4	-1100	-900	-825	-560	-525	-483	-425	-425
	5	-1250	-1013	-938	-718	-675	-625	-567	-567
	6	-1313	-1088	-1050	-868	-842	-792	-733	-733
	7	-1400	-1200	-1125	-1002	-967	-917	-858	-858
43	1-3	-1075	-905	-767	-629	-589	-554	-529	-529
	4	-1150	-950	-817	-676	-621	-589	-564	-564
	5	-1275	-1005	-917	-816	-761	-736	-711	-711
	6	-1363	-1085	-1004	-915	-893	-871	-846	-846
	7	-1450	-1210	-1113	-1040	-1018	-996	-971	-971
	53	1-4	-1225	-1050	-958	-809	-771	-750	-721
5		-1325	-1130	-1058	-901	-871	-850	-821	-821
6		-1438	-1245	-1146	-997	-967	-946	-917	-917
7		-1525	-1310	-1283	-1126	-1104	-1083	-1054	-1054
63	1-5	-1438	-1225	-1160	-996	-950	-925	-890	-890
	6	-1525	-1315	-1240	-1071	-1040	-1015	-980	-980
34	1 & 2	-1150	-1000	-950	-675	-650	-588	-525	-525
	3	-1150	-1000	-950	-675	-650	-588	-525	-525
	4	-1275	-1125	-1050	-775	-750	-688	-625	-625
	5	-1375	-1225	-1175	-900	-875	-813	-750	-750
	6	-1538	-1388	-1338	-1088	-1063	-1000	-938	-938
44	1-3	-1263	-1113	-1063	-788	-763	-700	-638	-638
	4	-1338	-1213	-1113	-838	-813	-750	-688	-688
	5	-1425	-1288	-1213	-938	-913	-850	-788	-788
	6	-1588	-1438	-1388	-1138	-1113	-1050	-988	-988
54	1-4	-1363	-1238	-1188	-888	-875	-813	-763	-763
	5	-1463	-1325	-1250	-988	-975	-913	-863	-863

Mike	
Range	Diff.
24 & Below	-2100
25-26	-1504
27-29	-1096
30-32	-725
33-34	-486
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-279
53 & Above	-404

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-358
22.0 - 22.9	-296
23.0 - 23.9	-242
24.0 - 24.9	-254
25.0 - 25.9	-200
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	32
31.0 - 32.9	54
33.0 & Above	79

Uniformity	
Unit	Points
77.9 & Below	-97
78.0 - 78.9	-83
79.0 - 79.9	-71
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	29
84.0 - 84.9	37
85.0 - 85.9	47
86.0 & Above	57

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-157
Prep - Level 2	-714
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-421
Other - Level 2	-756
Plastic - Level 1	-421
Plastic - Level 2	-756



## Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service  
Cotton and Tobacco Market News

09-Aug-18

Volume 101, No. 7

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-68	142	320	459	497
	3	-163	87	225	342	379
	4	-250	-30	80	170	207
	5	-375	-200	-70	8	19
21	1 & 2	-68	142	320	459	497
	3	-163	87	225	342	379
	4	-250	-30	80	170	207
	5	-375	-200	-70	8	19
31	1 & 2	-108	97	295	439	491
	3	-108	97	295	439	491
	4	-240	55	135	247	269
	5	-335	-110	5	85	104
41	1 & 2	-255	39	140	232	249
	3	-265	34	97	187	209
	4	-360	0	65	137	164
	5	-460	-240	-135	-33	-16
51	1 & 2	-470	-240	-150	-83	-76
	3	-475	-260	-165	-93	-86
	4	-505	-315	-235	-165	-148
	5	-665	-460	-375	-310	-295
12	1 & 2	-220	55	150	267	309
	3	-235	35	110	222	269
22	1 & 2	-220	55	150	267	309
	3	-235	35	110	222	269
32	1 & 2	-320	-95	30	107	134
	3	-335	-115	0	82	109
Strength	25.0 - 25.9	-235				

Source: USDA, AMS Cotton and Tobacco Market News  
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov  
<https://www.ams.usda.gov/market-news/cotton>  
<https://mymarketnews.ams.usda.gov>

# Daily Spot Cotton Quotations

Volume 101, No. 7

09-Aug-18

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program				
	N.Y. Futures	Staple 34	Staple 35	Today	Season			
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>			
Southeast	-50 Oct-18	86.76	89.01	0	0			
North Delta	-150 Oct-18	85.76	87.51	0	0			
South Delta	-150 Oct-18	85.76	87.51	0	0			
East TX-OK	-600 Oct-18	81.26	83.76	0	4,628			
West Texas	-600 Oct-18	81.26	83.76	0	0			
Desert SW	-575 Oct-18	81.51	85.51	3	3			
SJ Valley	-525 Oct-18	82.01	90.91	0	0			
Average	-379 Oct-18	83.47	86.85	Upland Total				
Previous day	-379 Oct-18	83.60	86.98	3	4,631			
<b>AMERICAN PIMA SPOT PRICE QUOTATIONS</b>								
American Pima	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total				
	139.25	116.75	124.50	0	0			
<b>ICE FUTURES US - CONTRACT NO. 2 1/</b>			<b>7-MARKET</b>		<b>Aug 03 - Aug 09</b>			
<b>COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER</b>			<b>BASE QUOTATIONS</b>		<b>ADJ. WORLD PRICE</b>			
Month	<i>Cents per pound</i>			<b>FOR UPLAND COTTON</b>				
	Today	Previous	Change					
Oct-18	87.26	87.39	↓ -0.13	<b>Season high</b>				
Dec-18	87.26	87.18	↑ 0.08					
Mar-19	87.69	87.47	↑ 0.22	8/2/2018	85.65			
May-19	88.13	87.81	↑ 0.32					
Jul-19	88.22	87.89	↑ 0.33					
Oct-19	82.48	82.43	↑ 0.05	<b>Season low</b>				
Dec-19	80.79	80.68	↑ 0.11					
Mar-20	80.77	80.63	↑ 0.14					
May-20	81.03	80.89	↑ 0.14	8/9/2018	83.47			
Jul-20	81.20	81.06	↑ 0.14					
<b>CC ADJUSTMENT</b>								
80.06								
0.00								
<b>FC ADJUSTMENT</b>								
2017 2018								
0.65 0.70								
<b>LOAN DEFICIENCY PMT.</b>								
0.00								
<b>Pima Competitiveness</b>								
Payment								
0.00								
<b>PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/</b>								
	Color							
	11	21	31	41	51	12	22	32
Staple 33								
Leaf 1 & 2	-68	-68	-108	-255	-470	-220	-220	-320
3	-163	-163	-108	-265	-475	-235	-235	-335
4	-250	-250	-240	-360	-505	NOT TENDERABLE		
5	-375	-375	-335	-460	-665	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	142	142	97	39	-240	55	55	-95
3	87	87	97	34	-260	35	35	-115
4	-30	-30	55	0	-315	NOT TENDERABLE		
5	-200	-200	-110	-240	-460	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	320	320	295	140	-150	150	150	30
3	225	225	295	97	-165	110	110	0
4	80	80	135	65	-235	NOT TENDERABLE		
5	-70	-70	5	-135	-375	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	459	459	439	232	-83	267	267	107
3	342	342	439	187	-93	222	222	82
4	170	170	247	137	-165	NOT TENDERABLE		
5	8	8	85	-33	-310	NOT TENDERABLE		
Staple 37								
Leaf 1 & 2	497	497	491	249	-76	309	309	134
3	379	379	491	209	-86	269	269	109
4	207	207	269	164	-148	NOT TENDERABLE		
5	19	19	104	-16	-295	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.