



Quality of Cotton Classed by Classing Office

Volume 60, No. 19

7-Dec-18

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**
For The Week Ending December 6, 2018

Classing Office	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Abilene	32	86,446	33	310,733
Corpus Christi	32	41,937	54	1,645,578
Dumas	37	114,729	40	1,128,589
Florence	53	125,628	53	924,127
Lamesa	33	88,886	33	347,655
Lubbock	71	393,804	72	1,385,163
Macon	77	197,833	78	1,461,866
Memphis	77	234,186	81	2,470,551
Rayville	17	31,492	21	422,036
Visalia	24	43,443	29	208,696
United States	453	1,358,384	494	10,304,994
Percent tenderable		70.0		67.1
AMERICAN PIMA				
Visalia	20	56,478	23	339,575
United States	20	56,478	23	339,575
United States all cotton	470	1,414,862	509	10,644,569

* Data Withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 6, 2018

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct. 1.6	Pct. 2.0	Pct. 0.5	Pct. 17.8	Pct. 0.1	Pct. 0.4	Pct. 0.1	Pct. 0.1	Pct. 5.5	Pct. 4.5	
	3	2.1	2.2	0.4	11.2	0.3	0.9	0.3	0.3	4.2	2.5	
	4	0.1	0.2	*	0.7	*	0.1	*	*	0.5	0.3	
	5	-	*	-	*	-	*	-	*	*	*	
	6	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	3.8	4.4	1.0	29.7	0.4	1.4	0.4	0.4	10.3	7.3
	31	1-2	8.5	6.7	0.5	6.0	1.4	1.8	1.3	2.1	12.1	9.8
3		24.9	22.7	1.9	12.2	10.3	14.4	10.9	15.4	29.1	24.4	
4		7.1	7.5	0.3	3.6	5.4	7.3	6.3	7.6	12.1	10.0	
5		0.9	0.7	*	0.2	0.4	0.5	0.7	0.7	2.4	1.5	
6		0.1	*	-	*	*	*	*	*	0.2	0.1	
7		-	-	-	*	-	-	-	-	*	*	
Total		-----	41.5	37.7	2.8	21.9	17.4	24.1	19.2	25.7	55.9	45.8
41		1-2	2.6	2.7	1.8	1.8	1.2	0.7	2.1	1.9	1.4	1.5
	3	18.1	18.3	5.7	5.6	19.0	16.3	24.1	23.8	7.8	11.2	
	4	16.5	15.7	2.4	2.8	32.0	33.0	26.7	22.7	9.5	14.3	
	5	6.0	4.7	0.3	0.4	10.5	11.3	7.3	5.0	4.9	6.5	
	6	1.2	0.8	*	*	0.6	0.8	0.6	0.3	1.7	1.8	
	7	0.2	0.1	-	*	*	*	*	*	0.6	0.5	
	Total	-----	44.5	42.3	10.2	10.6	63.3	62.1	60.8	53.6	25.9	35.7
	51	1-2	0.1	0.1	3.1	0.3	*	*	0.3	0.1	*	*
3		0.6	0.6	13.5	1.6	0.6	0.2	2.1	1.1	*	*	
4		0.7	0.9	6.6	1.2	3.3	1.4	3.4	1.5	0.1	0.1	
5		0.8	0.8	0.5	0.3	3.0	1.6	2.1	0.8	0.2	0.3	
6		0.4	0.4	0.1	*	0.5	0.3	0.4	0.1	0.2	0.4	
7		0.1	0.1	*	*	*	*	*	*	0.2	0.3	
Total		-----	2.7	2.9	23.8	3.3	7.5	3.5	8.3	3.7	0.7	1.2
61		1-2	-	-	0.2	*	-	-	-	*	-	-
	3	-	-	0.9	0.1	-	-	-	*	-	-	
	4	-	-	0.5	*	-	-	*	*	-	-	
	5	-	-	0.1	*	-	-	*	*	-	-	
	6	-	-	*	*	-	-	-	-	-	*	
	7	-	*	-	*	-	-	-	-	-	-	
	Total	-----	-	*	1.6	0.1	-	-	*	*	-	*
	71	1-2	-	-	-	*	-	-	-	-	-	-
3		-	-	*	*	-	-	-	-	-	-	
4		-	-	*	*	-	-	-	-	-	-	
5		-	-	*	*	-	-	-	-	-	-	
6		-	-	*	*	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	*	*	-	-	-	-	-	
12 & 22		1-2	0.3	0.2	2.0	4.3	*	*	-	*	0.2	0.4
	3	0.3	0.5	0.7	4.1	*	*	*	*	0.4	0.5	
	4	*	0.1	0.1	0.7	-	*	*	*	0.1	0.1	
	5	-	*	-	*	-	-	-	*	*	*	
	6	-	-	-	*	-	-	-	-	*	*	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	0.7	0.8	2.8	9.2	*	*	*	0.1	0.7	1.0
	32	1-2	0.2	0.2	0.1	1.1	*	*	0.1	0.2	0.4	0.3
3		0.9	1.3	0.9	3.3	0.5	0.4	0.8	1.1	1.5	1.8	
4		0.7	1.1	0.4	1.6	0.4	0.3	0.5	0.6	1.2	1.6	
5		0.2	0.3	*	0.2	*	*	0.1	*	0.4	0.4	
6		*	*	*	*	-	*	*	*	0.1	*	
7		*	*	-	*	-	-	-	-	*	*	
Total		-----	2.0	2.9	1.4	6.3	0.9	0.8	1.4	1.8	3.6	4.1
42		1-2	0.3	0.2	0.4	0.5	*	*	0.2	0.5	0.2	0.1
	3	0.9	1.4	3.1	2.9	1.4	1.1	2.7	5.3	1.0	1.0	
	4	1.1	1.7	2.6	2.5	3.7	3.2	2.7	4.4	0.6	1.2	
	5	0.6	0.8	0.6	0.6	1.8	1.5	0.7	0.8	0.3	0.7	
	6	0.2	0.2	*	0.1	0.2	0.1	0.1	*	0.1	0.2	
	7	0.1	*	-	*	*	*	*	*	*	0.1	
	Total	-----	3.1	4.3	6.7	6.5	7.2	5.8	6.4	11.0	2.2	3.3
	52	1-2	0.1	0.1	0.8	0.2	*	*	0.1	0.1	*	*
3		0.2	0.3	4.4	1.5	0.1	0.1	0.6	1.0	*	*	
4		0.2	0.3	5.7	2.1	0.7	0.5	0.9	1.1	*	*	
5		0.2	0.3	1.7	0.8	0.9	0.7	0.3	0.4	*	*	
6		0.1	0.1	0.2	0.2	0.2	0.2	*	0.1	*	*	
7		*	*	*	*	*	*	*	*	*	*	
Total		-----	0.8	1.1	12.7	4.7	1.9	1.5	1.9	2.7	*	0.2

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 6, 2018

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	0.3	*	-	-	*	*	*	*
	3	-	0.2	2.1	0.2	*	*	*	*	*	*
	4	-	*	2.6	0.3	*	*	*	*	*	*
	5	-	-	1.0	0.2	-	*	*	*	-	*
	6	-	-	0.1	*	-	*	*	*	-	*
	7	-	-	*	*	-	*	-	-	-	-
Total	-----	-	0.2	6.2	0.8	*	*	0.1	*	*	*
13 & 23	1-2	*	*	0.8	0.4	-	-	*	*	*	*
	3	0.1	0.1	0.5	0.5	-	-	*	*	*	0.1
	4	*	0.1	*	0.2	-	-	-	*	*	*
	5	-	*	*	0.1	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.1	0.3	1.4	1.1	-	-	*	*	0.1	0.2
33	1-2	*	*	0.1	0.1	*	*	*	*	*	*
	3	0.1	0.3	0.4	0.4	0.1	*	0.1	0.1	0.1	0.2
	4	0.1	0.4	0.2	0.3	0.1	*	0.1	*	0.2	0.4
	5	*	0.1	*	0.1	*	*	*	*	0.1	0.1
	6	*	*	-	*	-	-	*	*	*	*
	7	*	*	-	*	-	-	-	*	-	-
Total	-----	0.2	0.9	0.6	0.9	0.2	0.1	0.1	0.1	0.4	0.7
43	1-2	*	*	0.2	*	*	*	*	*	*	*
	3	0.1	0.1	1.6	0.4	0.2	0.1	0.3	0.2	*	*
	4	0.1	0.2	1.5	0.5	0.4	0.2	0.5	0.3	0.1	0.1
	5	0.1	0.2	0.5	0.2	0.2	0.1	0.2	0.1	0.1	0.1
	6	*	0.1	*	0.1	*	*	*	*	*	*
	7	*	*	-	*	*	*	*	*	*	*
Total	-----	0.3	0.7	3.8	1.2	0.9	0.4	1.0	0.6	0.2	0.3
53	1-2	*	*	0.1	*	-	-	-	*	*	*
	3	*	*	1.5	0.4	*	*	0.1	0.1	*	*
	4	*	*	3.2	0.7	0.1	0.1	0.1	0.1	*	*
	5	*	*	2.1	0.5	0.1	0.1	0.1	*	-	*
	6	-	*	0.4	0.1	0.1	*	*	*	-	*
	7	*	*	*	*	*	*	-	*	-	*
Total	-----	0.1	0.1	7.2	1.7	0.3	0.2	0.2	0.2	*	*
63	1-2	-	*	*	*	-	-	-	*	-	-
	3	*	*	1.2	0.1	*	*	*	*	-	-
	4	-	*	5.2	0.5	*	*	*	*	-	-
	5	-	*	4.5	0.4	*	*	*	*	-	-
	6	-	-	1.6	0.1	*	*	-	*	-	-
	7	-	-	0.2	*	-	-	-	-	-	-
		*	*	12.6	1.1	*	*	*	*	-	-
24 - 54	1-7	0.2	1.0	1.3	0.3	0.1	*	0.1	*	0.1	0.1
25 - 35	1-7	-	0.1	*	*	-	-	-	-	-	-
81 - 85 1/	1-7	*	0.2	3.8	0.3	*	*	*	*	*	*
All Colors	8 2/	0.1	0.1	0.2	*	*	*	*	*	*	*
EXTRANEIOUS MATTER											
Bark - Level 1		8.3	9.0	3.1	1.3	1.8	1.0	3.0	2.3	6.5	8.3
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		*	*	0.3	0.7	0.3	0.3	*	0.1	-	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	*	*	0.8	0.5	*	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	*	*	*	*	-	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		*	*	-	-	-	-	-	-	-	-
29		-	*	*	*	-	-	-	*	-	-
30		*	*	0.5	0.2	-	-	*	*	-	*
31		*	0.1	2.4	0.8	-	-	*	*	*	*
32		0.6	0.8	4.1	2.2	*	*	0.1	*	0.6	0.5
33		3.1	3.1	9.0	5.8	0.2	0.2	1.8	0.9	2.8	2.4
34		8.0	7.5	16.7	12.3	2.1	2.1	7.2	5.6	11.4	9.8
35		15.0	13.7	17.7	18.4	6.6	6.7	19.4	16.9	23.5	22.4
36		23.5	23.5	16.0	22.5	14.4	13.6	25.0	24.6	28.2	26.2
37		28.2	28.9	21.5	21.7	26.7	28.5	29.3	27.5	21.7	24.6
38 & longer		21.5	22.4	12.0	16.2	50.0	48.9	17.1	24.4	11.7	14.2
Average staple		36.4	36.4	35.4	35.9	37.4	37.4	36.3	36.5	35.9	36.1

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 6, 2018

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	3.7	2.2	0.4	1.2	0.1	0.6	*	0.7	17.8	33.3
	4	5.6	3.2	0.6	2.2	0.2	0.6	*	1.3	3.1	8.9
	5	1.1	0.6	0.1	0.2	*	*	*	0.1	0.1	0.3
	6	0.1	*	*	*	-	*	-	*	*	*
	7	*	*	-	-	-	-	-	-	-	-
	Total	-----	10.5	6.0	1.0	3.6	0.2	1.2	*	2.1	21.0
31	1-2	9.7	7.0	1.6	3.8	0.6	1.0	1.0	2.9	17.4	9.9
	3	29.6	23.7	10.7	26.3	3.5	5.8	4.4	15.9	18.6	12.3
	4	13.2	11.7	5.0	12.9	1.4	3.2	1.9	6.4	2.2	1.8
	5	2.2	1.8	0.3	0.8	0.1	0.3	0.2	0.4	0.1	0.1
	6	0.2	0.1	*	*	-	*	-	*	*	*
	7	*	*	-	*	-	-	-	-	*	*
	Total	-----	54.9	44.3	17.5	43.8	5.5	10.4	7.5	25.6	38.3
41	1-2	1.2	1.4	1.5	0.9	2.6	1.5	3.0	1.8	8.6	3.8
	3	8.7	12.7	21.8	13.9	24.9	17.7	22.8	17.5	17.0	11.7
	4	11.3	16.1	30.4	19.1	26.9	25.3	18.1	18.4	6.2	4.9
	5	5.5	7.0	7.1	4.3	6.4	7.7	4.8	4.2	1.0	0.8
	6	1.3	1.4	0.5	0.2	0.5	0.6	0.4	0.3	0.1	0.1
	7	0.3	0.2	*	*	*	*	*	*	*	*
	Total	-----	28.2	38.8	61.2	38.5	61.4	52.9	49.1	42.1	32.9
51	1-2	*	*	0.1	*	0.2	0.1	1.0	0.2	0.1	0.1
	3	*	*	1.3	0.4	4.7	1.3	4.1	1.5	0.9	1.4
	4	*	0.2	3.4	1.1	8.7	4.2	3.8	1.6	1.1	1.5
	5	0.1	0.3	2.1	0.8	3.9	3.1	0.9	0.5	0.4	0.5
	6	0.1	0.2	0.5	0.2	0.5	0.5	0.1	0.1	0.1	0.1
	7	*	0.1	0.1	*	*	*	-	*	0.1	0.1
	Total	-----	0.3	0.9	7.5	2.5	18.0	9.0	9.8	3.9	2.6
61	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	*	*	-	-	0.1	*	-	*
	4	*	*	*	*	*	*	*	*	-	-
	5	-	-	*	*	*	*	-	*	-	-
	6	-	-	-	*	*	*	-	*	-	-
	7	*	*	-	*	-	*	-	-	-	-
	Total	-----	*	*	*	*	*	*	0.1	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	*	-	-	-	-	-
12 & 22	1-2	0.2	0.2	*	*	*	*	*	0.1	0.5	1.9
	3	0.4	0.5	*	0.1	*	*	0.1	0.3	0.6	1.0
	4	0.3	0.2	*	*	*	*	*	0.1	*	0.3
	5	*	*	-	*	-	*	-	*	-	*
	6	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.9	0.9	0.1	0.1	*	0.1	0.1	0.4	1.1
32	1-2	0.2	0.3	0.2	0.3	0.1	0.2	0.3	0.2	0.3	0.3
	3	1.1	1.9	1.3	2.1	0.3	0.9	0.8	1.4	1.2	1.4
	4	1.2	2.0	0.8	1.2	0.2	0.5	0.4	0.7	0.2	0.4
	5	0.4	0.6	0.1	0.1	*	0.1	*	0.1	*	0.2
	6	*	*	*	*	-	*	-	*	-	*
	7	*	*	-	-	-	*	-	-	-	*
	Total	-----	3.0	4.7	2.4	3.7	0.6	1.7	1.5	2.4	1.8
42	1-2	*	0.1	0.1	0.1	0.3	0.6	0.7	0.4	0.1	0.1
	3	0.2	1.0	1.9	1.8	3.2	7.4	6.2	5.2	0.8	0.7
	4	0.5	1.4	3.4	2.7	4.6	9.4	5.7	6.1	0.6	0.8
	5	0.4	0.7	1.0	0.8	1.7	2.5	1.3	1.5	*	0.1
	6	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.1	-	*
	7	*	*	*	*	*	*	*	*	-	*
	Total	-----	1.3	3.4	6.6	5.5	10.1	20.2	14.1	13.4	1.5
52	1-2	*	*	*	*	*	*	0.2	0.2	*	*
	3	*	*	0.3	0.2	0.5	0.4	2.8	1.8	*	0.1
	4	*	*	0.9	0.5	1.0	1.3	4.6	2.6	0.1	0.5
	5	*	0.1	0.6	0.3	0.7	1.0	2.1	1.1	0.1	0.2
	6	*	*	0.1	0.1	0.1	0.2	0.3	0.2	*	*
	7	*	*	*	*	*	*	*	*	*	*
	Total	-----	*	0.2	1.8	1.0	2.3	2.9	10.1	5.9	0.2

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 6, 2018

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	*	-	*	*	*	0.2	0.1	-	*
	4	-	-	*	*	*	*	0.9	0.1	-	-
	5	-	*	*	*	*	*	0.7	0.1	*	*
	6	-	*	*	*	-	*	0.1	*	-	-
	7	*	*	-	*	*	*	*	*	-	-
Total	-----	*	*	*	*	*	*	2.0	0.3	*	*
13 & 23	1-2	*	*	*	*	-	*	-	*	*	0.1
	3	*	*	*	*	*	*	*	*	0.1	*
	4	*	*	-	*	-	*	*	*	0.1	*
	5	*	*	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	*	*	*	*	*	*	*	*	0.2	0.1
33	1-2	*	*	*	*	*	*	*	*	-	*
	3	0.1	0.1	0.2	0.2	0.1	*	0.1	0.1	*	*
	4	0.2	0.2	0.1	0.1	*	*	*	*	*	*
	5	*	0.1	*	*	*	*	*	*	*	*
	6	*	*	*	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	*
Total	-----	0.3	0.4	0.4	0.4	0.1	0.1	0.2	0.1	0.1	0.1
43	1-2	*	*	*	*	*	*	0.1	*	*	*
	3	*	*	0.2	0.2	0.4	0.4	0.8	0.4	*	*
	4	0.2	0.1	0.4	0.2	0.5	0.6	0.8	0.7	0.1	*
	5	0.1	0.1	0.2	0.1	0.2	0.2	0.3	0.3	*	*
	6	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	-	*	-	*
Total	-----	0.4	0.3	0.9	0.5	1.2	1.3	2.0	1.5	0.1	0.1
53	1-2	-	-	-	*	*	*	0.1	*	-	-
	3	-	*	*	*	*	*	1.0	0.3	-	*
	4	*	*	0.2	0.1	0.2	0.1	1.0	0.7	*	*
	5	*	*	0.1	*	0.1	0.1	0.5	0.5	-	*
	6	*	*	*	*	*	*	0.1	0.1	-	*
	7	*	*	*	*	*	*	-	*	-	*
Total	-----	*	*	0.3	0.1	0.3	0.3	2.8	1.7	*	*
63	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	*	*	0.1	0.1	-	-
	4	*	*	*	*	*	*	0.2	0.1	-	-
	5	*	*	*	*	*	*	0.1	0.1	-	-
	6	-	-	-	*	-	*	*	*	-	-
	7	-	-	-	*	-	*	-	-	-	-
		*	*	*	*	*	*	0.4	0.4	-	-
24 - 54	1-7	0.1	*	0.1	0.1	0.1	*	0.2	0.2	0.1	*
25 - 35	1-7	-	-	*	*	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	0.1	0.1	*	*	*	*	*	*	0.1	0.1
EXTRANEIOUS MATTER											
Bark - Level 1		7.7	9.8	21.0	11.0	1.7	0.8	4.5	2.9	0.3	0.4
Bark - Level 2		-	-	*	*	-	-	-	-	-	-
Grass - Level 1		*	*	*	0.1	0.1	0.1	0.1	0.1	-	0.1
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	*	*	*	*	-	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	-	*	-	*	*	*	-	-
Other - Level 2		-	*	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-
30		*	*	-	-	*	*	*	*	-	-
31		*	*	*	*	*	*	*	0.1	-	*
32		0.3	0.2	0.1	0.1	*	*	0.5	0.4	-	*
33		1.9	1.5	0.8	0.8	0.2	0.1	1.9	1.3	0.2	0.2
34		8.8	7.0	4.8	4.7	1.6	0.8	4.1	3.8	2.4	1.3
35		22.2	19.2	12.6	12.7	8.8	6.2	11.1	11.4	6.2	5.5
36		28.4	28.1	18.7	18.2	20.3	19.5	19.0	17.7	15.4	14.6
37		25.9	27.7	29.9	30.4	38.9	39.3	24.4	26.4	30.5	29.8
38 & longer		12.5	16.4	33.2	33.1	30.2	34.1	38.9	38.9	45.4	48.7
Average staple		36.1	36.3	36.8	36.8	37.0	37.2	37.0	37.0	37.5	37.6

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 6, 2018

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	*	-	-	-	-	-	-	-	-
18	-	-	-	*	-	-	-	-	-	-
19	-	*	*	*	-	-	-	-	-	-
20	-	*	*	*	-	-	-	-	-	-
21	-	*	0.2	0.1	-	-	-	-	-	-
22	*	*	0.5	0.2	-	-	-	-	-	-
23	*	0.1	2.7	0.4	-	-	*	*	*	*
24	*	0.2	8.1	1.0	*	*	0.2	0.1	*	*
25	0.2	0.4	8.1	1.9	*	0.1	1.1	0.5	0.2	0.2
26	0.6	1.1	12.7	3.5	0.6	0.4	3.7	2.5	1.1	1.0
27	2.7	3.0	17.2	6.4	2.6	2.0	7.4	5.8	4.0	3.8
28	9.1	9.0	16.6	11.6	7.7	7.0	15.7	12.7	13.1	11.4
29	19.7	19.1	14.6	19.3	23.3	20.1	20.9	22.2	20.3	19.4
30	22.5	23.1	10.1	21.6	31.3	31.8	19.5	24.2	22.2	21.5
31	18.1	19.3	5.4	17.5	22.1	23.6	14.5	16.3	19.1	20.6
32	14.7	12.7	2.3	9.5	8.7	9.8	9.7	8.9	12.6	13.8
33	8.6	7.5	0.8	4.2	2.9	3.7	4.8	4.5	5.2	5.7
34	2.8	3.2	0.2	1.9	0.8	1.2	1.9	1.8	1.6	2.0
35	0.8	1.0	0.1	0.8	0.2	0.3	0.5	0.4	0.4	0.5
36 & above	0.3	0.2	0.1	0.3	*	*	0.1	0.1	0.1	0.1
Average	30.4	30.3	27.4	29.6	30.0	30.1	29.6	29.7	30.0	30.1
MIKE										
24 & below	-	*	0.1	*	-	-	-	-	0.1	*
25	*	*	*	*	-	-	-	-	0.4	0.1
26	*	0.1	*	*	-	-	*	*	0.5	0.1
27	0.1	0.1	*	*	-	-	-	*	0.5	0.2
28	0.1	0.1	*	*	-	-	*	*	0.5	0.3
29	0.1	0.2	*	*	-	-	*	*	0.7	0.3
30	0.2	0.2	*	0.1	*	*	*	*	0.9	0.4
31	0.5	0.3	0.1	0.1	-	-	*	*	1.1	0.6
32	0.7	0.4	0.2	0.2	-	*	*	*	1.5	0.9
33	1.1	0.9	0.3	0.2	*	*	*	*	2.0	1.3
34	1.6	1.2	0.4	0.3	*	*	0.1	0.1	2.4	1.8
35	2.2	1.4	0.5	0.3	0.1	*	0.2	0.1	3.4	2.2
36	2.5	1.7	0.4	0.4	0.1	0.1	0.3	0.3	4.2	3.1
37	2.9	2.6	0.5	0.7	0.1	0.1	0.6	0.5	5.0	3.8
38	4.0	3.2	0.9	1.0	0.3	0.3	1.2	0.9	5.8	4.9
39	4.5	4.0	1.2	1.4	0.4	0.5	1.6	1.6	6.4	5.9
40	5.2	5.6	2.0	1.9	0.6	1.0	2.8	2.7	7.3	7.6
41	7.5	7.5	2.8	2.7	1.3	1.7	4.6	4.4	7.9	8.7
42	8.8	8.3	4.2	4.0	2.4	2.7	6.1	6.4	8.4	9.2
43	9.4	9.0	6.0	5.5	4.0	4.2	8.1	8.4	8.6	9.8
44	10.2	10.3	8.3	7.3	6.3	6.4	10.0	10.6	7.9	8.9
45	9.4	10.6	9.1	9.1	8.3	9.4	12.6	13.0	7.6	8.6
46	8.6	9.9	11.5	10.5	13.1	13.8	13.1	14.4	5.4	7.0
47	7.0	7.9	13.1	11.1	15.5	17.1	12.9	13.3	4.3	5.1
48	5.4	5.9	15.6	10.6	16.4	16.9	10.0	10.1	3.5	3.9
49	3.1	3.9	10.3	9.1	14.9	13.0	7.6	6.2	2.1	2.7
50	1.8	2.2	5.8	7.2	8.5	7.0	4.2	3.7	1.0	1.5
51	1.3	1.2	3.7	5.7	4.1	3.2	2.3	1.9	0.5	0.8
52	1.2	0.7	2.0	4.2	1.9	1.4	1.3	0.9	0.2	0.3
53	0.5	0.3	0.5	3.0	1.1	0.7	0.5	0.4	*	0.1
54	0.1	0.1	0.2	2.0	0.4	0.2	0.1	0.1	-	*
55	*	*	*	1.0	*	*	*	*	-	-
56	*	*	*	0.3	-	-	-	*	-	*
57	-	-	*	0.1	-	-	-	*	-	-
58	-	-	*	*	-	-	-	*	-	-
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
Average	43	43	46	47	47	47	45	45	41	42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 6, 2018

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	*	-	-	-	-	-	-
21	-	-	-	*	-	-	-	-	-	-
22	-	-	-	*	-	-	*	*	-	-
23	*	*	-	*	*	*	*	*	-	-
24	*	*	0.1	0.1	*	*	0.3	0.1	-	-
25	0.1	*	0.5	0.8	0.1	0.1	0.8	0.4	0.1	*
26	0.4	0.2	2.5	3.8	1.5	0.6	3.0	1.4	0.1	*
27	1.8	1.1	8.9	11.2	5.6	3.8	5.0	3.7	0.7	0.2
28	5.6	4.1	20.3	22.1	15.9	13.4	9.7	7.5	3.7	2.3
29	12.2	10.5	27.3	28.3	28.7	27.3	24.6	16.6	9.2	8.5
30	18.7	17.3	22.2	19.7	24.0	26.9	32.4	27.9	14.2	13.2
31	22.0	22.2	11.8	9.2	14.2	15.8	16.4	21.8	17.3	15.8
32	19.9	21.2	4.5	3.3	6.5	7.8	4.6	12.3	17.8	15.1
33	11.9	14.0	1.4	1.0	2.3	3.2	2.5	5.4	14.8	13.8
34	5.2	6.4	0.5	0.3	0.9	0.9	0.4	2.0	7.1	8.2
35	1.6	2.1	0.1	0.1	0.1	0.2	0.1	0.6	4.5	5.1
36 & above	0.5	0.8	0.1	*	*	*	*	0.2	10.6	17.8
Average	30.9	31.2	29.2	28.9	29.5	29.7	29.5	30.2	32.0	32.5
MIKE										
24 & below	*	*	-	-	-	-	-	-	-	-
25	0.1	0.1	*	*	-	*	-	*	-	*
26	0.1	0.1	*	*	-	-	-	-	*	*
27	0.2	0.1	-	*	*	*	-	*	*	*
28	0.3	0.2	*	*	*	*	-	*	0.1	0.1
29	0.4	0.3	*	*	*	*	-	*	0.1	0.1
30	0.6	0.5	*	*	*	*	-	*	0.1	0.1
31	0.8	0.7	0.1	0.1	*	*	*	*	0.2	0.2
32	1.3	1.0	0.2	0.2	*	*	-	*	0.2	0.3
33	2.0	1.6	0.4	0.4	0.1	*	-	*	0.4	0.5
34	2.8	2.2	0.8	0.8	0.1	*	-	*	0.8	0.8
35	3.6	2.9	1.2	1.2	0.1	0.1	*	*	0.6	0.9
36	4.3	3.6	1.4	1.6	0.2	0.2	*	0.1	0.9	1.5
37	5.1	4.3	2.2	2.4	0.6	0.4	0.1	0.1	0.6	1.7
38	5.9	5.2	2.9	3.8	0.9	0.6	0.2	0.2	1.1	2.2
39	6.8	6.0	5.2	5.8	1.2	1.0	0.4	0.5	1.4	3.1
40	7.3	6.8	8.1	8.4	1.8	1.7	0.2	0.7	3.0	3.7
41	7.5	7.3	11.0	10.9	2.8	2.7	0.4	1.4	4.2	5.4
42	7.6	7.7	13.6	13.1	4.4	4.4	1.6	2.4	5.6	6.8
43	7.7	7.8	13.9	13.4	6.1	6.2	3.7	3.4	8.3	8.2
44	6.9	7.6	12.7	11.9	7.7	8.5	5.6	4.5	10.4	9.1
45	6.6	7.4	10.0	9.4	9.8	10.5	6.9	7.1	10.8	9.1
46	5.9	6.7	6.8	6.6	11.7	11.7	7.6	9.9	10.5	10.1
47	5.0	5.8	4.4	4.4	12.1	11.6	11.7	13.5	10.2	9.7
48	4.0	4.7	2.7	2.7	12.3	11.1	18.6	15.8	9.8	8.4
49	3.0	3.7	1.4	1.6	10.3	9.4	17.7	15.0	7.7	6.1
50	1.9	2.6	0.6	0.7	7.7	7.5	13.1	11.8	5.6	5.1
51	1.1	1.6	0.3	0.3	4.8	5.4	7.0	7.3	4.3	3.8
52	0.6	0.9	0.1	0.1	2.8	3.6	3.4	3.9	2.1	2.0
53	0.3	0.5	*	*	1.6	2.0	1.6	1.7	0.8	0.7
54	0.1	0.2	*	*	0.6	0.9	0.2	0.4	0.2	0.2
55	*	0.1	-	*	0.1	0.3	*	0.2	0.1	0.1
56	*	*	-	*	*	*	*	*	0.1	*
57	*	*	-	*	*	*	*	*	-	-
58	-	*	-	-	*	*	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average	41	42	43	42	46	47	48	48	45	45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 6, 2018

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	0.1	*	-	-	-	-	0.1	*
25 - 26	0.1	0.1	0.1	*	-	-	*	*	0.8	0.2
27 - 29	0.3	0.4	*	0.1	-	-	*	*	1.6	0.8
30 - 32	1.4	1.0	0.3	0.3	*	*	*	*	3.5	1.9
33 - 34	2.7	2.1	0.7	0.4	*	*	0.1	0.1	4.4	3.1
35 - 36	4.7	3.1	0.9	0.8	0.1	0.1	0.5	0.4	7.5	5.3
37 - 42	32.8	31.3	11.7	11.6	5.1	6.4	16.9	16.4	40.8	40.0
43 - 49	53.1	57.5	74.0	63.2	78.6	80.9	74.2	76.0	39.5	46.1
50 - 52	4.3	4.1	11.5	17.1	14.6	11.7	7.7	6.5	1.7	2.7
53 & above	0.6	0.4	0.7	6.4	1.5	1.0	0.6	0.5	*	0.1
Average	43	43	46	47	47	47	45	45	41	42
HVI TRASH 1/										
00	-	-	-	*	-	-	-	-	*	*
01	2.1	1.6	2.0	8.1	0.2	0.2	0.2	0.3	3.5	3.7
02	15.6	12.9	11.6	26.7	4.4	4.8	5.7	6.8	20.9	16.0
03	25.6	23.6	19.4	25.2	15.4	15.7	18.6	21.5	24.3	22.2
04	20.9	22.1	20.0	17.4	22.7	22.7	24.8	26.6	18.6	19.4
05	13.9	16.0	15.8	10.3	21.8	21.9	20.9	20.6	12.3	14.0
06	8.7	10.1	11.2	5.7	16.2	16.2	14.1	12.5	7.9	9.3
07	5.4	6.0	7.5	3.0	10.0	9.8	8.0	6.5	4.8	5.8
08	3.2	3.4	4.9	1.6	5.3	5.0	4.1	3.1	2.9	3.6
09	1.8	1.9	3.0	0.8	2.4	2.2	2.1	1.3	1.9	2.2
10	1.1	1.1	1.8	0.4	1.0	0.9	1.0	0.5	1.1	1.4
11	0.6	0.6	1.1	0.2	0.4	0.3	0.4	0.2	0.8	1.0
12	0.4	0.3	0.7	0.1	0.1	0.1	0.2	0.1	0.5	0.6
13	0.2	0.2	0.3	0.1	0.1	*	0.1	*	0.3	0.4
14	0.1	0.1	0.2	*	*	*	*	*	0.1	0.2
15	0.1	0.1	0.1	*	*	*	*	*	0.1	0.1
16	0.1	*	0.1	*	-	*	*	*	*	0.1
17	*	*	*	*	-	-	*	*	*	*
18 & above	0.1	*	0.2	*	-	-	*	*	*	*
Average	0.43	0.44	0.48	0.35	0.50	0.50	0.48	0.45	0.41	0.44
UNIFORMITY 2/										
72.4 & below	-	*	*	*	-	-	-	-	-	-
72.5-73.4	*	*	*	*	-	-	-	-	-	-
73.5-74.4	*	*	0.2	*	-	-	*	*	-	-
74.5-75.4	*	*	0.7	0.2	-	-	*	*	*	*
75.5-76.4	0.1	0.1	3.2	0.7	-	-	*	*	0.1	0.1
76.5-77.4	0.9	0.6	8.0	1.8	-	-	0.4	0.2	1.0	0.5
77.5-78.4	3.4	2.5	16.7	4.0	1.0	0.6	2.1	1.5	4.1	2.3
78.5-79.4	12.7	9.9	23.1	7.9	4.5	3.2	10.1	8.3	10.8	9.1
79.5-80.4	31.6	27.7	27.6	16.2	20.0	16.6	27.6	27.7	29.1	27.7
80.5-81.4	30.6	33.7	16.3	25.5	41.3	39.1	33.6	36.9	33.7	36.1
81.5-82.4	16.7	19.5	3.7	25.7	25.2	31.0	20.3	20.2	17.0	18.6
82.5-83.4	3.4	5.0	0.4	14.8	6.7	8.2	5.2	4.4	3.7	4.9
83.5-84.4	0.4	0.8	*	2.9	1.2	1.2	0.7	0.6	0.4	0.7
84.5-85.4	*	0.1	*	0.3	0.1	0.1	0.1	*	*	*
85.5-86.4	*	*	-	*	-	-	*	*	-	-
86.5-87.4	*	*	-	-	-	-	-	*	-	-
87.5-88.4	*	*	-	-	-	-	-	-	-	-
88.5-89.4	*	*	-	-	-	-	-	-	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-
Average	80.5	80.7	79.2	81.0	81.1	81.2	80.7	80.8	80.5	80.7
Tenderable 3/	78.2	77.0	33.5	56.7	73.4	79.0	79.2	77.3	78.6	77.5
SAMPLES CLASSED										
Week	86,446		41,937		114,729		125,628		88,886	
Season		310,733		1,645,578		1,128,589		924,127		347,655

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 6, 2018

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	-	-	-	-	-	-	-
25 - 26	0.2	0.1	*	*	-	*	-	*	*	*
27 - 29	0.9	0.6	*	*	*	*	-	*	0.2	0.2
30 - 32	2.7	2.2	0.3	0.3	0.1	*	*	*	0.4	0.7
33 - 34	4.8	3.7	1.2	1.2	0.1	0.1	-	*	1.2	1.3
35 - 36	8.0	6.4	2.6	2.9	0.4	0.3	*	0.1	1.5	2.4
37 - 42	40.2	37.3	43.0	44.4	11.7	10.8	3.0	5.4	15.9	22.8
43 - 49	39.1	43.7	51.9	50.0	70.0	69.0	71.7	69.1	67.7	60.8
50 - 52	3.7	5.1	0.9	1.2	15.3	16.5	23.5	23.1	12.0	10.9
53 & above	0.4	0.8	*	*	2.4	3.3	1.8	2.3	1.2	1.1
Average	41	42	43	42	46	47	48	48	45	45
HVI TRASH 1/										
00	-	-	-	-	-	-	-	-	*	*
01	1.9	1.3	0.3	0.5	0.2	0.3	0.6	0.6	14.3	19.2
02	16.5	12.0	5.4	8.4	5.3	4.7	8.8	9.4	34.8	35.4
03	24.8	21.4	17.0	22.2	16.7	14.4	21.7	22.5	27.1	23.4
04	21.0	21.5	23.7	25.9	22.9	21.6	24.1	24.6	13.2	11.4
05	14.6	16.8	21.7	20.0	21.1	21.6	18.8	19.0	5.7	5.6
06	9.3	11.4	15.1	12.0	15.1	16.6	12.3	11.8	2.4	2.6
07	5.4	7.0	8.7	6.1	9.3	10.4	6.9	6.4	1.1	1.2
08	2.9	4.0	4.4	2.8	5.0	5.6	3.7	3.1	0.5	0.6
09	1.6	2.2	2.1	1.2	2.5	2.7	1.7	1.4	0.3	0.3
10	0.8	1.2	0.9	0.5	1.2	1.2	0.8	0.6	0.1	0.2
11	0.5	0.6	0.4	0.2	0.5	0.5	0.3	0.3	0.1	0.1
12	0.3	0.3	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1
13	0.1	0.2	0.1	*	0.1	0.1	*	0.1	*	*
14	0.1	0.1	*	*	*	*	*	*	*	*
15	*	0.1	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	-	-	*	*
17	*	*	*	*	-	*	-	-	*	*
18 & above	*	*	*	*	*	*	-	-	0.1	*
Average	0.42	0.46	0.49	0.44	0.50	0.51	0.46	0.45	0.28	0.27
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	*	*	-	-
72.5-73.4	-	-	-	-	-	-	-	*	-	-
73.5-74.4	-	-	-	-	-	-	*	*	-	-
74.5-75.4	*	*	-	-	-	-	*	*	*	*
75.5-76.4	*	*	*	*	*	*	0.2	0.2	*	*
76.5-77.4	0.3	0.2	0.1	0.1	0.1	*	0.9	0.6	*	*
77.5-78.4	1.7	1.0	0.6	0.7	0.4	0.2	3.2	2.4	0.2	0.3
78.5-79.4	7.3	4.9	3.6	4.5	2.6	1.2	12.7	9.0	1.9	1.8
79.5-80.4	22.5	17.5	17.4	21.2	12.9	7.3	27.1	21.8	8.2	7.9
80.5-81.4	36.5	33.8	40.3	41.6	31.1	24.1	34.3	34.4	27.1	24.4
81.5-82.4	24.3	29.9	28.9	24.9	33.2	36.7	18.1	23.0	31.7	32.1
82.5-83.4	6.3	10.9	7.9	6.2	16.3	25.1	2.7	6.9	18.1	18.5
83.5-84.4	0.9	1.8	1.2	0.9	3.0	5.2	0.6	1.4	7.3	10.1
84.5-85.4	0.1	0.2	0.1	0.1	0.3	0.3	0.1	0.2	5.1	4.6
85.5-86.4	*	*	*	*	*	*	-	*	0.3	0.3
86.5-87.4	*	*	-	*	*	*	-	*	*	*
87.5-88.4	-	-	-	-	*	*	-	*	-	-
88.5-89.4	-	-	-	-	*	*	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	80.9	81.2	81.2	81.0	81.5	81.9	80.5	80.9	81.9	82.0
Tenderable 3/	77.4	73.8	68.9	79.0	69.2	60.8	50.5	57.1	81.3	82.3
SAMPLES CLASSED										
Week	393,804		197,833		234,186		31,492		43,443	
Season		1,385,163		1,461,866		2,470,551		422,036		208,696

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending December 6, 2018

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	15.9	20.3	MIKE	*	*
	2	20.3	21.6	24 & below	*	*
	3	0.4	0.4	25-26	*	*
	4	-	*	27-29	0.2	0.1
	5	-	-	30-32	0.8	0.3
	6	-	-	33-34	1.7	0.8
	7	-	-	35-36	5.9	3.4
Total -----		36.6	42.3	37-42	55.9	53.5
02	1	5.4	6.2	43-49	35.5	41.8
	2	38.7	37.7	50-52	*	*
	3	10.6	7.8	53 & above	-	-
	4	0.2	0.1	Average	41	42
	5	*	*	ALL RANGE MIKE		
	6	-	-	24 & below	*	*
	7	-	-	25	*	*
Total -----		55.0	51.9	26	-	*
03	1	0.2	0.1	27	*	*
	2	3.8	2.6	28	0.1	*
	3	3.2	2.3	29	0.1	*
	4	0.6	0.3	30	0.2	0.1
	5	*	*	31	0.2	0.1
	6	-	*	32	0.4	0.1
	7	-	-	33	0.5	0.3
Total -----		7.8	5.4	34	1.2	0.6
04	1	-	*	35	2.5	1.3
	2	0.2	0.2	36	3.4	2.2
	3	0.2	0.2	37	5.1	3.4
	4	*	*	38	6.4	5.7
	5	*	*	39	8.4	8.3
	6	-	*	40	10.5	10.7
	7	-	*	41	11.4	11.4
Total -----		0.4	0.4	42	14.1	14.0
05	1	-	-	43	13.1	15.5
	2	*	*	44	10.9	13.5
	3	0.1	*	45	7.0	8.2
	4	*	*	46	3.0	3.5
	5	-	-	47	1.1	1.0
	6	-	-	48	0.4	0.2
	7	-	-	49	0.1	*
Total -----		0.1	*	50	*	*
06	1	-	-	51	-	-
	2	-	-	52	*	*
	3	*	*	53	-	-
	4	-	*	54	-	-
	5	-	-	55	-	-
	6	-	-	56	-	-
	7	-	-	57	-	-
Total -----		*	*	58	-	-
07	1	-	-	59	-	-
	2	-	-	60 & above	-	-
	3	-	*	Average	41	42
	4	-	*	Strength		
	5	-	-	17 & below	-	-
	6	-	-	18	-	-
	7	-	-	19	-	-
Total -----		-	*	20	-	-
STAPLE	40 & shorter	-	-	21	-	-
	42	-	-	22	-	-
	44	0.1	0.2	23	-	-
	46	4.1	5.6	24	-	-
	48 & longer	95.8	94.2	25	-	-
	Average	49.3	49.1	26	-	-
				27	-	-
UNIFORMITY	72.4 & below	-	-	28	-	-
	72.5-73.4	-	-	29	-	-
	73.5-74.4	-	-	30	-	-
	74.5-75.4	-	-	31	-	-
	75.5-76.4	-	-	32	-	-
	76.5-77.4	-	-	33	-	-
	77.5-78.4	-	-	34	-	-
	78.5-79.4	-	-	35	*	*
	79.5-80.4	*	*	36	*	*
	80.5-81.4	*	*	37	*	0.3
	81.5-82.4	*	*	38	1.5	1.2
	82.5-83.4	0.1	0.1	39	4.8	3.0
	83.5-84.4	1.5	1.5	40	4.7	4.4
	84.5-85.4	15.5	12.1	41	4.0	3.9
	85.5-86.4	42.6	40.0	42	7.6	6.3
86.5-87.4	36.2	41.1	43	14.4	13.2	
87.5-88.4	3.8	4.9	44	20.1	21.9	
88.5-89.4	0.2	0.3	45 & above	42.8	45.9	
89.5 & above	-	*	Average	43.8	43.9	
Average		86.2	86.3	EXTRANEIOUS MATTER		
SAMPLES CLASSED	Week	56,478		Bark	*	*
	Season		339,575	Grass	*	0.2
				Spindle Twist	0.1	*
				Preparation	*	*

* Less than 0.05 percent.



Extraneous Matter By Classing Office

07-Dec-18

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Week ending Thursday, December 6, 2018**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	8.3%	-	*	-	-	-	*	-	-	-	-	-	8.3%	-	86,446
Corpus Christi	*	-	3.1%	-	0.3%	-	21.4%	-	-	-	-	-	*	-	24.8%	-	41,937
Dumas	0.8%	-	1.8%	-	0.3%	-	0.1%	-	*	-	*	-	*	-	3.0%	-	114,729
Florence	*	-	3.0%	-	*	-	-	-	-	-	-	-	-	-	3.0%	-	125,628
Lamesa	-	-	6.5%	-	-	-	-	-	-	-	-	-	-	-	6.5%	-	88,886
Lubbock	*	-	7.7%	-	*	-	*	-	*	-	-	-	*	-	7.7%	-	393,804
Macon	*	-	21.0%	*	*	-	0.2%	-	-	-	-	-	-	-	21.3%	*	197,833
Memphis	*	-	1.7%	-	0.1%	-	0.2%	-	*	-	-	-	-	-	2.0%	-	234,186
Rayville	-	-	4.5%	-	0.1%	-	0.1%	-	-	-	-	-	*	-	4.7%	-	31,492
Visalia	-	-	0.3%	-	-	-	2.0%	-	-	-	-	-	-	-	2.3%	-	43,443
United States	0.1%	-	7.2%	*	0.1%	-	0.8%	-	*	-	*	-	*	-	8.1%	*	1,358,384

* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Season ending Thursday, December 6, 2018**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	9.0%	-	*	-	*	-	*	-	-	-	*	-	9.0%	-	310,733
Corpus Christi	*	-	1.3%	-	0.7%	-	2.8%	-	*	-	-	-	*	-	4.9%	-	1,645,578
Dumas	0.5%	-	1.0%	-	0.3%	-	*	-	*	-	*	-	*	-	1.8%	-	1,128,589
Florence	*	-	2.3%	-	0.1%	-	*	-	*	-	-	-	*	-	2.3%	-	924,127
Lamesa	*	-	8.3%	-	*	-	*	-	-	-	-	-	*	-	8.3%	-	347,655
Lubbock	*	-	9.8%	-	*	-	*	-	*	-	-	-	*	*	9.9%	*	1,385,163
Macon	*	-	11.0%	*	0.1%	-	0.1%	-	-	-	-	-	*	-	11.2%	*	1,461,866
Memphis	*	-	0.8%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	1.0%	-	2,470,551
Rayville	*	-	2.9%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	3.1%	-	422,036
Visalia	*	-	0.4%	-	0.1%	-	0.8%	-	-	-	-	-	-	-	1.3%	-	208,696
United States	0.1%	-	4.3%	*	0.2%	-	0.5%	-	*	-	*	-	*	*	5.0%	*	10,304,994

* Less than 0.05 percent.