

Quality of Cotton Classed by State

mp_cn811

Volume 20, No. 19

07-Dec-18

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **STATE**,
For The Week Ending DECEMBER 6, 2018

State	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Alabama	29	61,899	29	511,273
Arizona	12	25,259	12	102,364
Arkansas	24	86,273	28	1,023,794
California	9	12,730	14	91,311
Florida	3	7,996	4	45,269
Georgia	58	148,342	58	1,113,500
Kansas	3	4,960	3	23,724
Louisiana	15	24,015	19	362,722
Mississippi	37	120,389	38	1,077,235
Missouri	19	60,157	21	633,567
New Mexico	2	4,441	2	11,977
North Carolina	33	74,539	33	562,849
Oklahoma	10	38,053	10	150,969
South Carolina	16	31,169	16	226,595
Tennessee	22	63,696	22	678,986
Texas	157	574,546	181	3,554,176
Virginia	4	19,920	4	134,683
United States	453	1,358,384	494	10,304,994
Percent Tenderable		70.0		67.1
AMERICAN PIMA				
Arizona	2	2,263	4	11,456
California	16	49,874	17	315,637
New Mexico *	1	-	1	-
Texas *	1	-	1	-
United States	20	52,137	23	327,093
United States all cotton	470	1,410,521	509	10,632,087

*Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN106

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	0.2	0.3	0.2	0.2	5.0	14.7	46.4	57.9	-	-	0.4	1.4
	4	0.2	0.6	0.4	0.3	1.0	6.2	6.5	12.7	-	*	0.7	2.8
	5	*	*	*	*	0.1	0.6	0.1	0.1	-	-	0.1	0.3
	6	-	-	-	-	*	*	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.4	0.9	0.6	0.4	6.1	21.5	53.0	70.7	-	*	1.2
31	1-2	1.5	1.6	0.2	0.5	16.2	8.1	15.9	9.3	0.1	0.2	1.5	4.4
	3	7.2	14.9	2.5	4.6	15.5	9.8	23.1	12.7	5.9	5.7	11.4	29.1
	4	3.9	7.6	1.5	3.3	1.9	1.5	2.2	1.9	4.2	3.3	5.4	14.4
	5	0.3	0.6	0.1	0.4	0.1	0.1	*	0.2	0.2	0.1	0.3	0.9
	6	*	*	-	*	*	*	-	*	-	-	*	*
	7	-	-	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	*	*	-	-	-	-	-	-
	Total	-----	12.9	24.8	4.2	8.8	33.8	19.6	41.2	24.1	10.4	9.3	18.6
41	1-2	1.4	0.9	1.2	0.6	13.3	7.0	0.1	*	0.4	0.4	1.5	0.9
	3	19.4	14.9	22.0	15.3	26.0	21.7	1.5	0.3	14.0	16.1	22.8	12.9
	4	27.5	21.8	28.7	30.2	8.6	8.8	0.2	0.1	31.5	37.0	31.3	17.4
	5	10.5	7.0	6.9	11.3	1.1	1.1	-	*	5.5	6.7	6.7	3.6
	6	1.8	0.8	0.4	1.0	0.1	0.1	-	*	0.1	0.1	0.3	0.1
	7	0.1	*	*	*	*	*	-	*	-	-	*	*
	7	-	-	-	-	*	*	-	-	-	-	-	-
	Total	-----	60.7	45.5	59.1	58.5	49.2	38.8	1.9	0.4	51.4	60.4	62.6
51	1-2	*	*	0.2	*	0.2	0.3	-	-	*	*	0.1	*
	3	1.2	0.4	5.3	1.4	1.5	2.8	*	*	1.5	1.4	1.4	0.4
	4	3.2	1.2	10.2	5.9	1.8	3.0	-	-	8.8	5.4	3.2	0.9
	5	2.9	1.2	3.9	5.0	0.6	0.9	-	-	4.8	3.5	1.8	0.5
	6	1.3	0.5	0.4	0.8	0.2	0.1	-	-	0.2	0.3	0.3	0.1
	7	0.3	0.1	*	*	0.1	*	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	8.9	3.3	20.1	13.1	4.3	7.1	*	*	15.3	10.6	6.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	*	*	-	*
	4	*	*	-	*	-	-	-	-	0.1	0.1	-	-
	5	*	*	*	*	-	-	-	-	*	*	-	*
	6	-	*	-	*	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	*	*	*	*	-	*	-	-	0.1	0.1	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	*	*	-	*	0.6	3.1	0.4	0.8	-	*	*	0.1
	3	*	*	*	*	0.8	1.5	0.4	0.6	-	-	*	0.1
	4	*	*	*	*	*	0.5	*	*	-	-	*	*
	5	-	-	-	-	-	0.1	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	*	*	*	*	1.4	5.2	0.8	1.4	-	*	0.1
32	1-2	0.2	0.1	*	*	0.4	0.1	0.4	0.6	-	*	0.2	0.3
	3	1.0	1.7	0.1	0.4	1.0	0.9	2.1	2.3	0.1	0.1	1.4	2.4
	4	0.7	1.5	0.1	0.2	0.2	0.4	0.3	0.4	0.1	0.1	0.8	1.2
	5	0.1	0.2	-	*	*	0.3	*	*	*	*	0.1	0.1
	6	*	*	-	*	-	0.1	-	-	-	-	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	2.0	3.6	0.2	0.6	1.5	1.9	2.8	3.2	0.2	0.3	2.5
42	1-2	0.2	0.2	0.1	0.1	0.1	0.2	*	*	*	0.1	0.1	0.1
	3	2.9	4.9	2.5	4.2	1.1	1.3	0.2	0.1	2.0	2.1	1.6	1.3
	4	4.3	9.1	5.7	7.8	1.0	1.6	0.1	*	5.5	4.0	3.2	2.3
	5	2.0	3.1	2.1	2.3	0.1	0.3	*	*	1.6	1.0	0.9	0.6
	6	0.4	0.4	0.2	0.2	-	0.1	-	-	*	*	0.1	*
	7	*	*	*	*	-	0.1	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	9.8	17.7	10.5	14.5	2.2	3.5	0.3	0.1	9.1	7.3	5.9
52	1-2	*	*	*	*	*	*	-	*	*	*	*	*
	3	0.4	0.3	0.7	0.3	0.1	0.2	-	-	0.7	1.3	0.1	*
	4	1.0	0.8	1.7	1.3	0.2	1.0	-	-	5.8	5.2	0.5	0.2
	5	0.9	0.6	1.1	1.1	0.1	0.4	-	-	4.2	3.2	0.3	0.1
	6	0.2	0.2	0.1	0.2	*	*	-	-	0.2	0.5	0.1	*
	7	0.1	*	*	*	*	*	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	2.6	1.9	3.6	2.9	0.3	1.7	-	*	10.9	10.2	1.0

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	*	*	-	*	-	*	-	*	*	0.1	*	*
	5	*	*	*	*	*	*	-	*	0.1	0.1	-	*
	6	-	*	-	*	-	*	-	*	*	*	-	*
	7	*	*	-	*	-	*	-	*	-	*	-	*
Total	-----	*	*	*	*	*	*	-	*	0.1	0.2	*	*
13 & 23	1-2	*	*	-	*	-	*	-	*	-	*	*	*
	3	-	*	-	*	0.1	0.1	-	*	-	-	*	*
	4	-	-	-	*	0.1	0.1	-	*	-	-	-	*
	5	-	-	-	-	*	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	*	*	-	*	0.3	0.2	-	*	-	-	*	*
33	1-2	*	*	-	*	-	*	-	*	-	*	*	0.1
	3	0.3	0.1	*	*	0.1	*	-	*	-	*	0.2	0.3
	4	0.1	0.1	*	*	0.1	0.1	-	*	*	*	0.1	0.1
	5	*	*	*	*	*	0.1	-	*	-	*	*	*
	6	-	*	-	-	-	-	-	-	-	-	*	*
	7	-	*	-	-	-	*	-	*	-	-	-	-
Total	-----	0.4	0.2	0.1	*	0.1	0.2	-	*	*	*	0.4	0.5
43	1-2	*	*	-	*	-	*	-	*	-	*	*	*
	3	0.4	0.3	0.2	0.2	0.1	*	-	*	0.1	0.2	0.2	0.1
	4	0.6	0.8	0.5	0.4	0.1	0.1	-	*	0.9	0.4	0.4	0.2
	5	0.4	0.4	0.2	0.2	*	0.1	-	*	0.3	0.1	0.2	0.1
	6	0.1	0.1	*	*	*	*	-	*	*	*	*	*
	7	*	*	-	-	-	*	-	*	-	-	*	*
Total	-----	1.4	1.5	0.9	0.8	0.2	0.2	-	*	1.3	0.6	0.8	0.5
53	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	0.1	0.1	*	*	-	*	-	*	0.1	*	*	*
	4	0.3	0.1	0.2	0.1	*	*	-	*	0.6	0.4	0.1	*
	5	0.1	0.1	0.2	0.1	-	*	-	*	0.4	0.4	0.1	*
	6	*	*	*	*	-	*	-	*	0.1	0.1	*	*
	7	*	*	-	*	-	*	-	*	-	*	*	*
Total	-----	0.6	0.4	0.5	0.3	*	*	-	*	1.2	0.9	0.2	*
63	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	*	*	-	*	-	*	-	*	*	*
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
Total	-----	-	*	*	*	-	*	-	*	*	*	*	*
24 - 54	1-7	0.2	0.1	0.1	*	0.2	0.1	-	*	0.1	*	0.1	0.1
25 - 35	1-7	-	*	-	-	-	-	-	-	-	-	*	*
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	*	*	0.2	0.1
All Colors	82/	*	*	*	*	0.2	0.1	*	*	*	*	*	*
EXTRANEIOUS MATTER													
Bark - Level 1		18.6	9.6	2.1	1.3	0.3	0.7	-	*	30.7	20.4	19.1	9.5
Bark - Level 2		*	*	-	-	-	-	-	-	*	*	*	*
Grass - Level 1		*	0.1	0.4	0.2	-	*	-	0.2	*	*	*	0.1
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		0.1	*	*	*	-	*	-	*	-	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	-	-	-	-	-	-	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		*	*	-	-	-	-	-	-	-	-	-	-
31		*	*	-	-	-	-	-	*	-	-	*	*
32		*	*	-	*	-	*	-	*	-	*	0.1	0.1
33		0.5	0.4	*	*	0.1	0.1	-	0.2	-	*	0.9	0.9
34		3.5	3.0	0.8	0.4	3.5	2.2	*	0.2	0.9	0.5	5.2	5.2
35		11.5	10.5	5.5	2.9	8.6	8.3	0.8	2.0	3.9	2.8	13.3	13.5
36		21.5	21.1	13.6	11.7	18.3	21.8	11.8	7.2	11.0	10.2	19.1	18.7
37		36.8	37.0	37.2	36.9	27.3	33.2	38.1	26.5	27.4	34.6	28.2	28.7
38 & longer		26.1	27.9	43.0	48.1	42.3	34.4	49.3	63.9	56.9	51.9	33.2	32.9
Average staple		36.8	36.8	37.4	37.6	37.3	37.1	37.9	38.1	37.5	37.5	36.8	36.8

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	4.5	2.6	*	0.7	*	0.8	0.1	0.5	*	0.1	12.8	11.8
	4	8.5	3.4	*	1.3	*	0.8	0.3	1.0	0.2	0.2	6.3	5.9
	5	0.4	0.4	*	0.1	-	*	*	0.1	*	*	-	0.1
	6	-	*	-	*	-	*	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	13.5	6.4	*	2.1	*	1.7	0.4	1.6	0.2	0.3	19.0
31	1-2	7.1	5.7	1.3	3.0	0.4	0.9	1.4	2.0	0.9	1.8	22.3	19.7
	3	18.3	23.3	5.2	17.3	5.3	6.9	9.9	15.0	10.0	14.4	24.3	27.6
	4	7.9	8.7	2.3	7.1	1.2	3.5	5.1	7.7	7.3	7.5	4.1	3.4
	5	2.7	1.2	0.2	0.4	*	0.4	0.3	0.5	1.0	0.8	0.2	0.1
	6	0.3	0.1	-	*	-	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	36.2	39.0	8.9	27.8	7.0	11.6	16.7	25.2	19.4	24.5	50.9
41	1-2	0.2	0.3	3.1	1.8	1.1	0.8	1.9	1.0	1.9	1.6	2.6	2.1
	3	6.7	8.2	24.1	17.7	28.4	20.2	19.7	16.1	23.1	23.9	11.0	14.8
	4	14.3	11.5	19.6	19.5	35.4	33.7	30.7	30.9	28.1	23.5	10.9	9.6
	5	9.4	4.7	5.8	4.6	7.0	9.3	9.8	10.5	7.9	4.9	3.4	3.1
	6	1.4	0.6	0.5	0.3	0.3	0.4	0.6	0.7	0.8	0.3	0.4	0.4
	7	*	*	*	*	*	*	*	*	*	*	*	*
	Total	-----	31.8	25.3	53.2	43.9	72.1	64.5	62.7	59.2	61.8	54.2	28.3
51	1-2	-	-	0.6	0.2	*	*	0.1	*	0.2	0.1	-	-
	3	*	*	2.2	1.2	1.6	0.5	0.8	0.3	2.4	1.2	*	*
	4	1.3	0.3	2.8	1.5	7.2	3.4	2.9	1.3	3.3	1.7	0.5	0.3
	5	0.9	0.2	0.8	0.5	4.1	2.7	2.7	1.5	1.3	0.7	0.3	0.2
	6	0.4	0.1	*	0.1	0.5	0.3	0.4	0.3	0.3	0.1	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	2.7	0.6	6.6	3.4	13.5	6.9	6.9	3.4	7.5	3.7	0.9
61	1-2	-	-	-	-	-	-	-	-	-	*	-	-
	3	-	-	*	*	-	-	-	*	*	*	-	-
	4	-	-	-	*	-	*	-	-	*	*	-	-
	5	-	-	-	*	-	-	*	*	*	*	-	-
	6	-	-	-	*	-	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-
	Total	-----	-	-	*	*	-	*	*	*	*	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	*	*	*	-	*	*	*	-	*	-	*
	3	0.6	1.2	-	*	-	*	*	*	*	*	-	*
	4	0.1	0.6	-	*	-	*	*	*	*	*	-	-
	5	-	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.6	2.0	*	0.1	-	*	*	*	*	*	-
32	1-2	-	*	0.4	0.2	*	*	*	0.1	0.1	0.1	-	-
	3	0.5	0.9	0.9	1.2	0.2	0.5	0.5	0.5	0.5	0.9	-	*
	4	2.4	2.3	0.4	0.7	0.1	0.2	0.5	0.4	0.5	0.5	-	0.1
	5	2.0	1.2	*	*	-	*	0.1	*	0.1	*	-	*
	6	*	0.1	-	*	-	-	-	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	4.9	4.4	1.6	2.1	0.3	0.7	1.1	1.0	1.2	1.5	-
42	1-2	-	-	0.8	0.4	*	0.1	0.1	0.1	0.2	0.4	0.1	*
	3	0.1	*	6.1	4.4	1.5	3.8	1.7	1.3	2.7	5.5	0.7	0.3
	4	2.7	0.7	6.2	5.7	3.7	6.7	4.1	3.5	2.8	4.9	0.1	0.1
	5	3.2	0.9	1.4	1.4	0.6	1.8	2.5	2.0	0.7	0.8	-	-
	6	0.6	0.2	0.1	0.1	*	0.1	0.2	0.2	*	*	-	-
	7	-	*	-	*	-	-	*	*	-	*	-	-
	Total	-----	6.6	1.8	14.4	12.0	5.7	12.5	8.7	7.1	6.4	11.6	0.8
52	1-2	-	-	0.2	0.2	-	*	*	*	*	0.1	-	-
	3	-	-	2.8	1.6	0.1	0.1	0.1	0.1	0.5	1.0	*	*
	4	0.1	*	4.2	2.3	0.4	0.7	0.6	0.5	1.0	1.4	-	-
	5	1.5	0.3	1.5	0.9	0.2	0.6	0.8	0.8	0.3	0.5	-	-
	6	0.6	0.1	0.1	0.1	*	0.1	0.2	0.2	*	0.1	-	-
	7	*	*	*	*	-	-	*	*	*	*	-	-
	Total	-----	2.3	0.5	8.8	5.0	0.7	1.6	1.8	1.6	1.9	3.1	*

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	*	-	-	-	-	*	*	-	-
	3	-	-	*	*	-	-	-	*	*	*	-	-
	4	-	-	*	*	*	*	*	*	*	*	-	-
	5	-	-	*	*	-	-	-	*	*	*	-	-
	6	-	-	-	*	-	-	-	*	*	*	-	-
	7	-	-	-	*	-	-	*	*	*	*	-	-
	Total	-----	-	-	0.1	0.1	*	*	*	*	0.1	0.1	-
13 & 23	1-2	*	*	-	*	-	-	-	-	-	*	-	0.1
	3	-	1.3	-	-	-	-	-	-	-	*	-	0.1
	4	-	1.5	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	2.8	-	*	-	-	-	-	-	*	-
33	1-2	-	*	*	*	-	*	*	*	*	*	-	*
	3	0.1	0.7	0.2	0.1	*	*	0.1	*	*	*	-	0.1
	4	0.3	2.8	*	*	*	*	*	*	*	*	-	-
	5	0.3	1.2	*	*	-	-	*	*	*	*	-	-
	6	*	0.1	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	*	*	-	-
	Total	-----	0.7	4.9	0.3	0.1	*	*	0.1	0.1	0.1	0.1	-
43	1-2	-	*	0.2	*	-	*	*	*	*	*	-	*
	3	-	-	0.9	0.4	0.2	0.1	0.2	0.1	0.3	0.2	-	*
	4	0.1	0.1	0.9	0.7	0.4	0.2	0.5	0.2	0.4	0.3	-	*
	5	*	0.2	0.4	0.3	0.1	0.1	0.4	0.2	0.2	0.1	-	-
	6	*	0.1	*	*	*	*	0.1	*	*	*	-	-
	7	-	-	-	-	*	*	*	*	-	*	-	-
	Total	-----	0.2	0.4	2.4	1.5	0.6	0.4	1.2	0.5	0.9	0.6	-
53	1-2	-	-	0.2	*	-	*	*	*	*	*	-	-
	3	-	-	1.3	0.3	*	*	*	*	0.1	0.1	-	-
	4	-	*	1.2	0.6	*	*	0.1	0.1	0.2	0.1	-	-
	5	-	-	0.5	0.4	*	*	0.1	0.1	0.1	0.1	-	*
	6	-	*	0.1	*	*	*	0.1	*	*	*	-	-
	7	-	*	-	*	*	*	*	*	-	*	-	-
	Total	-----	-	*	3.2	1.4	0.1	0.1	0.3	0.2	0.3	0.2	-
63	1-2	-	-	*	*	-	*	*	*	*	*	-	-
	3	-	-	0.1	0.1	-	-	*	*	*	*	-	-
	4	-	-	0.2	0.1	-	*	-	*	*	*	-	-
	5	-	-	*	0.1	-	-	*	*	*	*	-	-
	6	-	-	*	*	-	-	*	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	0.3	0.3	-	*	*	*	*	*	-
24 - 54	1-7	0.5	9.0	0.2	0.1	*	*	0.1	*	0.1	*	-	*
25 - 35	1-7	-	1.4	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	*	1.5	*	*	*	*	*	*	*	*	*	*
All Colors	8/2/	*	*	*	*	*	*	*	*	*	*	*	*
EXTRANEIOUS MATTER													
Bark - Level 1		21.0	23.2	3.4	2.2	1.0	0.7	2.0	0.9	2.9	1.9	1.2	0.6
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		0.1	0.1	0.1	0.1	*	0.1	0.1	0.2	*	0.1	-	-
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	-	-	-	*	*	0.7	0.5	*	*	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	*	*	-	*	*	*	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	*	-	-
30		-	-	*	*	-	-	-	-	-	*	-	-
31		-	-	*	*	-	*	-	*	*	*	-	-
32		-	*	*	*	*	*	*	*	0.1	*	-	-
33		0.1	0.1	0.1	0.4	*	*	0.4	0.3	1.4	0.7	1.7	0.6
34		1.3	1.4	1.7	2.8	0.8	0.3	2.8	2.4	5.7	5.2	2.8	1.1
35		15.1	13.9	8.5	9.9	3.1	2.7	7.8	7.9	18.7	17.6	5.9	3.7
36		52.9	36.7	20.3	17.7	10.8	11.1	16.3	14.8	27.7	26.6	8.4	9.2
37		30.0	41.1	25.9	26.9	41.8	41.2	28.2	29.0	28.7	27.8	30.2	30.8
38 & longer		0.5	6.8	43.6	42.4	43.5	44.8	44.5	45.5	17.7	22.1	51.1	54.6
Average staple		36.1	36.4	37.3	37.2	37.5	37.5	37.2	37.3	36.3	36.5	37.7	37.9

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	1-2	0.5	1.1	*	0.2	0.1	0.9	3.6	9.7	0.2	0.1	
	3	0.6	2.3	0.3	0.4	*	0.7	4.7	6.7	0.6	0.3	
	4	*	0.2	*	*	-	*	0.9	0.6	*	*	
	5	-	*	-	*	-	-	*	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	1.1	3.6	0.4	0.6	0.1	1.7	9.3	17.0	0.9	0.3
31	1-2	7.2	5.4	0.9	1.3	1.4	1.8	9.4	6.8	3.5	4.2	
	3	27.5	24.7	6.7	12.3	3.3	5.8	26.7	18.1	20.9	25.0	
	4	6.1	7.3	4.3	9.3	0.6	1.6	11.6	7.5	5.3	5.0	
	5	0.6	0.5	0.2	0.8	*	0.1	1.9	1.0	0.1	0.1	
	6	*	*	-	*	-	*	0.1	0.1	-	*	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	-----	41.4	37.8	12.0	23.7	5.4	9.3	49.8	33.5	29.7	34.3
	41	1-2	2.5	2.4	2.3	1.8	5.6	3.6	1.4	1.7	2.6	3.0
3		23.5	21.5	18.1	17.8	26.8	21.4	8.8	9.4	37.3	33.3	
4		19.6	18.0	30.8	27.3	17.5	15.0	10.5	9.6	14.8	11.9	
5		5.1	3.9	9.8	7.7	3.6	2.3	5.0	3.8	1.1	0.4	
6		0.6	0.5	0.6	0.4	0.2	0.1	1.3	0.8	*	*	
7		0.1	0.1	*	*	-	-	0.3	0.1	-	-	
Total		-----	51.4	46.3	61.6	55.1	53.6	42.3	27.4	25.4	55.9	48.7
51		1-2	*	*	0.6	0.3	0.5	0.1	0.3	0.1	0.3	0.1
	3	0.1	0.2	2.3	1.6	7.7	1.9	1.2	0.8	0.5	0.4	
	4	0.4	0.5	5.9	1.9	11.0	3.1	0.7	0.7	0.3	0.2	
	5	0.6	0.7	5.2	1.4	4.6	1.3	0.2	0.3	0.1	*	
	6	0.2	0.3	0.9	0.2	0.4	0.1	0.1	0.2	*	*	
	7	*	0.1	-	*	-	*	0.1	0.1	-	-	
	Total	-----	1.5	1.7	14.8	5.4	24.2	6.5	2.5	2.3	1.1	0.7
	61	1-2	-	-	-	-	-	-	*	*	-	-
3		-	-	*	*	-	-	0.1	*	-	-	
4		-	-	*	*	*	*	*	*	-	*	
5		-	-	-	-	*	*	*	*	-	-	
6		-	-	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	*	*	-	-	
Total		-----	-	-	0.1	*	*	*	0.1	0.1	-	*
71		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	
	4	-	-	-	-	-	-	*	*	-	-	
	5	-	-	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	-	-	*	*	-	-
	12 & 22	1-2	*	0.1	-	*	*	0.1	0.3	2.1	-	-
3		0.1	0.3	*	0.1	*	0.1	0.5	2.2	-	-	
4		*	*	*	*	-	*	0.2	0.4	-	*	
5		-	-	-	-	-	*	*	*	-	*	
6		-	-	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		-----	0.2	0.5	*	0.1	*	0.1	1.0	4.8	-	*
32		1-2	*	0.2	0.1	0.3	0.3	0.6	0.3	0.7	0.2	0.2
	3	0.2	1.5	0.8	1.4	0.7	1.9	1.2	2.5	1.8	1.5	
	4	0.1	1.0	0.5	0.7	0.2	0.7	1.1	1.7	0.4	0.4	
	5	0.1	0.2	*	0.1	*	*	0.3	0.4	*	*	
	6	*	*	-	*	-	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	-----	0.5	3.0	1.4	2.4	1.2	3.2	3.0	5.3	2.5	2.1
	42	1-2	0.1	0.1	0.1	0.7	0.8	1.9	0.1	0.3	0.4	0.6
3		0.8	1.5	1.5	3.6	6.0	15.0	0.7	2.0	4.4	7.4	
4		0.9	1.5	2.6	3.4	3.2	11.1	0.8	2.0	2.8	3.8	
5		0.4	0.7	1.0	1.0	0.6	1.7	0.4	0.7	0.4	0.2	
6		0.2	0.2	0.1	0.1	*	0.1	0.1	0.1	0.1	*	
7		*	*	-	*	-	-	*	*	-	-	
Total		-----	2.4	4.0	5.3	8.7	10.7	29.7	2.1	5.2	8.1	12.1
52		1-2	*	*	0.1	0.1	*	*	0.1	0.1	-	0.1
	3	0.2	0.2	0.8	0.9	0.8	0.9	0.4	0.7	0.2	0.8	
	4	0.2	0.2	1.3	0.9	1.0	2.2	0.5	1.0	0.1	0.3	
	5	*	0.2	0.6	0.4	0.7	1.0	0.2	0.5	*	*	
	6	*	0.1	0.1	0.1	0.1	0.1	*	0.1	*	*	
	7	-	*	-	*	-	*	*	*	-	-	
	Total	-----	0.5	0.6	2.9	2.5	2.6	4.3	1.2	2.5	0.3	1.2

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	-	-	-	*	-	-	*	*	-	-	
	3	-	*	*	*	*	*	0.2	0.1	-	-	
	4	-	*	*	*	0.1	*	0.2	0.2	-	-	
	5	-	-	*	*	*	*	0.1	0.1	-	-	
	6	-	-	*	*	-	*	*	*	-	-	
	7	-	-	-	-	-	*	*	*	*	-	-
	Total	-----	-	*	0.1	*	0.1	*	0.6	0.4	-	-
13 & 23	1-2	-	*	-	*	-	*	0.1	0.2	*	*	
	3	-	*	-	*	*	*	0.1	0.3	*	*	
	4	*	*	-	*	-	-	*	0.1	-	-	
	5	-	*	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	-	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	*	0.1	-	*	*	*	0.1	0.6	*	*
33	1-2	-	*	*	*	*	*	*	*	*	*	
	3	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.3	0.1	*	
	4	0.1	0.3	0.1	0.1	*	*	0.2	0.2	0.1	*	
	5	*	0.1	*	*	-	*	*	0.1	-	*	
	6	*	*	-	*	-	*	*	*	-	-	
	7	*	*	-	-	-	-	*	*	-	-	
	Total	-----	0.2	0.7	0.2	0.2	0.1	0.1	0.3	0.6	0.2	0.1
43	1-2	*	*	*	*	0.2	0.1	*	*	*	*	
	3	0.1	0.1	0.2	0.3	0.9	1.0	0.2	0.2	0.4	0.2	
	4	0.1	0.3	0.4	0.5	0.4	0.9	0.2	0.3	0.7	0.2	
	5	*	0.2	0.3	0.2	*	0.1	0.1	0.2	0.1	*	
	6	0.1	0.1	0.1	*	*	*	*	*	*	*	
	7	*	*	*	*	-	-	*	*	-	-	
	Total	-----	0.4	0.8	1.0	1.0	1.5	2.1	0.6	0.7	1.3	0.4
53	1-2	*	*	*	*	*	*	*	*	*	*	
	3	0.1	0.1	*	*	0.1	0.1	0.1	0.2	*	*	
	4	*	*	0.1	0.1	0.2	0.2	0.2	0.3	*	*	
	5	*	*	*	0.1	0.1	0.1	0.2	0.2	*	*	
	6	-	*	*	*	*	*	*	0.1	-	-	
	7	*	*	-	-	-	*	*	*	-	-	
	Total	-----	0.2	0.2	0.2	0.3	0.4	0.5	0.5	0.9	*	0.1
63	1-2	-	-	-	-	-	-	*	*	-	-	
	3	*	*	-	-	*	*	0.1	0.1	-	-	
	4	-	*	-	*	*	*	0.4	0.2	-	-	
	5	-	*	-	-	*	*	0.3	0.2	-	-	
	6	-	-	-	-	-	*	0.1	0.1	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	-----	*	*	-	*	*	*	0.9	0.5	-	-
24 - 54	1-7	0.2	0.5	*	*	0.2	0.1	0.2	0.2	*	*	
25 - 35	1-7	-	*	-	-	-	-	*	*	-	-	
81 - 85 1/	1-7	*	0.1	*	*	*	*	0.3	0.1	*	*	
All Colors	8 2/	*	*	*	*	*	*	0.1	0.1	*	*	
EXTRANEOUS MATTER												
Bark - Level 1		3.7	4.2	4.7	4.3	0.7	0.3	7.4	5.8	0.3	0.3	
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	
Grass - Level 1		-	*	*	0.1	*	*	*	0.3	-	*	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	
Prep - Level 1		-	*	-	*	*	*	*	*	-	-	
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	
Other - Level 1		-	-	-	*	-	-	*	*	-	-	
Other - Level 2		-	-	-	-	-	-	-	*	-	-	
STAPLE												
28 & shorter		-	-	-	-	-	-	*	*	-	-	
29		-	-	-	-	-	-	*	*	-	-	
30		*	*	-	-	-	-	*	0.1	-	-	
31		*	*	*	*	-	*	0.2	0.4	-	-	
32		0.6	0.5	0.3	0.1	*	*	0.7	1.2	*	*	
33		2.6	2.1	2.8	1.4	0.3	0.1	2.8	3.8	1.5	0.7	
34		5.6	6.6	6.8	5.0	2.3	1.3	9.9	9.9	13.2	8.7	
35		10.6	11.6	14.5	10.1	16.3	12.1	21.8	19.0	29.9	25.1	
36		21.2	21.0	20.5	16.2	33.4	35.0	26.8	25.0	22.2	30.6	
37		32.1	30.2	34.0	30.0	36.6	39.5	24.8	24.4	24.5	22.4	
38 & longer		27.2	27.8	21.2	37.3	11.1	12.0	13.0	16.3	8.7	12.5	
Average staple		36.7	36.7	36.4	36.9	36.4	36.5	36.0	36.1	35.8	36.1	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	*
21	-	-	-	-	-	-	-	-	-	-	-	*
22	-	-	-	-	-	-	-	-	-	-	-	*
23	*	*	-	*	-	-	-	-	*	*	*	*
24	*	0.1	*	*	-	-	-	-	0.1	0.1	0.1	0.1
25	0.3	0.4	0.1	*	0.1	*	-	-	0.9	0.7	0.5	0.8
26	1.5	1.9	0.9	0.5	0.2	0.1	-	-	2.1	3.4	2.7	4.1
27	7.1	7.8	3.4	2.7	1.1	0.5	-	*	5.2	12.3	9.4	11.6
28	23.0	22.5	10.7	9.6	4.4	4.0	-	0.1	27.2	32.5	19.0	20.9
29	32.4	32.8	29.4	26.1	10.9	13.8	-	1.2	42.8	33.4	24.9	26.6
30	21.5	21.6	26.3	28.9	19.1	20.5	*	2.7	16.8	12.2	23.1	20.2
31	9.8	8.9	17.6	18.5	22.9	24.2	3.9	4.4	3.7	4.4	12.9	10.2
32	3.3	2.9	8.6	9.2	19.6	19.6	16.9	9.8	0.8	0.8	5.0	3.9
33	0.8	0.8	2.5	3.5	11.8	11.3	24.1	17.8	0.3	0.2	1.7	1.2
34	0.2	0.2	0.6	0.8	6.1	4.0	11.5	14.0	*	*	0.6	0.3
35	*	*	0.1	0.2	3.3	1.7	8.7	9.7	-	*	0.2	0.1
36 & above	*	*	*	*	0.6	0.3	34.9	40.3	-	-	0.1	*
Average	29.1	29.0	29.7	29.9	31.1	30.9	34.4	34.6	28.7	28.5	29.2	28.9
MIKE												
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25	*	*	-	-	-	*	-	-	-	-	*	*
26	*	*	-	-	*	*	-	*	-	-	*	*
27	*	*	*	*	0.1	*	-	0.1	-	-	-	*
28	*	*	*	*	0.1	*	-	0.1	-	-	*	*
29	*	*	*	*	0.1	*	-	0.1	-	-	*	*
30	*	*	*	*	0.1	0.1	-	0.2	-	*	0.1	*
31	*	*	0.1	*	0.1	*	0.1	0.4	-	-	0.1	0.1
32	0.1	0.1	0.1	*	0.2	0.1	0.1	0.6	-	-	0.2	0.2
33	0.2	0.2	0.1	*	0.2	0.1	0.4	0.9	*	*	0.5	0.5
34	0.5	0.4	0.1	*	0.2	0.3	1.1	1.3	*	*	0.9	0.9
35	0.9	0.6	0.1	0.1	0.2	0.4	0.3	1.3	0.1	0.1	1.3	1.4
36	1.2	1.0	0.1	0.1	0.1	0.6	0.2	2.0	0.2	0.2	1.5	1.9
37	2.7	2.0	0.3	0.2	0.3	0.9	0.7	2.4	0.2	0.4	2.2	2.6
38	3.5	2.9	0.6	0.4	0.7	1.3	0.7	2.5	1.3	0.9	2.7	4.1
39	5.6	3.9	0.9	0.8	1.0	2.0	0.4	3.6	1.9	1.2	5.0	6.4
40	7.0	5.9	1.8	1.6	2.3	2.5	2.2	4.3	5.6	2.9	8.3	9.1
41	7.8	7.2	2.2	2.8	3.7	4.4	4.5	6.3	7.3	5.8	11.8	12.0
42	9.8	8.9	3.7	4.8	3.7	5.0	7.4	8.2	9.4	9.2	14.7	14.3
43	10.7	10.6	5.8	6.9	6.1	6.2	13.2	10.1	11.4	13.1	14.7	14.0
44	9.6	11.0	7.9	10.0	7.3	7.1	16.7	11.5	9.8	13.5	13.8	11.9
45	9.5	10.9	10.4	12.5	9.7	8.1	14.6	10.7	15.3	15.3	10.0	8.7
46	7.6	9.8	13.8	13.8	10.0	10.2	13.8	10.7	18.3	13.5	6.3	5.5
47	7.6	8.0	14.1	13.2	11.5	12.3	10.0	7.7	9.2	10.0	3.3	3.3
48	6.7	6.2	14.5	11.5	11.1	11.2	9.3	6.0	5.5	6.9	1.5	1.7
49	4.0	4.3	10.5	8.3	11.0	9.3	3.6	3.3	3.7	5.0	0.7	0.8
50	2.5	2.8	6.3	5.5	8.9	8.2	0.4	2.1	0.9	1.5	0.2	0.3
51	1.5	1.6	3.2	3.4	6.5	5.7	0.1	1.4	*	0.4	0.1	0.1
52	0.7	0.9	2.0	2.0	3.3	2.6	-	1.3	-	0.1	*	*
53	0.2	0.4	1.0	1.1	1.2	1.0	-	0.4	-	*	*	*
54	*	0.1	0.6	0.5	0.3	0.3	-	0.2	-	-	*	*
55	*	*	0.1	0.2	*	*	-	0.1	-	-	-	*
56	-	*	*	0.1	*	*	-	-	-	-	-	*
57	-	*	-	*	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	44	44	46	46	46	46	44	44	44	45	42	42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	*	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	*	*	-	*	-	-	-	*	-	-	-	-
23	*	*	*	*	-	*	-	*	*	*	-	-
24	*	0.1	-	*	*	*	0.1	*	0.1	*	-	-
25	0.1	0.9	*	*	*	*	0.3	0.1	0.5	0.3	-	-
26	0.1	1.7	1.0	0.3	0.8	0.4	1.4	0.8	2.1	1.6	-	-
27	2.5	4.9	2.1	1.6	2.5	2.5	3.7	2.8	5.1	4.3	0.3	0.1
28	8.0	12.7	6.9	5.8	12.2	11.0	9.0	8.2	11.9	10.3	9.1	4.3
29	29.1	32.9	24.6	17.0	27.4	23.1	24.0	21.1	19.3	19.7	27.6	20.4
30	30.2	27.0	38.4	30.2	27.7	29.0	31.4	31.2	20.8	24.4	28.4	30.5
31	16.5	11.9	17.7	23.0	14.5	18.2	20.7	21.9	17.0	18.7	24.7	27.5
32	12.5	6.8	5.5	13.2	7.9	9.0	6.9	9.1	12.9	11.3	9.5	15.4
33	0.5	0.9	3.2	5.8	4.1	4.6	2.0	3.5	6.6	6.1	0.5	1.7
34	0.4	0.1	0.5	2.3	2.3	1.7	0.5	1.0	2.7	2.5	*	0.1
35	*	*	*	0.6	0.4	0.3	0.1	0.2	0.8	0.6	-	*
36 & above	*	*	*	0.2	0.1	*	*	*	0.2	0.1	-	-
Average	29.8	29.4	29.9	30.4	29.9	30.0	29.8	30.0	30.0	30.1	29.9	30.3
MIKE												
24 & below	-	*	-	-	-	-	-	-	-	-	-	-
25	0.5	0.2	-	*	-	-	-	-	-	-	-	-
26	0.3	0.7	-	-	-	-	-	-	-	-	-	-
27	0.5	0.9	-	-	*	*	-	-	-	*	-	-
28	0.7	1.2	-	-	-	-	-	-	*	*	0.2	0.1
29	0.1	1.0	-	-	-	-	-	*	*	*	0.3	0.1
30	1.0	1.3	-	*	*	*	*	*	*	*	0.7	0.4
31	6.6	2.6	*	*	*	*	-	*	*	*	0.3	0.2
32	5.3	2.9	-	*	*	*	-	*	*	*	0.5	0.3
33	6.7	6.6	-	*	*	*	*	*	0.1	0.1	1.7	0.7
34	7.7	7.7	-	*	0.1	*	*	*	0.1	0.1	3.1	1.3
35	10.0	6.8	-	*	0.1	*	0.1	*	0.2	0.2	3.5	2.7
36	10.8	6.7	-	*	0.2	0.1	0.1	0.1	0.3	0.3	7.7	4.9
37	7.8	10.8	*	0.1	0.3	0.2	0.2	0.2	0.7	0.4	2.9	3.0
38	8.3	9.7	*	0.1	0.7	0.4	0.4	0.4	1.3	0.7	5.1	7.3
39	5.5	7.5	0.2	0.3	1.1	0.8	0.5	0.7	1.6	1.3	7.1	8.4
40	4.2	7.5	0.1	0.5	1.2	1.1	0.6	1.1	2.6	2.0	9.7	10.3
41	3.6	7.8	0.2	1.1	2.9	2.1	1.4	1.9	4.1	3.2	5.8	6.5
42	4.3	4.5	0.9	2.0	5.1	4.0	2.7	3.0	5.7	4.8	8.7	10.0
43	3.1	5.4	2.3	2.8	7.1	6.0	4.5	4.4	7.1	6.9	7.6	9.2
44	7.8	4.9	4.7	3.6	8.4	8.3	6.6	6.5	8.9	9.6	10.0	7.9
45	1.9	1.9	6.2	6.2	9.9	10.6	8.3	9.2	12.0	13.2	7.1	6.9
46	2.6	1.0	7.1	9.6	11.4	11.6	13.4	13.4	12.6	15.1	2.8	5.8
47	0.7	0.2	11.7	13.8	11.2	12.3	15.5	16.2	13.3	14.4	5.0	5.1
48	-	*	19.0	16.5	12.0	11.2	15.5	16.4	10.7	11.3	5.2	4.8
49	-	*	19.2	15.8	11.3	10.0	14.0	13.1	8.3	7.4	1.9	1.8
50	*	*	14.8	12.6	7.8	7.6	8.0	7.1	5.0	4.6	1.5	1.0
51	*	*	7.0	8.0	4.6	5.7	4.2	3.3	2.8	2.5	1.6	1.3
52	-	-	4.2	4.4	2.4	4.1	1.9	1.6	1.8	1.3	-	*
53	-	-	2.1	1.9	1.3	2.5	1.5	0.8	0.7	0.5	-	-
54	-	-	0.2	0.4	0.5	1.1	0.4	0.3	0.1	0.2	-	-
55	-	-	*	0.1	0.2	0.3	0.1	*	*	*	-	-
56	-	-	*	*	*	0.1	*	*	-	*	-	-
57	-	-	*	*	-	*	-	*	-	*	-	-
58	-	-	-	-	-	*	-	-	-	*	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	37	37	48	48	46	47	47	47	46	46	41	42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	*	-	-
19	-	*	-	-	-	-	*	*	-	-
20	-	-	-	-	-	-	*	*	-	-
21	-	*	-	-	-	-	*	*	-	-
22	*	*	-	-	-	-	*	0.1	-	-
23	*	*	0.1	*	*	*	0.2	0.2	0.1	*
24	*	*	0.5	0.2	*	*	0.6	0.5	0.4	0.1
25	0.1	0.1	2.3	1.0	0.2	0.1	0.7	1.0	1.8	0.8
26	0.4	0.4	6.6	4.0	2.2	0.8	1.5	1.9	5.2	4.0
27	1.6	1.8	10.9	8.6	10.3	5.6	3.5	4.0	10.4	7.5
28	5.5	6.3	19.8	15.6	23.2	18.0	8.2	8.6	23.3	18.0
29	13.5	14.6	23.0	25.1	26.7	29.2	14.7	15.9	23.6	27.7
30	20.4	23.1	17.8	25.1	15.9	23.2	18.9	19.9	17.3	21.6
31	22.0	21.8	11.0	13.0	11.8	13.2	19.7	19.7	10.5	11.9
32	18.6	14.6	4.9	4.7	6.4	6.5	16.7	14.6	5.0	5.6
33	12.6	10.5	2.3	1.9	2.4	2.4	9.5	8.2	1.6	2.0
34	4.1	5.0	0.7	0.7	0.8	0.7	4.0	3.7	0.6	0.7
35	1.0	1.5	0.2	0.1	*	0.2	1.2	1.3	0.2	0.2
36 & above	0.2	0.3	*	*	*	*	0.4	0.5	*	*
Average	30.8	30.7	28.9	29.2	29.2	29.5	30.4	30.3	28.9	29.2
MIKE										
24 & below	-	*	-	-	-	-	*	*	-	-
25	*	*	-	-	-	-	0.1	*	-	-
26	*	*	*	*	-	-	0.2	*	-	-
27	-	*	-	-	-	-	0.2	0.1	-	-
28	*	*	-	-	-	-	0.3	0.1	-	-
29	0.1	0.1	-	*	-	-	0.4	0.2	-	-
30	*	0.1	-	-	*	*	0.6	0.3	-	-
31	*	0.1	-	*	-	*	0.8	0.4	-	-
32	0.1	0.2	-	*	*	*	1.2	0.6	-	-
33	0.5	0.3	*	*	*	*	1.7	0.8	-	*
34	0.9	0.4	0.1	0.1	*	*	2.5	1.2	-	-
35	1.1	0.5	0.1	0.2	0.1	*	3.2	1.6	*	*
36	1.2	0.7	0.3	0.4	0.2	0.1	3.9	2.0	0.2	*
37	2.1	1.3	0.6	0.9	0.4	0.2	4.5	2.5	0.3	0.1
38	3.3	2.3	1.6	1.7	0.6	0.3	5.3	3.1	0.3	0.1
39	3.3	3.4	2.5	3.2	0.9	0.5	6.1	3.8	0.3	0.1
40	4.6	5.5	4.6	6.0	1.3	1.0	6.7	4.5	0.6	0.2
41	8.0	7.9	8.2	9.7	2.3	1.7	7.2	5.3	0.6	0.5
42	8.6	8.9	10.2	13.0	2.9	2.5	7.6	6.1	1.3	1.6
43	10.3	9.4	14.2	15.0	4.1	3.7	7.8	7.0	2.7	3.3
44	9.4	10.9	14.9	14.9	5.7	5.4	7.5	7.7	6.0	7.3
45	10.5	11.8	13.5	12.1	8.8	7.8	7.2	8.5	13.5	14.1
46	8.5	10.1	10.7	9.1	9.3	10.0	6.5	8.7	18.8	20.6
47	7.2	8.2	7.5	6.3	11.4	11.6	5.7	8.4	19.9	20.5
48	6.6	6.8	5.1	4.0	12.9	12.8	5.0	7.4	14.6	15.6
49	4.6	4.9	3.2	1.8	12.2	12.1	3.4	6.1	12.0	8.7
50	3.3	3.0	1.7	1.0	11.5	11.1	2.1	4.7	5.1	4.4
51	2.4	1.7	0.8	0.4	7.7	8.6	1.3	3.5	2.6	2.0
52	2.3	1.1	0.2	0.1	4.6	5.6	0.6	2.4	0.9	0.7
53	0.8	0.4	0.2	0.1	2.2	3.1	0.3	1.6	0.3	0.2
54	0.2	0.1	-	*	0.8	1.5	0.1	1.0	0.1	*
55	*	0.1	-	*	0.2	0.3	*	0.5	*	*
56	*	*	-	*	*	*	*	0.2	-	*
57	-	-	-	*	*	*	*	*	-	*
58	-	-	-	*	*	*	*	*	-	*
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	-	-	-	-	*	-	-
Average	44	44	44	44	47	48	42	44	47	47

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25 - 26	*	*	-	-	*	*	-	*	-	-	*	*
27 - 29	*	*	*	*	0.2	0.1	-	0.3	-	-	*	*
30 - 32	0.1	0.1	0.2	*	0.4	0.2	0.2	1.2	-	*	0.4	0.4
33 - 34	0.7	0.6	0.1	0.1	0.4	0.4	1.6	2.2	*	*	1.4	1.4
35 - 36	2.1	1.7	0.1	0.2	0.3	1.0	0.5	3.3	0.3	0.3	2.8	3.3
37 - 42	36.4	30.9	9.4	10.7	11.6	16.1	15.9	27.3	25.7	20.3	44.8	48.5
43 - 49	55.7	60.8	76.9	76.2	66.8	64.4	81.2	60.1	73.1	77.3	50.2	46.0
50 - 52	4.8	5.3	11.5	11.0	18.7	16.5	0.6	4.9	0.9	2.0	0.3	0.4
53 & above	0.2	0.5	1.7	1.8	1.6	1.3	-	0.7	-	*	*	*
Average	44	44	46	46	46	46	44	44	44	45	42	42
HVI TRASH 1/												
00	-	-	-	-	-	*	*	*	-	-	-	-
01	0.3	0.2	*	0.1	8.4	10.9	27.9	30.4	-	*	0.3	0.6
02	5.2	5.0	3.3	2.3	32.9	28.7	38.6	43.6	1.2	1.4	5.2	9.2
03	15.7	18.1	15.0	10.7	29.1	26.2	23.2	19.2	9.2	10.6	17.4	23.0
04	22.0	25.1	24.0	19.9	16.0	16.4	7.5	5.0	23.2	25.2	24.2	25.9
05	19.9	21.1	23.0	22.4	7.3	9.1	2.1	1.3	26.2	27.2	22.0	19.7
06	14.3	13.7	16.0	18.6	3.0	4.4	0.5	0.4	21.0	18.9	15.1	11.6
07	9.4	8.1	9.6	12.5	1.4	2.0	0.1	0.1	11.5	9.6	8.5	5.8
08	6.0	4.4	4.9	7.1	0.6	1.0	-	*	5.0	4.3	4.1	2.5
09	3.5	2.3	2.3	3.6	0.4	0.5	*	*	1.8	1.8	1.8	1.0
10	1.8	1.1	1.1	1.7	0.2	0.3	-	*	0.6	0.6	0.7	0.4
11	1.0	0.5	0.4	0.7	0.1	0.2	-	*	0.1	0.2	0.3	0.1
12	0.5	0.2	0.1	0.3	0.1	0.1	-	-	*	0.1	0.1	0.1
13	0.2	0.1	*	0.1	*	0.1	-	-	*	*	0.1	*
14	0.1	*	*	*	*	0.1	-	-	-	*	*	*
15	*	*	*	*	0.1	*	-	-	-	-	*	*
16	*	*	*	*	*	*	-	-	-	-	*	*
17	*	*	-	*	*	*	-	-	-	-	*	*
18 & above	*	*	*	*	0.1	0.1	-	-	-	*	*	*
Average	0.52	0.49	0.50	0.55	0.31	0.32	0.22	0.20	0.52	0.51	0.48	0.44
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	*	*	-	*	-	-	-	-
75.5-76.4	*	*	*	*	*	*	-	*	-	-	*	*
76.5-77.4	0.1	0.1	*	*	*	*	-	*	0.1	0.1	*	0.1
77.5-78.4	0.8	0.8	0.4	0.2	0.3	0.2	*	0.4	0.5	0.4	0.5	0.7
78.5-79.4	4.3	4.3	2.0	1.1	2.8	2.3	0.2	1.5	3.6	3.2	3.2	4.3
79.5-80.4	19.2	19.7	11.8	6.9	12.2	12.2	0.9	3.7	26.6	36.6	15.9	19.9
80.5-81.4	42.5	41.6	33.3	25.7	34.6	35.4	17.9	13.4	55.4	50.7	38.7	40.3
81.5-82.4	27.0	26.6	35.0	38.0	31.4	36.2	29.2	27.1	12.6	8.2	30.7	26.3
82.5-83.4	5.4	6.0	14.7	23.6	15.4	12.1	16.4	21.9	1.1	0.8	9.4	7.2
83.5-84.4	0.7	0.8	2.5	4.4	2.9	1.5	17.8	21.0	0.1	0.1	1.5	1.1
84.5-85.4	0.1	0.1	0.3	0.2	0.4	0.2	16.7	10.4	-	*	0.1	0.1
85.5-86.4	*	*	*	*	*	*	0.8	0.6	-	-	*	*
86.5-87.4	*	*	-	-	-	*	0.1	0.1	-	-	-	*
87.5-88.4	*	*	-	-	-	-	-	-	-	-	-	-
88.5-89.4	*	*	-	*	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	81.0	81.1	81.5	81.8	81.5	81.4	82.8	82.7	80.7	80.6	81.3	81.1
Tenderable 3/	63.2	63.8	72.5	70.8	72.9	74.8	97.1	90.1	55.9	64.1	72.1	82.3
SAMPLES CLASSED												
WEEK	61,899		86,273		25,259		12,730		7,996		148,342	
SEASON		511,273		1,023,794		102,364		91,311		45,269		1,113,500

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	-	-	-	-	-	-	-
25 - 26	0.8	0.9	-	*	-	-	-	-	-	-	-	-
27 - 29	1.3	3.1	-	-	*	*	-	*	*	*	0.5	0.2
30 - 32	12.9	6.8	*	*	*	*	*	*	*	*	1.4	0.9
33 - 34	14.4	14.4	-	*	0.1	*	*	*	0.1	0.2	4.8	2.0
35 - 36	20.8	13.5	-	*	0.4	0.1	0.2	0.1	0.5	0.5	11.2	7.5
37 - 42	33.8	47.8	1.4	4.1	11.5	8.5	5.9	7.4	16.0	12.4	39.3	45.5
43 - 49	16.0	13.4	70.4	68.4	71.3	70.0	77.8	79.3	72.9	77.8	39.7	41.6
50 - 52	*	*	26.0	25.0	14.8	17.4	14.1	12.1	9.7	8.4	3.1	2.2
53 & above	-	-	2.3	2.5	1.9	3.9	2.0	1.1	0.8	0.7	-	-
Average	37	37	48	48	46	47	47	47	46	46	41	42
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	1.3	1.3	0.7	0.6	*	0.1	0.2	0.2	0.2	0.3	6.6	5.5
02	13.3	10.0	8.8	9.2	2.4	3.2	5.2	5.5	4.8	6.0	33.2	29.1
03	18.5	19.3	21.7	22.1	13.8	12.1	16.0	16.4	17.2	20.6	27.7	30.3
04	15.8	20.8	24.2	24.8	23.5	20.4	22.2	22.5	24.4	26.7	14.9	17.1
05	11.9	16.3	18.8	19.5	23.3	22.8	21.2	21.4	21.4	21.1	8.2	8.9
06	11.4	12.5	12.7	12.1	17.8	18.8	15.8	15.8	14.9	13.0	5.1	4.8
07	9.9	8.1	7.0	6.5	10.4	12.0	9.8	9.5	8.5	6.8	2.3	2.3
08	7.5	5.2	3.6	3.0	5.1	6.1	5.3	4.9	4.5	3.2	1.0	1.1
09	4.6	3.0	1.5	1.3	2.2	2.7	2.4	2.2	2.2	1.4	0.6	0.5
10	2.7	1.7	0.7	0.5	0.9	1.1	1.0	0.9	1.1	0.6	0.3	0.2
11	1.6	0.9	0.2	0.2	0.3	0.4	0.4	0.4	0.5	0.2	0.1	0.1
12	0.8	0.5	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1	*	*
13	0.3	0.2	*	*	*	*	0.1	0.1	0.1	*	-	-
14	0.1	0.1	*	*	*	*	*	*	*	*	-	-
15	0.1	*	-	*	*	*	*	*	*	*	-	-
16	-	*	-	-	-	*	*	*	*	*	-	-
17	*	*	-	-	-	*	-	*	*	*	-	-
18 & above	-	*	-	-	-	*	*	*	*	*	-	-
Average	0.51	0.48	0.45	0.45	0.51	0.53	0.50	0.49	0.49	0.46	0.32	0.33
UNIFORMITY 2/												
72.4 & below	-	*	*	*	-	-	-	*	-	-	-	-
72.5-73.4	-	-	-	*	-	-	-	*	-	-	-	-
73.5-74.4	*	*	*	*	-	-	*	*	*	*	-	-
74.5-75.4	-	*	*	*	-	-	*	*	*	*	-	-
75.5-76.4	*	0.1	0.1	0.1	*	*	*	*	*	*	-	-
76.5-77.4	0.2	0.3	0.1	0.3	*	*	0.1	0.1	0.4	0.2	*	*
77.5-78.4	1.1	1.9	1.6	1.4	0.1	*	1.3	0.8	1.8	1.4	0.1	0.1
78.5-79.4	10.9	7.9	8.8	6.9	0.6	0.3	5.3	4.0	8.3	7.4	2.5	1.0
79.5-80.4	36.3	36.6	22.1	20.1	4.5	2.0	21.1	17.5	23.3	24.9	7.7	3.7
80.5-81.4	30.4	40.1	40.1	36.3	20.7	13.2	41.6	38.6	33.6	36.5	13.1	13.0
81.5-82.4	17.0	10.4	22.7	25.3	37.7	36.1	24.8	29.9	24.9	23.4	39.7	35.1
82.5-83.4	3.9	2.6	3.5	7.7	29.2	37.6	5.2	8.1	6.7	5.4	32.7	44.1
83.5-84.4	0.1	*	0.7	1.6	6.3	10.2	0.5	0.9	0.9	0.7	4.0	3.0
84.5-85.4	-	-	0.1	0.2	0.7	0.6	*	0.1	0.1	0.1	0.1	0.1
85.5-86.4	*	*	-	*	0.1	*	-	*	*	*	*	*
86.5-87.4	-	-	-	*	*	*	-	-	-	*	-	-
87.5-88.4	-	-	-	*	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	80.6	80.5	80.8	81.0	82.1	82.4	81.0	81.2	80.9	80.9	82.0	82.2
Tenderable 3/	49.2	54.5	50.1	57.8	76.7	68.0	71.5	77.1	77.8	75.4	88.5	93.0
SAMPLES CLASSED												
WEEK	4,960		24,015		60,157		120,389		74,539		4,441	
SEASON		23,724		362,722		633,567		1,077,235		562,849		11,977

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 6, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	-	*	*	-	-
25 - 26	*	*	*	*	-	-	0.3	0.1	-	-
27 - 29	0.1	0.1	-	*	-	-	0.9	0.3	-	-
30 - 32	0.2	0.3	-	*	*	*	2.5	1.2	-	-
33 - 34	1.4	0.7	0.1	0.1	*	*	4.2	2.0	-	*
35 - 36	2.3	1.2	0.4	0.6	0.3	0.1	7.1	3.5	0.2	*
37 - 42	29.8	29.3	27.6	34.5	8.3	6.2	37.5	25.2	3.5	2.6
43 - 49	57.2	61.9	69.0	63.3	64.4	63.5	43.1	53.8	87.5	90.0
50 - 52	8.0	5.8	2.7	1.5	23.7	25.2	4.0	10.5	8.5	7.0
53 & above	1.0	0.6	0.2	0.1	3.2	5.0	0.4	3.3	0.3	0.3
Average	44	44	44	44	47	48	42	44	47	47
HVI TRASH 1/										
00	-	-	-	-	-	-	*	*	-	-
01	0.6	0.6	0.3	0.3	0.6	0.7	2.3	4.8	0.3	0.4
02	12.5	10.3	5.0	5.9	10.6	10.0	17.0	19.3	10.0	11.3
03	26.8	23.9	13.7	16.4	22.6	22.2	24.3	23.3	31.3	33.4
04	24.6	24.9	21.3	23.7	22.4	24.8	20.3	19.3	31.6	31.6
05	16.3	18.0	22.2	22.4	17.2	19.3	14.2	13.4	16.5	15.7
06	9.1	10.6	16.8	15.4	11.4	11.8	9.1	8.5	6.6	5.4
07	4.7	5.6	10.3	8.7	7.4	6.2	5.5	5.0	2.4	1.6
08	2.6	2.9	5.5	4.2	4.2	2.9	3.1	2.8	0.8	0.5
09	1.3	1.5	2.8	1.8	2.1	1.3	1.8	1.6	0.3	0.1
10	0.7	0.8	1.3	0.8	1.0	0.5	1.0	0.9	0.1	*
11	0.3	0.4	0.5	0.3	0.4	0.2	0.6	0.5	*	*
12	0.2	0.2	0.2	0.1	0.2	0.1	0.3	0.3	*	*
13	0.1	0.1	0.1	*	*	*	0.2	0.2	-	*
14	0.1	0.1	*	*	*	*	0.1	0.1	*	*
15	*	*	*	*	*	*	0.1	0.1	-	*
16	*	*	-	*	-	*	*	*	*	*
17	*	*	-	*	-	*	*	*	-	-
18 & above	*	*	*	*	-	*	*	*	-	-
Average	0.42	0.44	0.51	0.48	0.45	0.44	0.42	0.40	0.39	0.38
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	*	*	-	-
72.5-73.4	*	*	-	-	-	-	*	*	-	-
73.5-74.4	*	*	-	*	-	-	*	*	*	*
74.5-75.4	*	*	-	*	-	-	0.1	0.1	*	*
75.5-76.4	*	*	0.1	*	*	*	0.3	0.3	*	*
76.5-77.4	0.3	0.2	0.5	0.3	0.1	*	1.1	1.0	0.2	0.2
77.5-78.4	1.6	1.0	3.3	2.0	0.5	0.2	3.5	2.7	1.5	1.1
78.5-79.4	6.7	5.3	14.5	10.7	4.2	1.8	10.0	7.2	9.7	8.1
79.5-80.4	21.9	20.6	33.1	32.5	19.8	10.9	25.3	18.6	34.8	31.6
80.5-81.4	35.8	36.2	31.2	36.7	32.9	29.2	33.6	30.0	37.3	38.5
81.5-82.4	27.1	27.4	13.6	14.5	27.9	36.5	20.2	26.0	13.5	16.8
82.5-83.4	5.7	7.7	3.3	2.8	12.1	18.5	5.1	11.7	2.6	3.3
83.5-84.4	0.7	1.3	0.4	0.3	2.3	2.8	0.7	2.1	0.2	0.3
84.5-85.4	*	0.1	*	*	0.2	0.2	0.1	0.2	*	*
85.5-86.4	-	*	-	*	-	*	*	*	-	-
86.5-87.4	*	*	-	-	-	-	*	*	-	-
87.5-88.4	*	*	-	-	-	-	*	*	-	-
88.5-89.4	-	*	-	-	-	-	*	*	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-
Average	80.9	81.1	80.4	80.5	81.3	81.6	80.7	81.0	80.5	80.7
Tenderable 3/	81.9	82.0	81.0	80.6	60.6	44.9	74.2	65.9	82.0	79.8
SAMPLES CLASSED										
WEEK	38,053		31,169		63,696		574,546		19,920	
SEASON		150,969		226,595		678,986		3,554,176		134,683

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending DECEMBER 6, 2018

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	0.3	4.3	18.0	21.7	-	-	-	-
	2	0.2	20.5	22.6	22.4	-	-	-	-
	3	-	2.2	0.5	0.3	-	-	-	-
	4	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.5	27.0	41.1	44.4	-	-	-	-
02	1	17.4	7.8	5.1	6.3	-	-	-	-
	2	27.1	18.9	39.4	38.5	-	-	-	-
	3	1.5	1.9	10.7	7.8	-	-	-	-
	4	-	-	0.1	0.1	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		46.0	28.5	55.3	52.6	-	-	-	-
03	1	3.3	2.2	*	*	-	-	-	-
	2	32.2	25.4	1.3	1.3	-	-	-	-
	3	7.1	7.7	1.9	1.4	-	-	-	-
	4	0.2	0.3	0.3	0.2	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		42.8	35.6	3.5	2.9	-	-	-	-
04	1	-	*	*	*	-	-	-	-
	2	4.1	3.7	*	*	-	-	-	-
	3	3.6	3.9	*	*	-	-	-	-
	4	-	0.2	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	*	-	*	-	-	-	-
	7	-	0.1	-	-	-	-	-	-
Total -----		7.7	7.9	0.1	0.1	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	0.7	0.2	-	*	-	-	-	-
	3	2.0	0.7	-	*	-	-	-	-
	4	0.2	0.1	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		2.9	1.0	-	*	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	*	*	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		*	*	-	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
40 & shorter		-	-	-	-	-	-	-	-
42		-	-	-	-	-	-	-	-
44		-	0.1	0.1	0.2	-	-	-	-
46		*	27.4	4.1	4.5	-	-	-	-
48 & longer		100.0	72.6	95.8	95.2	-	-	-	-
Average		49.4	48.4	49.3	49.2	-	-	-	-
UNIFORMITY									
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	*	*	-	-	-	-
81		-	-	*	*	-	-	-	-
82		-	*	*	*	-	-	-	-
83		*	0.1	0.1	0.2	-	-	-	-
84		0.1	0.1	1.7	1.6	-	-	-	-
85		1.0	16.4	17.4	12.3	-	-	-	-
86		52.9	46.9	42.3	39.7	-	-	-	-
87		44.9	33.9	34.0	40.8	-	-	-	-
88		1.1	2.7	4.3	5.1	-	-	-	-
89		-	*	0.2	0.3	-	-	-	-
90 & above		-	-	-	*	-	-	-	-
Average		86.4	86.2	86.2	86.3	-	-	-	-
SAMPLES CLASSED									
WEEK		2,263		49,874		-	-	-	-
SEASON			11,456		315,637	-	-	-	-

* Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending DECEMBER 6, 2018

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	*	*	-	-	-	-
25 - 26	-	-	*	*	-	-	-	-
27 - 29	-	-	0.3	0.1	-	-	-	-
30 - 32	-	0.1	0.9	0.3	-	-	-	-
33 - 34	-	0.3	1.8	0.9	-	-	-	-
35 - 36	3.0	1.3	6.3	3.6	-	-	-	-
37 - 42	69.5	78.1	54.1	52.0	-	-	-	-
43 - 49	27.5	20.2	36.7	43.1	-	-	-	-
50 - 52	-	-	*	*	-	-	-	-
53 & above	-	-	-	-	-	-	-	-
Average	41	41	41	42	-	-	-	-
ALL RANGE MIKE								
24 & below	-	-	*	*	-	-	-	-
25	-	-	*	*	-	-	-	-
26	-	-	*	*	-	-	-	-
27	-	-	*	*	-	-	-	-
28	-	-	0.1	*	-	-	-	-
29	-	-	0.1	*	-	-	-	-
30	-	-	0.2	0.1	-	-	-	-
31	-	-	0.2	0.1	-	-	-	-
32	-	0.1	0.4	0.2	-	-	-	-
33	-	0.1	0.5	0.3	-	-	-	-
34	-	0.3	1.3	0.6	-	-	-	-
35	-	0.1	2.8	1.3	-	-	-	-
36	3.0	1.2	3.6	2.2	-	-	-	-
37	4.4	3.3	5.1	3.4	-	-	-	-
38	7.2	9.2	6.1	5.5	-	-	-	-
39	12.2	17.4	7.8	7.7	-	-	-	-
40	14.1	20.9	10.1	10.1	-	-	-	-
41	14.2	15.3	11.1	11.2	-	-	-	-
42	17.5	11.9	13.8	14.1	-	-	-	-
43	19.7	11.8	12.9	15.9	-	-	-	-
44	6.6	4.5	11.3	14.0	-	-	-	-
45	1.2	2.9	7.4	8.4	-	-	-	-
46	-	0.8	3.2	3.5	-	-	-	-
47	-	0.2	1.3	1.0	-	-	-	-
48	-	*	0.4	0.2	-	-	-	-
49	-	*	0.1	*	-	-	-	-
50	-	-	*	*	-	-	-	-
51	-	-	-	-	-	-	-	-
52	-	-	*	*	-	-	-	-
53	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
Average	41	41	41	42	-	-	-	-
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-
35	-	-	*	*	-	-	-	-
36	-	*	*	*	-	-	-	-
37	-	0.1	*	0.3	-	-	-	-
38	*	0.6	1.7	1.3	-	-	-	-
39	0.1	4.7	5.4	3.1	-	-	-	-
40	-	11.2	5.1	4.3	-	-	-	-
41	1.0	9.5	4.1	3.7	-	-	-	-
42	7.7	7.3	6.8	6.0	-	-	-	-
43	30.5	19.5	13.2	12.7	-	-	-	-
44	35.6	25.7	19.7	21.7	-	-	-	-
45 & above	25.1	21.5	44.0	46.9	-	-	-	-
Average	43.7	42.9	43.7	44.0	-	-	-	-
EXTRANEIOUS MATTER								
Bark	-	-	-	*	-	-	-	-
Grass	-	0.2	-	0.2	-	-	-	-
Spindle Twist	-	-	0.1	*	-	-	-	-
Preparation	-	*	*	*	-	-	-	-

* Less than 0.05 percent.



Extraneous Matter By State

07-Dec-18

**Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
 For the Week ending Thursday, December 6, 2018**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	-	18.6%	-	*	-	0.3%	-	-	-	-	-	-	-	18.9%	-	61,899
Arizona	-	-	0.3%	-	-	-	3.5%	-	-	-	-	-	-	-	3.8%	-	25,259
Arkansas	*	-	2.1%	-	0.4%	-	*	-	*	-	-	-	-	-	2.6%	-	86,273
California	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12,730
Florida	-	-	30.7%	*	-	-	0.2%	-	*	-	-	-	-	-	30.9%	*	7,996
Georgia	*	-	19.1%	*	*	-	0.2%	-	-	-	-	-	-	-	19.4%	*	148,342
Kansas	-	-	21.0%	-	0.1%	-	-	-	-	-	-	-	-	-	21.1%	-	4,960
Louisiana	-	-	3.4%	-	0.1%	-	*	-	-	-	-	-	*	-	3.5%	-	24,015
Mississippi	0.7%	-	2.0%	-	0.1%	-	0.3%	-	-	-	*	-	*	-	3.1%	-	120,389
Missouri	*	-	1.0%	-	*	-	*	-	-	-	-	-	-	-	1.1%	-	60,157
New Mexico	-	-	1.2%	-	-	-	-	-	-	-	-	-	-	-	1.2%	-	4,441
North Carolina	*	-	2.9%	-	*	-	-	-	-	-	-	-	-	-	2.9%	-	74,539
Oklahoma	-	-	3.7%	-	-	-	-	-	*	-	-	-	-	-	3.7%	-	38,053
South Carolina	-	-	4.7%	-	*	-	-	-	-	-	-	-	-	-	4.7%	-	31,169
Tennessee	*	-	0.7%	-	*	-	*	-	*	-	-	-	-	-	0.7%	-	63,696
Texas	*	-	7.4%	-	*	-	1.6%	-	*	-	-	-	*	-	9.0%	-	574,546
Virginia	-	-	0.3%	-	-	-	-	-	-	-	-	-	-	-	0.3%	-	19,920
United States	0.1%	-	7.2%	*	0.1%	-	0.8%	-	*	-	*	-	*	-	8.1%	*	1,358,384

* Less than 0.05 percent.

**Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
 For the Season ending Thursday, December 6, 2018**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	*	-	9.6%	*	0.1%	-	0.2%	-	-	-	-	-	*	-	9.9%	*	511,273
Arizona	-	-	0.7%	-	*	-	1.6%	-	-	-	-	-	-	-	2.3%	-	102,364
Arkansas	*	-	1.3%	-	0.2%	-	*	-	*	-	*	-	*	-	1.5%	-	1,023,794
California	*	-	*	-	0.2%	-	-	-	-	-	-	-	-	-	0.2%	-	91,311
Florida	*	-	20.4%	*	*	-	0.3%	-	-	-	-	-	-	-	20.8%	*	45,269
Georgia	*	-	9.5%	*	0.1%	-	0.1%	-	-	-	-	-	*	-	9.7%	*	1,113,500
Kansas	-	-	23.2%	-	0.1%	-	0.1%	-	-	-	-	-	*	-	23.5%	-	23,724
Louisiana	*	-	2.2%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	2.4%	-	362,722
Mississippi	0.5%	-	0.9%	-	0.2%	-	0.1%	-	*	-	*	-	*	-	1.7%	-	1,077,235
Missouri	*	-	0.7%	-	0.1%	-	*	-	*	-	*	-	*	-	0.7%	-	633,567
New Mexico	-	-	0.6%	-	-	-	-	-	-	-	-	-	-	-	0.6%	-	11,977
North Carolina	*	-	1.9%	-	0.1%	-	-	-	-	-	-	-	-	-	2.0%	-	562,849
Oklahoma	*	-	4.2%	-	*	-	*	-	*	-	-	-	-	-	4.2%	-	150,969
South Carolina	*	-	4.3%	-	0.1%	-	*	-	-	-	-	-	*	-	4.5%	-	226,595
Tennessee	*	-	0.3%	-	*	-	*	-	*	-	-	-	-	-	0.4%	-	678,986
Texas	*	-	5.8%	-	0.3%	-	1.3%	-	*	-	*	-	*	*	7.5%	*	3,554,176
Virginia	-	-	0.3%	-	*	-	-	-	-	-	-	-	-	-	0.3%	-	134,683
United States	0.1%	-	4.3%	*	0.2%	-	0.5%	-	*	-	*	-	*	*	5.0%	*	10,304,994

* Less than 0.05 percent.