



## Quality of Cotton Classed by Classing Office

Volume 60, No. 24

11-Jan-19

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**  
*For The Week Ending January 10, 2019*

Classing Office	Week		Season	
	Gins	Bales	Gins	Bales
<b>UPLAND</b>				
Abilene	39	90,479	40	694,143
Corpus Christi	13	9,332	55	1,721,976
Dumas	23	24,895	40	1,358,189
Florence	30	26,771	53	1,176,709
Lamesa	30	61,922	36	673,032
Lubbock	67	270,865	72	2,786,076
Macon	74	103,169	79	2,134,835
Memphis	26	41,979	81	2,907,468
Rayville	10	12,591	21	500,183
Visalia	21	34,867	33	404,773
<b>United States</b>	<b>333</b>	<b>676,870</b>	<b>510</b>	<b>14,357,384</b>
Percent tenderable		60.5		66.7
<b>AMERICAN PIMA</b>				
Visalia	20	51,349	24	551,037
<b>United States</b>	<b>20</b>	<b>51,349</b>	<b>24</b>	<b>551,037</b>
<b>United States all cotton</b>	<b>351</b>	<b>728,219</b>	<b>523</b>	<b>14,908,421</b>

\* Data Withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP\_CN100

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 10, 2019**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	4.4	2.4	2.7	17.1	*	0.4	*	0.1	5.7	5.2
	4	3.2	2.3	1.9	10.7	0.3	0.7	0.1	0.3	4.7	3.8
	5	0.2	0.2	0.2	0.7	*	0.1	*	*	0.4	0.4
	6	*	*	-	*	-	*	-	*	*	*
	7	-	*	-	*	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>7.8</b>	<b>5.0</b>	<b>4.7</b>	<b>28.6</b>	<b>0.4</b>	<b>1.2</b>	<b>0.2</b>	<b>0.4</b>	<b>10.8</b>
31	1-2	10.4	8.9	*	5.7	0.7	1.7	0.9	1.9	12.8	10.2
	3	26.8	25.2	0.2	11.7	9.0	13.5	7.1	14.2	28.5	26.5
	4	8.3	7.9	0.3	3.4	2.4	6.7	5.0	7.1	10.3	10.8
	5	0.8	0.8	-	0.2	*	0.4	0.4	0.6	1.5	1.7
	6	0.1	*	-	*	-	*	-	*	*	0.1
	7	*	*	-	*	-	-	-	-	-	*
	<b>Total</b>	-----	<b>46.4</b>	<b>42.8</b>	<b>0.5</b>	<b>21.0</b>	<b>12.1</b>	<b>22.2</b>	<b>13.4</b>	<b>23.8</b>	<b>53.2</b>
41	1-2	1.8	2.4	0.3	1.7	1.0	0.9	1.2	1.8	0.5	1.1
	3	10.3	16.0	0.5	5.6	24.0	17.4	18.6	23.8	3.4	8.4
	4	10.5	13.4	0.1	2.7	29.3	33.2	26.4	23.7	3.8	10.5
	5	4.5	4.5	-	0.4	5.9	10.7	7.6	5.4	2.2	5.0
	6	0.7	0.7	-	*	0.3	0.7	0.6	0.4	0.6	1.4
	7	0.1	0.1	-	*	*	*	*	*	0.1	0.4
	<b>Total</b>	-----	<b>27.9</b>	<b>37.0</b>	<b>0.9</b>	<b>10.4</b>	<b>60.6</b>	<b>63.0</b>	<b>54.4</b>	<b>55.0</b>	<b>10.6</b>
51	1-2	*	*	0.6	0.4	*	*	*	0.1	-	*
	3	0.2	0.4	4.6	2.0	1.1	0.4	2.4	1.4	*	*
	4	0.5	0.7	3.0	1.4	6.2	1.9	5.0	2.2	*	0.1
	5	0.9	0.8	0.2	0.3	3.4	1.7	3.3	1.2	0.1	0.2
	6	0.3	0.4	-	*	0.6	0.3	0.8	0.2	*	0.2
	7	0.1	0.1	-	*	0.3	*	0.1	*	*	0.2
	<b>Total</b>	-----	<b>2.1</b>	<b>2.4</b>	<b>8.3</b>	<b>4.1</b>	<b>11.7</b>	<b>4.3</b>	<b>11.5</b>	<b>5.2</b>	<b>0.1</b>
61	1-2	-	-	*	*	-	-	-	*	-	-
	3	-	-	0.4	0.1	-	*	0.1	*	-	-
	4	-	-	0.2	0.1	-	*	0.1	*	-	-
	5	-	*	*	*	*	*	*	*	-	-
	6	-	*	-	*	-	*	*	*	-	*
	7	-	*	-	*	-	*	*	*	-	-
	<b>Total</b>	-----	<b>-</b>	<b>*</b>	<b>0.6</b>	<b>0.3</b>	<b>*</b>	<b>*</b>	<b>0.2</b>	<b>*</b>	<b>-</b>
71	1-2	-	-	-	*	*	*	-	-	-	-
	3	-	-	-	*	-	-	*	*	-	-
	4	-	-	-	*	-	-	0.1	*	-	-
	5	-	-	-	*	-	-	*	*	-	-
	6	-	-	-	*	-	-	*	*	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>-</b>
12 & 22	1-2	0.2	0.2	3.3	4.2	*	*	-	*	0.3	0.4
	3	0.5	0.4	2.6	4.0	*	*	*	*	1.3	0.9
	4	0.1	0.1	*	0.7	-	*	-	*	0.4	0.2
	5	*	*	-	*	-	-	-	*	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.8</b>	<b>0.7</b>	<b>6.0</b>	<b>9.0</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>2.0</b>
32	1-2	0.6	0.4	*	1.1	-	*	0.1	0.1	0.7	0.4
	3	2.9	1.8	0.5	3.2	0.5	0.4	0.8	1.0	5.6	2.8
	4	1.7	1.2	0.4	1.6	0.4	0.4	0.5	0.5	4.4	2.3
	5	0.5	0.3	*	0.2	*	*	0.1	0.1	1.0	0.6
	6	*	*	-	*	-	*	-	*	0.2	0.1
	7	*	*	-	*	-	-	-	-	*	*
	<b>Total</b>	-----	<b>5.7</b>	<b>3.8</b>	<b>0.9</b>	<b>6.1</b>	<b>0.9</b>	<b>0.9</b>	<b>1.4</b>	<b>1.8</b>	<b>12.0</b>
42	1-2	0.3	0.2	1.2	0.5	*	*	0.1	0.4	0.1	0.1
	3	1.8	1.5	1.1	2.9	1.7	1.1	3.0	4.6	0.8	0.8
	4	1.7	1.6	1.1	2.4	5.1	3.2	5.1	4.0	1.9	1.1
	5	1.1	0.8	0.1	0.6	1.5	1.4	1.7	0.8	1.3	0.8
	6	0.4	0.2	-	0.1	0.1	0.1	0.4	0.1	0.6	0.3
	7	*	*	-	*	-	*	*	*	0.2	0.1
	<b>Total</b>	-----	<b>5.3</b>	<b>4.4</b>	<b>3.5</b>	<b>6.5</b>	<b>8.4</b>	<b>5.9</b>	<b>10.3</b>	<b>9.9</b>	<b>4.8</b>
52	1-2	*	*	0.3	0.2	*	*	*	0.1	*	*
	3	0.1	0.2	6.4	1.7	0.1	0.1	0.7	0.9	*	*
	4	0.1	0.3	16.8	2.4	1.0	0.6	1.6	1.1	*	*
	5	0.2	0.3	3.2	0.9	0.8	0.7	1.2	0.4	*	*
	6	0.1	0.1	0.1	0.2	0.2	0.2	0.7	0.1	*	*
	7	*	*	*	*	*	*	0.1	*	*	*
	<b>Total</b>	-----	<b>0.5</b>	<b>0.9</b>	<b>26.8</b>	<b>5.4</b>	<b>2.1</b>	<b>1.5</b>	<b>4.2</b>	<b>2.5</b>	<b>0.1</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 10, 2019**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	0.7	*	-	*	-	*	-	*
	3	-	0.1	1.9	0.3	-	*	*	*	-	*
	4	-	*	1.4	0.6	-	*	*	*	-	*
	5	-	-	0.7	0.3	-	*	*	*	-	*
	6	-	*	0.1	*	-	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	-	*
<b>Total</b>	-----	-	<b>0.1</b>	<b>4.7</b>	<b>1.2</b>	*	*	<b>0.1</b>	<b>0.1</b>	-	*
13 & 23	1-2	*	*	0.6	0.4	-	-	-	*	0.1	*
	3	0.1	0.1	1.8	0.5	-	-	*	*	0.2	0.1
	4	*	0.1	0.2	0.2	-	*	-	*	0.1	0.1
	5	-	*	-	*	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	<b>0.1</b>	<b>0.2</b>	<b>2.5</b>	<b>1.1</b>	-	*	*	*	<b>0.3</b>	<b>0.2</b>
33	1-2	*	*	*	0.1	-	*	*	*	0.1	*
	3	0.5	0.3	0.5	0.4	0.1	*	0.2	0.1	1.0	0.4
	4	0.4	0.4	0.4	0.3	0.1	*	0.2	0.1	1.5	0.6
	5	0.2	0.2	0.1	0.1	*	*	*	*	0.8	0.3
	6	*	*	-	*	-	-	-	*	0.2	0.1
	7	*	*	-	*	-	-	-	*	0.1	*
<b>Total</b>	-----	<b>1.2</b>	<b>0.9</b>	<b>1.0</b>	<b>0.9</b>	<b>0.2</b>	<b>0.1</b>	<b>0.4</b>	<b>0.2</b>	<b>3.7</b>	<b>1.5</b>
43	1-2	*	*	0.1	*	-	*	*	*	*	*
	3	0.3	0.1	0.7	0.4	0.3	0.1	0.4	0.2	0.1	0.1
	4	0.5	0.2	0.8	0.5	1.2	0.3	1.0	0.4	0.5	0.2
	5	0.4	0.2	0.1	0.2	0.5	0.2	0.4	0.1	0.4	0.2
	6	0.2	0.1	-	0.1	*	*	0.1	*	0.4	0.1
	7	*	*	-	*	*	*	*	*	0.4	0.1
<b>Total</b>	-----	<b>1.4</b>	<b>0.7</b>	<b>1.7</b>	<b>1.3</b>	<b>2.1</b>	<b>0.6</b>	<b>2.0</b>	<b>0.8</b>	<b>1.8</b>	<b>0.6</b>
53	1-2	*	*	*	*	-	-	-	*	0.1	*
	3	0.1	0.1	0.9	0.4	*	*	0.1	0.1	0.2	*
	4	0.1	*	5.8	0.8	0.5	0.1	0.4	0.1	*	*
	5	0.1	*	6.8	0.6	0.4	0.1	0.4	0.1	*	*
	6	*	*	1.7	0.2	0.1	*	0.2	*	*	*
	7	*	*	0.2	*	*	*	*	*	*	*
<b>Total</b>	-----	<b>0.4</b>	<b>0.2</b>	<b>15.4</b>	<b>2.0</b>	<b>1.1</b>	<b>0.2</b>	<b>1.2</b>	<b>0.2</b>	<b>0.3</b>	<b>0.1</b>
63	1-2	-	*	0.1	*	-	-	-	*	-	-
	3	*	*	0.7	0.1	-	*	-	*	-	-
	4	*	*	2.7	0.6	-	*	*	*	-	-
	5	-	*	8.5	0.5	-	*	*	*	-	-
	6	-	*	5.9	0.2	-	*	*	*	-	-
	7	-	-	0.9	*	-	-	*	*	-	-
		*	*	<b>18.8</b>	<b>1.4</b>	-	*	*	*	-	-
24 - 54	1-7	0.3	0.6	1.0	0.4	0.2	0.1	0.3	0.1	0.3	0.2
25 - 35	1-7	-	0.1	-	*	-	-	-	-	-	-
81 - 85 1/	1-7	*	0.1	2.7	0.4	*	*	*	*	*	*
All Colors	8 2/	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	*	<b>0.1</b>	*	*	*	*	*
<b>EXTRANEIOUS MATTER</b>											
Bark - Level 1		22.3	13.2	10.1	1.4	3.0	1.3	5.8	2.5	14.3	10.4
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	*	0.7	0.2	0.2	0.1	0.1	-	*
Grass - Level 2		-	-	-	-	-	*	-	-	-	-
Prep - Level 1		*	*	-	*	3.5	0.7	0.1	*	-	*
Prep - Level 2		-	-	-	-	-	*	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>											
28 & shorter		-	*	-	-	-	-	-	-	-	-
29		-	*	0.1	*	-	-	-	*	-	-
30		-	*	0.5	0.2	-	-	*	*	-	*
31		*	0.1	0.9	0.8	-	-	*	*	*	*
32		0.6	0.8	1.3	2.3	*	*	0.1	0.1	0.6	0.4
33		3.4	3.1	5.9	5.7	0.2	0.2	2.6	1.1	3.9	2.7
34		9.8	8.0	21.9	12.4	1.4	1.9	9.4	6.3	13.9	10.7
35		18.3	15.1	25.7	18.4	7.0	6.6	16.6	17.6	26.0	23.7
36		25.1	24.3	19.1	22.3	10.8	13.6	23.8	24.2	26.1	26.2
37		26.2	28.5	14.6	21.9	33.8	28.6	33.7	28.2	19.2	23.7
38 & longer		16.7	20.1	10.0	15.9	46.8	49.0	13.7	22.4	10.2	12.6
<b>Average staple</b>		<b>36.1</b>	<b>36.3</b>	<b>35.4</b>	<b>35.8</b>	<b>37.4</b>	<b>37.4</b>	<b>36.2</b>	<b>36.4</b>	<b>35.7</b>	<b>36.0</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 10, 2019**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 5.9	Pct. 4.2	Pct. 0.1	Pct. 0.8	Pct. 0.1	Pct. 0.5	Pct. *	Pct. 0.6	Pct. 11.2	Pct. 26.8
	3	7.3	5.1	0.2	1.6	0.3	0.5	0.2	1.2	4.1	7.1
	4	1.1	0.8	0.1	0.2	0.1	*	*	0.1	0.1	0.2
	5	*	*	*	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>14.3</b>	<b>10.2</b>	<b>0.4</b>	<b>2.6</b>	<b>0.5</b>	<b>1.1</b>	<b>0.2</b>	<b>1.8</b>	<b>15.5</b>
31	1-2	10.4	9.6	0.8	2.9	0.7	0.9	0.8	2.6	13.7	12.4
	3	27.7	26.5	6.2	20.0	7.3	5.6	4.8	14.6	24.9	15.6
	4	12.5	11.9	3.6	9.7	3.2	3.1	1.6	5.8	5.1	2.7
	5	1.9	1.9	0.4	0.6	0.1	0.3	0.2	0.4	0.5	0.3
	6	0.1	0.1	*	*	*	*	*	*	*	*
	7	*	*	-	*	-	-	-	-	-	*
	<b>Total</b>	-----	<b>52.6</b>	<b>49.9</b>	<b>11.0</b>	<b>33.3</b>	<b>11.3</b>	<b>9.9</b>	<b>7.3</b>	<b>23.5</b>	<b>44.2</b>
41	1-2	0.8	1.2	1.8	1.3	0.3	1.6	2.9	1.9	3.7	4.0
	3	4.9	9.4	19.8	17.1	13.4	18.0	17.3	18.1	15.3	12.8
	4	7.3	11.7	22.5	21.4	31.7	25.9	13.0	18.0	8.8	6.3
	5	4.1	5.5	4.8	4.8	9.4	7.8	3.7	3.9	2.2	1.3
	6	1.2	1.4	0.3	0.3	0.9	0.6	1.9	0.3	0.2	0.2
	7	0.2	0.2	*	*	0.1	*	0.8	*	*	*
	<b>Total</b>	-----	<b>18.5</b>	<b>29.5</b>	<b>49.2</b>	<b>44.9</b>	<b>55.6</b>	<b>54.0</b>	<b>39.5</b>	<b>42.2</b>	<b>30.3</b>
51	1-2	*	*	0.2	0.1	*	0.1	2.1	0.5	0.4	0.1
	3	0.1	*	3.6	1.0	1.1	1.5	6.5	2.4	1.9	1.1
	4	0.2	0.1	6.6	2.3	8.0	4.7	2.7	1.9	1.5	1.2
	5	0.1	0.2	3.1	1.3	6.4	3.5	0.5	0.5	0.9	0.4
	6	*	0.1	0.5	0.3	0.8	0.5	0.7	0.1	0.2	0.1
	7	*	0.1	*	*	*	*	1.4	*	*	*
	<b>Total</b>	-----	<b>0.4</b>	<b>0.6</b>	<b>14.0</b>	<b>4.9</b>	<b>16.3</b>	<b>10.2</b>	<b>13.9</b>	<b>5.5</b>	<b>4.9</b>
61	1-2	-	-	-	-	-	-	0.1	*	-	-
	3	-	-	*	*	-	*	0.5	*	-	*
	4	-	-	*	*	*	*	0.1	*	-	-
	5	-	-	*	*	*	*	*	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	*	-	-	-	-
	<b>Total</b>	-----	-	*	*	*	*	*	<b>0.7</b>	<b>0.1</b>	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	-	*	-	-	-	-	-
12 & 22	1-2	0.3	0.3	*	*	-	*	-	0.1	*	1.0
	3	0.9	0.6	*	0.1	*	*	-	0.2	0.1	0.7
	4	0.3	0.2	*	*	*	*	-	*	*	0.2
	5	*	*	-	*	-	*	-	*	-	*
	6	*	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>1.6</b>	<b>1.1</b>	<b>0.1</b>	<b>0.1</b>	<b>*</b>	<b>0.1</b>	-	<b>0.4</b>	<b>0.2</b>
32	1-2	0.8	0.5	0.2	0.3	*	0.2	*	0.2	0.1	0.3
	3	3.5	2.3	1.3	1.8	0.7	0.9	0.6	1.3	1.6	1.3
	4	2.4	1.8	0.9	1.0	0.9	0.5	1.4	0.8	0.7	0.4
	5	0.7	0.5	0.1	0.1	0.1	0.1	1.1	0.2	0.1	0.1
	6	0.1	0.1	*	*	-	*	0.1	*	*	*
	7	*	*	-	-	-	*	*	*	-	*
	<b>Total</b>	-----	<b>7.6</b>	<b>5.1</b>	<b>2.4</b>	<b>3.1</b>	<b>1.8</b>	<b>1.6</b>	<b>3.2</b>	<b>2.5</b>	<b>2.4</b>
42	1-2	0.1	0.1	0.3	0.1	*	0.5	0.5	0.4	*	0.1
	3	0.6	0.7	3.9	2.4	1.6	6.7	3.8	5.1	0.7	0.9
	4	0.8	1.0	6.0	3.5	5.8	8.8	5.4	5.9	1.0	1.1
	5	0.5	0.5	1.8	1.0	2.3	2.5	3.3	1.5	0.2	0.3
	6	0.3	0.2	0.1	0.1	0.5	0.2	1.7	0.1	*	0.1
	7	0.1	*	*	*	0.1	*	0.4	*	*	*
	<b>Total</b>	-----	<b>2.5</b>	<b>2.5</b>	<b>12.2</b>	<b>7.2</b>	<b>10.4</b>	<b>18.7</b>	<b>15.2</b>	<b>13.1</b>	<b>2.0</b>
52	1-2	-	*	*	*	-	*	0.3	0.2	*	*
	3	*	*	0.8	0.3	0.1	0.3	3.8	2.0	0.2	0.1
	4	*	*	2.6	0.8	1.0	1.3	2.9	2.8	0.2	0.3
	5	*	*	1.5	0.5	0.7	0.9	0.8	1.1	0.1	0.2
	6	*	*	0.3	0.1	0.1	0.2	0.5	0.2	*	*
	7	*	*	*	*	*	*	0.3	*	-	*
	<b>Total</b>	-----	<b>*</b>	<b>0.1</b>	<b>5.1</b>	<b>1.8</b>	<b>1.9</b>	<b>2.7</b>	<b>8.6</b>	<b>6.2</b>	<b>0.5</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 10, 2019**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	*	-	-	-	-	0.3	*	-	*
	3	-	*	*	*	-	*	2.1	0.2	-	*
	4	-	*	0.1	*	-	*	1.3	0.3	*	*
	5	-	*	0.1	*	-	*	0.2	0.1	-	*
	6	*	*	*	*	-	*	-	*	-	-
	7	-	-	*	*	-	*	-	*	-	-
<b>Total</b>	-----	*	*	<b>0.2</b>	*	-	*	<b>3.7</b>	<b>0.7</b>	*	*
13 & 23	1-2	*	*	*	*	-	*	-	*	-	*
	3	0.1	*	*	*	-	*	-	*	-	0.1
	4	*	*	*	*	-	*	-	*	-	*
	5	*	*	-	-	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	<b>0.1</b>	<b>0.1</b>	*	*	-	*	-	*	-	<b>0.1</b>
33	1-2	0.1	*	*	*	*	*	*	*	-	*
	3	0.5	0.2	0.3	0.2	0.1	*	*	0.1	*	*
	4	0.6	0.2	0.2	0.1	0.2	*	0.1	*	*	*
	5	0.2	0.1	*	*	*	*	0.1	*	*	*
	6	*	*	*	*	-	*	*	*	*	*
	7	*	*	-	-	-	*	-	-	-	*
<b>Total</b>	-----	<b>1.5</b>	<b>0.6</b>	<b>0.6</b>	<b>0.4</b>	<b>0.3</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	*	<b>0.1</b>
43	1-2	*	*	*	*	-	*	0.2	0.1	-	*
	3	0.1	*	0.8	0.3	0.3	0.4	0.8	0.5	*	*
	4	0.1	0.1	1.4	0.6	0.6	0.6	1.4	0.8	*	0.1
	5	0.2	0.1	0.6	0.2	0.4	0.2	0.7	0.3	*	*
	6	0.1	*	0.1	*	0.1	*	0.4	*	*	*
	7	*	*	*	*	*	*	0.1	*	-	*
<b>Total</b>	-----	<b>0.5</b>	<b>0.3</b>	<b>3.0</b>	<b>1.2</b>	<b>1.4</b>	<b>1.3</b>	<b>3.6</b>	<b>1.7</b>	<b>0.1</b>	<b>0.2</b>
53	1-2	-	*	*	*	-	*	0.1	*	-	-
	3	*	*	0.1	*	*	*	0.8	0.4	-	*
	4	*	*	0.6	0.2	0.2	0.1	1.0	0.7	-	*
	5	*	*	0.5	0.1	0.1	0.1	0.2	0.5	-	*
	6	*	*	0.1	*	*	*	*	0.1	-	*
	7	*	*	*	*	*	*	*	*	-	*
<b>Total</b>	-----	*	*	<b>1.3</b>	<b>0.3</b>	<b>0.3</b>	<b>0.3</b>	<b>2.2</b>	<b>1.7</b>	-	*
63	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	*	*	-	*	0.2	0.1	-	-
	4	-	*	*	*	-	*	0.5	0.1	-	-
	5	-	*	*	*	-	*	0.1	0.1	-	-
	6	-	-	*	*	-	*	-	*	-	-
	7	-	-	*	*	-	*	-	*	-	-
		-	*	*	*	-	*	<b>0.7</b>	<b>0.4</b>	-	-
24 - 54	1-7	0.2	0.1	0.4	0.2	0.1	0.1	0.4	0.2	*	*
25 - 35	1-7	*	*	-	*	-	*	-	*	-	-
81 - 85 1/	1-7	*	*	*	*	*	*	0.1	*	*	*
All Colors	8 2/	<b>0.2</b>	<b>0.1</b>	*	*	*	*	<b>0.2</b>	*	*	*
<b>EXTRANEIOUS MATTER</b>											
Bark - Level 1		9.3	8.5	18.3	13.9	1.7	1.1	21.8	4.3	1.4	0.8
Bark - Level 2		-	-	-	*	-	-	-	-	-	-
Grass - Level 1		-	*	*	0.1	*	0.1	0.2	0.1	*	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	0.2	0.1	*	*	-	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	*	*	-	*	-	*	-	-
Other - Level 2		-	*	-	-	-	-	-	-	-	-
<b>STAPLE</b>											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	*	*	*	-	-
31		*	*	*	*	-	*	0.3	0.1	-	*
32		0.3	0.3	0.1	0.1	-	*	1.0	0.4	*	*
33		2.5	1.8	1.4	1.0	*	0.1	4.7	1.6	0.1	0.2
34		11.6	8.3	8.4	5.5	0.7	0.9	8.3	4.4	1.7	1.4
35		26.0	21.1	14.7	13.3	4.4	6.3	18.4	12.2	5.2	5.6
36		29.4	27.7	19.5	18.5	15.5	19.7	33.1	18.5	16.5	14.2
37		21.6	26.7	29.4	30.3	44.2	39.5	17.8	26.0	30.1	27.9
38 & longer		8.7	14.0	26.5	31.4	35.1	33.6	16.4	36.8	46.3	50.6
<b>Average staple</b>		<b>35.8</b>	<b>36.2</b>	<b>36.5</b>	<b>36.8</b>	<b>37.2</b>	<b>37.1</b>	<b>36.0</b>	<b>36.9</b>	<b>37.5</b>	<b>37.7</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 10, 2019**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	*	-	-	-	-	-	-	-	-
18	-	-	-	*	-	-	-	-	-	-
19	-	*	-	*	-	-	-	-	-	-
20	-	*	-	*	-	-	-	-	-	-
21	-	*	0.1	0.1	-	-	-	-	-	-
22	-	*	0.4	0.2	-	-	*	*	*	*
23	*	*	1.2	0.4	-	-	0.2	*	*	*
24	*	0.1	3.5	1.1	-	*	0.9	0.2	0.1	*
25	0.3	0.3	12.4	2.2	0.1	0.1	3.1	0.9	0.3	0.2
26	1.2	1.0	15.1	4.0	0.9	0.4	6.8	3.2	1.6	1.1
27	4.8	3.3	21.5	6.9	3.3	2.0	14.2	7.0	4.9	3.8
28	14.3	10.3	22.8	12.0	11.9	7.5	24.4	14.1	11.8	10.6
29	24.5	19.9	14.6	19.2	28.7	20.8	22.9	22.0	17.8	18.8
30	21.5	22.9	5.1	21.1	30.1	31.8	14.0	22.8	23.3	22.1
31	15.5	19.1	1.9	17.0	15.9	22.9	7.8	15.3	19.6	20.6
32	11.0	12.5	0.9	9.1	6.4	9.5	4.1	8.3	10.5	13.7
33	5.0	7.1	0.3	4.0	2.1	3.5	1.3	4.1	5.0	5.9
34	1.4	2.5	0.2	1.8	0.5	1.1	0.2	1.7	2.9	2.2
35	0.5	0.7	*	0.7	0.1	0.3	0.1	0.4	1.6	0.7
36 & above	0.1	0.2	-	0.3	*	*	*	0.1	0.6	0.2
<b>Average</b>	<b>29.8</b>	<b>30.2</b>	<b>27.2</b>	<b>29.5</b>	<b>29.7</b>	<b>30.1</b>	<b>28.5</b>	<b>29.6</b>	<b>30.1</b>	<b>30.2</b>
MIKE										
24 & below	*	*	-	*	-	-	-	*	0.2	0.1
25	*	0.1	-	*	-	*	-	-	0.8	0.4
26	0.2	0.1	-	*	-	*	-	*	1.1	0.6
27	0.3	0.1	-	*	-	*	-	*	1.5	0.7
28	0.3	0.2	-	*	*	*	-	*	1.9	0.8
29	0.4	0.2	-	*	*	*	-	*	2.2	1.0
30	0.6	0.3	-	0.1	*	*	-	*	2.5	1.1
31	0.9	0.5	*	0.1	*	*	-	*	2.9	1.4
32	1.5	0.8	0.2	0.2	-	*	-	*	3.4	1.7
33	1.8	1.1	0.1	0.2	*	*	*	*	4.0	2.2
34	2.4	1.5	*	0.3	-	*	0.1	0.1	4.6	2.5
35	2.8	1.8	0.2	0.4	-	*	0.5	0.2	5.7	3.2
36	3.1	2.2	0.5	0.4	*	*	0.6	0.3	6.0	4.1
37	3.8	3.1	0.3	0.7	0.1	0.1	0.9	0.5	6.4	4.9
38	4.9	3.9	0.6	1.0	0.2	0.3	2.1	0.9	6.0	5.4
39	5.0	4.8	0.5	1.4	0.3	0.5	2.9	1.7	6.7	6.3
40	6.1	6.0	1.1	1.9	0.9	0.9	4.6	2.8	6.7	7.3
41	7.7	7.5	0.9	2.7	1.6	1.7	6.5	4.4	6.3	8.0
42	8.7	8.4	2.7	3.9	2.0	2.7	8.3	6.4	6.4	8.3
43	9.1	9.1	4.6	5.5	3.7	4.2	12.9	8.5	6.1	8.6
44	9.2	9.7	7.0	7.3	6.0	6.3	13.5	10.9	5.3	7.6
45	8.2	9.8	11.6	9.1	7.9	9.3	13.2	13.1	4.3	7.0
46	6.6	8.8	16.9	10.7	10.7	13.5	11.9	14.3	3.4	5.7
47	6.4	7.3	15.0	11.2	14.7	16.8	8.5	13.1	2.1	4.1
48	3.8	5.1	12.3	10.8	17.6	16.9	6.5	9.9	1.2	2.9
49	2.5	3.3	10.1	9.1	14.8	13.2	3.6	6.1	1.1	2.1
50	1.8	2.0	8.6	7.2	8.6	7.4	1.9	3.6	0.7	1.1
51	1.0	1.1	4.6	5.6	5.6	3.5	1.2	1.8	0.4	0.6
52	0.4	0.5	1.3	4.1	2.9	1.5	0.3	0.9	0.1	0.3
53	0.3	0.2	0.4	2.9	1.4	0.8	0.1	0.3	*	0.1
54	0.1	0.1	0.2	2.0	0.7	0.2	*	0.1	-	*
55	*	*	0.1	0.9	0.1	*	*	*	-	*
56	*	*	-	0.3	*	*	*	*	*	*
57	-	-	-	0.1	*	*	-	*	-	-
58	-	-	-	*	-	-	-	*	-	-
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
<b>Average</b>	<b>42</b>	<b>43</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>44</b>	<b>45</b>	<b>38</b>	<b>41</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 10, 2019**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	*	-	-	-	-	-	-
21	-	-	-	*	-	-	-	-	-	-
22	-	-	-	*	-	-	*	*	-	-
23	*	*	*	*	-	*	0.2	*	-	-
24	0.1	*	0.2	0.1	-	*	0.5	0.2	-	*
25	0.3	0.1	1.3	0.8	*	0.1	0.4	0.5	*	*
26	1.0	0.4	4.8	3.9	1.1	0.7	4.2	1.6	*	*
27	3.6	1.8	12.6	11.1	7.0	4.1	7.8	4.1	0.9	0.5
28	8.9	5.7	20.0	21.1	19.8	14.0	15.8	8.1	3.2	2.4
29	16.0	12.3	24.4	27.2	30.1	27.6	27.1	17.8	7.5	7.5
30	21.1	18.5	20.1	20.2	23.4	26.4	21.5	27.7	15.9	13.6
31	21.4	22.1	10.2	9.9	11.1	15.4	13.5	20.9	18.7	16.7
32	15.8	19.7	4.1	3.8	6.0	7.6	6.3	11.6	17.8	16.0
33	7.6	12.0	1.6	1.3	1.3	3.1	2.2	5.0	15.2	14.1
34	3.0	5.1	0.5	0.4	0.3	0.9	0.5	1.8	10.5	9.0
35	0.9	1.6	0.2	0.1	*	0.2	0.1	0.5	7.2	6.0
36 & above	0.3	0.6	*	*	*	*	*	0.2	3.0	14.2
<b>Average</b>	<b>30.4</b>	<b>30.9</b>	<b>28.9</b>	<b>29.0</b>	<b>29.3</b>	<b>29.7</b>	<b>29.2</b>	<b>30.1</b>	<b>31.8</b>	<b>32.4</b>
MIKE										
24 & below	0.3	0.1	-	-	-	-	-	-	*	*
25	0.6	0.2	-	*	-	*	-	*	0.1	*
26	0.9	0.3	-	*	-	*	-	*	0.1	*
27	1.0	0.4	-	*	-	*	-	*	0.1	0.1
28	1.3	0.5	*	*	-	*	-	*	0.1	0.1
29	1.5	0.7	*	*	-	*	*	*	*	0.1
30	1.9	1.0	0.1	*	*	*	*	*	0.1	0.2
31	2.3	1.3	0.1	0.1	*	*	*	*	0.1	0.2
32	2.8	1.7	0.2	0.2	*	*	*	*	0.3	0.3
33	3.3	2.2	0.2	0.4	-	*	0.2	*	0.2	0.5
34	3.8	2.8	0.6	0.7	*	0.1	0.3	*	0.9	0.8
35	4.4	3.5	0.9	1.1	0.1	0.1	0.5	*	1.1	0.9
36	5.1	4.2	1.1	1.5	0.5	0.2	1.3	0.1	1.8	1.3
37	5.6	4.8	1.5	2.3	0.6	0.4	1.5	0.2	1.8	1.6
38	6.2	5.6	2.3	3.6	0.6	0.7	2.5	0.3	1.3	2.0
39	6.5	6.3	4.1	5.4	1.4	1.1	3.1	0.6	2.2	2.8
40	6.7	6.8	6.7	8.0	2.4	1.7	3.6	0.8	2.2	3.5
41	6.4	7.1	9.6	10.6	3.3	2.8	4.1	1.4	4.8	4.9
42	6.7	7.3	12.1	12.9	6.6	4.5	3.2	2.4	5.0	6.2
43	6.3	7.2	13.0	13.5	9.0	6.3	5.0	3.4	7.6	7.6
44	5.5	6.8	13.3	12.2	9.2	8.5	5.4	4.4	8.6	8.8
45	5.0	6.5	11.1	9.9	11.7	10.6	4.4	6.9	10.9	9.5
46	4.3	5.8	9.0	7.1	12.2	11.7	4.4	9.7	11.9	10.6
47	3.7	5.0	6.2	4.7	12.5	11.7	7.4	13.3	10.5	10.5
48	2.9	3.9	4.2	2.9	10.9	11.0	10.0	15.7	7.8	8.8
49	2.0	3.0	2.3	1.6	8.1	9.3	9.5	15.0	7.4	6.7
50	1.4	2.1	1.0	0.7	5.5	7.4	11.7	12.0	6.1	5.1
51	0.8	1.4	0.3	0.3	2.8	5.3	9.3	7.4	4.5	3.7
52	0.4	0.8	*	0.1	1.0	3.4	5.7	4.0	1.5	2.0
53	0.2	0.4	*	*	0.7	1.9	4.8	1.8	0.6	0.8
54	0.1	0.2	*	*	0.7	0.9	1.5	0.5	0.4	0.3
55	*	0.1	*	*	0.2	0.3	0.4	0.1	0.1	0.1
56	*	*	-	*	*	*	*	*	*	0.1
57	*	*	*	*	-	*	*	*	-	0.1
58	-	*	-	*	*	*	-	-	-	*
59	-	-	-	*	-	-	-	-	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
<b>Average</b>	<b>40</b>	<b>41</b>	<b>43</b>	<b>43</b>	<b>46</b>	<b>47</b>	<b>47</b>	<b>48</b>	<b>45</b>	<b>45</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 10, 2019**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	*	-	-	-	*	0.2	0.1
25 - 26	0.2	0.2	-	*	-	*	-	*	1.9	1.0
27 - 29	1.1	0.5	-	0.1	*	*	-	*	5.6	2.4
30 - 32	3.0	1.6	0.2	0.3	*	*	-	*	8.8	4.2
33 - 34	4.2	2.7	0.1	0.4	*	*	0.1	0.1	8.6	4.7
35 - 36	5.9	4.1	0.7	0.8	*	0.1	1.0	0.5	11.7	7.4
37 - 42	36.2	33.7	6.2	11.6	5.0	6.2	25.3	16.8	38.6	40.2
43 - 49	45.7	53.2	77.5	63.7	75.6	80.1	70.2	75.9	23.5	38.0
50 - 52	3.3	3.7	14.5	16.9	17.1	12.5	3.3	6.3	1.2	1.9
53 & above	0.4	0.4	0.7	6.2	2.2	1.0	0.1	0.4	*	0.1
<b>Average</b>	<b>42</b>	<b>43</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>44</b>	<b>45</b>	<b>38</b>	<b>41</b>
HVI TRASH 1/										
00	-	-	-	*	-	-	-	-	-	*
01	2.5	2.1	1.7	7.8	*	0.2	0.1	0.3	4.8	3.8
02	19.4	16.0	9.2	26.0	3.4	4.8	3.3	6.2	21.1	18.0
03	25.3	25.0	11.8	25.0	17.3	15.8	13.1	20.5	26.1	23.9
04	19.3	21.1	16.6	17.5	25.3	22.9	22.5	26.2	18.9	19.4
05	12.4	14.2	15.7	10.6	23.0	22.0	22.5	20.9	11.7	13.2
06	8.0	8.9	12.2	6.0	15.4	16.2	16.3	12.9	6.9	8.3
07	5.0	5.3	8.7	3.2	8.0	9.6	10.2	6.9	4.3	5.2
08	3.3	3.2	6.3	1.7	4.1	4.9	5.8	3.4	2.5	3.2
09	2.0	1.8	5.5	0.9	1.7	2.2	3.2	1.5	1.4	1.9
10	1.2	1.0	4.7	0.5	0.7	0.9	1.5	0.7	0.9	1.2
11	0.6	0.6	3.2	0.3	0.4	0.3	0.7	0.3	0.6	0.8
12	0.4	0.3	1.9	0.2	0.3	0.1	0.4	0.1	0.4	0.5
13	0.2	0.2	1.2	0.1	0.2	*	0.2	*	0.2	0.3
14	0.1	0.1	0.6	0.1	0.1	*	0.1	*	0.1	0.2
15	0.1	0.1	0.3	*	0.1	*	*	*	0.1	0.1
16	*	*	0.1	*	*	*	*	*	*	*
17	*	*	0.1	*	*	*	*.1	*	*	*
18 & above	*	*	0.2	*	-	*	*	*	*	*
<b>Average</b>	<b>0.41</b>	<b>0.42</b>	<b>0.57</b>	<b>0.35</b>	<b>0.49</b>	<b>0.50</b>	<b>0.53</b>	<b>0.46</b>	<b>0.39</b>	<b>0.42</b>
UNIFORMITY 2/										
72.4 & below	-	*	-	*	-	-	-	-	-	-
72.5-73.4	-	*	*	*	-	-	-	-	-	-
73.5-74.4	*	*	0.2	*	-	-	*	*	*	*
74.5-75.4	*	*	0.7	0.2	-	-	*	*	0.1	*
75.5-76.4	0.1	0.1	2.7	0.8	-	-	0.2	0.1	0.4	0.2
76.5-77.4	0.8	0.8	7.7	2.0	-	-	1.0	0.3	1.9	0.9
77.5-78.4	4.2	3.5	14.6	4.5	1.0	0.7	5.4	1.9	6.1	3.3
78.5-79.4	17.4	13.2	25.5	8.8	4.7	3.6	17.1	9.5	17.7	11.7
79.5-80.4	32.4	30.2	26.7	16.7	20.5	17.6	36.5	28.9	33.2	28.9
80.5-81.4	31.7	32.8	15.8	25.1	38.4	38.8	29.0	35.5	27.9	33.7
81.5-82.4	12.0	15.6	4.9	24.7	25.2	30.0	9.3	19.0	10.7	16.7
82.5-83.4	1.2	3.2	1.0	14.1	8.6	8.1	1.3	4.1	1.8	4.2
83.5-84.4	0.1	0.4	0.1	2.8	1.5	1.2	0.1	0.5	0.2	0.5
84.5-85.4	*	*	-	0.2	0.1	0.1	*	*	*	*
85.5-86.4	-	*	-	*	-	-	-	*	-	-
86.5-87.4	*	*	-	-	-	-	-	*	-	-
87.5-88.4	*	*	-	-	-	-	-	-	-	-
88.5-89.4	-	*	-	-	-	-	-	-	-	-
89.5 & above	*	*	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.3</b>	<b>80.5</b>	<b>79.3</b>	<b>81.0</b>	<b>81.1</b>	<b>81.2</b>	<b>80.2</b>	<b>80.7</b>	<b>80.1</b>	<b>80.5</b>
Tenderable 3/	<b>64.5</b>	<b>73.6</b>	<b>18.0</b>	<b>55.5</b>	<b>68.1</b>	<b>77.8</b>	<b>71.3</b>	<b>77.8</b>	<b>59.4</b>	<b>72.1</b>
<b>SAMPLES CLASSED</b>										
Week	<b>90,479</b>		<b>9,332</b>		<b>24,895</b>		<b>26,771</b>		<b>61,922</b>	
Season		<b>694,143</b>		<b>1,721,976</b>		<b>1,358,189</b>		<b>1,176,709</b>		<b>673,032</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.



**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 10, 2019**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.3	0.1	-	-	-	-	-	-	*	*
25 - 26	1.5	0.6	-	*	-	*	-	*	0.2	0.1
27 - 29	3.8	1.6	*	*	-	*	*	*	0.2	0.2
30 - 32	7.0	4.0	0.3	0.3	*	*	0.1	*	0.5	0.7
33 - 34	7.1	5.1	0.8	1.1	*	0.1	0.5	*	1.1	1.2
35 - 36	9.6	7.7	2.0	2.7	0.6	0.4	1.8	0.1	2.9	2.2
37 - 42	38.1	37.9	36.3	42.8	14.9	11.2	18.0	5.6	17.3	21.0
43 - 49	29.7	38.1	59.2	51.9	73.8	69.1	46.2	68.3	64.8	62.4
50 - 52	2.7	4.2	1.3	1.2	9.2	16.1	26.7	23.4	12.0	10.7
53 & above	0.3	0.7	*	*	1.5	3.1	6.7	2.4	1.0	1.4
<b>Average</b>	<b>40</b>	<b>41</b>	<b>43</b>	<b>43</b>	<b>46</b>	<b>47</b>	<b>47</b>	<b>48</b>	<b>45</b>	<b>45</b>
HVI TRASH 1/										
00	-	*	-	-	-	-	-	-	-	*
01	2.9	2.3	0.2	0.4	*	0.3	0.6	0.6	7.2	15.8
02	20.1	17.0	4.8	7.5	1.8	4.6	8.8	9.4	26.5	33.4
03	25.7	24.0	16.0	20.6	8.6	14.2	20.3	22.7	28.7	24.3
04	19.9	20.4	23.5	25.2	19.6	21.4	23.4	24.7	18.5	13.1
05	13.1	14.4	21.8	20.5	24.7	21.6	15.7	18.9	9.7	6.8
06	7.7	9.2	15.3	12.9	20.1	16.7	8.7	11.6	4.7	3.3
07	4.6	5.5	9.0	6.9	12.8	10.6	5.5	6.3	2.7	1.6
08	2.6	3.2	4.8	3.3	6.7	5.7	4.1	3.1	1.1	0.7
09	1.4	1.8	2.4	1.5	3.1	2.8	3.3	1.5	0.4	0.4
10	0.8	1.0	1.2	0.7	1.4	1.3	2.5	0.7	0.2	0.2
11	0.5	0.6	0.5	0.3	0.6	0.5	2.2	0.3	0.1	0.1
12	0.3	0.3	0.2	0.1	0.3	0.2	1.5	0.2	*	0.1
13	0.2	0.2	0.1	0.1	0.2	0.1	1.4	0.1	*	*
14	0.1	0.1	0.1	*	0.1	*	1.2	0.1	*	*
15	0.1	0.1	*	*	*	*	0.7	*	*	*
16	*	*	*	*	*	*	-	-	*	*
17	*	*	*	*	*	*	-	-	*	*
18 & above	0.1	*	*	*	*	*	-	-	*	*
<b>Average</b>	<b>0.40</b>	<b>0.42</b>	<b>0.50</b>	<b>0.46</b>	<b>0.55</b>	<b>0.51</b>	<b>0.52</b>	<b>0.45</b>	<b>0.33</b>	<b>0.29</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	*	-	-
72.5-73.4	-	-	-	-	-	-	-	*	-	-
73.5-74.4	-	-	-	-	-	-	*	-	-	-
74.5-75.4	*	*	-	-	-	-	0.1	0.1	*	*
75.5-76.4	0.2	0.1	*	*	-	*	0.3	0.2	-	*
76.5-77.4	0.9	0.4	0.1	0.1	*	*	0.9	0.7	*	*
77.5-78.4	3.9	1.7	0.8	0.7	0.1	0.2	4.0	2.6	0.3	0.3
78.5-79.4	12.2	7.0	5.0	4.4	1.6	1.4	13.5	9.6	2.4	2.0
79.5-80.4	27.4	20.9	21.3	20.5	8.5	8.0	25.9	22.6	11.3	8.4
80.5-81.4	33.3	34.0	39.9	41.0	34.3	25.2	34.4	34.4	35.6	24.7
81.5-82.4	17.6	26.0	24.9	25.6	37.3	36.4	16.8	22.1	33.7	34.4
82.5-83.4	4.1	8.5	6.8	6.7	15.0	23.6	3.8	6.3	14.6	17.8
83.5-84.4	0.4	1.3	1.2	1.0	2.7	4.8	0.3	1.2	1.8	8.0
84.5-85.4	*	0.1	0.1	0.1	0.4	0.3	-	0.2	0.3	4.1
85.5-86.4	*	*	*	*	*	*	-	*	*	0.2
86.5-87.4	*	*	*	*	-	*	-	*	-	*
87.5-88.4	-	-	-	-	-	*	-	*	-	-
88.5-89.4	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.5</b>	<b>81.0</b>	<b>81.0</b>	<b>81.1</b>	<b>81.6</b>	<b>81.8</b>	<b>80.5</b>	<b>80.8</b>	<b>81.5</b>	<b>81.9</b>
Tenderable 3/	<b>67.0</b>	<b>72.7</b>	<b>61.3</b>	<b>74.1</b>	<b>73.3</b>	<b>62.1</b>	<b>30.2</b>	<b>55.2</b>	<b>80.8</b>	<b>81.3</b>
<b>SAMPLES CLASSED</b>										
<b>Week</b>	<b>270,865</b>		<b>103,169</b>		<b>41,979</b>		<b>12,591</b>		<b>34,867</b>	
<b>Season</b>		<b>2,786,076</b>		<b>2,134,835</b>		<b>2,907,468</b>		<b>500,183</b>		<b>404,773</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

For The Week Ending January 10, 2019

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	19.6	19.3	MIKE	-	*
	2	20.1	22.0	24 & below	0.1	*
	3	0.3	0.4	25-26	0.7	0.2
	4	-	*	30-32	2.1	0.7
	5	-	-	33-34	1.9	1.2
	6	-	-	35-36	4.6	4.0
	7	-	-	37-42	55.6	54.0
<b>Total -----</b>		<b>40.0</b>	<b>41.7</b>	43-49	35.0	39.7
02	1	8.6	6.3	50-52	*	*
	2	41.6	38.7	53 & above	*	*
	3	4.8	7.4	<b>Average</b>	<b>41</b>	<b>41</b>
	4	*	0.1	ALL RANGE MIKE	-	*
	5	-	*	24 & below	-	*
	6	-	-	25	*	*
	7	-	-	26	*	*
<b>Total -----</b>		<b>55.0</b>	<b>52.5</b>	27	0.1	*
03	1	0.2	0.1	28	0.2	0.1
	2	2.7	2.7	29	0.4	0.1
	3	1.3	2.2	30	0.5	0.2
	4	*	0.3	31	0.7	0.2
	5	*	*	32	0.9	0.3
	6	-	*	33	0.8	0.5
	7	-	-	34	1.1	0.8
<b>Total -----</b>		<b>4.3</b>	<b>5.3</b>	35	1.7	1.5
04	1	*	*	36	2.9	2.5
	2	0.2	0.2	37	4.9	3.9
	3	0.2	0.2	38	6.8	5.9
	4	*	*	39	9.1	8.4
	5	*	*	40	11.0	10.6
	6	*	*	41	11.6	11.7
	7	-	*	42	12.2	13.5
<b>Total -----</b>		<b>0.5</b>	<b>0.5</b>	43	11.8	14.4
05	1	*	*	44	9.2	12.4
	2	*	*	45	6.8	7.8
	3	*	*	46	4.4	3.6
	4	*	*	47	2.0	1.2
	5	*	*	48	0.7	0.3
	6	*	*	49	0.1	*
	7	-	-	50	*	*
<b>Total -----</b>		<b>0.2</b>	<b>0.1</b>	51	*	*
06	1	-	-	52	-	*
	2	*	*	53	*	*
	3	*	*	54	-	*
	4	-	*	55	-	*
	5	-	-	56	-	-
	6	-	-	57	-	-
	7	-	-	58	-	-
<b>Total -----</b>		<b>*</b>	<b>*</b>	59	-	-
07	1	-	-	60 & above	-	-
	2	-	-	<b>Average</b>	<b>41</b>	<b>41</b>
	3	-	*	Strength	-	-
	4	-	*	17 & below	-	-
	5	-	-	18	-	-
	6	-	-	19	-	-
	7	-	-	20	-	-
<b>Total -----</b>		<b>-</b>	<b>*</b>	21	-	-
STAPLE	40 & shorter	-	-	22	-	-
	42	*	*	23	-	-
	44	*	0.2	24	-	-
	46	5.5	5.1	25	-	-
	48 & longer	94.5	94.8	26	-	-
	<b>Average</b>	<b>49.3</b>	<b>49.2</b>	27	-	-
UNIFORMITY	72.4 & below	-	-	28	-	-
	72.5-73.4	-	-	29	-	-
	73.5-74.4	-	-	30	-	-
	74.5-75.4	-	-	31	-	*
	75.5-76.4	-	-	32	-	*
	76.5-77.4	-	-	33	-	*
	77.5-78.4	-	-	34	*	*
	78.5-79.4	-	-	35	*	*
	79.5-80.4	-	-	36	*	0.1
	80.5-81.4	*	*	37	0.1	0.3
	81.5-82.4	0.1	0.1	38	0.6	1.1
	82.5-83.4	0.6	0.4	39	3.1	2.8
	83.5-84.4	3.6	2.0	40	5.5	4.1
	84.5-85.4	14.9	12.1	41	3.8	3.7
	85.5-86.4	48.0	40.9	42	6.5	6.5
	86.5-87.4	28.8	39.7	43	14.4	13.4
	87.5-88.4	3.8	4.7	44	21.4	21.5
	88.5-89.4	0.2	0.3	45 & above	44.6	46.4
	89.5 & above	*	*	<b>Average</b>	<b>44.0</b>	<b>44.0</b>
	<b>Average</b>		<b>86.1</b>	<b>86.3</b>	EXTRANEIOUS MATTER	
SAMPLES CLASSED	Week	51,349		Bark	*	*
	Season		551,037	Grass	0.1	0.1
				Spindle Twist Preparation	0.7	0.1

\* Less than 0.05 percent.



**Cotton and Tobacco Program**  
 3275 Appling Road, Memphis, TN 38133  
 (901) 384-3016

## Extraneous Matter By Classing Office

11-Jan-19

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office  
 For the Week ending Thursday, January 10, 2019**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	22.3%	-	-	-	-	-	-	-	-	-	-	-	22.3%	-	90,479
Corpus Christi	-	-	10.1%	-	*	-	18.2%	-	-	-	-	-	-	-	28.4%	-	9,332
Dumas	3.5%	-	3.0%	-	0.2%	-	1.0%	-	*	-	-	-	-	-	7.7%	-	24,895
Florence	0.1%	-	5.8%	-	0.1%	-	*	-	-	-	-	-	-	-	5.9%	-	26,771
Lamesa	-	-	14.3%	-	-	-	*	-	-	-	-	-	-	-	14.3%	-	61,922
Lubbock	-	-	9.3%	-	-	-	*	-	*	-	-	-	*	-	9.3%	-	270,865
Macon	0.2%	-	18.3%	-	*	-	1.0%	-	-	-	-	-	*	-	19.5%	-	103,169
Memphis	*	-	1.7%	-	*	-	0.1%	-	-	-	-	-	-	-	1.8%	-	41,979
Rayville	-	-	21.8%	-	0.2%	-	0.1%	-	-	-	-	-	-	-	22.2%	-	12,591
Visalia	-	-	1.4%	-	*	-	0.3%	-	-	-	-	-	-	-	1.8%	-	34,867
<b>United States</b>	<b>0.2%</b>	<b>-</b>	<b>11.9%</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>0.5%</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>12.5%</b>	<b>*</b>	<b>676,870</b>

\* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office  
 For the Season ending Thursday, January 10, 2019**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	13.2%	-	*	-	*	-	*	-	-	-	*	-	13.2%	-	694,143
Corpus Christi	*	-	1.4%	-	0.7%	-	3.6%	-	*	-	-	-	*	-	5.7%	-	1,721,976
Dumas	0.7%	*	1.3%	-	0.2%	*	0.1%	-	*	-	*	-	*	-	2.3%	*	1,358,189
Florence	*	-	2.5%	-	0.1%	-	*	-	*	-	-	-	*	-	2.6%	-	1,176,709
Lamesa	*	-	10.4%	-	*	-	*	-	-	-	-	-	*	-	10.4%	-	673,032
Lubbock	*	-	8.5%	-	*	-	*	-	*	-	-	-	*	*	8.6%	*	2,786,076
Macon	0.1%	-	13.9%	*	0.1%	-	0.3%	-	-	-	-	-	*	-	14.3%	*	2,134,835
Memphis	*	-	1.1%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	1.2%	-	2,907,468
Rayville	*	-	4.3%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	4.6%	-	500,183
Visalia	*	-	0.8%	-	*	-	0.8%	-	-	-	*	-	-	-	1.6%	-	404,773
<b>United States</b>	<b>0.1%</b>	<b>*</b>	<b>5.7%</b>	<b>*</b>	<b>0.1%</b>	<b>*</b>	<b>0.5%</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>6.5%</b>	<b>*</b>	<b>14,357,384</b>

\* Less than 0.05 percent.