

## Quality of Cotton Classed by State

mp\_cn811

Volume 20, No. 24

11-Jan-19

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **STATE**,  
*For The Week Ending JANUARY 10, 2019*

State	Week		Season	
	Gins	Bales	Gins	Bales
<b>UPLAND</b>				
Alabama	21	34,666	29	718,455
Arizona	14	23,912	14	225,945
Arkansas	7	12,233	28	1,181,769
California	4	5,945	16	142,282
Florida	3	5,033	4	69,503
Georgia	57	71,824	59	1,625,610
Kansas	3	7,771	3	55,774
Louisiana	8	4,932	19	409,744
Mississippi	26	35,862	38	1,326,213
Missouri	5	10,296	21	750,357
New Mexico	2	3,848	2	28,314
North Carolina	15	8,655	33	685,007
Oklahoma	12	42,014	12	321,104
South Carolina	12	15,281	16	321,072
Tennessee	5	1,885	22	760,412
Texas	136	389,878	190	5,565,193
Virginia	3	2,835	4	170,630
<b>United States</b>	<b>333</b>	<b>676,870</b>	<b>510</b>	<b>14,357,384</b>
Percent Tenderable		60.5		66.7
<b>AMERICAN PIMA</b>				
Arizona	2	2,424	4	18,450
California	16	47,058	18	504,397
New Mexico *	1	-	1	-
Texas *	1	-	1	-
<b>United States</b>	<b>20</b>	<b>49,482</b>	<b>24</b>	<b>522,847</b>
<b>United States all cotton</b>	<b>351</b>	<b>726,352</b>	<b>523</b>	<b>14,880,231</b>

\*Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP\_CN106

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	*	0.2	0.3	0.2	5.8	11.1	34.2	55.7	*	*	0.2	1.0	
	4	0.1	0.4	0.4	0.2	2.1	4.2	10.4	12.1	0.1	*	0.3	2.0	
	5	*	*	-	*	0.1	0.3	0.1	0.1	-	-	0.1	0.2	
	6	-	-	-	-	-	*	-	*	-	-	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>0.1</b>	<b>0.7</b>	<b>0.7</b>	<b>0.4</b>	<b>8.1</b>	<b>15.7</b>	<b>44.8</b>	<b>67.9</b>	<b>0.1</b>	<b>*</b>	<b>0.6</b>	<b>3.2</b>
	31	1-2	1.0	1.5	0.3	0.5	9.8	11.5	22.5	10.7	0.3	0.3	0.7	3.3
3		9.1	12.6	1.5	4.3	22.7	15.0	22.9	14.0	5.9	5.8	4.8	21.7	
4		4.2	6.5	0.1	3.0	5.2	3.0	1.4	2.0	2.2	3.1	3.3	10.7	
5		0.1	0.5	-	0.3	0.5	0.3	-	0.2	0.1	0.1	0.6	0.7	
6		*	*	-	*	*	*	-	*	-	-	*	*	
7		-	-	-	-	-	*	-	*	-	-	-	*	
<b>Total</b>		-----	<b>14.4</b>	<b>21.1</b>	<b>1.9</b>	<b>8.1</b>	<b>38.3</b>	<b>29.8</b>	<b>46.8</b>	<b>27.0</b>	<b>8.6</b>	<b>9.3</b>	<b>9.4</b>	<b>36.5</b>
41		1-2	1.0	1.0	0.1	0.6	4.1	6.1	2.8	0.2	0.6	0.5	2.0	1.3
	3	17.5	15.7	7.7	15.4	20.5	20.5	2.0	0.4	22.2	17.5	20.1	16.8	
	4	27.1	23.8	27.5	30.7	12.4	10.2	0.1	0.1	27.4	33.3	21.6	20.3	
	5	7.0	8.0	6.2	11.1	3.0	2.0	-	*	3.7	6.1	4.6	4.1	
	6	1.1	1.0	0.3	0.9	0.3	0.2	-	*	*	0.2	0.3	0.2	
	7	0.1	*	*	*	*	*	-	*	*	*	*	*	
	<b>Total</b>	-----	<b>53.7</b>	<b>49.6</b>	<b>41.8</b>	<b>58.7</b>	<b>40.3</b>	<b>39.0</b>	<b>4.8</b>	<b>0.8</b>	<b>54.0</b>	<b>57.6</b>	<b>48.6</b>	<b>42.7</b>
	51	1-2	0.1	*	*	0.1	0.5	0.2	-	-	0.1	0.1	0.2	0.1
3		1.2	0.6	3.3	1.7	2.8	2.0	-	*	2.6	1.7	4.5	1.1	
4		4.3	1.8	19.3	6.5	2.1	2.1	-	-	8.4	6.1	7.2	2.1	
5		2.2	1.6	12.6	5.5	1.3	0.7	-	*	3.4	3.4	3.3	1.0	
6		0.4	0.6	1.2	0.8	0.2	0.1	-	*	0.4	0.3	0.5	0.2	
7		*	0.1	0.1	*	0.1	*	-	*	-	*	*	*	
<b>Total</b>		-----	<b>8.1</b>	<b>4.7</b>	<b>36.4</b>	<b>14.5</b>	<b>7.1</b>	<b>5.1</b>	<b>-</b>	<b>*</b>	<b>14.8</b>	<b>11.7</b>	<b>15.8</b>	<b>4.5</b>
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	*	-	-	-	*	*	*	
	4	*	*	*	*	-	-	-	-	0.1	*	*	*	
	5	-	*	*	*	-	-	-	-	-	*	*	*	
	6	-	*	-	*	-	-	-	-	-	-	-	*	
	7	-	*	-	*	-	-	-	-	-	*	-	*	
	<b>Total</b>	-----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>0.1</b>	<b>0.1</b>	<b>*</b>	<b>*</b>
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	*	
4		-	*	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		-----	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>*</b>
12 & 22		1-2	-	*	-	*	*	1.4	0.1	0.6	-	*	0.1	0.1
	3	*	*	-	*	*	0.8	0.5	0.6	0.1	*	0.1	0.1	
	4	*	*	-	*	0.1	0.3	*	*	-	-	*	*	
	5	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>0.1</b>	<b>2.5</b>	<b>0.6</b>	<b>1.3</b>	<b>0.1</b>	<b>*</b>	<b>0.1</b>	<b>0.1</b>
	32	1-2	0.2	0.1	-	*	0.1	0.2	0.1	0.5	-	*	0.2	0.3
3		1.5	1.6	*	0.3	1.8	1.0	1.2	1.9	0.8	0.3	1.2	2.0	
4		1.1	1.3	0.1	0.2	0.6	0.4	0.8	0.4	0.7	0.3	0.9	1.0	
5		0.1	0.2	*	*	0.1	0.2	0.1	*	0.1	*	0.1	0.1	
6		*	*	-	*	*	*	-	-	-	*	-	*	
7		-	*	-	-	*	*	-	-	-	-	-	-	
<b>Total</b>		-----	<b>3.0</b>	<b>3.2</b>	<b>0.1</b>	<b>0.6</b>	<b>2.6</b>	<b>1.8</b>	<b>2.2</b>	<b>2.8</b>	<b>1.6</b>	<b>0.7</b>	<b>2.3</b>	<b>3.4</b>
42		1-2	0.3	0.2	-	0.1	*	0.1	*	*	*	0.1	0.3	0.1
	3	3.3	4.3	1.4	3.8	1.0	1.5	0.3	0.1	3.8	2.8	3.9	2.1	
	4	5.6	7.9	7.0	7.3	1.3	1.8	0.3	0.1	5.3	4.7	6.0	3.3	
	5	1.6	2.9	1.5	2.2	0.3	0.5	*	*	1.2	1.2	2.0	0.9	
	6	0.7	0.4	*	0.2	*	0.1	-	*	-	0.1	0.1	0.1	
	7	0.1	*	-	*	*	*	-	-	-	-	*	*	
	<b>Total</b>	-----	<b>11.6</b>	<b>15.7</b>	<b>9.9</b>	<b>13.5</b>	<b>2.7</b>	<b>4.1</b>	<b>0.6</b>	<b>0.2</b>	<b>10.4</b>	<b>8.9</b>	<b>12.4</b>	<b>6.5</b>
	52	1-2	0.1	*	-	*	*	*	-	*	-	*	*	*
3		0.7	0.3	0.1	0.3	0.3	0.2	-	-	1.5	1.2	0.7	0.1	
4		1.8	1.0	3.2	1.3	0.3	0.6	-	-	4.4	5.1	2.5	0.5	
5		0.8	0.7	1.9	1.1	0.1	0.3	-	*	1.9	2.9	1.6	0.4	
6		0.2	0.2	0.1	0.2	*	0.1	-	*	0.2	0.4	0.3	0.1	
7		*	*	*	*	*	*	-	-	-	*	*	*	
<b>Total</b>		-----	<b>3.7</b>	<b>2.3</b>	<b>5.3</b>	<b>2.9</b>	<b>0.7</b>	<b>1.1</b>	<b>-</b>	<b>*</b>	<b>8.0</b>	<b>9.6</b>	<b>5.1</b>	<b>1.1</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	0.1	*	-	*	-	*	-	*	-	*	-	*
	4	0.1	*	-	*	*	*	-	*	0.1	0.1	*	*
	5	0.1	*	-	*	-	*	-	*	0.1	0.1	*	*
	6	*	*	-	*	-	*	-	*	-	*	*	*
	7	-	*	*	*	-	*	-	*	-	*	*	*
<b>Total</b>	-----	<b>0.3</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>0.2</b>	<b>0.2</b>	<b>0.1</b>	<b>*</b>
13 & 23	1-2	-	*	-	*	-	0.1	-	*	-	-	*	*
	3	-	*	-	*	-	0.1	-	*	-	-	*	*
	4	-	-	-	*	-	*	-	*	-	-	*	*
	5	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>0.2</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>*</b>	<b>*</b>
33	1-2	*	*	-	*	-	*	-	*	-	*	0.1	0.1
	3	0.3	0.1	-	*	*	*	-	*	0.1	*	0.3	0.3
	4	0.3	0.1	-	*	*	0.1	-	*	0.1	*	0.2	0.1
	5	0.1	*	-	*	*	0.1	-	*	*	*	*	*
	6	*	*	-	-	*	*	-	-	-	-	*	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
<b>Total</b>	-----	<b>0.7</b>	<b>0.2</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>0.2</b>	<b>-</b>	<b>*</b>	<b>0.2</b>	<b>0.1</b>	<b>0.6</b>	<b>0.5</b>
43	1-2	*	*	-	*	-	*	-	*	-	*	0.1	*
	3	0.6	0.3	0.5	0.2	*	*	*	*	0.2	0.3	0.8	0.4
	4	1.1	0.8	1.1	0.5	*	0.1	0.2	*	0.7	0.5	1.5	0.6
	5	0.5	0.4	0.2	0.2	-	0.1	*	*	0.4	0.1	0.7	0.2
	6	0.1	0.1	-	*	*	*	-	-	*	*	*	*
	7	*	*	-	*	-	*	-	-	-	-	*	*
<b>Total</b>	-----	<b>2.4</b>	<b>1.7</b>	<b>1.9</b>	<b>0.8</b>	<b>*</b>	<b>0.3</b>	<b>0.2</b>	<b>*</b>	<b>1.4</b>	<b>1.0</b>	<b>3.1</b>	<b>1.2</b>
53	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	0.1	0.1	*	*	-	*	-	*	0.2	0.1	0.1	*
	4	0.6	0.2	1.1	0.1	-	*	-	*	0.2	0.4	0.5	0.1
	5	0.5	0.2	0.6	0.1	-	*	-	*	0.1	0.3	0.4	0.1
	6	0.1	0.1	*	*	-	*	-	*	-	0.1	0.1	*
	7	*	*	-	*	-	*	-	*	-	*	*	*
<b>Total</b>	-----	<b>1.4</b>	<b>0.5</b>	<b>1.7</b>	<b>0.3</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>0.6</b>	<b>0.9</b>	<b>1.2</b>	<b>0.2</b>
63	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	*	*	-	*	-	*	-	*	-	*	-	*
	4	*	*	-	*	-	*	-	*	-	*	-	*
	5	*	*	-	*	-	*	-	*	-	*	-	*
	6	*	*	-	*	-	*	-	*	-	*	-	*
	7	*	*	-	*	-	*	-	*	-	*	-	*
<b>Total</b>	-----	<b>0.1</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>
24 - 54	1-7	0.5	0.2	0.2	*	*	0.1	-	*	-	*	0.4	0.2
25 - 35	1-7	-	*	-	*	-	*	-	*	-	*	-	*
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	*	*	0.7	0.3
All Colors	8 2/	*	*	*	*	*	0.1	*	*	*	*	*	*
<b>EXTRANEIOUS MATTER</b>													
Bark - Level 1		15.0	12.0	2.4	1.6	1.7	1.1	0.4	0.1	24.6	22.5	17.9	12.4
Bark - Level 2		-	*	-	-	-	-	-	-	-	*	-	*
Grass - Level 1		*	0.1	0.3	0.2	*	*	-	0.1	-	*	*	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		0.1	0.1	2.3	0.1	-	*	-	*	-	*	0.2	0.1
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	-	*	-	-	-	-	-	-	-	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	-	-	*	-	-	-	*
32		*	*	-	*	*	*	-	*	-	*	0.2	0.1
33		0.7	0.5	-	*	2.0	0.1	0.8	0.1	0.4	0.1	1.7	1.1
34		3.7	3.1	*	0.4	2.0	2.2	2.0	0.2	7.3	1.7	9.9	6.1
35		11.1	10.7	1.3	2.8	6.4	7.8	4.0	2.1	9.5	3.9	16.5	14.3
36		22.8	21.7	7.4	11.5	20.1	19.0	9.3	7.5	11.3	11.8	19.1	18.8
37		33.3	37.3	49.0	37.0	23.5	29.2	60.7	26.9	21.3	34.2	29.4	28.6
38 & longer		28.4	26.7	42.3	48.2	47.9	41.6	23.2	63.2	50.2	48.4	23.2	31.1
<b>Average staple</b>		<b>36.8</b>	<b>36.8</b>	<b>37.5</b>	<b>37.6</b>	<b>37.5</b>	<b>37.3</b>	<b>37.0</b>	<b>38.1</b>	<b>37.1</b>	<b>37.4</b>	<b>36.4</b>	<b>36.7</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 1.1	Pct. 2.5	-	0.7	-	0.7	*	0.4	*	0.1	Pct. 12.7	Pct. 13.9
	3	5.1	3.5	-	1.2	*	0.7	0.5	0.9	*	0.2	7.4	6.5
	4	0.6	0.3	-	0.1	-	*	0.1	0.1	-	*	0.2	0.2
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>6.8</b>	<b>6.3</b>	-	<b>1.9</b>	*	<b>1.4</b>	<b>0.6</b>	<b>1.4</b>	*	<b>0.3</b>	<b>20.3</b>
31	1-2	2.3	6.2	1.3	2.8	1.8	0.9	0.7	1.8	0.3	1.7	14.5	17.6
	3	17.8	20.4	7.0	16.3	13.5	6.8	9.3	14.0	5.9	13.7	39.6	25.9
	4	14.8	8.2	1.0	6.6	1.2	3.1	4.3	7.0	3.5	7.3	10.4	4.6
	5	1.0	1.0	*	0.4	*	0.3	0.1	0.4	0.3	0.8	1.0	0.7
	6	-	*	-	*	-	*	-	*	-	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*
	<b>Total</b>	-----	<b>35.9</b>	<b>35.8</b>	<b>9.3</b>	<b>26.1</b>	<b>16.5</b>	<b>11.1</b>	<b>14.4</b>	<b>23.3</b>	<b>9.9</b>	<b>23.4</b>	<b>65.4</b>
41	1-2	*	0.4	3.6	1.9	0.9	0.8	0.9	1.2	0.8	1.6	1.2	2.6
	3	2.0	5.6	26.6	18.7	20.0	21.4	21.6	17.2	19.1	23.8	6.5	15.2
	4	17.1	13.3	17.8	19.7	30.5	33.8	30.9	30.9	26.3	24.3	2.5	8.5
	5	14.1	9.5	0.9	4.3	10.2	8.8	6.5	9.9	8.7	5.4	0.7	2.0
	6	2.1	1.8	-	0.3	0.4	0.4	0.3	0.7	1.1	0.4	-	0.6
	7	*	0.1	-	-	-	-	*	*	0.1	*	-	0.2
	<b>Total</b>	-----	<b>35.4</b>	<b>30.8</b>	<b>48.9</b>	<b>44.8</b>	<b>62.0</b>	<b>65.2</b>	<b>60.2</b>	<b>59.9</b>	<b>56.1</b>	<b>55.5</b>	<b>10.9</b>
51	1-2	-	-	0.6	0.2	-	*	*	*	0.1	0.1	-	-
	3	-	*	2.4	1.5	0.4	0.7	0.8	0.4	2.1	1.4	-	*
	4	1.1	1.1	2.4	1.7	6.2	3.9	3.7	1.7	5.0	2.0	-	0.2
	5	7.7	2.7	0.1	0.6	6.1	2.9	1.8	1.6	4.1	1.0	*	0.1
	6	2.2	1.3	-	0.1	0.7	0.3	0.3	0.3	0.8	0.2	-	*
	7	0.1	0.4	-	*	*	*	0.2	*	0.1	*	-	*
	<b>Total</b>	-----	<b>11.2</b>	<b>5.6</b>	<b>5.6</b>	<b>4.1</b>	<b>13.5</b>	<b>7.9</b>	<b>6.8</b>	<b>4.1</b>	<b>12.2</b>	<b>4.7</b>	*
61	1-2	-	-	-	-	-	-	-	-	-	*	-	-
	3	-	-	*	*	-	*	-	*	0.4	*	-	-
	4	-	-	-	*	-	*	-	*	0.2	*	-	-
	5	-	-	-	*	-	*	*	*	*	*	-	-
	6	-	-	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	*	-	-
	<b>Total</b>	-----	-	*	*	*	-	*	*	*	0.6	*	-
71	1-2	-	-	-	-	-	-	*	*	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	-	0.3	*	-	-
	5	-	-	-	-	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	-	-	-	-	*	*	0.5	*	-
12 & 22	1-2	-	0.2	-	*	-	*	*	*	-	*	-	*
	3	0.2	0.7	-	*	-	*	*	*	-	*	0.1	*
	4	0.2	0.3	-	*	-	*	*	*	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.3</b>	<b>1.2</b>	-	<b>0.1</b>	-	*	*	*	-	*	<b>0.1</b>
32	1-2	*	0.1	0.1	0.2	-	*	*	*	-	0.1	-	-
	3	0.9	1.4	1.1	1.2	0.9	0.4	0.6	0.5	0.4	0.8	0.8	0.1
	4	2.1	2.2	0.6	0.6	0.3	0.2	0.8	0.5	0.3	0.5	1.7	0.3
	5	0.3	0.7	*	*	*	*	0.1	0.1	0.1	*	0.2	*
	6	-	*	-	*	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>3.4</b>	<b>4.4</b>	<b>1.8</b>	<b>2.1</b>	<b>1.2</b>	<b>0.7</b>	<b>1.6</b>	<b>1.1</b>	<b>0.8</b>	<b>1.5</b>	<b>2.7</b>
42	1-2	-	-	1.2	0.4	-	0.1	0.1	0.1	0.1	0.4	-	*
	3	*	*	5.0	4.5	1.0	3.6	2.2	1.4	3.8	4.8	*	0.2
	4	0.7	1.0	6.2	5.6	2.4	6.3	6.8	3.7	5.5	4.5	0.2	0.1
	5	2.4	1.8	1.2	1.3	0.4	1.6	2.5	2.0	1.2	0.8	0.1	*
	6	1.1	0.6	*	*	*	0.1	0.2	0.2	0.5	0.1	*	*
	7	0.1	0.1	-	*	-	-	-	*	0.1	*	-	-
	<b>Total</b>	-----	<b>4.3</b>	<b>3.6</b>	<b>13.6</b>	<b>11.8</b>	<b>3.9</b>	<b>11.6</b>	<b>11.8</b>	<b>7.4</b>	<b>11.4</b>	<b>10.5</b>	<b>0.4</b>
52	1-2	-	-	0.5	0.2	-	*	*	*	*	0.1	-	-
	3	-	-	4.3	1.7	0.1	0.1	0.2	0.1	0.8	0.9	-	*
	4	*	0.4	4.0	2.4	0.3	0.7	0.8	0.5	1.7	1.2	-	-
	5	0.6	1.3	1.2	0.9	0.6	0.6	0.5	0.7	0.9	0.4	-	-
	6	0.6	0.5	*	0.1	0.1	0.1	0.2	0.2	0.5	0.1	*	*
	7	0.1	*	-	*	-	-	*	*	0.1	*	-	*
	<b>Total</b>	-----	<b>1.3</b>	<b>2.2</b>	<b>10.1</b>	<b>5.3</b>	<b>1.1</b>	<b>1.4</b>	<b>1.6</b>	<b>1.6</b>	<b>4.0</b>	<b>2.8</b>	*

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	0.1	*	-	*	-	*	*	*	-	-
	4	-	-	0.1	*	-	*	-	*	*	*	-	-
	5	-	-	-	*	-	*	-	*	*	*	-	-
	6	-	*	-	*	-	*	-	*	0.1	*	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
	<b>Total</b>	-----	-	*	0.2	0.1	-	*	-	*	0.1	0.1	-
13 & 23	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	0.1	0.6	-	-	-	-	-	*	-	*	-	*
	4	0.1	0.6	-	-	-	-	-	*	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	0.2	1.2	-	*	-	*	-	*	-	*	-
33	1-2	-	0.1	*	*	*	*	*	*	-	*	-	*
	3	0.1	0.6	0.1	0.1	0.1	*	0.1	*	0.1	*	-	*
	4	0.7	1.6	0.1	*	0.1	*	0.1	*	0.1	*	-	-
	5	0.1	0.7	-	*	*	*	*	*	*	*	-	-
	6	*	0.1	-	-	-	-	-	*	*	*	-	-
	7	-	*	-	-	-	-	-	*	*	*	-	-
	<b>Total</b>	-----	1.0	2.9	0.2	0.1	0.3	*	0.3	0.1	0.2	0.1	-
43	1-2	-	*	0.5	0.1	-	*	-	*	-	*	-	*
	3	-	-	1.6	0.5	0.3	0.1	0.2	0.1	0.6	0.2	-	*
	4	*	0.1	2.6	0.8	0.6	0.3	1.0	0.3	1.1	0.3	0.1	*
	5	0.1	0.2	0.5	0.3	0.2	0.1	0.6	0.2	0.3	0.1	0.1	*
	6	0.1	0.1	-	*	-	*	0.1	*	0.1	*	0.1	*
	7	-	*	-	-	-	*	*	*	0.1	*	-	-
	<b>Total</b>	-----	0.2	0.4	5.2	1.7	1.1	0.5	1.9	0.7	2.2	0.7	0.2
53	1-2	-	-	0.3	*	-	*	-	*	-	*	-	*
	3	-	-	1.8	0.4	*	-	*	*	0.4	0.1	-	-
	4	-	*	1.9	0.6	0.1	*	0.1	0.1	0.9	0.1	-	-
	5	*	*	0.2	0.4	0.1	*	0.2	0.1	0.3	0.1	-	*
	6	*	*	*	*	*	*	0.1	0.1	0.1	*	-	-
	7	-	*	-	*	-	*	*	*	*	*	-	-
	<b>Total</b>	-----	*	*	4.3	1.5	0.2	0.1	0.5	0.3	1.7	0.2	-
63	1-2	-	-	-	*	-	*	-	*	-	*	-	*
	3	-	-	-	0.1	-	-	-	*	-	*	-	-
	4	-	-	0.1	0.1	-	*	-	*	*	*	-	-
	5	-	-	-	0.1	-	-	-	*	*	*	-	-
	6	-	*	-	*	-	-	-	*	*	*	-	-
	7	-	-	-	*	-	-	-	*	*	*	-	-
	<b>Total</b>	-----	-	*	0.1	0.3	-	*	-	*	0.1	*	-
24 - 54	1-7	-	4.2	0.6	0.2	0.1	*	0.2	0.1	0.1	0.1	-	*
25 - 35	1-7	-	0.6	-	*	-	-	-	*	-	-	-	-
81 - 85 1/	1-7	*	0.6	0.2	*	*	*	*	*	*	*	*	*
All Colors	82/	*	0.1	*	*	*	*	0.1	*	0.1	*	*	*
<b>EXTRANEIOUS MATTER</b>													
Bark - Level 1		48.5	30.8	1.6	2.5	0.3	0.7	2.1	1.1	10.6	2.3	1.6	1.3
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	0.5	0.1	*	0.1	0.1	0.2	0.1	0.1	-	-
Grass - Level 2		-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1		-	-	-	-	*	*	1.7	0.6	0.1	*	-	-
Prep - Level 2		-	-	-	-	-	-	-	*	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	*	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	*	-	-
30		-	-	-	-	-	-	-	-	-	*	-	-
31		-	*	-	*	-	*	-	*	-	*	-	-
32		-	*	-	*	-	*	-	*	-	*	-	-
33		*	0.4	*	0.3	-	*	0.1	0.3	1.5	0.9	-	0.3
34		2.3	2.4	3.2	2.7	0.7	0.3	1.4	2.3	7.9	5.5	-	0.7
35		27.5	21.0	16.4	10.0	2.4	2.8	6.7	7.8	16.0	18.1	0.8	4.5
36		41.4	38.5	29.4	18.1	17.0	11.3	14.3	15.2	25.9	26.2	6.6	9.2
37		21.8	31.5	23.5	27.0	55.5	41.9	32.7	29.5	34.5	28.3	23.4	27.9
38 & longer		6.9	6.1	27.4	41.9	24.4	43.6	44.7	44.9	14.2	21.0	69.3	57.3
<b>Average staple</b>		<b>36.0</b>	<b>36.2</b>	<b>36.6</b>	<b>37.2</b>	<b>37.2</b>	<b>37.5</b>	<b>37.3</b>	<b>37.3</b>	<b>36.3</b>	<b>36.4</b>	<b>38.3</b>	<b>37.9</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 4.4	Pct. 1.7	Pct. *	Pct. 0.1	Pct. -	Pct. 0.8	Pct. 5.6	Pct. 8.2	Pct. *	Pct. 0.1
	3	3.0	1.8	0.2	0.4	-	0.7	6.2	6.5	0.2	0.2
	4	0.2	0.2	0.1	*	-	*	0.8	0.7	-	*
	5	*	*	-	-	-	-	*	*	-	-
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>7.6</b>	<b>3.7</b>	<b>0.3</b>	<b>0.6</b>	<b>-</b>	<b>1.6</b>	<b>12.6</b>	<b>15.4</b>	<b>0.2</b>
31	1-2	12.4	8.4	1.1	1.2	-	1.7	10.5	8.5	1.6	3.9
	3	28.4	26.7	7.0	10.5	-	5.5	26.7	21.5	11.3	23.1
	4	8.0	7.2	6.4	8.0	-	1.5	11.2	8.8	2.2	4.8
	5	0.8	0.5	0.6	0.7	-	0.1	1.6	1.3	0.1	0.1
	6	0.1	*	-	*	-	*	0.1	0.1	-	*
	7	-	-	-	-	-	-	*	*	-	-
	<b>Total</b>	-----	<b>49.7</b>	<b>42.9</b>	<b>15.0</b>	<b>20.3</b>	<b>-</b>	<b>8.8</b>	<b>50.0</b>	<b>40.2</b>	<b>15.1</b>
41	1-2	2.5	2.4	1.2	1.7	0.1	4.0	0.9	1.5	2.2	2.8
	3	13.0	20.9	15.1	17.9	6.7	21.8	5.1	8.3	35.7	34.9
	4	11.9	15.9	27.1	27.5	22.4	15.5	6.5	8.7	23.1	14.3
	5	5.1	4.0	7.6	7.8	14.1	2.4	3.5	3.8	4.1	0.7
	6	0.6	0.5	0.5	0.5	0.2	0.1	1.0	0.9	0.2	*
	7	*	*	*	*	-	-	0.2	0.2	-	-
	<b>Total</b>	-----	<b>33.1</b>	<b>43.7</b>	<b>51.5</b>	<b>55.4</b>	<b>43.4</b>	<b>43.7</b>	<b>17.2</b>	<b>23.3</b>	<b>65.2</b>
51	1-2	-	*	*	0.3	-	0.1	0.1	0.2	*	*
	3	0.1	0.1	2.6	2.0	0.5	2.3	0.4	0.8	2.2	0.6
	4	0.6	0.4	5.5	3.4	16.7	4.0	0.3	0.6	2.0	0.4
	5	0.4	0.5	3.3	2.3	30.6	1.7	0.1	0.2	1.0	0.1
	6	0.2	0.2	0.9	0.4	5.3	0.1	0.1	0.1	0.2	*
	7	0.1	*	*	*	0.1	*	0.1	0.1	-	*
	<b>Total</b>	-----	<b>1.4</b>	<b>1.4</b>	<b>12.2</b>	<b>8.3</b>	<b>53.1</b>	<b>8.3</b>	<b>1.0</b>	<b>2.0</b>	<b>5.5</b>
61	1-2	-	-	-	*	-	*	*	*	-	-
	3	-	-	*	*	-	*	*	*	-	-
	4	-	-	*	*	-	*	*	*	-	*
	5	-	-	-	*	-	*	*	*	-	-
	6	-	-	*	*	-	*	-	*	-	-
	7	-	-	*	*	-	*	-	*	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>0.1</b>	<b>-</b>
71	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>*</b>	<b>-</b>
12 & 22	1-2	*	0.1	-	*	-	0.1	0.4	1.5	-	*
	3	0.2	0.2	*	0.1	-	0.1	1.0	1.7	-	*
	4	0.1	*	-	*	-	*	0.3	0.4	-	*
	5	*	*	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.2</b>	<b>0.4</b>	<b>*</b>	<b>0.1</b>	<b>-</b>	<b>0.1</b>	<b>1.7</b>	<b>3.6</b>	<b>-</b>
32	1-2	0.1	0.1	0.1	0.2	-	0.6	0.8	0.7	-	0.2
	3	0.7	0.9	1.0	1.3	-	1.7	3.9	2.7	0.5	1.4
	4	0.5	0.7	0.6	0.7	-	0.6	2.7	1.8	0.5	0.4
	5	0.2	0.2	0.1	0.1	-	*	0.8	0.4	*	*
	6	-	*	-	*	-	*	0.1	*	-	*
	7	-	-	-	-	-	-	*	*	-	-
	<b>Total</b>	-----	<b>1.6</b>	<b>1.9</b>	<b>1.9</b>	<b>2.2</b>	<b>-</b>	<b>3.0</b>	<b>8.4</b>	<b>5.6</b>	<b>1.0</b>
42	1-2	0.2	0.2	0.1	0.5	-	1.8	0.2	0.2	*	0.5
	3	1.2	1.3	2.7	3.1	0.1	13.9	0.9	1.5	2.5	6.3
	4	1.1	1.3	4.8	3.4	1.1	10.3	1.2	1.6	5.7	3.4
	5	0.9	0.6	2.0	1.1	0.2	1.6	0.8	0.6	1.4	0.2
	6	0.3	0.2	0.3	0.1	0.1	0.1	0.4	0.2	*	*
	7	*	*	-	-	-	-	0.1	*	-	-
	<b>Total</b>	-----	<b>3.6</b>	<b>3.6</b>	<b>9.9</b>	<b>8.3</b>	<b>1.4</b>	<b>27.7</b>	<b>3.5</b>	<b>4.2</b>	<b>9.6</b>
52	1-2	*	*	-	0.1	-	*	*	0.1	-	*
	3	0.2	0.1	0.8	0.9	-	0.8	0.2	0.6	0.1	0.6
	4	0.2	0.2	1.7	1.1	0.2	2.1	0.4	0.8	0.5	0.3
	5	0.2	0.2	1.5	0.6	0.4	1.0	0.1	0.3	0.4	*
	6	0.1	0.1	0.9	0.2	0.1	0.1	*	0.1	0.1	*
	7	*	*	0.1	*	-	*	*	*	-	-
	<b>Total</b>	-----	<b>0.6</b>	<b>0.6</b>	<b>5.0</b>	<b>2.8</b>	<b>0.6</b>	<b>4.0</b>	<b>0.8</b>	<b>1.9</b>	<b>1.0</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	*	-	-	*	*	-	-
	3	-	*	-	*	-	*	0.1	0.1	-	-
	4	-	*	-	*	-	*	0.1	0.2	-	-
	5	-	-	*	*	-	*	*	0.1	-	-
	6	-	*	0.1	*	-	*	*	*	-	-
	7	-	*	0.1	*	-	*	*	*	-	-
	<b>Total</b>	-----	-	*	<b>0.1</b>	<b>0.1</b>	-	*	<b>0.2</b>	<b>0.4</b>	-
13 & 23	1-2	*	*	-	*	-	*	0.1	0.1	-	*
	3	*	*	-	*	-	*	0.1	0.2	-	*
	4	*	*	-	*	-	-	*	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	*	*	*	*	-	*	<b>0.2</b>	<b>0.4</b>	-
33	1-2	*	*	*	*	-	*	0.1	0.1	-	*
	3	0.3	0.2	0.2	0.1	-	0.1	0.6	0.3	0.4	*
	4	0.2	0.2	0.2	0.1	-	*	0.7	0.3	0.5	*
	5	*	*	*	*	-	*	0.3	0.1	-	*
	6	*	*	-	*	-	*	0.1	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	<b>Total</b>	-----	<b>0.6</b>	<b>0.5</b>	<b>0.5</b>	<b>0.2</b>	-	<b>0.1</b>	<b>1.8</b>	<b>0.8</b>	<b>0.8</b>
43	1-2	*	*	-	*	-	0.1	*	*	*	*
	3	0.1	0.1	0.4	0.3	0.4	1.0	0.2	0.2	0.3	0.2
	4	0.3	0.2	1.0	0.6	0.1	0.8	0.3	0.3	0.8	0.2
	5	0.2	0.2	0.5	0.3	0.1	0.1	0.3	0.2	0.2	*
	6	0.1	0.1	0.1	*	-	*	0.2	0.1	-	*
	7	*	*	*	*	-	*	0.1	*	-	-
	<b>Total</b>	-----	<b>0.6</b>	<b>0.6</b>	<b>2.0</b>	<b>1.2</b>	<b>0.5</b>	<b>2.1</b>	<b>1.0</b>	<b>0.7</b>	<b>1.4</b>
53	1-2	*	*	-	*	-	*	*	*	-	*
	3	0.2	0.1	*	0.1	-	0.1	0.1	0.1	-	*
	4	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.3	*	*
	5	0.1	*	0.5	0.1	0.3	0.1	0.2	0.2	*	*
	6	*	*	0.3	*	0.1	*	*	0.1	-	*
	7	*	*	*	*	-	*	*	*	-	-
	<b>Total</b>	-----	<b>0.6</b>	<b>0.3</b>	<b>1.1</b>	<b>0.4</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.7</b>	<b>0.1</b>
63	1-2	-	-	-	-	-	-	*	*	-	-
	3	*	*	-	-	-	*	*	*	-	-
	4	*	*	-	*	-	*	0.1	0.2	-	-
	5	-	*	*	*	-	*	0.2	0.2	-	-
	6	-	-	*	*	-	*	0.1	0.1	-	-
	7	-	-	*	*	-	-	*	*	-	-
	<b>Total</b>	-----	*	*	*	*	-	-	<b>0.5</b>	<b>0.5</b>	-
24 - 54	1-7	0.2	0.3	0.5	0.1	0.2	0.1	0.3	0.2	0.1	*
25 - 35	1-7	-	*	-	-	-	-	*	*	-	-
81 - 85 1/	1-7	*	0.1	*	*	0.4	*	0.1	0.1	*	*
All Colors	8 2/	*	*	*	*	*	*	<b>0.2</b>	<b>0.1</b>	*	*
<b>EXTRANEOUS MATTER</b>											
Bark - Level 1		11.5	5.7	3.8	4.1	1.4	0.4	12.6	7.2	1.8	0.3
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	0.1	0.1	-	*	*	0.2	-	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	0.1	*	-	*	*	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	*	-	-	*	*	-	-
Other - Level 2		-	-	-	-	-	-	-	*	-	-
<b>STAPLE</b>											
28 & shorter		-	-	-	-	-	-	-	*	-	-
29		-	-	-	-	-	-	*	*	-	-
30		-	*	*	*	-	*	*	0.1	-	-
31		*	0.1	*	*	-	*	*	0.3	-	-
32		0.4	0.6	0.2	0.1	-	*	0.4	1.0	*	*
33		2.6	2.5	3.6	1.9	-	0.1	3.2	3.4	0.6	0.7
34		10.4	7.3	10.8	6.4	-	1.4	12.1	10.0	6.6	9.4
35		17.4	13.1	17.1	12.3	0.4	12.5	25.0	20.3	16.0	26.1
36		23.9	22.6	21.0	17.2	11.2	35.4	28.0	25.5	32.3	29.6
37		26.4	29.5	32.3	30.7	30.9	38.6	21.4	24.7	39.3	22.6
38 & longer		19.0	24.4	15.1	31.4	57.6	11.9	9.9	14.8	5.1	11.5
<b>Average staple</b>		<b>36.2</b>	<b>36.5</b>	<b>36.2</b>	<b>36.7</b>	<b>37.5</b>	<b>36.5</b>	<b>35.8</b>	<b>36.0</b>	<b>36.2</b>	<b>36.0</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	*
21	-	-	-	-	-	-	-	-	-	-	-	*
22	-	-	-	-	-	-	-	-	-	-	-	*
23	-	*	-	*	-	-	-	-	-	*	*	*
24	*	0.1	-	*	-	*	-	-	0.7	0.1	0.2	0.1
25	0.5	0.4	*	*	*	*	-	-	2.7	0.7	1.5	0.9
26	2.4	1.9	1.8	0.5	*	0.1	-	*	4.7	3.3	5.6	4.2
27	10.9	8.1	5.9	2.7	0.8	0.6	0.5	*	13.7	11.5	13.4	11.5
28	22.3	22.1	20.5	9.9	2.8	3.3	0.5	0.1	24.7	30.1	19.9	20.1
29	27.7	32.0	27.7	26.1	7.7	10.1	1.9	1.0	35.3	33.0	22.8	25.5
30	23.2	21.9	16.1	28.8	18.0	18.2	2.4	2.6	16.7	14.9	18.2	20.4
31	9.0	9.1	14.0	18.4	20.3	22.7	2.5	4.9	1.4	5.3	10.8	10.7
32	2.6	3.1	10.5	9.1	19.7	19.9	11.0	9.9	0.2	0.8	4.9	4.3
33	0.9	0.9	2.4	3.4	13.0	13.7	31.7	16.9	*	0.2	2.0	1.5
34	0.2	0.2	0.7	0.8	8.7	6.7	24.9	14.5	-	*	0.6	0.5
35	0.1	0.1	0.2	0.2	6.0	3.2	18.2	12.0	-	*	0.2	0.1
36 & above	*	*	*	*	2.9	1.4	6.4	38.1	-	-	0.1	0.1
<b>Average</b>	<b>29.0</b>	<b>29.0</b>	<b>29.5</b>	<b>29.9</b>	<b>31.6</b>	<b>31.3</b>	<b>33.5</b>	<b>34.5</b>	<b>28.3</b>	<b>28.6</b>	<b>28.9</b>	<b>29.0</b>
MIKE												
24 & below	-	-	-	-	0.1	*	-	-	-	-	-	-
25	-	*	-	*	0.1	*	-	*	-	-	-	*
26	-	*	-	*	0.1	*	-	0.1	-	-	-	*
27	-	*	-	*	0.1	*	-	0.1	-	-	-	*
28	-	*	*	*	0.1	*	-	0.1	-	-	*	*
29	*	*	*	*	*	*	-	0.1	-	-	*	*
30	*	*	*	*	*	0.1	-	0.2	-	*	0.1	*
31	*	*	*	*	*	0.1	-	0.3	-	-	0.1	0.1
32	0.1	0.1	-	*	0.1	0.1	-	0.5	-	-	0.2	0.2
33	0.2	0.3	-	*	*	0.2	-	0.9	-	*	0.2	0.4
34	0.5	0.4	-	*	0.1	0.3	0.2	1.2	-	*	0.7	0.8
35	0.7	0.7	-	0.1	0.4	0.4	-	1.2	-	0.1	1.0	1.3
36	1.1	1.2	*	0.1	1.0	0.6	0.2	1.7	0.5	0.2	1.2	1.7
37	1.5	2.1	*	0.2	1.4	0.8	*	2.4	*	0.4	1.7	2.4
38	2.1	3.1	0.2	0.4	1.1	1.2	0.2	2.7	0.4	1.0	2.5	3.7
39	4.1	4.1	0.5	0.8	0.9	1.6	1.9	3.8	0.9	1.6	4.3	5.9
40	6.7	5.9	0.9	1.6	1.1	2.2	1.9	4.5	2.5	3.7	7.0	8.5
41	7.7	7.3	2.1	2.8	3.0	3.6	9.5	6.5	5.9	5.9	10.4	11.5
42	10.0	9.1	4.6	4.8	3.0	4.4	11.7	8.3	11.0	8.9	12.7	14.0
43	10.8	10.6	12.6	7.0	6.9	6.0	10.2	9.7	13.3	12.1	13.5	14.1
44	13.3	11.1	9.4	9.9	7.9	7.2	12.9	11.3	13.2	12.7	12.8	12.4
45	13.3	11.1	10.3	12.5	10.7	8.8	16.4	11.2	11.0	15.2	10.5	9.4
46	10.6	9.8	15.5	13.8	12.0	10.8	17.4	11.4	10.1	13.6	8.7	6.2
47	8.1	8.0	15.1	13.3	11.4	12.4	11.2	8.5	11.4	10.5	5.4	3.7
48	5.4	6.0	11.1	11.5	9.5	11.5	5.1	5.9	10.1	7.1	3.6	2.0
49	2.5	4.0	6.5	8.3	10.2	9.8	0.7	3.0	7.5	4.8	2.1	1.0
50	0.8	2.5	4.6	5.6	8.8	7.8	0.3	1.7	1.4	1.6	1.0	0.4
51	0.4	1.4	3.8	3.4	6.3	5.5	*	1.1	0.7	0.4	0.2	0.1
52	0.1	0.8	2.1	2.0	2.1	2.7	-	1.1	*	0.1	*	*
53	*	0.3	0.6	1.0	0.9	1.1	-	0.5	-	*	*	*
54	*	0.1	0.2	0.4	0.5	0.4	-	0.2	-	-	*	*
55	*	*	*	0.2	0.1	0.1	-	0.1	-	-	*	*
56	-	*	*	0.1	*	0.2	-	*	-	-	-	*
57	*	*	-	*	-	0.2	-	*	-	-	-	*
58	-	*	-	-	-	-	-	*	-	-	-	-
59	-	*	-	-	-	-	-	-	-	-	-	-
60 & above	-	*	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>44</b>	<b>44</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>44</b>	<b>44</b>	<b>45</b>	<b>45</b>	<b>43</b>	<b>42</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.



**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	*	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	*	-	*	-	-	-	*	-	*	-	-
23	-	*	-	*	-	*	-	*	0.2	*	-	-
24	-	0.1	-	*	-	*	*	*	0.6	0.1	-	-
25	*	0.4	-	*	*	*	0.1	0.1	2.7	0.4	-	-
26	0.1	1.1	0.4	0.3	1.0	0.5	1.3	0.9	5.8	1.9	-	*
27	4.8	3.9	1.4	1.5	7.6	2.7	4.1	3.0	11.9	5.0	2.6	1.3
28	21.2	16.9	8.1	5.7	19.6	11.6	12.1	8.8	22.6	11.2	9.7	5.7
29	34.3	31.7	26.7	17.6	28.9	24.4	29.5	22.0	21.1	19.8	14.7	18.7
30	13.6	21.9	24.4	30.6	24.8	28.2	30.5	31.0	16.6	23.8	19.3	30.1
31	11.5	14.4	22.2	22.8	10.5	17.4	14.9	21.1	10.9	18.1	27.9	25.6
32	8.6	7.9	11.9	12.9	5.5	8.8	5.7	8.6	5.9	10.8	14.9	13.8
33	3.4	1.3	3.8	5.6	1.4	4.5	1.6	3.2	1.3	5.7	8.2	3.9
34	1.5	0.3	1.0	2.1	0.4	1.6	0.3	0.9	0.3	2.4	2.5	0.8
35	0.8	0.1	0.1	0.6	0.1	0.3	*	0.2	0.1	0.6	0.1	*
36 & above	*	*	*	0.2	0.1	*	*	*	*	0.1	-	*
<b>Average</b>	<b>29.5</b>	<b>29.5</b>	<b>30.1</b>	<b>30.4</b>	<b>29.3</b>	<b>29.9</b>	<b>29.6</b>	<b>29.9</b>	<b>28.8</b>	<b>30.0</b>	<b>30.5</b>	<b>30.3</b>
MIKE												
24 & below	-	*	-	-	-	-	-	-	-	*	-	*
25	*	0.1	-	*	-	-	-	-	-	-	-	*
26	0.8	0.5	-	-	-	-	-	-	-	-	-	0.1
27	1.9	0.7	-	-	-	*	-	-	-	*	0.4	0.2
28	1.1	0.9	-	-	-	-	-	-	-	*	0.1	0.4
29	1.6	0.8	-	-	-	-	-	*	-	*	0.1	0.4
30	1.9	1.2	-	*	-	*	*	*	-	*	0.4	1.0
31	2.4	2.1	-	*	-	*	*	*	-	*	1.1	0.7
32	2.0	2.7	-	*	-	*	*	*	-	*	2.4	0.8
33	3.8	4.3	-	*	-	*	*	*	*	0.1	1.5	1.1
34	5.0	5.6	*	*	*	*	-	*	0.1	0.1	6.9	2.7
35	5.1	5.8	-	*	0.1	*	*	*	0.3	0.2	7.6	4.0
36	4.9	7.0	-	*	0.8	0.1	*	0.1	0.8	0.3	9.7	5.5
37	5.0	8.9	-	*	0.6	0.2	0.1	0.2	1.6	0.5	6.9	4.4
38	7.2	8.7	-	0.1	0.1	0.4	0.3	0.4	3.5	0.8	4.0	6.4
39	7.7	8.7	-	0.3	0.1	0.7	0.7	0.7	4.6	1.5	9.7	8.1
40	7.1	8.0	-	0.5	0.3	1.1	1.3	1.1	7.4	2.2	8.9	8.3
41	5.9	7.4	-	1.0	1.7	2.2	1.5	1.9	9.5	3.3	10.7	7.4
42	6.6	7.1	0.3	1.9	8.7	4.1	2.1	3.0	7.6	4.9	7.2	8.0
43	6.5	6.6	0.2	2.6	6.0	6.1	4.1	4.4	7.8	6.9	6.1	7.9
44	7.0	4.8	0.5	3.6	6.8	8.1	7.9	6.5	8.8	9.6	6.3	8.1
45	5.2	3.6	1.0	6.2	5.7	10.5	10.9	9.2	12.3	13.0	1.7	5.8
46	3.5	2.3	2.6	9.4	7.3	11.6	11.5	13.1	12.9	15.1	2.4	5.5
47	3.3	1.1	6.9	13.5	12.5	12.3	14.7	15.9	8.7	14.2	2.7	5.7
48	3.2	0.9	11.5	16.4	14.1	11.3	16.5	16.3	6.1	11.1	1.7	3.6
49	1.0	0.3	14.4	15.7	13.5	10.0	13.0	13.2	4.8	7.2	0.8	1.6
50	0.2	0.1	16.9	13.0	8.5	7.6	8.2	7.6	1.5	4.5	0.1	1.0
51	-	*	16.2	8.3	5.3	5.7	4.1	3.7	1.0	2.4	0.9	0.8
52	-	-	12.5	4.7	2.0	4.0	1.8	1.6	0.4	1.3	-	0.3
53	-	-	12.2	2.1	2.6	2.5	0.8	0.8	0.2	0.5	-	0.1
54	-	-	3.8	0.5	2.7	1.1	0.4	0.3	*	0.2	-	0.2
55	-	-	0.9	0.1	0.8	0.3	0.1	*	*	*	-	-
56	-	-	*	*	*	*	*	*	-	*	-	*
57	-	-	*	*	-	*	*	*	-	*	-	-
58	-	-	-	-	*	*	-	-	-	*	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>39</b>	<b>38</b>	<b>50</b>	<b>48</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>44</b>	<b>46</b>	<b>39</b>	<b>41</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	*	-	-
19	-	*	-	-	-	-	-	*	-	-
20	-	-	-	-	-	-	-	*	-	-
21	-	*	-	-	-	-	*	*	-	-
22	-	*	*	*	-	-	*	0.1	-	-
23	*	*	0.3	0.1	-	*	*	0.1	-	*
24	*	*	1.1	0.4	-	*	0.2	0.4	0.1	0.1
25	0.2	0.1	3.8	1.7	-	0.1	0.6	0.8	0.6	0.8
26	0.9	0.5	7.8	5.5	1.2	1.0	1.6	1.7	4.4	4.1
27	3.5	2.1	15.0	10.7	8.2	6.1	4.6	3.8	17.7	7.9
28	12.4	7.3	24.5	17.8	2.5	18.4	10.5	8.7	29.0	18.4
29	23.3	15.7	23.8	24.1	30.9	29.1	17.2	15.9	23.4	27.0
30	23.5	24.1	12.9	21.8	53.5	22.5	21.0	19.9	12.0	21.0
31	16.3	21.4	6.3	11.2	3.6	12.9	19.9	20.0	6.0	11.8
32	12.1	14.3	3.2	4.3	0.1	6.5	13.8	15.1	4.0	5.8
33	5.5	9.7	1.1	1.7	-	2.5	6.6	8.4	2.5	2.1
34	1.6	3.6	0.2	0.6	0.1	0.7	2.7	3.5	0.1	0.8
35	0.5	0.9	*	0.1	-	0.2	0.9	1.2	0.1	0.2
36 & above	0.1	0.3	*	*	-	*	0.3	0.4	*	*
<b>Average</b>	<b>30.0</b>	<b>30.5</b>	<b>28.4</b>	<b>29.0</b>	<b>29.4</b>	<b>29.4</b>	<b>30.2</b>	<b>30.3</b>	<b>28.6</b>	<b>29.2</b>
MIKE 24 & below	*	*	-	-	-	-	0.2	0.1	-	-
25	*	*	-	-	-	-	0.5	0.2	-	-
26	*	*	-	*	-	-	0.8	0.2	-	-
27	0.1	*	-	-	-	-	1.0	0.3	-	-
28	0.1	0.1	-	-	-	-	1.2	0.4	-	-
29	0.2	0.1	-	*	-	-	1.4	0.5	-	-
30	0.3	0.1	-	*	-	*	1.8	0.7	-	-
31	0.6	0.2	-	*	-	*	2.2	0.9	-	-
32	1.2	0.3	-	*	-	*	2.7	1.2	-	-
33	1.0	0.4	*	*	-	*	3.1	1.5	-	*
34	1.7	0.7	*	0.1	-	*	3.7	1.9	-	-
35	2.6	1.0	0.6	0.2	-	0.1	4.3	2.4	-	*
36	2.9	1.2	0.5	0.4	-	0.1	4.9	2.9	0.5	*
37	3.7	2.0	0.5	0.8	-	0.2	5.4	3.4	0.6	0.1
38	4.0	3.0	1.4	1.5	0.1	0.3	5.9	4.0	1.2	0.1
39	5.2	4.3	2.2	2.9	0.4	0.5	6.2	4.6	1.1	0.2
40	6.5	6.0	3.6	5.4	4.1	1.0	6.4	5.2	1.5	0.3
41	8.5	7.8	5.8	8.9	13.8	1.7	6.4	5.8	1.4	0.6
42	8.1	8.4	9.6	12.2	26.4	2.5	6.8	6.4	4.1	1.7
43	9.3	9.3	16.9	14.7	28.9	3.8	6.5	6.9	6.4	3.7
44	9.7	10.3	17.6	15.4	9.9	5.6	5.9	7.3	6.4	7.3
45	8.7	11.0	13.1	12.8	4.7	7.8	5.4	7.6	16.5	14.0
46	6.9	9.6	10.8	9.7	0.9	9.9	4.8	7.5	14.9	20.1
47	6.9	8.1	7.2	6.7	0.4	11.4	4.1	7.0	14.6	20.3
48	4.0	6.1	4.7	4.3	0.1	12.8	3.0	6.0	17.7	15.6
49	3.1	4.2	2.8	2.1	7.1	12.2	2.1	4.9	4.0	8.8
50	2.3	2.7	1.5	1.2	2.8	11.0	1.6	3.6	4.8	4.2
51	1.2	1.6	0.6	0.5	0.2	8.4	0.9	2.6	4.5	2.0
52	0.7	0.9	0.3	0.2	-	5.5	0.4	1.7	*	0.7
53	0.4	0.3	0.1	0.1	0.1	3.1	0.2	1.1	-	0.2
54	0.1	0.1	-	*	0.1	1.5	0.1	0.7	-	*
55	*	0.1	-	*	0.1	0.3	*	0.3	-	*
56	*	*	*	*	-	*	*	0.1	-	*
57	-	-	-	*	-	*	*	*	-	*
58	-	-	-	*	-	*	-	*	-	*
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	-	-	-	-	*	-	-
<b>Average</b>	<b>42</b>	<b>44</b>	<b>44</b>	<b>44</b>	<b>43</b>	<b>48</b>	<b>40</b>	<b>43</b>	<b>46</b>	<b>47</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	0.1	*	-	-	-	-	-	-
25 - 26	-	*	-	*	0.3	0.1	-	0.1	-	-	-	*
27 - 29	*	*	*	*	0.2	0.1	-	0.3	-	-	*	*
30 - 32	0.1	0.1	*	0.1	0.1	0.3	-	1.0	-	*	0.3	0.3
33 - 34	0.6	0.7	-	0.1	0.2	0.4	0.2	2.1	-	*	0.9	1.3
35 - 36	1.8	1.9	*	0.2	1.4	0.9	0.2	2.9	0.5	0.4	2.2	3.0
37 - 42	32.2	31.7	8.2	10.8	10.5	13.8	25.3	28.1	20.8	21.5	38.6	46.0
43 - 49	64.0	60.6	80.5	76.2	68.6	66.4	74.0	60.9	76.6	76.0	56.6	48.8
50 - 52	1.3	4.6	10.4	11.0	17.2	16.0	0.3	3.8	2.2	2.1	1.3	0.6
53 & above	*	0.4	0.8	1.7	1.5	1.9	-	0.8	-	*	*	*
<b>Average</b>	<b>44</b>	<b>44</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>44</b>	<b>44</b>	<b>45</b>	<b>45</b>	<b>43</b>	<b>42</b>
HVI TRASH 1/												
00	-	-	-	-	-	*	-	*	-	-	-	-
01	0.2	0.2	*	0.1	5.2	8.7	18.9	29.2	*	*	0.2	0.5
02	4.2	4.9	1.0	2.2	20.2	27.1	46.1	43.1	2.1	1.8	4.9	8.0
03	16.1	17.0	5.1	10.5	29.5	26.7	23.7	19.6	15.5	11.9	15.2	21.2
04	24.3	24.0	16.7	19.8	21.1	17.5	8.3	5.7	26.9	25.4	22.6	25.4
05	22.3	20.9	27.7	22.5	11.8	9.9	2.3	1.6	23.6	26.3	21.7	20.4
06	14.8	14.3	24.3	18.8	5.9	5.0	0.5	0.5	15.6	17.9	15.8	12.6
07	8.4	8.7	14.5	12.6	3.5	2.4	0.1	0.1	9.2	9.4	9.4	6.6
08	4.4	4.9	6.7	7.1	1.5	1.2	0.1	0.1	3.8	4.3	5.2	3.1
09	2.4	2.6	2.6	3.6	0.6	0.6	*	*	1.9	1.9	2.6	1.3
10	1.5	1.3	0.8	1.7	0.3	0.3	-	*	0.9	0.7	1.3	0.6
11	0.7	0.6	0.2	0.7	0.1	0.2	-	*	0.3	0.2	0.6	0.2
12	0.4	0.3	0.1	0.3	*	0.1	-	-	0.1	0.1	0.2	0.1
13	0.2	0.1	*	0.1	0.1	0.1	-	*	-	*	0.1	*
14	0.1	0.1	*	*	*	*	-	*	*	*	0.1	*
15	*	*	*	*	*	*	-	-	*	*	*	*
16	*	*	*	*	*	*	-	-	-	-	*	*
17	*	*	-	*	*	*	-	-	-	*	*	*
18 & above	*	*	-	*	*	*	-	-	-	*	*	*
<b>Average</b>	<b>0.50</b>	<b>0.50</b>	<b>0.56</b>	<b>0.55</b>	<b>0.36</b>	<b>0.33</b>	<b>0.23</b>	<b>0.21</b>	<b>0.50</b>	<b>0.51</b>	<b>0.51</b>	<b>0.45</b>
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	*	*	-	*	-	-	-	-
75.5-76.4	*	*	-	*	-	*	-	*	-	-	-	*
76.5-77.4	0.1	0.1	*	*	0.1	*	-	*	0.1	0.1	0.1	0.1
77.5-78.4	1.0	0.8	0.4	0.2	0.4	0.4	0.1	0.3	0.3	0.3	0.6	0.7
78.5-79.4	5.6	4.6	1.3	1.2	3.1	2.7	1.5	1.1	3.4	3.0	4.9	4.3
79.5-80.4	23.5	20.2	6.1	7.4	13.5	12.4	10.4	3.3	29.2	33.4	19.6	19.2
80.5-81.4	43.7	42.0	43.0	26.7	34.7	31.8	49.4	15.2	44.3	51.7	37.9	39.4
81.5-82.4	20.4	25.6	34.3	37.6	30.3	35.8	34.2	30.9	21.0	10.4	27.4	27.2
82.5-83.4	4.7	5.8	12.9	22.6	14.9	14.1	4.0	19.1	1.6	0.9	8.0	7.8
83.5-84.4	0.8	0.8	1.9	4.1	2.5	2.4	0.2	18.2	0.1	0.1	1.4	1.2
84.5-85.4	0.1	0.1	0.1	0.2	0.4	0.3	0.2	11.1	*	*	0.1	0.1
85.5-86.4	*	*	-	*	*	*	-	0.6	-	-	*	*
86.5-87.4	*	*	-	*	-	*	-	0.1	-	-	-	*
87.5-88.4	-	*	-	*	-	-	-	-	-	-	-	-
88.5-89.4	-	*	-	*	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.9</b>	<b>81.0</b>	<b>81.5</b>	<b>81.8</b>	<b>81.4</b>	<b>81.5</b>	<b>81.2</b>	<b>82.6</b>	<b>80.8</b>	<b>80.7</b>	<b>81.1</b>	<b>81.1</b>
<b>Tenderable 3/</b>	<b>65.4</b>	<b>63.7</b>	<b>70.4</b>	<b>71.2</b>	<b>75.3</b>	<b>74.1</b>	<b>97.4</b>	<b>91.1</b>	<b>59.4</b>	<b>61.4</b>	<b>61.0</b>	<b>76.8</b>
<b>SAMPLES CLASSED</b>												
<b>WEEK</b>	<b>34,666</b>		<b>12,233</b>		<b>23,912</b>		<b>5,945</b>		<b>5,033</b>		<b>71,824</b>	
<b>SEASON</b>		<b>718,455</b>		<b>1,181,769</b>		<b>225,945</b>		<b>142,282</b>		<b>69,503</b>		<b>1,625,610</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	-	-	-	-	*	-	*
25 - 26	0.8	0.6	-	*	-	-	-	-	-	-	-	0.1
27 - 29	4.7	2.4	-	-	-	*	-	*	-	*	0.5	0.9
30 - 32	6.3	5.9	-	*	-	*	*	*	-	*	3.8	2.5
33 - 34	8.8	9.8	*	*	*	*	*	*	0.2	0.2	8.4	3.8
35 - 36	10.0	12.8	-	*	0.9	0.1	0.1	0.1	1.1	0.5	17.3	9.5
37 - 42	39.6	48.8	0.3	3.8	11.4	8.6	6.0	7.4	34.2	13.2	47.2	42.6
43 - 49	29.6	19.6	37.1	67.4	65.8	70.0	78.5	78.5	61.4	77.1	21.7	38.2
50 - 52	0.2	0.1	45.6	26.0	15.7	17.4	14.1	12.9	3.0	8.2	1.0	2.1
53 & above	-	-	17.0	2.8	6.1	3.9	1.3	1.1	0.2	0.7	-	0.3
<b>Average</b>	<b>39</b>	<b>38</b>	<b>50</b>	<b>48</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>44</b>	<b>46</b>	<b>39</b>	<b>41</b>
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	0.2	1.4	0.9	0.6	0.1	0.1	*	0.2	*	0.2	2.5	5.2
02	4.7	10.4	8.2	9.1	4.4	3.1	3.0	5.4	2.6	5.7	27.3	30.3
03	11.6	16.6	22.4	22.1	15.2	12.6	14.9	16.4	13.1	20.0	31.0	29.6
04	14.6	15.8	30.1	25.1	21.6	21.1	24.7	22.7	22.7	26.4	20.6	17.1
05	14.4	13.6	20.1	19.7	20.8	23.0	24.2	21.5	20.7	21.2	10.7	8.8
06	13.6	11.9	10.3	12.1	16.8	18.4	16.4	15.8	15.1	13.2	4.6	4.6
07	12.4	9.7	4.8	6.4	11.0	11.5	9.1	9.4	11.0	7.1	2.4	2.2
08	10.0	7.5	2.2	3.0	6.2	5.8	4.3	4.8	6.8	3.5	0.6	1.0
09	7.6	5.2	0.6	1.3	2.5	2.6	1.8	2.2	3.8	1.6	0.2	0.5
10	5.2	3.3	0.3	0.5	0.9	1.0	0.8	0.9	2.1	0.7	0.1	0.3
11	2.5	1.9	0.1	0.2	0.3	0.4	0.4	0.4	1.0	0.3	*	0.2
12	1.6	1.2	-	0.1	0.1	0.1	0.2	0.1	0.5	0.1	*	0.1
13	0.9	0.7	*	*	*	*	0.1	0.1	0.2	*	-	0.1
14	0.4	0.3	-	*	*	*	0.1	*	0.1	*	-	*
15	0.2	0.2	-	*	-	*	*	*	*	*	-	*
16	*	0.1	-	-	-	*	*	*	*	*	-	*
17	-	0.1	-	-	-	*	*	*	*	*	-	-
18 & above	*	0.1	-	-	*	*	-	*	0.1	*	-	-
<b>Average</b>	<b>0.61</b>	<b>0.54</b>	<b>0.43</b>	<b>0.44</b>	<b>0.51</b>	<b>0.52</b>	<b>0.50</b>	<b>0.49</b>	<b>0.54</b>	<b>0.47</b>	<b>0.34</b>	<b>0.33</b>
UNIFORMITY 2/												
72.4 & below	-	*	-	*	-	-	-	*	-	-	-	-
72.5-73.4	-	-	-	*	-	-	-	*	-	-	-	-
73.5-74.4	-	*	-	*	-	-	-	*	-	-	-	-
74.5-75.4	-	*	*	*	-	-	-	*	0.1	*	-	-
75.5-76.4	*	0.1	*	0.1	-	*	*	*	0.4	*	-	-
76.5-77.4	0.1	0.3	0.1	0.3	*	*	*	0.1	1.6	0.3	*	*
77.5-78.4	0.3	1.6	0.8	1.4	*	*	0.9	0.9	8.4	1.7	0.1	*
78.5-79.4	4.9	5.8	7.1	6.9	0.2	0.3	4.6	4.4	20.6	8.2	0.1	0.6
79.5-80.4	16.9	31.7	18.6	20.5	3.6	2.5	18.1	18.4	32.3	25.4	2.1	2.8
80.5-81.4	50.5	43.5	41.5	36.8	13.3	14.7	39.0	38.3	25.2	35.7	23.3	16.2
81.5-82.4	26.1	15.4	27.3	25.0	39.9	37.1	28.3	29.1	9.7	22.7	45.9	37.4
82.5-83.4	1.2	1.6	4.4	7.4	33.3	35.4	8.2	7.8	1.7	5.2	28.0	38.8
83.5-84.4	*	*	0.2	1.5	8.6	9.4	0.8	0.9	0.1	0.7	0.4	4.0
84.5-85.4	-	*	-	0.2	0.9	0.6	0.2	0.1	-	0.1	0.1	0.1
85.5-86.4	-	*	-	*	*	*	*	*	-	*	-	*
86.5-87.4	-	*	-	*	-	*	-	-	-	*	-	-
87.5-88.4	-	*	-	*	-	*	-	-	-	-	-	-
88.5-89.4	-	*	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>81.0</b>	<b>80.7</b>	<b>81.0</b>	<b>81.0</b>	<b>82.3</b>	<b>82.3</b>	<b>81.1</b>	<b>81.1</b>	<b>80.0</b>	<b>80.8</b>	<b>82.0</b>	<b>82.2</b>
<b>Tenderable 3/</b>	<b>35.9</b>	<b>49.8</b>	<b>22.7</b>	<b>56.3</b>	<b>74.4</b>	<b>68.8</b>	<b>68.8</b>	<b>75.8</b>	<b>65.4</b>	<b>76.0</b>	<b>84.0</b>	<b>89.1</b>
<b>SAMPLES CLASSED</b>												
<b>WEEK</b>	<b>7,771</b>		<b>4,932</b>		<b>10,296</b>		<b>35,862</b>		<b>8,655</b>		<b>3,848</b>	
<b>SEASON</b>		<b>55,774</b>		<b>409,744</b>		<b>750,357</b>		<b>1,326,213</b>		<b>685,007</b>		<b>28,314</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending JANUARY 10, 2019**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	-	-	-	0.2	0.1	-	-
25 - 26	0.1	*	-	*	-	-	1.4	0.4	-	-
27 - 29	0.3	0.2	-	*	-	-	3.6	1.2	-	-
30 - 32	2.1	0.6	-	*	-	*	6.6	2.7	-	-
33 - 34	2.7	1.1	*	0.1	-	*	6.8	3.4	-	*
35 - 36	5.5	2.2	1.1	0.6	-	0.2	9.2	5.3	0.5	*
37 - 42	36.0	31.5	23.1	31.7	44.8	6.3	37.1	29.5	9.8	3.0
43 - 49	48.6	58.7	73.2	65.8	52.0	63.6	31.9	47.2	80.4	89.8
50 - 52	4.2	5.1	2.4	1.8	3.0	24.9	3.0	7.9	9.3	6.9
53 & above	0.5	0.6	0.1	0.1	0.2	4.9	0.3	2.3	-	0.3
<b>Average</b>	<b>42</b>	<b>44</b>	<b>44</b>	<b>44</b>	<b>43</b>	<b>48</b>	<b>40</b>	<b>43</b>	<b>46</b>	<b>47</b>
HVI TRASH 1/										
00	-	-	-	-	-	-	-	*	-	-
01	2.7	1.3	0.1	0.3	-	0.8	3.1	4.2	0.1	0.3
02	21.3	14.5	3.3	5.3	0.2	10.1	19.9	19.9	5.7	10.3
03	25.7	26.1	11.2	15.5	2.0	21.9	25.5	24.3	23.0	32.1
04	19.3	23.6	21.5	23.1	7.6	24.4	19.6	19.4	26.9	31.6
05	12.3	15.6	23.8	22.5	14.6	19.2	12.7	13.0	21.0	16.7
06	8.0	8.9	17.8	15.9	21.3	11.9	7.6	8.1	12.2	6.1
07	4.6	4.7	10.6	9.1	22.7	6.4	4.6	4.7	6.2	2.0
08	2.8	2.5	5.7	4.6	17.0	3.1	2.7	2.7	3.2	0.6
09	1.6	1.3	3.2	2.1	8.5	1.3	1.6	1.5	1.1	0.2
10	0.9	0.7	1.4	0.9	4.0	0.6	1.0	0.9	0.4	0.1
11	0.4	0.3	0.7	0.4	1.5	0.2	0.6	0.5	0.2	*
12	0.2	0.2	0.3	0.1	0.4	0.1	0.4	0.3	-	*
13	0.1	0.1	0.2	0.1	0.2	*	0.3	0.2	*	*
14	0.1	0.1	0.1	*	0.1	*	0.2	0.1	-	*
15	*	*	*	*	-	*	0.1	0.1	-	*
16	*	*	*	*	-	*	*	*	-	*
17	*	*	-	*	-	*	*	*	-	*
18 & above	*	*	*	*	-	*	0.1	*	-	-
<b>Average</b>	<b>0.40</b>	<b>0.42</b>	<b>0.53</b>	<b>0.49</b>	<b>0.67</b>	<b>0.44</b>	<b>0.41</b>	<b>0.40</b>	<b>0.45</b>	<b>0.39</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	*	-	-
72.5-73.4	-	*	-	-	-	-	*	*	-	-
73.5-74.4	-	*	*	*	-	-	*	*	-	*
74.5-75.4	*	*	*	*	-	-	0.1	0.1	0.1	*
75.5-76.4	0.1	*	0.1	0.1	-	*	0.3	0.3	0.2	*
76.5-77.4	0.3	0.3	0.6	0.5	-	*	1.3	1.0	1.4	0.2
77.5-78.4	2.1	1.7	4.2	2.8	-	0.2	4.9	3.0	2.6	1.2
78.5-79.4	12.2	7.8	15.9	12.8	0.1	1.9	14.8	9.0	12.8	8.7
79.5-80.4	32.0	24.7	38.5	34.4	1.7	11.9	29.1	21.5	38.8	32.3
80.5-81.4	37.7	37.9	30.8	34.1	24.5	29.6	30.7	30.7	30.5	37.8
81.5-82.4	14.0	21.8	8.6	12.7	69.9	35.6	15.1	23.4	12.2	16.2
82.5-83.4	1.5	4.9	1.1	2.4	3.8	17.7	3.4	9.3	1.1	3.1
83.5-84.4	0.1	0.7	0.1	0.3	0.1	2.7	0.3	1.6	0.2	0.3
84.5-85.4	*	0.1	*	*	-	0.2	*	0.1	*	*
85.5-86.4	-	*	-	*	-	*	*	*	-	-
86.5-87.4	-	*	-	-	-	-	*	*	-	-
87.5-88.4	-	*	-	-	-	-	*	*	-	-
88.5-89.4	-	*	-	-	-	-	-	*	-	-
89.5 & above	-	*	-	-	-	-	*	*	-	-
<b>Average</b>	<b>80.5</b>	<b>80.8</b>	<b>80.2</b>	<b>80.4</b>	<b>81.7</b>	<b>81.6</b>	<b>80.4</b>	<b>80.9</b>	<b>80.3</b>	<b>80.6</b>
<b>Tenderable 3/</b>	<b>76.0</b>	<b>82.1</b>	<b>72.7</b>	<b>79.7</b>	<b>88.9</b>	<b>46.7</b>	<b>63.2</b>	<b>66.7</b>	<b>82.1</b>	<b>81.6</b>
<b>SAMPLES CLASSED</b>										
<b>WEEK</b>	<b>42,014</b>		<b>15,281</b>		<b>1,885</b>		<b>389,878</b>		<b>2,835</b>	
<b>SEASON</b>		<b>321,104</b>		<b>321,072</b>		<b>760,412</b>		<b>5,565,193</b>		<b>170,630</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

MP\_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending JANUARY 10, 2019

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	16.3	5.0	20.4	20.8	-	-	-	-
	2	2.9	13.2	21.7	23.2	-	-	-	-
	3	-	1.4	0.3	0.4	-	-	-	-
	4	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>19.2</b>	<b>19.6</b>	<b>42.4</b>	<b>44.4</b>	-	-	-	-
02	1	30.7	13.7	7.5	6.1	-	-	-	-
	2	34.7	24.0	41.9	39.0	-	-	-	-
	3	0.7	1.6	4.4	7.1	-	-	-	-
	4	-	*	*	0.1	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>66.1</b>	<b>39.3</b>	<b>53.8</b>	<b>52.3</b>	-	-	-	-
03	1	0.7	1.7	0.1	*	-	-	-	-
	2	10.9	22.4	2.0	1.4	-	-	-	-
	3	1.2	6.9	1.0	1.4	-	-	-	-
	4	-	0.2	*	0.2	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>12.8</b>	<b>31.2</b>	<b>3.2</b>	<b>3.1</b>	-	-	-	-
04	1	-	*	*	*	-	-	-	-
	2	1.3	4.3	0.2	*	-	-	-	-
	3	0.5	4.2	0.2	0.1	-	-	-	-
	4	-	0.2	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>1.8</b>	<b>8.8</b>	<b>0.5</b>	<b>0.1</b>	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	0.1	0.3	*	*	-	-	-	-
	3	-	0.7	*	*	-	-	-	-
	4	-	0.1	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>0.1</b>	<b>1.1</b>	<b>0.2</b>	<b>*</b>	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	*	*	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	*	*	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
40 & shorter		-	-	-	-	-	-	-	-
42		-	-	*	*	-	-	-	-
44		-	0.1	*	0.2	-	-	-	-
46		0.2	17.1	5.1	4.3	-	-	-	-
48 & longer		99.8	82.8	94.8	95.5	-	-	-	-
<b>Average</b>		<b>49.5</b>	<b>48.8</b>	<b>49.3</b>	<b>49.3</b>	-	-	-	-
UNIFORMITY									
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	-	*	-	-	-	-
81		-	-	*	*	-	-	-	-
82		-	*	0.1	0.1	-	-	-	-
83		*	*	0.7	0.4	-	-	-	-
84		0.3	0.2	3.9	2.2	-	-	-	-
85		3.9	11.3	15.9	12.7	-	-	-	-
86		58.2	46.3	47.8	40.9	-	-	-	-
87		36.4	39.2	27.4	38.6	-	-	-	-
88		1.0	2.9	4.0	4.9	-	-	-	-
89		0.1	*	0.2	0.3	-	-	-	-
90 & above		-	-	*	*	-	-	-	-
<b>Average</b>		<b>86.3</b>	<b>86.3</b>	<b>86.0</b>	<b>86.3</b>	-	-	-	-
SAMPLES CLASSED									
WEEK		2,424		47,058		-	-	-	-
SEASON			18,450		504,397	-	-	-	-

\* Less than 0.05 percent.

MP\_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending JANUARY 10, 2019

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	-	*	-	-	-	-
25 - 26	-	-	0.1	0.1	-	-	-	-
27 - 29	-	-	0.8	0.2	-	-	-	-
30 - 32	0.1	*	2.3	0.8	-	-	-	-
33 - 34	0.3	0.3	2.1	1.3	-	-	-	-
35 - 36	1.5	1.7	4.9	4.1	-	-	-	-
37 - 42	75.9	77.9	54.1	52.4	-	-	-	-
43 - 49	22.3	19.9	35.7	41.2	-	-	-	-
50 - 52	-	-	*	*	-	-	-	-
53 & above	-	-	*	*	-	-	-	-
<b>Average</b>	<b>41</b>	<b>41</b>	<b>41</b>	<b>41</b>	-	-	-	-
ALL RANGE MIKE								
24 & below	-	-	-	*	-	-	-	-
25	-	-	*	*	-	-	-	-
26	-	-	*	*	-	-	-	-
27	-	-	0.1	*	-	-	-	-
28	-	-	0.2	0.1	-	-	-	-
29	-	-	0.5	0.1	-	-	-	-
30	*	*	0.6	0.2	-	-	-	-
31	*	*	0.7	0.2	-	-	-	-
32	-	*	1.0	0.4	-	-	-	-
33	0.3	0.1	0.9	0.5	-	-	-	-
34	-	0.2	1.2	0.8	-	-	-	-
35	0.5	0.2	1.8	1.6	-	-	-	-
36	0.9	1.5	3.1	2.6	-	-	-	-
37	4.1	4.2	4.9	3.7	-	-	-	-
38	12.0	8.8	6.6	5.6	-	-	-	-
39	17.7	17.0	8.6	7.8	-	-	-	-
40	19.8	19.0	10.5	10.1	-	-	-	-
41	12.9	16.2	11.2	11.4	-	-	-	-
42	9.5	12.8	12.2	13.7	-	-	-	-
43	7.5	10.8	12.1	15.0	-	-	-	-
44	11.6	6.0	9.2	12.9	-	-	-	-
45	3.2	2.5	7.0	8.0	-	-	-	-
46	-	0.5	4.6	3.7	-	-	-	-
47	-	0.1	2.1	1.2	-	-	-	-
48	-	*	0.7	0.3	-	-	-	-
49	*	*	0.1	*	-	-	-	-
50	-	-	*	*	-	-	-	-
51	-	-	*	*	-	-	-	-
52	-	-	-	*	-	-	-	-
53	-	-	*	*	-	-	-	-
54	-	-	-	*	-	-	-	-
55	-	-	-	*	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>41</b>	<b>41</b>	<b>41</b>	-	-	-	-
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	*	-	-	-	-
32	-	-	-	*	-	-	-	-
33	-	-	-	*	-	-	-	-
34	-	-	*	*	-	-	-	-
35	-	-	*	*	-	-	-	-
36	-	*	*	0.1	-	-	-	-
37	-	*	0.1	0.3	-	-	-	-
38	*	0.4	0.6	1.2	-	-	-	-
39	0.3	3.0	3.4	2.9	-	-	-	-
40	0.1	7.1	5.8	4.1	-	-	-	-
41	0.6	6.3	3.8	3.6	-	-	-	-
42	6.4	7.0	6.3	6.2	-	-	-	-
43	26.5	20.6	13.6	12.9	-	-	-	-
44	41.3	29.3	20.6	21.1	-	-	-	-
45 & above	24.7	26.2	45.6	47.5	-	-	-	-
<b>Average</b>	<b>43.8</b>	<b>43.3</b>	<b>44.0</b>	<b>44.0</b>	-	-	-	-
EXTRANEIOUS MATTER								
Bark	-	-	*	*	-	-	-	-
Grass	-	0.2	0.1	0.2	-	-	-	-
Spindle Twist	-	-	0.7	0.1	-	-	-	-
Preparation	*	*	*	*	-	-	-	-

\* Less than 0.05 percent.



### Extraneous Matter By State

11-Jan-19

**Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states  
 For the Week ending Thursday, January 10, 2019**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	-	15.0%	-	*	-	0.3%	-	-	-	-	-	*	-	15.3%	-	34,666
Arizona	-	-	1.7%	-	*	-	0.5%	-	-	-	-	-	-	-	2.2%	-	23,912
Arkansas	2.3%	-	2.4%	-	0.3%	-	0.4%	-	*	-	-	-	-	-	5.4%	-	12,233
California	-	-	0.4%	-	-	-	-	-	-	-	-	-	-	-	0.4%	-	5,945
Florida	-	-	24.6%	-	-	-	0.1%	-	-	-	-	-	-	-	24.7%	-	5,033
Georgia	0.2%	-	17.9%	-	*	-	1.3%	-	-	-	-	-	-	-	19.3%	-	71,824
Kansas	-	-	48.5%	-	-	-	-	-	-	-	-	-	-	-	48.5%	-	7,771
Louisiana	-	-	1.6%	-	0.5%	-	0.2%	-	-	-	-	-	-	-	2.4%	-	4,932
Mississippi	1.7%	-	2.1%	-	0.1%	-	0.6%	-	-	-	-	-	-	-	4.4%	-	35,862
Missouri	*	-	0.3%	-	*	-	-	-	-	-	-	-	-	-	0.4%	-	10,296
New Mexico	-	-	1.6%	-	-	-	0.1%	-	-	-	-	-	-	-	1.7%	-	3,848
North Carolina	0.1%	-	10.6%	-	0.1%	-	-	-	-	-	-	-	-	-	10.7%	-	8,655
Oklahoma	*	-	11.5%	-	-	-	-	-	-	-	-	-	-	-	11.5%	-	42,014
South Carolina	0.1%	-	3.8%	-	0.1%	-	*	-	-	-	-	-	-	-	3.9%	-	15,281
Tennessee	-	-	1.4%	-	-	-	0.1%	-	-	-	-	-	-	-	1.4%	-	1,885
Texas	*	-	12.6%	-	*	-	0.4%	-	*	-	-	-	*	-	13.1%	-	389,878
Virginia	-	-	1.8%	-	-	-	-	-	-	-	-	-	-	-	1.8%	-	2,835
United States	0.2%	-	11.9%	-	*	-	0.5%	-	*	-	-	-	*	-	12.5%	*	676,870

\* Less than 0.05 percent.

**Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states  
 For the Season ending Thursday, January 10, 2019**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	-	12.0%	*	0.1%	-	0.2%	-	-	-	-	-	*	-	12.3%	*	718,455
Arizona	*	-	1.1%	-	*	-	1.5%	-	-	-	-	-	-	-	2.6%	-	225,945
Arkansas	0.1%	-	1.6%	-	0.2%	-	*	-	*	-	*	-	*	-	1.9%	-	1,181,769
California	*	-	0.1%	-	0.1%	-	*	-	-	-	*	-	-	-	0.2%	-	142,282
Florida	*	-	22.5%	*	*	-	0.3%	-	-	-	-	-	-	-	22.8%	*	69,503
Georgia	0.1%	-	12.4%	*	*	-	0.3%	-	-	-	-	-	*	-	12.7%	*	1,625,610
Kansas	-	-	30.8%	-	*	-	0.1%	-	-	-	-	-	*	-	30.9%	-	55,774
Louisiana	*	-	2.5%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	2.7%	-	409,744
Mississippi	0.6%	*	1.1%	-	0.2%	*	0.1%	-	*	-	*	-	*	-	2.0%	*	1,326,213
Missouri	*	-	0.7%	-	0.1%	-	*	-	*	-	*	-	*	-	0.8%	-	750,357
New Mexico	-	-	1.3%	-	-	-	*	-	-	-	-	-	-	-	1.3%	-	28,314
North Carolina	*	-	2.3%	-	0.1%	-	*	-	*	-	*	-	-	-	2.3%	-	685,007
Oklahoma	*	-	5.7%	-	*	-	*	-	*	-	*	-	-	-	5.7%	-	321,104
South Carolina	*	-	4.1%	-	0.1%	-	*	-	-	-	-	-	*	-	4.2%	-	321,072
Tennessee	*	-	0.4%	-	*	-	*	-	*	-	*	-	-	-	0.5%	-	760,412
Texas	*	-	7.2%	-	0.2%	-	1.1%	-	-	-	-	-	*	*	8.5%	*	5,565,193
Virginia	*	-	0.3%	-	*	-	-	-	-	-	-	-	-	-	0.4%	-	170,630
United States	0.1%	*	5.7%	*	0.1%	*	0.5%	-	*	-	*	-	*	*	6.5%	*	14,357,384

\* Less than 0.05 percent.