

Quality of Cotton Classed by State

mp_cn811

Volume 20, No. 28

08-Feb-19

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **STATE**,
For The Week Ending FEBRUARY 7, 2019

State	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Alabama	13	7,980	29	787,587
Arizona	12	22,031	14	324,301
Arkansas	3	8,436	28	1,222,944
California	3	4,534	16	173,693
Florida	3	1,693	4	81,461
Georgia	45	29,257	59	1,889,246
Kansas	3	13,439	3	93,046
Louisiana	2	715	19	413,866
Mississippi	7	7,071	38	1,378,295
Missouri *	1	-	21	754,864
New Mexico *	1	-	2	33,584
North Carolina	7	2,610	33	701,293
Oklahoma	10	43,485	12	458,478
South Carolina	8	5,856	16	356,774
Tennessee *	2	-	22	761,189
Texas	71	138,186	191	6,426,907
Virginia *	1	-	4	183,336
United States	192	285,293	511	16,040,864
Percent Tenderable		49.3		65.4
AMERICAN PIMA				
Arizona	2	1,107	4	24,476
California	9	25,490	18	623,457
New Mexico	-	-	1	-
Texas *	1	-	1	-
United States	12	26,597	24	647,933
United States all cotton	202	311,890	524	16,688,797

*Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN106

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	-	0.2	-	0.2	9.9	9.9	34.8	53.6	-	*	0.1	0.9	
	4	0.1	0.4	-	0.2	4.8	4.0	17.9	12.5	-	*	0.4	1.7	
	5	-	*	-	*	0.4	0.3	0.2	0.2	-	-	*	0.2	
	6	-	-	-	-	*	*	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	0.1	0.7	-	0.4	15.1	14.2	52.9	66.2	-	*	0.5	2.8
	31	1-2	1.3	1.4	0.4	0.5	12.9	11.6	11.2	10.8	1.0	0.3	0.5	2.9
3		9.0	11.9	1.0	4.2	24.5	16.8	27.1	15.7	5.8	5.5	3.7	19.1	
4		5.5	6.1	0.7	2.9	5.2	3.9	3.6	2.1	0.4	2.9	2.2	9.5	
5		0.3	0.4	-	0.3	0.6	0.4	*	0.2	-	0.1	0.3	0.6	
6		-	*	-	*	*	*	-	*	-	-	-	*	
7		-	-	-	-	-	-	-	*	-	-	-	*	
Total		-----	16.0	19.9	2.0	7.9	43.2	32.6	42.0	28.8	7.2	8.8	6.7	32.1
41		1-2	1.3	1.1	2.3	0.6	2.8	5.3	0.2	0.2	0.4	0.5	1.7	1.3
	3	18.2	15.8	17.9	15.4	16.8	19.2	1.3	0.5	11.0	17.2	9.5	16.2	
	4	18.1	23.4	17.6	30.5	8.3	11.0	0.6	0.2	26.3	31.2	9.6	19.1	
	5	8.6	7.7	4.8	10.9	1.8	2.7	0.1	*	15.8	6.0	1.5	3.8	
	6	2.5	1.0	0.1	0.9	0.5	0.5	-	*	0.8	0.2	*	0.2	
	7	0.2	*	-	*	0.3	0.1	-	*	-	*	-	*	
	Total	-----	48.9	49.1	42.7	58.4	30.4	38.9	2.2	1.0	54.3	55.2	22.4	40.6
	51	1-2	0.2	0.1	0.2	0.1	0.1	0.2	-	-	-	*	2.0	0.3
3		1.9	0.9	2.5	1.7	0.9	1.7	-	*	3.0	1.9	19.3	3.1	
4		2.3	2.2	7.8	6.6	1.2	1.8	-	-	3.8	6.4	20.3	4.4	
5		1.5	1.7	8.5	5.6	0.3	0.7	-	*	5.6	3.7	4.1	1.6	
6		1.1	0.6	0.4	0.8	*	0.2	-	*	1.2	0.5	0.3	0.2	
7		0.2	0.1	-	*	*	0.1	-	*	0.4	0.1	*	*	
Total		-----	7.2	5.6	19.5	14.8	2.5	4.6	-	*	14.0	12.7	46.0	9.5
61		1-2	*	*	-	-	*	*	-	-	-	-	*	*
	3	0.1	*	-	*	*	*	-	-	-	*	0.4	0.1	
	4	0.1	*	-	*	*	*	-	-	0.1	0.1	1.6	0.3	
	5	*	*	-	*	-	-	-	-	0.4	0.1	0.8	0.2	
	6	-	*	-	*	-	-	-	-	-	-	0.1	*	
	7	-	*	-	*	-	-	-	-	-	*	*	*	
	Total	-----	0.2	0.1	-	*	*	*	-	-	0.5	0.1	2.8	0.5
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	*	-	-	-	-	-	-	-	-	-	*	
4		-	*	-	-	-	-	-	-	-	-	-	*	
5		-	*	-	-	-	-	-	-	0.1	*	-	*	
6		-	*	-	-	-	-	-	-	-	-	-	*	
7		-	*	-	-	-	-	-	-	-	-	-	*	
Total		-----	-	*	-	-	-	-	-	-	0.1	*	-	*
12 & 22		1-2	-	*	-	*	*	1.0	*	0.6	-	*	*	*
	3	*	*	-	*	0.1	0.5	1.1	0.6	-	*	*	0.1	
	4	-	*	-	*	*	0.2	0.2	*	-	-	-	*	
	5	-	-	-	-	*	*	-	-	-	-	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	*	*	-	*	0.2	1.8	1.4	1.2	-	*	*	0.1
	32	1-2	0.2	0.1	*	*	0.2	0.2	-	0.4	-	*	*	0.3
3		1.4	1.5	0.6	0.3	0.4	0.9	0.8	1.7	0.3	0.4	0.1	1.8	
4		1.5	1.3	1.4	0.2	0.2	0.4	0.6	0.4	0.2	0.4	0.1	0.9	
5		0.3	0.2	0.1	*	*	0.1	-	*	0.3	*	*	0.1	
6		*	*	-	*	*	*	-	-	0.2	*	-	*	
7		-	*	-	-	*	*	-	-	-	-	-	-	
Total		-----	3.4	3.1	2.2	0.6	0.7	1.6	1.3	2.5	0.9	0.8	0.3	3.1
42		1-2	0.1	0.2	0.1	0.1	0.1	0.1	-	*	0.1	0.1	0.1	0.1
	3	1.9	4.2	6.6	3.8	0.6	1.3	*	0.1	1.0	2.6	1.2	2.1	
	4	4.7	7.6	13.0	7.4	0.8	1.8	*	0.1	1.4	4.6	1.8	3.3	
	5	3.9	2.8	2.8	2.2	0.6	0.7	-	*	2.5	1.2	0.6	0.9	
	6	1.6	0.4	*	0.2	0.2	0.1	-	*	2.1	0.1	*	0.1	
	7	0.1	*	-	*	*	*	-	-	0.5	*	-	*	
	Total	-----	12.2	15.2	22.6	13.6	2.4	4.0	*	0.2	7.6	8.6	3.8	6.5
	52	1-2	0.1	0.1	*	*	*	*	-	*	0.2	*	0.3	*
3		0.5	0.5	0.9	0.3	0.1	0.2	0.1	*	0.4	1.4	3.0	0.3	
4		1.2	1.2	3.0	1.4	0.4	0.5	*	*	4.3	5.4	5.7	1.0	
5		2.0	0.8	1.4	1.1	0.4	0.3	-	*	3.8	3.0	2.5	0.6	
6		0.5	0.2	0.1	0.2	0.4	0.1	-	*	0.3	0.4	0.4	0.1	
7		0.1	*	-	*	0.3	0.1	-	-	0.1	*	*	*	
Total		-----	4.4	2.8	5.5	3.0	1.6	1.2	0.1	*	9.1	10.2	11.9	2.1

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	0.1	*	-	-	-	*	-	-	-	*	-	*
	3	0.3	0.1	-	*	*	*	-	-	-	*	0.2	*
	4	0.5	0.1	-	*	*	*	-	-	1.3	0.2	1.0	0.1
	5	0.7	0.1	-	*	0.2	*	-	-	1.9	0.2	1.0	0.1
	6	0.1	*	-	*	0.3	*	-	-	0.7	0.1	0.3	*
	7	-	*	-	*	0.1	*	-	-	0.1	*	*	*
Total	-----	1.6	0.4	-	*	0.6	*	-	-	4.0	0.5	2.5	0.3
13 & 23	1-2	-	*	-	*	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	0.1	-	*	-	-	-	*
	4	-	*	-	*	*	*	-	-	-	*	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	-	*	-	*	*	0.1	-	*	-	*	-	*
33	1-2	-	*	-	*	-	*	-	*	-	*	-	0.1
	3	0.3	0.1	-	*	*	*	-	*	-	0.1	-	0.2
	4	0.4	0.1	-	*	*	0.1	*	*	-	0.1	*	0.1
	5	*	*	*	*	*	0.1	*	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
Total	-----	0.6	0.3	*	*	0.1	0.2	0.1	*	-	0.1	*	0.5
43	1-2	0.1	*	*	*	-	-	-	*	-	*	-	*
	3	0.5	0.4	0.9	0.2	0.2	*	-	*	0.1	0.3	0.2	0.4
	4	1.1	0.9	2.2	0.5	0.5	0.1	-	*	0.3	0.5	0.2	0.6
	5	0.8	0.4	0.9	0.2	0.2	0.1	-	*	-	0.1	0.1	0.2
	6	0.3	0.1	*	*	*	*	-	-	-	*	*	*
	7	*	*	-	*	*	*	-	-	-	-	*	*
Total	-----	2.7	1.8	4.0	0.9	0.9	0.3	-	*	0.4	1.0	0.6	1.2
53	1-2	*	*	-	*	-	*	-	*	-	*	-	*
	3	0.1	0.1	0.2	*	-	*	-	*	-	0.2	0.4	*
	4	0.3	0.3	0.7	0.2	0.3	*	-	-	0.2	0.6	0.8	0.2
	5	0.3	0.2	0.2	0.1	0.6	0.1	-	-	0.6	0.4	0.4	0.1
	6	0.2	0.1	*	*	0.4	*	-	-	0.1	0.1	0.1	*
	7	0.1	*	-	*	0.1	*	-	-	-	*	*	*
Total	-----	1.0	0.7	1.1	0.3	1.5	0.1	-	*	0.9	1.4	1.8	0.3
63	1-2	-	*	-	*	-	-	-	-	-	*	-	*
	3	0.3	*	-	*	-	-	-	-	-	*	-	*
	4	0.2	*	-	*	-	-	-	-	-	0.1	0.2	*
	5	0.3	*	-	*	*	*	-	-	0.4	0.2	0.2	*
	6	0.1	*	-	*	*	*	-	-	0.4	*	0.1	*
	7	-	*	-	*	0.1	*	-	-	0.2	*	*	*
Total	-----	0.9	0.1	-	*	0.1	*	-	-	0.9	0.4	0.4	*
24 - 54	1-7	0.4	0.2	0.5	0.1	0.3	0.1	-	*	-	0.1	0.1	0.2
25 - 35	1-7	-	*	-	*	-	-	-	-	-	-	-	*
81 - 85 1/	1-7	0.2	*	*	*	*	*	*	*	*	0.1	3.0	0.7
All Colors	8 2/	*	*	*	*	0.3	0.1	*	*	0.1	*	*	*
EXTRANEIOUS MATTER													
Bark - Level 1		7.6	12.0	2.1	1.6	5.1	1.6	2.4	0.5	8.2	21.1	5.6	12.1
Bark - Level 2		-	*	-	-	-	-	-	-	-	*	-	*
Grass - Level 1		*	0.1	-	0.2	-	*	-	0.1	-	*	*	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	0.1	1.7	0.2	-	*	-	*	-	*	0.1	0.1
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	-	-	-	-	-	-	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	-	*
31		-	*	-	-	-	-	-	*	-	*	*	*
32		0.1	0.1	-	*	*	*	-	*	0.1	*	1.2	0.2
33		0.9	0.7	*	*	0.2	0.1	-	0.1	2.7	0.4	7.3	1.7
34		4.3	3.5	0.5	0.4	1.9	1.9	*	0.2	12.4	2.6	18.2	7.3
35		17.3	11.1	9.7	2.8	7.9	7.3	1.2	1.8	31.9	6.3	18.7	15.2
36		29.3	22.2	16.0	11.7	17.6	18.3	10.5	7.4	19.1	12.3	18.5	19.1
37		31.7	36.9	46.2	37.6	34.0	29.2	24.1	26.8	19.6	33.5	23.2	28.0
38 & longer		16.5	25.5	27.5	47.5	38.4	43.2	64.1	63.8	14.2	45.0	12.8	28.6
Average staple		36.4	36.7	37.0	37.6	37.3	37.4	37.9	38.1	35.9	37.2	35.7	36.6

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	2.7	2.3	-	0.6	-	0.7	0.1	0.4	*	0.1	-	14.0
	4	3.9	3.7	-	1.2	-	0.7	0.3	0.8	-	0.2	-	6.1
	5	0.3	0.3	-	0.1	-	*	*	0.1	-	*	-	0.2
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	6.9	6.3	-	1.9	-	1.4	0.4	1.4	*	0.3	-
31	1-2	4.7	4.7	8.1	2.8	-	0.9	*	1.8	1.1	1.6	-	17.9
	3	15.8	17.5	10.9	16.2	-	6.8	3.2	13.7	8.2	13.6	-	27.0
	4	6.7	8.8	0.4	6.5	-	3.1	8.0	7.0	8.7	7.3	-	5.1
	5	0.7	1.4	-	0.4	-	0.3	1.1	0.4	1.7	0.8	-	0.9
	6	*	0.1	-	*	-	*	-	*	-	*	-	0.1
	7	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
	Total	-----	27.9	32.5	19.4	26.0	-	11.0	12.3	22.9	19.7	23.2	-
41	1-2	0.7	0.4	2.0	1.9	-	0.8	*	1.1	1.8	1.6	-	2.6
	3	6.6	4.9	11.7	18.6	-	21.5	3.5	17.0	18.3	23.7	-	14.3
	4	13.9	13.7	2.9	19.6	-	33.8	31.3	30.9	18.7	24.2	-	7.7
	5	12.5	11.4	-	4.3	-	8.8	22.1	10.0	4.6	5.4	-	2.0
	6	3.3	2.7	-	0.3	-	0.4	1.1	0.7	1.2	0.4	-	0.6
	7	0.4	0.2	-	*	-	*	*	*	0.5	*	-	0.2
	7	-	*	-	*	-	*	*	*	-	*	-	*
	Total	-----	37.4	33.3	16.6	44.6	-	65.3	58.1	59.7	45.2	55.3	-
51	1-2	-	-	8.3	0.3	-	*	-	*	1.1	0.1	-	-
	3	*	*	15.0	1.5	-	0.7	0.2	0.5	8.2	1.6	-	*
	4	0.1	0.7	0.7	1.8	-	3.9	0.2	1.8	4.8	2.1	-	0.2
	5	0.7	2.0	0.1	0.6	-	2.9	0.2	1.6	0.7	1.0	-	0.1
	6	1.2	1.1	-	0.1	-	0.3	*	0.3	-	0.2	-	*
	7	0.3	0.3	-	*	-	*	*	*	-	*	-	*
	7	-	*	-	*	-	*	*	*	-	*	-	*
	Total	-----	2.3	4.1	24.1	4.2	-	7.8	0.7	4.2	14.8	5.1	-
61	1-2	-	-	-	-	-	-	-	-	-	*	-	-
	3	-	-	0.1	*	-	*	-	*	*	*	-	-
	4	-	-	-	*	-	*	-	*	0.2	*	-	-
	5	-	-	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	*	-	*	-	*	-	-
	Total	-----	-	*	0.1	*	-	*	-	*	0.2	0.1	-
71	1-2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-
	Total	-----	-	-	-	-	-	-	-	*	-	*	-
12 & 22	1-2	0.2	0.2	-	*	-	*	-	*	-	*	-	*
	3	0.8	0.8	-	*	-	*	-	*	-	*	-	*
	4	0.1	0.2	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	1.2	1.2	-	0.1	-	*	-	*	-	*	-
32	1-2	-	0.2	-	0.2	-	*	-	*	*	0.1	-	-
	3	1.0	1.5	-	1.2	-	0.4	0.5	0.5	0.7	0.8	-	0.1
	4	1.9	2.4	-	0.6	-	0.2	1.1	0.5	1.5	0.5	-	0.3
	5	0.3	0.7	-	*	-	*	0.3	0.1	0.1	*	-	*
	6	*	*	-	*	-	*	*	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
	Total	-----	3.2	4.8	-	2.0	-	0.7	1.9	1.1	2.3	1.5	-
42	1-2	0.2	0.1	1.1	0.4	-	0.1	-	0.1	0.2	0.3	-	*
	3	0.7	0.3	3.2	4.5	-	3.5	0.5	1.4	6.0	4.8	-	0.1
	4	3.1	1.9	0.3	5.5	-	6.3	8.7	3.9	3.0	4.4	-	0.1
	5	5.1	2.9	-	1.3	-	1.6	12.4	2.2	1.1	0.8	-	*
	6	2.3	1.3	-	*	-	0.1	2.1	0.2	*	0.1	-	*
	7	1.0	0.4	-	*	-	*	0.1	*	*	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
	Total	-----	12.4	7.0	4.6	11.8	-	11.6	23.8	7.7	10.4	10.5	-
52	1-2	-	*	4.6	0.2	-	*	-	*	-	0.1	-	-
	3	-	*	8.8	1.7	-	0.1	-	0.1	0.6	0.9	-	*
	4	-	0.3	4.5	2.5	-	0.7	0.1	0.5	1.2	1.2	-	-
	5	0.7	1.1	-	0.9	-	0.6	0.2	0.7	0.7	0.4	-	-
	6	1.1	0.7	-	0.1	-	0.1	0.3	0.2	-	0.1	-	*
	7	0.2	0.2	-	*	-	*	0.1	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
	Total	-----	1.9	2.3	17.9	5.4	-	1.4	0.7	1.6	2.5	2.8	-

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	-	*	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	*	-	-
	5	-	-	-	*	-	*	-	*	-	*	-	-
	6	*	*	-	*	-	*	-	*	-	*	-	-
	7	*	*	-	*	-	*	-	*	-	*	-	-
Total	-----	*	*	-	0.1	-	*	-	*	-	0.1	-	-
13 & 23	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.4	-	*	-	*	-	*	-	*	-	*
	4	-	0.4	-	-	-	-	-	*	*	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	-	0.8	-	*	-	*	-	*	*	*	-	0.1
33	1-2	-	0.1	-	*	-	*	-	*	-	*	-	*
	3	*	0.6	-	0.1	-	*	*	*	0.2	*	-	*
	4	0.7	1.3	-	*	-	*	0.1	*	0.4	*	-	*
	5	0.5	0.6	-	*	-	*	0.1	*	-	*	-	*
	6	0.2	0.1	-	-	-	-	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	*	-	-
Total	-----	1.4	2.7	-	0.1	-	*	0.1	0.1	0.6	0.1	-	*
43	1-2	-	-	0.4	0.1	-	*	-	*	-	*	-	*
	3	0.1	-	0.7	0.5	-	0.1	*	0.1	0.7	0.2	-	*
	4	0.9	0.3	0.6	0.8	-	0.3	0.6	0.3	1.6	0.3	-	*
	5	2.4	0.6	-	0.3	-	0.1	1.0	0.2	0.7	0.1	-	*
	6	0.6	0.2	-	*	-	*	0.2	*	0.3	*	-	*
	7	0.2	*	-	-	-	*	-	*	0.2	*	-	-
Total	-----	4.1	1.2	1.7	1.7	-	0.5	1.8	0.8	3.5	0.7	-	*
53	1-2	-	-	0.3	*	-	*	-	*	-	*	-	*
	3	-	-	4.9	0.4	-	-	-	*	-	0.1	-	-
	4	-	*	6.7	0.7	-	*	*	0.1	0.2	0.1	-	-
	5	*	*	0.4	0.4	-	*	0.2	0.1	0.1	0.1	-	*
	6	*	*	0.3	0.1	-	*	0.1	0.1	0.2	*	-	-
	7	*	*	-	*	-	*	*	*	0.1	*	-	-
Total	-----	*	0.1	12.6	1.6	-	0.1	0.2	0.3	0.5	0.2	-	*
63	1-2	-	-	-	*	-	*	-	*	-	*	-	*
	3	-	-	-	0.1	-	-	-	*	-	*	-	-
	4	-	-	-	0.1	-	*	-	*	-	*	-	-
	5	-	-	-	0.1	-	-	-	*	-	*	-	-
	6	-	*	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	*	-	-
Total	-----	-	*	-	0.3	-	*	-	*	-	*	-	-
24 - 54	1-7	0.6	2.6	1.7	0.2	-	*	-	0.1	0.2	0.1	-	*
25 - 35	1-7	-	0.4	-	*	-	-	-	*	-	-	-	-
81 - 85 1/	1-7	*	0.4	1.3	*	-	*	*	*	*	*	-	*
All Colors	82/	0.7	0.4	*	*	-	*	*	*	*	*	-	*
EXTRANEIOUS MATTER													
Bark - Level 1		43.7	35.7	1.1	2.5	-	0.7	3.4	1.2	1.3	2.2	-	1.2
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	-	0.1	-	0.1	-	0.2	-	0.1	-	-
Grass - Level 2		-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1		-	*	0.1	*	-	*	0.1	0.6	1.1	*	-	-
Prep - Level 2		-	-	-	-	-	-	-	*	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	*	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		*	*	-	-	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	-	-	0.2	*	-	-
31		*	*	-	*	-	*	-	*	0.2	*	-	-
32		*	*	-	*	-	*	-	*	0.1	0.1	-	-
33		1.1	0.5	-	0.4	-	*	*	0.3	2.5	0.9	-	0.2
34		6.5	3.1	1.8	2.7	-	0.3	0.2	2.3	7.4	5.5	-	0.6
35		24.4	22.4	24.9	10.1	-	2.9	5.2	7.8	21.6	18.1	-	4.0
36		51.9	41.3	33.8	18.1	-	11.4	14.8	15.4	25.6	26.3	-	8.1
37		15.5	28.4	30.2	27.0	-	41.9	45.1	29.6	36.7	28.4	-	26.0
38 & longer		0.6	4.4	9.2	41.7	-	43.5	34.7	44.6	5.6	20.7	-	61.1
Average staple		35.8	36.1	36.2	37.2	-	37.5	37.5	37.3	36.0	36.4	-	38.0

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
		5.1	3.0	-	0.1	-	0.8	3.2	7.8	-	0.1	
	3	5.1	2.5	*	0.4	-	0.7	4.6	6.5	-	0.2	
	4	0.6	0.3	*	*	-	*	1.1	0.7	-	*	
	5	*	*	-	*	-	*	0.1	*	-	*	
	6	-	*	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	10.8	5.8	0.1	0.5	-	1.6	9.0	15.0	-	0.3
31	1-2	11.6	9.9	4.2	1.3	-	1.7	5.2	8.4	-	3.7	
	3	24.8	27.1	8.3	10.3	-	5.5	16.0	21.5	-	21.8	
	4	7.2	7.0	2.6	7.5	-	1.5	11.0	9.2	-	4.5	
	5	0.7	0.5	0.1	0.6	-	0.1	3.7	1.5	-	0.1	
	6	*	*	-	*	-	*	0.5	0.1	-	*	
	7	-	-	-	-	-	-	0.1	*	-	-	
	Total	-----	44.3	44.7	15.2	19.7	-	8.8	36.7	40.7	-	30.1
	41	1-2	2.1	2.3	6.4	1.8	-	4.0	1.1	1.4	-	3.3
3		11.5	18.2	13.5	17.9	-	21.8	6.0	7.8	-	35.5	
4		10.2	13.8	13.0	26.6	-	15.5	7.7	8.3	-	14.4	
5		2.8	3.6	4.4	7.4	-	2.4	5.3	3.7	-	0.7	
6		0.5	0.5	0.6	0.4	-	0.1	2.0	1.0	-	*	
7		*	*	*	*	-	-	0.7	0.2	-	-	
Total		-----	27.1	38.4	37.9	54.1	-	43.7	22.7	22.4	-	53.9
51		1-2	*	*	1.5	0.4	-	0.1	*	0.1	-	0.2
	3	*	0.1	5.1	2.4	-	2.3	0.3	0.7	-	1.2	
	4	0.4	0.4	1.5	3.7	-	4.1	0.5	0.6	-	0.7	
	5	0.3	0.4	0.4	2.3	-	1.7	0.3	0.2	-	0.1	
	6	*	0.2	0.1	0.4	-	0.1	0.1	0.1	-	*	
	7	*	*	-	*	-	*	0.1	0.1	-	*	
	Total	-----	0.8	1.2	8.6	9.2	-	8.3	1.4	1.9	-	2.3
	61	1-2	-	-	-	*	-	*	-	*	-	-
3		-	-	0.2	*	-	*	*	*	-	-	
4		-	-	0.6	0.1	-	*	*	*	-	*	
5		-	-	0.1	0.1	-	*	*	*	-	-	
6		-	-	-	*	-	*	*	*	-	-	
7		-	-	-	*	-	*	-	*	-	-	
Total		-----	-	-	0.8	0.2	-	*	*	0.1	-	*
71		1-2	-	-	-	*	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-	
	4	-	-	-	-	-	-	*	*	-	-	
	5	-	-	-	*	-	-	-	*	-	-	
	6	-	-	-	*	-	-	-	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	*	-	-	*	*	-	-
	12 & 22	1-2	0.1	0.2	-	*	-	0.1	0.3	1.4	-	*
3		0.5	0.3	*	0.1	-	0.1	1.0	1.6	-	*	
4		0.1	*	*	*	-	*	0.3	0.4	-	*	
5		*	*	-	*	-	*	*	*	-	*	
6		-	-	-	-	-	-	-	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		-----	0.7	0.5	0.1	0.1	-	0.1	1.7	3.4	-	*
32		1-2	0.2	0.2	0.5	0.3	-	0.6	0.6	0.7	-	0.2
	3	2.0	1.1	3.1	1.3	-	1.7	3.7	2.9	-	1.4	
	4	2.1	0.8	2.0	0.7	-	0.6	3.4	2.0	-	0.4	
	5	0.4	0.2	0.3	0.1	-	*	1.2	0.5	-	*	
	6	0.1	*	-	*	-	*	0.2	0.1	-	*	
	7	*	*	-	-	-	-	*	*	-	-	
	Total	-----	4.8	2.4	5.8	2.4	-	3.0	9.2	6.1	-	2.0
	42	1-2	0.1	0.2	0.7	0.5	-	1.7	0.2	0.2	-	0.5
3		1.5	1.3	4.7	3.2	-	13.9	1.6	1.5	-	6.0	
4		1.9	1.4	6.6	3.5	-	10.3	2.5	1.6	-	3.3	
5		0.9	0.6	3.4	1.1	-	1.6	1.8	0.7	-	0.3	
6		0.4	0.2	0.6	0.1	-	0.1	0.8	0.2	-	*	
7		0.1	*	-	*	-	-	0.3	*	-	-	
Total		-----	5.0	3.8	16.0	8.5	-	27.6	7.2	4.2	-	10.0
52		1-2	*	*	0.1	0.1	-	*	*	0.1	-	*
	3	0.1	0.1	1.4	0.9	-	0.8	0.5	0.6	-	0.6	
	4	0.2	0.2	1.5	1.1	-	2.1	1.0	0.8	-	0.3	
	5	0.2	0.2	1.0	0.6	-	1.0	0.5	0.3	-	*	
	6	0.1	0.1	0.2	0.2	-	0.1	0.2	0.1	-	*	
	7	*	*	*	*	-	*	0.1	*	-	-	
	Total	-----	0.6	0.6	4.1	2.8	-	4.0	2.2	1.9	-	1.0

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	-	-
	3	-	*	-	*	-	*	-	*	-	-
	4	*	*	0.6	*	-	*	0.3	0.1	-	-
	5	-	-	0.5	0.1	-	*	1.0	0.2	-	-
	6	-	*	*	*	-	*	0.4	0.1	-	-
	7	-	*	*	*	-	*	0.1	*	-	-
	Total	-----	*	*	1.1	0.2	-	*	1.8	0.5	-
13 & 23	1-2	*	*	-	*	-	*	0.1	0.1	-	*
	3	*	*	-	*	-	*	0.2	0.2	-	*
	4	*	*	-	*	-	-	0.1	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.1	0.1	-	*	-	*	0.3	0.4	-
33	1-2	0.1	*	*	*	-	*	0.3	0.1	-	*
	3	0.7	0.3	0.6	0.1	-	0.1	1.0	0.4	-	0.1
	4	0.7	0.3	0.6	0.1	-	*	1.0	0.4	-	*
	5	0.3	0.1	0.1	*	-	*	0.4	0.2	-	*
	6	*	*	*	*	-	*	0.1	*	-	-
	7	*	*	-	-	-	-	-	*	-	-
	Total	-----	1.8	0.7	1.3	0.3	-	0.1	2.8	1.1	-
43	1-2	*	*	0.2	*	-	0.1	*	*	-	*
	3	0.7	0.2	1.5	0.4	-	1.0	0.3	0.2	-	0.2
	4	1.0	0.4	2.8	0.7	-	0.8	0.7	0.3	-	0.2
	5	0.4	0.2	1.2	0.3	-	0.1	0.7	0.2	-	*
	6	0.2	0.1	0.1	*	-	*	0.4	0.1	-	*
	7	*	*	*	*	-	*	0.1	*	-	-
	Total	-----	2.3	1.0	5.9	1.4	-	2.1	2.2	0.8	-
53	1-2	*	*	-	*	-	*	-	*	-	*
	3	0.1	0.1	0.3	0.1	-	0.1	0.1	0.1	-	*
	4	0.1	0.1	0.6	0.2	-	0.2	0.2	0.3	-	*
	5	0.1	0.1	0.3	0.1	-	0.1	0.2	0.2	-	*
	6	0.1	0.1	0.1	*	-	*	0.1	0.1	-	*
	7	0.1	*	*	*	-	*	*	*	-	-
	Total	-----	0.5	0.4	1.3	0.5	-	0.5	0.5	0.7	-
63	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	*	0.1	*	-	*	0.1	*	-	-
	4	-	*	0.1	*	-	*	0.4	0.2	-	-
	5	-	*	-	*	-	*	0.4	0.2	-	-
	6	-	-	-	*	-	*	0.1	0.1	-	*
	7	-	-	-	*	-	*	*	*	-	-
	Total	-----	-	*	0.1	*	-	*	0.9	0.4	-
24 - 54	1-7	1.1	0.5	1.3	0.2	-	0.1	0.6	0.2	-	*
25 - 35	1-7	-	*	-	-	-	-	-	*	-	-
81 - 85 1/	1-7	0.1	0.1	0.3	*	-	*	0.1	0.1	-	*
All Colors	8 2/	0.1	0.1	*	*	-	*	0.6	0.1	-	*
EXTRANEIOUS MATTER											
Bark - Level 1		14.4	7.8	4.7	3.9	-	0.4	32.5	8.8	-	0.4
Bark - Level 2		-	-	-	-	-	-	*	*	-	-
Grass - Level 1		*	*	-	0.1	-	*	*	0.2	-	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	*	0.1	*	-	*	*	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	-	*	*	-	-
Other - Level 2		-	-	-	-	-	-	-	*	-	-
STAPLE											
28 & shorter		*	*	-	-	-	-	-	*	-	-
29		*	*	-	-	-	-	*	*	-	-
30		*	*	-	-	-	-	0.1	0.1	-	-
31		0.1	0.1	0.2	*	-	*	0.4	0.3	-	*
32		1.2	0.6	0.9	0.2	-	*	1.6	1.0	-	*
33		5.1	3.0	4.0	2.2	-	0.1	5.3	3.4	-	1.0
34		15.3	8.8	12.2	7.0	-	1.4	13.3	10.3	-	9.7
35		20.9	14.7	17.9	12.7	-	12.6	24.1	20.8	-	26.0
36		23.8	22.8	20.3	17.5	-	35.4	27.4	25.5	-	29.5
37		23.0	28.4	30.4	30.7	-	38.6	21.8	24.5	-	22.7
38 & longer		10.6	21.5	14.1	29.7	-	11.9	6.0	14.1	-	11.1
Average staple		35.8	36.4	36.0	36.6	-	36.5	35.6	36.0	-	36.0

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	*
21	-	-	-	-	-	-	-	-	-	-	-	*
22	-	*	-	-	-	-	-	-	-	*	*	*
23	0.2	*	-	*	-	-	-	-	0.3	*	0.3	*
24	0.8	0.1	*	*	-	*	-	-	4.2	0.3	2.3	0.2
25	2.3	0.6	0.6	*	-	*	-	-	11.6	1.4	7.2	1.4
26	4.3	2.3	9.6	0.6	0.1	0.1	-	*	10.8	4.8	17.1	5.2
27	11.6	8.9	7.9	3.0	0.7	0.6	-	*	23.5	13.1	18.4	12.5
28	31.9	22.7	21.9	10.5	2.8	3.1	-	0.1	37.2	30.3	19.6	20.3
29	30.1	31.3	36.0	26.2	7.7	9.4	*	0.9	11.3	30.8	16.4	24.6
30	13.3	21.1	15.1	28.4	14.3	17.8	0.4	2.2	0.9	13.7	11.3	19.4
31	3.7	8.8	4.7	18.0	22.1	22.6	3.2	4.4	0.2	4.7	4.9	10.1
32	1.6	3.1	2.3	8.9	22.5	20.4	9.8	9.5	0.1	0.7	1.9	4.1
33	0.2	0.9	1.1	3.3	15.0	13.9	17.7	16.6	-	0.2	0.5	1.4
34	0.1	0.2	0.6	0.8	8.8	7.0	30.7	15.9	-	*	0.1	0.4
35	*	*	0.2	0.2	4.4	3.5	17.6	13.5	-	*	*	0.1
36 & above	-	*	*	*	1.6	1.7	20.5	37.0	-	-	*	*
Average	28.4	29.0	28.7	29.9	31.6	31.4	34.2	34.6	27.1	28.4	27.8	28.9
MIKE												
24 & below	-	-	-	-	*	*	-	-	-	-	-	-
25	-	*	-	*	*	*	-	*	-	-	-	*
26	-	*	-	*	*	*	-	0.1	-	-	-	*
27	-	*	-	*	0.1	*	-	0.1	-	-	-	*
28	-	*	-	*	0.2	0.1	0.4	0.1	-	-	*	*
29	-	*	-	*	0.4	0.1	-	0.1	-	-	*	*
30	-	*	-	*	0.6	0.1	*	0.1	-	*	*	*
31	-	*	-	*	0.5	0.1	0.5	0.3	-	*	*	0.1
32	*	0.1	-	*	0.5	0.2	0.3	0.5	-	-	0.1	0.2
33	0.1	0.3	-	*	0.8	0.3	0.6	0.8	-	*	0.3	0.4
34	0.3	0.4	-	*	0.6	0.4	0.6	1.1	-	*	0.6	0.8
35	1.0	0.7	-	0.1	1.0	0.5	3.0	1.1	-	0.1	0.8	1.2
36	1.1	1.2	-	0.1	1.3	0.7	1.0	1.7	-	0.3	1.2	1.6
37	2.0	2.1	*	0.2	2.3	1.0	1.9	2.3	0.1	0.5	2.1	2.4
38	1.6	3.1	-	0.4	2.1	1.2	2.2	2.6	0.7	1.0	2.9	3.6
39	4.0	4.2	*	0.8	3.2	1.7	2.2	3.7	2.5	1.6	4.4	5.6
40	6.9	6.0	0.2	1.6	3.5	2.4	1.5	4.5	3.5	3.8	6.3	8.1
41	4.8	7.3	1.5	2.8	4.8	3.7	3.6	6.4	9.3	5.9	8.6	11.0
42	7.3	9.1	3.4	4.7	4.9	4.9	5.6	8.3	10.0	9.1	9.5	13.5
43	8.3	10.5	3.6	6.9	7.5	6.5	13.2	10.0	13.2	12.1	11.5	14.0
44	7.6	11.1	5.3	9.9	8.3	7.8	18.3	11.8	29.7	13.1	11.9	12.5
45	12.5	11.2	8.1	12.4	7.7	9.0	21.7	11.9	10.8	14.8	11.8	9.8
46	14.3	9.9	16.0	13.8	9.3	10.5	11.4	11.5	10.3	13.9	11.3	6.8
47	10.9	8.1	13.8	13.3	7.6	11.4	6.7	8.5	6.3	10.2	8.7	4.2
48	5.7	5.9	13.0	11.5	7.9	10.9	3.6	5.9	1.6	6.7	4.3	2.3
49	5.3	4.0	10.6	8.3	7.9	9.1	1.3	2.7	0.1	4.6	2.3	1.2
50	3.3	2.4	9.1	5.6	5.1	7.2	0.6	1.4	1.0	1.7	1.0	0.5
51	1.9	1.3	8.1	3.5	4.8	5.2	*	0.9	0.9	0.5	0.2	0.2
52	0.8	0.7	3.7	2.1	2.9	2.7	-	0.9	-	0.1	*	*
53	0.1	0.3	2.6	1.1	2.4	1.3	-	0.4	0.1	*	*	*
54	*	0.1	0.6	0.5	1.2	0.5	-	0.1	-	*	-	*
55	-	*	0.3	0.2	0.6	0.1	-	0.1	-	-	-	*
56	-	*	0.1	0.1	0.1	0.1	-	*	-	-	-	*
57	-	*	*	*	0.1	0.1	-	*	-	-	-	*
58	-	*	-	-	-	-	-	*	-	-	-	-
59	-	*	-	-	-	-	-	-	-	-	-	-
60 & above	-	*	-	-	-	-	-	-	-	-	-	-
Average	44	44	47	46	45	46	43	44	44	45	43	42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	*	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	*	-	*	-	-	-	*	-	*	-	-
23	*	*	-	*	-	*	-	*	0.4	*	-	-
24	*	*	-	*	-	*	-	*	0.8	0.1	-	-
25	0.2	0.4	-	*	-	*	-	0.1	2.1	0.5	-	*
26	2.2	1.1	-	0.3	-	0.5	-	0.9	5.3	2.0	-	*
27	14.0	5.6	1.4	1.5	-	2.8	0.1	3.0	20.7	5.2	-	1.2
28	29.0	19.9	19.0	5.8	-	11.6	1.5	8.8	23.9	11.5	-	5.5
29	23.7	31.2	36.5	17.8	-	24.5	24.7	22.2	19.2	19.9	-	19.3
30	12.8	20.0	13.1	30.5	-	28.1	34.4	31.0	14.9	23.6	-	28.9
31	8.7	12.6	11.6	22.8	-	17.4	27.8	21.1	7.4	17.9	-	25.3
32	5.9	7.0	14.0	12.8	-	8.7	7.5	8.5	3.7	10.7	-	14.7
33	3.3	1.9	3.4	5.5	-	4.4	3.3	3.2	1.1	5.7	-	3.9
34	0.2	0.2	0.7	2.1	-	1.6	0.5	0.9	0.4	2.3	-	0.8
35	*	0.1	0.1	0.6	-	0.3	0.1	0.2	0.1	0.6	-	0.3
36 & above	*	*	0.1	0.2	-	*	*	*	*	0.1	-	*
Average	28.9	29.3	29.7	30.4	-	29.9	30.2	29.9	28.5	30.0	-	30.3
MIKE												
24 & below	-	*	-	-	-	-	-	-	-	*	-	*
25	0.4	0.3	-	*	-	-	-	-	-	-	-	0.1
26	0.7	0.5	-	-	-	-	-	-	-	-	-	0.2
27	0.3	0.7	-	*	-	*	-	-	-	*	-	0.3
28	0.5	1.0	-	-	-	-	-	-	-	*	-	0.4
29	0.8	1.0	-	-	-	-	-	*	-	*	-	0.3
30	0.9	1.3	-	*	-	*	-	*	-	*	-	0.9
31	1.5	1.9	-	*	-	*	-	*	-	*	-	0.8
32	1.7	2.8	-	*	-	*	-	*	-	*	-	0.8
33	2.1	3.6	-	*	-	*	-	*	0.3	0.1	-	1.0
34	3.7	4.5	-	*	-	*	*	*	0.5	0.1	-	2.5
35	5.2	5.0	-	*	-	*	*	*	0.5	0.2	-	3.7
36	6.4	6.2	-	*	-	0.1	1.2	0.1	0.7	0.4	-	5.0
37	7.7	7.9	-	*	-	0.2	1.9	0.2	1.3	0.6	-	4.4
38	7.0	7.9	2.0	0.1	-	0.4	4.7	0.5	2.4	0.9	-	6.6
39	7.4	8.6	0.1	0.3	-	0.7	5.9	0.7	3.1	1.5	-	8.1
40	10.0	9.3	-	0.5	-	1.1	5.2	1.2	5.5	2.3	-	9.1
41	10.3	9.1	-	1.1	-	2.2	2.3	1.9	9.7	3.3	-	7.7
42	5.6	7.3	9.7	1.9	-	4.1	1.3	3.0	5.9	4.9	-	8.5
43	6.0	6.2	12.6	2.7	-	6.1	2.0	4.5	9.4	6.9	-	8.0
44	5.4	4.8	5.7	3.6	-	8.2	7.2	6.5	10.2	9.6	-	8.3
45	7.5	4.3	5.5	6.2	-	10.4	11.1	9.2	11.8	13.0	-	5.9
46	4.0	2.5	3.5	9.4	-	11.6	8.0	13.0	10.7	15.0	-	5.4
47	3.0	1.5	2.4	13.5	-	12.4	11.0	15.8	7.4	14.1	-	5.1
48	1.2	1.0	2.7	16.3	-	11.3	11.1	16.0	8.7	11.0	-	3.3
49	0.6	0.4	8.3	15.7	-	10.1	6.9	13.0	4.1	7.2	-	1.5
50	0.1	0.2	8.5	13.0	-	7.6	3.7	7.6	4.9	4.5	-	0.9
51	-	0.1	10.9	8.3	-	5.7	6.8	3.7	1.3	2.4	-	0.7
52	-	*	13.0	4.7	-	4.0	5.8	1.7	1.2	1.2	-	0.2
53	-	*	11.5	2.1	-	2.5	1.7	0.8	0.1	0.5	-	0.1
54	-	-	3.4	0.5	-	1.1	1.9	0.3	0.2	0.1	-	0.1
55	-	-	0.4	0.1	-	0.3	*	*	-	*	-	-
56	-	-	-	*	-	*	-	*	*	*	-	*
57	-	-	-	*	-	*	-	*	-	*	-	-
58	-	-	-	-	-	*	-	-	-	*	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	40	39	48	48	-	47	46	47	44	46	-	41

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	*	-	-
19	*	*	-	-	-	-	-	*	-	-
20	-	*	-	-	-	-	-	*	-	-
21	*	*	-	-	-	-	*	*	-	-
22	*	*	-	*	-	-	*	*	-	-
23	0.1	*	0.3	0.1	-	*	0.1	0.1	-	*
24	0.3	0.1	0.8	0.5	-	*	0.4	0.4	-	0.2
25	0.9	0.2	4.9	2.1	-	0.1	1.4	0.8	-	1.0
26	2.9	0.9	12.6	6.3	-	1.0	2.9	1.8	-	4.4
27	8.1	3.0	20.6	11.6	-	6.1	6.5	4.0	-	8.5
28	19.9	9.2	26.7	18.4	-	18.5	12.7	9.0	-	19.0
29	26.6	17.7	20.0	23.7	-	29.1	19.2	16.2	-	26.6
30	20.8	24.0	9.4	20.6	-	22.5	20.4	20.0	-	20.5
31	11.4	20.1	3.6	10.4	-	12.8	17.3	19.8	-	11.3
32	5.8	12.9	0.7	4.0	-	6.5	11.3	14.7	-	5.5
33	2.7	8.2	0.3	1.5	-	2.5	5.1	8.1	-	2.0
34	0.4	2.8	*	0.5	-	0.7	2.0	3.4	-	0.7
35	0.1	0.7	-	0.1	-	0.2	0.6	1.2	-	0.2
36 & above	*	0.2	*	*	-	*	0.2	0.4	-	*
Average	29.2	30.3	27.8	28.9	-	29.4	29.8	30.3	-	29.1
MIKE 24 & below	*	*	-	-	-	-	0.3	0.1	-	-
25	*	*	-	-	-	-	0.7	0.3	-	-
26	*	0.1	-	*	-	-	0.8	0.4	-	-
27	0.3	0.1	-	-	-	-	0.8	0.4	-	-
28	0.5	0.2	-	-	-	-	1.1	0.5	-	*
29	0.5	0.2	-	*	-	-	1.4	0.7	-	*
30	0.4	0.2	-	*	-	*	1.9	0.9	-	*
31	0.7	0.4	-	*	-	*	2.3	1.1	-	*
32	1.2	0.6	-	*	-	*	2.6	1.4	-	*
33	1.8	0.7	-	*	-	*	2.8	1.8	-	*
34	1.8	1.0	-	0.1	-	*	3.4	2.2	-	*
35	2.8	1.3	-	0.2	-	0.1	3.9	2.7	-	*
36	3.0	1.6	-	0.4	-	0.1	4.3	3.1	-	0.1
37	4.8	2.4	0.3	0.8	-	0.2	4.5	3.6	-	0.1
38	5.7	3.6	0.4	1.6	-	0.3	5.0	4.2	-	0.1
39	5.0	4.5	1.3	2.9	-	0.5	6.4	4.8	-	0.2
40	6.1	6.2	2.3	5.4	-	1.0	6.6	5.3	-	0.3
41	7.1	8.0	5.6	8.8	-	1.7	6.6	5.9	-	0.6
42	9.5	8.6	9.6	12.0	-	2.5	6.2	6.4	-	1.8
43	8.4	9.1	11.9	14.7	-	3.8	6.1	6.8	-	3.8
44	8.0	9.8	16.4	15.3	-	5.6	6.3	7.0	-	7.4
45	8.1	10.4	18.7	12.9	-	7.8	6.2	7.2	-	14.2
46	6.9	9.2	15.3	9.8	-	9.9	5.8	7.2	-	20.1
47	6.0	7.3	7.0	6.8	-	11.4	4.6	6.6	-	20.3
48	4.4	5.5	5.2	4.3	-	12.8	3.8	5.7	-	15.5
49	2.7	3.7	3.3	2.2	-	12.2	2.4	4.5	-	8.6
50	1.9	2.5	1.6	1.2	-	11.0	1.4	3.3	-	4.2
51	1.4	1.5	0.6	0.5	-	8.4	0.9	2.4	-	1.9
52	0.7	0.8	0.3	0.2	-	5.5	0.5	1.6	-	0.7
53	0.1	0.3	0.1	0.1	-	3.1	0.2	1.0	-	0.2
54	*	0.1	0.1	*	-	1.5	0.1	0.6	-	*
55	*	*	-	*	-	0.3	*	0.3	-	*
56	-	*	-	*	-	*	*	0.1	-	*
57	-	-	-	*	-	*	*	*	-	*
58	-	-	-	*	-	*	-	*	-	*
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	-	-	-	-	*	-	-
Average	42	43	45	44	-	48	40	42	-	47

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	*	*	-	-	-	-	-	-
25 - 26	-	*	-	*	*	0.1	-	0.1	-	-	-	*
27 - 29	-	*	-	*	0.7	0.2	0.4	0.2	-	*	0.1	*
30 - 32	*	0.1	-	0.1	1.6	0.5	0.8	0.9	-	*	0.2	0.3
33 - 34	0.4	0.7	-	0.1	1.4	0.7	1.1	1.8	-	*	0.9	1.2
35 - 36	2.2	1.8	-	0.2	2.3	1.2	4.0	2.8	-	0.4	2.0	2.8
37 - 42	26.6	31.7	5.2	10.6	20.7	14.9	17.1	27.8	26.2	22.0	33.8	44.1
43 - 49	64.7	60.7	70.3	76.1	56.1	65.1	76.1	62.4	71.8	75.4	61.9	50.8
50 - 52	6.0	4.5	21.0	11.2	12.7	15.0	0.6	3.2	1.9	2.2	1.2	0.7
53 & above	0.1	0.4	3.5	1.8	4.4	2.3	-	0.7	0.1	*	*	*
Average	44	44	47	46	45	46	43	44	44	45	43	42
HVI TRASH 1/												
00	-	-	-	-	-	*	-	*	-	-	-	-
01	0.3	0.2	0.1	0.1	5.0	7.6	8.2	26.6	-	*	0.3	0.5
02	5.8	4.9	4.1	2.2	26.2	25.4	42.8	43.6	3.2	1.9	6.2	7.7
03	16.3	17.0	13.1	10.5	28.2	26.1	31.2	20.8	9.9	12.0	17.0	20.5
04	20.3	24.0	21.3	19.8	17.9	18.0	12.2	6.5	13.3	24.9	23.8	25.1
05	15.8	20.8	23.4	22.6	10.0	10.6	3.9	1.8	16.3	25.6	21.6	20.6
06	13.0	14.2	18.6	18.8	4.8	5.7	1.2	0.5	18.0	17.7	15.1	13.0
07	9.2	8.7	11.1	12.6	2.6	3.0	0.3	0.2	16.7	9.7	8.2	6.9
08	7.1	4.9	5.7	7.1	1.6	1.5	0.1	0.1	11.0	4.7	4.3	3.3
09	4.9	2.6	1.8	3.6	1.2	0.9	0.1	*	6.3	2.2	1.8	1.4
10	3.3	1.3	0.6	1.6	0.9	0.5	-	*	2.7	0.9	0.9	0.6
11	1.9	0.7	0.1	0.7	0.6	0.3	-	*	1.1	0.3	0.4	0.3
12	1.1	0.3	*	0.3	0.4	0.2	-	-	0.8	0.1	0.2	0.1
13	0.5	0.1	*	0.1	0.2	0.1	-	*	0.3	0.1	0.1	*
14	0.2	0.1	-	*	0.1	0.1	-	*	0.2	*	0.1	*
15	0.1	*	-	*	0.1	*	-	-	0.2	*	*	*
16	0.1	*	-	*	0.1	*	-	-	0.1	*	*	*
17	*	*	-	*	*	*	-	-	-	*	*	*
18 & above	*	*	-	*	0.1	*	-	-	-	*	*	*
Average	0.54	0.50	0.51	0.55	0.36	0.35	0.27	0.22	0.60	0.51	0.48	0.46
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	-	*	-	*	-	-	-	-
75.5-76.4	0.1	*	-	*	*	*	-	*	0.1	*	*	*
76.5-77.4	0.5	0.2	*	*	0.1	*	-	*	0.6	0.1	0.7	0.1
77.5-78.4	2.6	1.0	0.1	0.2	0.7	0.4	0.6	0.2	5.8	1.0	3.1	1.0
78.5-79.4	8.9	5.2	0.5	1.2	3.8	2.7	2.8	1.2	15.9	4.3	12.2	5.2
79.5-80.4	29.5	21.0	4.7	7.4	13.5	12.3	5.6	3.6	54.5	34.4	27.9	20.3
80.5-81.4	35.7	41.4	36.7	26.8	34.5	32.2	22.3	15.8	21.1	49.0	33.2	38.8
81.5-82.4	18.9	24.9	36.7	37.7	32.7	35.0	42.9	31.2	2.1	10.1	19.1	26.1
82.5-83.4	3.4	5.5	20.3	22.4	12.4	14.3	11.4	17.9	0.1	0.9	3.4	7.3
83.5-84.4	0.4	0.8	1.0	4.0	2.1	2.7	10.2	18.6	-	0.1	0.3	1.1
84.5-85.4	*	0.1	*	0.2	0.1	0.3	4.2	10.9	-	*	*	0.1
85.5-86.4	-	*	-	*	*	*	0.1	0.6	-	-	-	*
86.5-87.4	-	*	-	*	-	*	0.1	0.1	-	-	-	*
87.5-88.4	-	*	-	*	-	-	-	-	-	-	-	-
88.5-89.4	-	*	-	*	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	80.6	81.0	81.7	81.8	81.4	81.5	82.0	82.6	79.9	80.6	80.6	81.1
Tenderable 3/	63.0	63.0	48.8	70.8	72.7	73.8	94.6	92.0	51.0	59.5	55.0	74.3
SAMPLES CLASSED												
WEEK	7,980		8,436		22,031		4,534		1,693		29,257	
SEASON		787,587		1,222,944		324,301		173,693		81,461		1,889,246

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	-	-	-	-	-	-	*
25 - 26	1.1	0.8	-	*	-	-	-	-	-	-	-	0.3
27 - 29	1.6	2.7	-	*	-	*	-	*	-	*	-	1.1
30 - 32	4.1	6.0	-	*	-	*	-	*	-	*	-	2.4
33 - 34	5.8	8.0	-	*	-	*	*	*	0.8	0.2	-	3.5
35 - 36	11.6	11.3	-	*	-	0.1	1.2	0.1	1.2	0.6	-	8.8
37 - 42	47.9	50.1	11.7	3.8	-	8.5	21.3	7.6	28.0	13.5	-	44.5
43 - 49	27.7	20.8	40.6	67.3	-	70.1	57.4	78.1	62.3	76.9	-	37.3
50 - 52	0.1	0.3	32.4	26.0	-	17.3	16.3	13.0	7.5	8.1	-	1.9
53 & above	-	*	15.2	2.8	-	3.9	3.6	1.1	0.3	0.7	-	0.3
Average	40	39	48	48	-	47	46	47	44	46	-	41
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	1.2	1.1	2.2	0.6	-	0.1	-	0.2	0.3	0.2	-	5.2
02	9.4	8.8	25.9	9.1	-	3.1	0.1	5.3	6.5	5.7	-	30.4
03	14.9	14.7	29.8	22.1	-	12.7	1.7	16.2	19.6	20.0	-	29.2
04	12.0	14.4	23.5	25.1	-	21.2	7.8	22.5	25.5	26.4	-	17.2
05	11.3	13.4	10.3	19.6	-	23.0	19.2	21.6	21.3	21.1	-	8.8
06	10.7	12.1	4.3	12.1	-	18.4	25.3	15.9	13.2	13.2	-	4.5
07	9.6	10.3	1.5	6.4	-	11.5	20.6	9.6	6.1	7.1	-	2.1
08	9.0	8.4	0.7	3.0	-	5.8	13.6	4.9	3.5	3.5	-	1.1
09	6.9	6.1	0.6	1.3	-	2.6	7.1	2.2	1.8	1.6	-	0.6
10	5.1	4.0	0.6	0.5	-	1.0	2.8	0.9	0.8	0.7	-	0.3
11	3.5	2.5	0.1	0.2	-	0.4	1.1	0.4	0.6	0.3	-	0.2
12	2.1	1.6	0.3	0.1	-	0.1	0.5	0.1	0.3	0.1	-	0.1
13	1.4	0.9	-	*	-	*	0.1	0.1	0.2	*	-	*
14	0.9	0.5	0.1	*	-	*	0.1	*	0.2	*	-	*
15	0.6	0.3	-	*	-	*	*	*	*	*	-	*
16	0.5	0.2	-	-	-	*	*	*	-	*	-	*
17	0.3	0.2	-	-	-	*	-	*	*	*	-	-
18 & above	0.7	0.3	-	-	-	*	-	*	-	*	-	-
Average	0.62	0.58	0.35	0.44	-	0.52	0.65	0.50	0.47	0.47	-	0.33
UNIFORMITY 2/												
72.4 & below	-	*	-	*	-	-	-	*	-	-	-	-
72.5-73.4	-	-	-	*	-	-	-	*	-	-	-	-
73.5-74.4	-	*	-	*	-	-	-	*	-	*	-	-
74.5-75.4	-	*	-	*	-	-	-	*	0.1	*	-	-
75.5-76.4	*	*	-	0.1	-	*	-	*	0.3	*	-	-
76.5-77.4	0.1	0.2	-	0.3	-	*	*	0.1	0.8	0.3	-	*
77.5-78.4	0.7	1.3	0.7	1.4	-	*	*	0.9	7.1	1.8	-	*
78.5-79.4	5.4	5.4	16.4	6.9	-	0.3	0.3	4.3	24.2	8.4	-	0.7
79.5-80.4	20.8	28.3	29.5	20.5	-	2.5	3.6	18.2	29.2	25.6	-	2.8
80.5-81.4	55.3	47.2	31.0	36.8	-	14.7	39.7	38.5	24.9	35.4	-	16.7
81.5-82.4	16.7	16.3	19.3	25.0	-	37.2	43.6	29.3	10.4	22.5	-	39.4
82.5-83.4	0.6	1.1	2.9	7.4	-	35.4	10.2	7.7	2.3	5.2	-	36.7
83.5-84.4	0.2	0.1	0.1	1.5	-	9.3	2.4	0.9	0.3	0.7	-	3.6
84.5-85.4	*	*	-	0.2	-	0.6	0.1	0.1	0.1	0.1	-	0.1
85.5-86.4	*	*	-	*	-	*	0.1	*	0.2	*	-	*
86.5-87.4	*	*	-	*	-	*	-	-	0.1	*	-	-
87.5-88.4	*	*	-	*	-	*	-	-	-	-	-	-
88.5-89.4	*	*	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-	-	-
Average	80.8	80.7	80.6	81.0	-	82.3	81.6	81.1	80.1	80.8	-	82.1
Tenderable 3/	41.2	45.4	39.6	56.2	-	68.8	56.9	75.2	71.9	76.1	-	89.2
SAMPLES CLASSED												
WEEK	13,439		715		-		7,071		2,610		-	
SEASON		93,046		413,866		754,864		1,378,295		701,293		33,584

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending FEBRUARY 7, 2019**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	-	-	-	0.3	0.1	-	-
25 - 26	0.1	0.1	-	*	-	-	1.4	0.6	-	-
27 - 29	1.3	0.4	-	*	-	-	3.3	1.6	-	*
30 - 32	2.3	1.2	-	*	-	*	6.8	3.4	-	*
33 - 34	3.6	1.7	-	0.1	-	*	6.2	3.9	-	*
35 - 36	5.8	2.9	-	0.5	-	0.2	8.2	5.8	-	0.1
37 - 42	38.3	33.2	19.5	31.5	-	6.3	35.4	30.1	-	3.0
43 - 49	44.5	55.1	77.8	65.9	-	63.6	35.2	45.1	-	89.9
50 - 52	4.1	4.9	2.5	1.9	-	24.9	2.9	7.2	-	6.7
53 & above	0.2	0.5	0.2	0.1	-	4.9	0.4	2.0	-	0.3
Average	42	43	45	44	-	48	40	42	-	47
HVI TRASH 1/										
00	-	-	-	-	-	-	-	*	-	-
01	3.2	2.0	1.6	0.3	-	0.8	1.7	4.1	-	0.3
02	20.4	16.9	13.9	5.6	-	10.0	12.3	19.5	-	10.8
03	26.3	26.4	20.2	15.9	-	21.9	18.7	24.1	-	32.1
04	19.2	22.3	17.6	23.1	-	24.4	18.1	19.4	-	31.2
05	12.8	14.5	16.9	22.3	-	19.2	15.2	13.1	-	16.5
06	7.9	8.2	12.1	15.7	-	11.9	11.5	8.2	-	6.1
07	4.4	4.4	7.6	9.0	-	6.4	8.0	4.9	-	2.0
08	2.5	2.4	4.8	4.5	-	3.1	5.3	2.8	-	0.6
09	1.3	1.2	2.7	2.1	-	1.3	3.4	1.6	-	0.2
10	0.8	0.7	1.4	0.9	-	0.6	2.0	0.9	-	0.1
11	0.5	0.4	0.7	0.4	-	0.2	1.3	0.5	-	*
12	0.3	0.2	0.3	0.1	-	0.1	0.9	0.3	-	*
13	0.2	0.1	0.2	0.1	-	*	0.5	0.2	-	*
14	0.1	0.1	0.1	*	-	*	0.4	0.1	-	*
15	0.1	*	*	*	-	*	0.3	0.1	-	*
16	*	*	*	*	-	*	0.1	*	-	*
17	*	*	*	*	-	*	0.1	*	-	*
18 & above	0.1	*	*	*	-	*	0.1	*	-	-
Average	0.40	0.40	0.46	0.49	-	0.44	0.50	0.40	-	0.38
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	*	*	-	-
72.5-73.4	-	*	-	-	-	-	*	*	-	-
73.5-74.4	*	*	*	*	-	-	*	*	-	*
74.5-75.4	*	*	0.1	*	-	-	0.1	0.1	-	*
75.5-76.4	0.1	0.1	0.4	0.1	-	*	0.4	0.3	-	0.1
76.5-77.4	0.8	0.4	1.5	0.6	-	*	2.1	1.1	-	0.2
77.5-78.4	5.1	2.5	6.8	3.3	-	0.2	7.8	3.5	-	1.3
78.5-79.4	18.3	10.8	21.3	13.9	-	1.9	18.8	9.9	-	9.6
79.5-80.4	33.7	27.9	37.2	34.5	-	11.9	26.6	22.2	-	32.9
80.5-81.4	30.0	35.6	26.2	32.9	-	29.6	26.0	30.4	-	36.9
81.5-82.4	10.4	18.2	6.1	12.1	-	35.6	13.9	22.4	-	15.7
82.5-83.4	1.4	3.9	0.4	2.2	-	17.7	3.5	8.6	-	3.0
83.5-84.4	0.1	0.5	-	0.2	-	2.7	0.6	1.4	-	0.3
84.5-85.4	*	*	-	*	-	0.2	*	0.1	-	*
85.5-86.4	*	*	-	*	-	*	*	*	-	-
86.5-87.4	*	*	-	-	-	-	*	*	-	-
87.5-88.4	-	*	-	-	-	-	-	*	-	-
88.5-89.4	*	*	-	-	-	-	-	*	-	-
89.5 & above	*	*	-	-	-	-	-	*	-	-
Average	80.2	80.6	79.9	80.4	-	81.6	80.2	80.8	-	80.6
Tenderable 3/	71.0	79.5	57.9	78.6	-	46.7	45.0	65.0	-	82.0
SAMPLES CLASSED										
WEEK	43,485		5,856		-		138,186		-	
SEASON		458,478		356,774		761,189		6,426,907		183,336

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending FEBRUARY 7, 2019

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	7.1	7.3	21.1	21.5	-	-	-	-
	2	2.4	10.9	23.8	23.4	-	-	-	-
	3	-	1.0	0.4	0.4	-	-	-	-
	4	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		9.6	19.2	45.3	45.2	-	-	-	-
02	1	11.7	14.5	5.2	6.2	-	-	-	-
	2	33.6	25.9	42.6	38.8	-	-	-	-
	3	4.7	1.8	5.9	6.7	-	-	-	-
	4	-	*	-	0.1	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		50.0	42.1	53.7	51.7	-	-	-	-
03	1	1.2	1.4	*	*	-	-	-	-
	2	18.2	20.6	0.6	1.4	-	-	-	-
	3	14.0	7.7	0.4	1.3	-	-	-	-
	4	1.1	0.5	*	0.2	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		34.4	30.2	0.9	2.9	-	-	-	-
04	1	-	*	-	*	-	-	-	-
	2	1.2	3.4	-	*	-	-	-	-
	3	4.0	3.6	*	0.1	-	-	-	-
	4	0.9	0.4	-	*	-	-	-	-
	5	-	*	-	*	-	-	-	-
	6	-	*	-	*	-	-	-	-
	7	-	*	-	*	-	-	-	-
Total -----		6.1	7.5	*	0.1	-	-	-	-
05	1	-	-	-	*	-	-	-	-
	2	-	0.2	-	*	-	-	-	-
	3	-	0.6	-	*	-	-	-	-
	4	-	0.1	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	*	-	*	-	-	-	-
Total -----		-	0.8	-	*	-	-	-	-
06	1	-	-	-	*	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	*	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	0.1	-	*	-	-	-	-
Total -----		-	0.1	-	*	-	-	-	-
07	1	-	-	-	*	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
40 & shorter		-	-	-	-	-	-	-	-
42		-	*	-	*	-	-	-	-
44		-	-	0.1	0.2	-	-	-	-
46		0.8	13.2	5.4	4.0	-	-	-	-
48 & longer		99.2	86.8	94.5	95.8	-	-	-	-
Average		49.1	49.0	49.3	49.3	-	-	-	-
UNIFORMITY									
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	-	*	-	-	-	-
81		-	-	-	*	-	-	-	-
82		-	*	*	0.1	-	-	-	-
83		-	0.1	0.2	0.4	-	-	-	-
84		-	0.2	1.3	2.1	-	-	-	-
85		4.6	10.6	23.1	13.5	-	-	-	-
86		53.1	46.4	36.4	41.6	-	-	-	-
87		38.4	40.2	30.8	36.8	-	-	-	-
88		3.8	2.5	7.6	5.1	-	-	-	-
89		0.1	*	0.6	0.3	-	-	-	-
90 & above		-	-	*	*	-	-	-	-
Average		86.4	86.3	86.2	86.2	-	-	-	-
SAMPLES CLASSED									
WEEK		1,107		25,490		-	-	-	-
SEASON			24,476		623,457	-	-	-	-

* Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending FEBRUARY 7, 2019

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	-	*	-	-	-	-
25 - 26	-	-	-	0.1	-	-	-	-
27 - 29	-	*	0.3	0.3	-	-	-	-
30 - 32	-	0.1	1.7	0.9	-	-	-	-
33 - 34	-	0.3	5.3	1.7	-	-	-	-
35 - 36	4.2	1.8	8.4	4.6	-	-	-	-
37 - 42	82.8	78.4	41.0	51.2	-	-	-	-
43 - 49	13.0	19.5	43.3	41.1	-	-	-	-
50 - 52	-	-	*	*	-	-	-	-
53 & above	-	-	*	*	-	-	-	-
Average	41	41	41	41	-	-	-	-
ALL RANGE MIKE								
24 & below	-	-	-	*	-	-	-	-
25	-	-	-	*	-	-	-	-
26	-	-	-	*	-	-	-	-
27	-	*	*	0.1	-	-	-	-
28	-	-	0.1	0.1	-	-	-	-
29	-	-	0.2	0.2	-	-	-	-
30	-	*	0.2	0.2	-	-	-	-
31	-	*	0.5	0.3	-	-	-	-
32	-	*	1.0	0.4	-	-	-	-
33	-	0.1	1.9	0.6	-	-	-	-
34	-	0.2	3.4	1.1	-	-	-	-
35	1.4	0.3	4.6	1.8	-	-	-	-
36	2.8	1.5	3.8	2.8	-	-	-	-
37	2.2	4.0	5.6	3.9	-	-	-	-
38	2.1	8.6	4.4	5.6	-	-	-	-
39	9.9	16.9	7.0	7.6	-	-	-	-
40	21.3	18.9	7.5	9.8	-	-	-	-
41	26.9	17.1	7.6	11.1	-	-	-	-
42	20.4	12.9	8.8	13.2	-	-	-	-
43	10.0	10.5	13.9	14.4	-	-	-	-
44	3.0	6.2	12.2	12.8	-	-	-	-
45	-	2.4	9.1	8.2	-	-	-	-
46	-	0.4	5.1	4.0	-	-	-	-
47	-	0.1	2.1	1.4	-	-	-	-
48	-	*	0.7	0.3	-	-	-	-
49	-	*	0.2	0.1	-	-	-	-
50	-	-	*	*	-	-	-	-
51	-	-	*	*	-	-	-	-
52	-	-	-	*	-	-	-	-
53	-	-	*	*	-	-	-	-
54	-	-	*	*	-	-	-	-
55	-	-	-	*	-	-	-	-
56	-	-	-	*	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
Average	41	41	41	41	-	-	-	-
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	*	-	-	-	-
32	-	-	-	*	-	-	-	-
33	-	-	-	*	-	-	-	-
34	-	-	*	*	-	-	-	-
35	-	-	*	*	-	-	-	-
36	0.1	*	*	0.1	-	-	-	-
37	-	*	0.7	0.4	-	-	-	-
38	-	0.3	2.5	1.3	-	-	-	-
39	-	2.2	5.7	3.0	-	-	-	-
40	-	5.4	5.9	4.0	-	-	-	-
41	0.1	5.3	7.3	3.9	-	-	-	-
42	4.3	7.3	6.3	6.3	-	-	-	-
43	19.8	21.4	9.4	12.7	-	-	-	-
44	23.9	29.2	16.2	20.6	-	-	-	-
45 & above	51.8	28.7	45.9	47.7	-	-	-	-
Average	44.4	43.5	43.7	44.0	-	-	-	-
EXTRANEIOUS MATTER								
Bark	-	0.6	-	*	-	-	-	-
Grass	-	0.1	-	0.1	-	-	-	-
Spindle Twist Preparation	-	0.1	*	0.2	-	-	-	-
	-	*	-	*	-	-	-	-

* Less than 0.05 percent.



Extraneous Matter By State

08-Feb-19

**Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
 For the Week ending Thursday, February 7, 2019**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	-	-	7.6%	-	*	-	5.4%	-	-	-	-	-	-	-	12.9%	-	7,980
Arizona	-	-	5.1%	-	-	-	*	-	-	-	-	-	-	-	5.1%	-	22,031
Arkansas	1.7%	-	2.1%	-	-	-	-	-	-	-	-	-	-	-	3.8%	-	8,436
California	-	-	2.4%	-	-	-	-	-	-	-	-	-	-	-	2.4%	-	4,534
Florida	-	-	8.2%	-	-	-	30.2%	-	-	-	-	-	-	-	38.5%	-	1,693
Georgia	0.1%	-	5.6%	-	*	-	22.5%	-	-	-	-	-	-	-	28.2%	-	29,257
Kansas	-	-	43.7%	-	-	-	-	-	-	-	-	-	-	-	43.7%	-	13,439
Louisiana	0.1%	-	1.1%	-	-	-	-	-	-	-	-	-	-	-	1.3%	-	715
Mississippi	0.1%	-	3.4%	-	-	-	0.5%	-	-	-	-	-	-	-	4.0%	-	7,071
Missouri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Carolina	1.1%	-	1.3%	-	-	-	-	-	-	-	-	-	-	-	2.4%	-	2,610
Oklahoma	-	-	14.4%	-	*	-	-	-	-	-	-	-	-	-	14.4%	-	43,485
South Carolina	0.1%	-	4.7%	-	-	-	0.5%	-	-	-	-	-	-	-	5.3%	-	5,856
Tennessee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Texas	*	-	32.5%	-	*	-	0.6%	-	*	-	-	-	*	-	33.2%	-	138,186
Virginia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
United States	0.1%	-	21.5%	-	*	-	3.0%	-	*	-	-	-	*	-	24.5%	*	285,293

* Less than 0.05 percent.

**Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
 For the Season ending Thursday, February 7, 2019**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	-	12.0%	*	0.1%	-	0.7%	-	-	-	-	-	*	-	12.9%	*	787,587
Arizona	*	-	1.6%	-	*	-	1.0%	-	-	-	*	-	-	-	2.7%	-	324,301
Arkansas	0.2%	-	1.6%	-	0.2%	-	*	-	*	-	*	-	*	-	2.0%	-	1,222,944
California	*	-	0.5%	-	0.1%	-	*	-	*	-	*	-	-	-	0.6%	-	173,693
Florida	*	-	21.1%	*	*	-	2.5%	-	-	-	-	-	-	-	23.7%	*	81,461
Georgia	0.1%	-	12.1%	*	*	-	1.8%	-	*	-	-	-	*	-	14.0%	*	1,889,246
Kansas	*	-	35.7%	-	*	-	*	-	-	-	-	-	*	-	35.7%	-	93,046
Louisiana	*	-	2.5%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	2.7%	-	413,866
Mississippi	0.6%	*	1.2%	-	0.2%	*	0.2%	-	*	-	*	-	*	-	2.2%	*	1,378,295
Missouri	*	-	0.7%	-	0.1%	-	*	-	*	-	*	-	*	-	0.7%	-	754,864
New Mexico	-	-	1.2%	-	-	-	*	-	-	-	-	-	-	-	1.2%	-	33,584
North Carolina	*	-	2.2%	-	0.1%	-	*	-	*	-	-	-	-	-	2.3%	-	701,293
Oklahoma	*	-	7.8%	-	*	-	*	-	*	-	-	-	*	-	7.8%	-	458,478
South Carolina	*	-	3.9%	-	0.1%	-	0.1%	-	-	-	-	-	*	-	4.1%	-	356,774
Tennessee	*	-	0.4%	-	*	-	*	-	*	-	-	-	-	-	0.5%	-	761,189
Texas	*	-	8.8%	*	0.2%	-	1.1%	-	*	-	-	-	*	*	10.1%	*	6,426,907
Virginia	*	-	0.4%	-	*	-	-	-	-	-	-	-	-	-	0.4%	-	183,336
United States	0.1%	*	6.7%	*	0.1%	*	0.7%	-	*	-	*	-	*	*	7.6%	*	16,040,864

* Less than 0.05 percent.