



Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

11-Feb-19

Volume 101, No. 134

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS	
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program		
	ICE Futures	Staple 34	Staple 35	Today	Season	
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>	
Southeast	-250 Mar-19	68.05	70.30	0	15,344	
North Delta	-325 Mar-19	67.30	69.05	0	3,844	
South Delta	-325 Mar-19	67.30	69.05	0	1,723	
East TX-OK	-525 Mar-19	65.30	67.80	1,435	187,726	
West Texas	-525 Mar-19	65.30	68.05	429	290,449	
Desert SW	-650 Mar-19	64.05	68.30	450	23,110	
SJ Valley	-600 Mar-19	64.55	73.45	0	0	
Average	-457 Mar-19	65.98	69.43	Upland Total		
Previous day	-457 Mar-19	67.98	71.43	2,314	522,196	
AMERICAN PIMA SPOT PRICE QUOTATIONS						
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total		
American Pima	125.00	102.50	110.25	0	1,052	

ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER				7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Feb 08 - Feb 14 ADJ. WORLD PRICE 64.61	
Month	<i>Cents per pound</i>					CC ADJUSTMENT 0.00	
	Today	Previous	Change			FC ADJUSTMENT	
Mar-19	70.55	72.55 ↓	-2.00	Season high		2017 2018	
May-19	71.76	73.69 ↓	-1.93	8/2/2018	85.65	0.13 0.18	
Jul-19	73.13	75.01 ↓	-1.88	Season low		LOAN DEFICIENCY PMT. 0.00	
Oct-19	72.95	74.31 ↓	-1.36			PIMA COMPETITIVENESS PAYMENT 0.00	
Dec-19	72.70	73.93 ↓	-1.23				
Mar-20	73.94	75.24 ↓	-1.30				
May-20	74.44	75.88 ↓	-1.44				
Jul-20	74.79	76.32 ↓	-1.53	2/11/2019	65.98		
Oct-20	73.29	74.36 ↓	-1.07				
Dec-20	72.17	73.24 ↓	-1.07				

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast						
North Delta						
South Delta						
East TX-OK						
West Texas						
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	250	325	375	375	25-26	-825
	3	-225	-50	150	225	300	350	350	27-29	-425
	4	-225	-125	75	175	275	300	300	30-32	-275
	5	-375	-225	-125	25	75	75	75	33-34	-150
	6	-500	-350	-300	-225	-200	-200	-200	Base 35-36	0
31	7	-625	-475	-450	-350	-325	-325	-325	37-42	0
	1 & 2	-225	-50	125	225	300	325	325	Base 43-49	0
	3	-225	-50	125	225	275	300	300	50-52	-200
	4	-225	-125	75	175	250	275	275	53 & Above	-375
	5	-375	-225	-125	25	50	50	50		
41	6	-500	-350	-300	-275	-250	-250	-250		
	7	-625	-475	-450	-400	-375	-375	-375		
	1 & 2	-275	-100	50	150	200	200	225	Strength	
	3	-275	-100	50	125	175	175	200	(Grams per Tex)	
	4	-275	-200	68.05	100	175	175	200	Range	Diff.
51	5	-450	-350	-200	-75	-25	-25	-25	21.0 - 21.9	-425
	6	-575	-450	-425	-350	-325	-325	-325	22.0 - 22.9	-350
	7	-675	-575	-550	-500	-475	-475	-475	23.0 - 23.9	-300
	1 & 2	-475	-300	-175	-175	-150	-150	-150	24.0 - 24.9	-250
	3	-550	-325	-250	-225	-175	-175	-175	25.0 - 25.9	-200
61	4	-575	-325	-275	-275	-250	-250	-250	26.0 - 26.9	-25
	5	-675	-550	-450	-400	-375	-375	-375	Base 27.0 - 28.9	0
	6	-750	-575	-525	-525	-500	-500	-500	29.0 - 29.9	0
	7	-825	-700	-675	-675	-650	-650	-650	30.0 - 30.9	25
	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
71	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
	1-6	-1075	-1000	-950	-950	-950	-950	-950		
12 & 22	7	-1100	-1025	-975	-975	-975	-975	-975		
	1 & 2	-275	-100	50	150	250	250	275	Extraneous Matter	
	3	-275	-100	50	125	225	225	250	Type - Level	Diff.
	4	-275	-125	0	100	200	200	225	Prep - Level 1	-200
	5	-425	-325	-200	0	25	25	25	Prep - Level 2	-800
32	6	-550	-425	-425	-350	-325	-325	-325	Other - Level 1	-450
	7	-650	-550	-550	-500	-475	-475	-475	Other - Level 2	-800
	1 & 2	-325	-175	-25	0	50	50	50	Plastic - Level 1	-400
	3	-350	-200	-50	0	25	25	25	Plastic - Level 2	-800
	4	-450	-200	-150	-100	-50	-50	-50		
42	5	-525	-350	-300	-275	-250	-250	-250		
	6	-600	-450	-450	-425	-400	-400	-400		
	7	-700	-575	-575	-550	-525	-525	-525		
	1-3	-625	-425	-225	-200	-175	-175	-175	Uniformity	
	4	-675	-425	-275	-275	-250	-250	-250	Unit	Points
52	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-775	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	-25
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
62	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
43	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
53	7	-1125	-1000	-950	-925	-925	-925	-925		
	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
63	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
	1-5	-1125	-1075	-975	-975	-975	-975	-975		
63	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	125	250	325	375	375	25-26	-1000
	3	-225	-75	100	200	300	325	325	27-29	-650
	4	-275	-200	25	75	200	225	225	30-32	-325
	5	-450	-325	-75	0	25	50	50	33-34	-125
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
31	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
	1 & 2	-225	-100	75	200	300	325	325	Base 43-49	0
	3	-225	-100	75	175	275	300	300	50-52	-225
	4	-275	-250	25	75	125	150	150	53 & Above	-375
	5	-450	-325	-125	-50	-25	0	0		
41	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
	1 & 2	-350	-250	50	100	200	200	225	Strength	
	3	-350	-250	25	50	175	175	200	(Grams per Tex)	
	4	-375	-275	67.30	0	125	150	150	Range	Diff.
51	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-300
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250
	7	-700	-675	-550	-450	-450	-475	-475	23.0 - 23.9	-200
	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-150
61	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-525	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-850	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075	Extraneous Matter	
	1 & 2	-275	-125	50	100	250	275	275	Type - Level	Diff.
	3	-275	-125	25	50	200	250	250	Prep - Level 1	-200
	4	-300	-250	0	0	150	175	175	Prep - Level 2	-800
	5	-500	-375	-200	-100	-75	-50	-50	Other - Level 1	-375
32	6	-625	-550	-425	-325	-300	-300	-300	Other - Level 2	-785
	7	-675	-650	-525	-450	-425	-425	-425	Plastic - Level 1	-375
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-785
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-600	-425	-250	-225	-200	-200	-200	Uniformity	
	6	-700	-650	-475	-425	-400	-400	-400	Unit	Points
	7	-800	-750	-575	-525	-525	-525	-525	77.9 & Below	-90
	1-3	-550	-425	-325	-200	-175	-175	-175	78.0 - 78.9	-80
	4	-575	-450	-350	-275	-250	-250	-250	79.0 - 79.9	-70
52	5	-725	-575	-425	-375	-325	-325	-325	80.0 - 80.9	0
	6	-850	-750	-600	-550	-525	-525	-525	Base 81.0 - 81.9	0
	7	-900	-800	-700	-650	-650	-650	-650	82.0 - 82.9	0
	1-4	-750	-575	-525	-500	-500	-500	-500	83.0 - 83.9	30
	5	-825	-725	-650	-600	-600	-600	-600	84.0 - 84.9	40
62	6	-975	-875	-800	-775	-775	-775	-775	85.0 - 85.9	50
	7	-1000	-975	-900	-875	-875	-875	-875	86.0 & Above	60
	1-5	-1025	-925	-850	-825	-825	-825	-825		
43	6	-1175	-1075	-950	-925	-925	-925	-925		
	1-3	-900	-675	-500	-475	-475	-475	-475		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

SOUTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	125	250	325	375	375	25-26	-1100
	3	-225	-75	100	200	300	325	325	27-29	-750
	4	-275	-200	25	75	200	225	225	30-32	-325
	5	-450	-325	-75	0	25	50	50	33-34	-125
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
31	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
	1 & 2	-225	-100	75	200	300	325	325	Base 43-49	0
	3	-225	-100	75	175	275	300	300	50-52	-225
	4	-275	-250	25	75	125	150	150	53 & Above	-375
	5	-450	-325	-125	-50	-25	0	0		
41	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
	1 & 2	-350	-250	50	100	200	200	225	Strength	
	3	-350	-250	25	50	175	175	200	(Grams per Tex)	
	4	-375	-275	67.30	0	125	150	150	Range	Diff.
51	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-275
	6	-575	-500	-400	-325	-300	-325	-325	22.0 - 22.9	-225
	7	-700	-675	-550	-450	-450	-475	-735	23.0 - 23.9	-200
	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-150
61	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-525	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-925	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075	Extraneous Matter	
	1 & 2	-275	-125	50	100	250	275	275	Type - Level	Diff.
	3	-275	-125	25	50	200	250	250	Prep - Level 1	-200
	4	-300	-250	0	0	150	175	175	Prep - Level 2	-800
	5	-500	-375	-200	-100	-75	-50	-50	Other - Level 1	-375
32	6	-625	-550	-425	-325	-300	-300	-300	Other - Level 2	-785
	7	-675	-650	-525	-450	-425	-425	-425	Plastic - Level 1	-375
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-785
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-600	-425	-250	-225	-200	-200	-200	Uniformity	
	6	-700	-650	-475	-425	-400	-400	-400	Unit	Points
	7	-800	-750	-575	-525	-525	-525	-525	77.9 & Below	-90
	1-3	-550	-425	-325	-200	-175	-175	-175	78.0 - 78.9	-80
	4	-575	-450	-350	-275	-225	-225	-225	79.0 - 79.9	-70
52	5	-725	-575	-425	-375	-325	-325	-325	80.0 - 80.9	0
	6	-850	-750	-600	-525	-500	-500	-500	Base 81.0 - 81.9	0
	7	-900	-800	-700	-650	-650	-650	-650	82.0 - 82.9	0
	1-4	-750	-575	-525	-500	-500	-500	-500	83.0 - 83.9	30
	5	-825	-725	-650	-600	-600	-600	-600	84.0 - 84.9	40
62	6	-975	-875	-800	-775	-775	-775	-775	85.0 - 85.9	50
	7	-1000	-975	-900	-875	-875	-875	-875	86.0 & Above	60
	1-5	-1025	-925	-850	-825	-825	-825	-825		
43	6	-1175	-1075	-950	-925	-925	-925	-925		
	1-3	-900	-675	-475	-450	-450	-450	-450		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

EAST TEXAS-OKLAHOMA DIFFERENCES

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-350	-300	-125	200	350	475	500	525
	3	-400	-350	-150	150	300	425	425	450
	4	-475	-350	-175	100	100	325	350	350
	5	-525	-400	-350	-25	100	300	300	300
	6	-675	-525	-525	-275	-275	-75	-75	-75
	7	-750	-625	-625	-350	-350	-150	-150	-150
31	1 & 2	-400	-325	-125	125	300	400	475	500
	3	-425	-350	-150	125	250	375	425	450
	4	-525	-425	-225	75	100	225	225	225
	5	-575	-425	-375	-25	75	225	225	225
	6	-700	-550	-550	-275	-275	-125	-125	-125
	7	-775	-650	-650	-350	-350	-225	-225	-225
41	1 & 2	-500	-325	-150	100	175	300	325	325
	3	-525	-350	-175	100	125	175	200	200
	4	-575	-425	-325	65.30	75	125	150	150
	5	-700	-525	-475	-125	-75	125	150	150
	6	-850	-650	-625	-350	-350	-125	-125	-125
	7	-950	-750	-725	-450	-425	-300	-300	-300
51	1 & 2	-675	-525	-425	-50	-50	75	100	100
	3	-675	-550	-425	-50	-50	75	100	100
	4	-725	-575	-450	-125	-100	25	50	50
	5	-775	-650	-600	-225	-175	-100	-75	-75
	6	-950	-750	-750	-375	-375	-250	-250	-250
	7	-1050	-775	-775	-450	-450	-325	-325	-325
61	1-5	-850	-700	-650	-275	-275	-150	-150	-150
	6	-1025	-825	-800	-450	-425	-300	-300	-300
	7	-1125	-925	-900	-550	-525	-400	-400	-400
71	1-6	-1050	-950	-900	-525	-525	-400	-400	-400
	7	-1150	-1000	-975	-600	-600	-475	-475	-475
12 & 22	1 & 2	-725	-500	-300	50	100	250	300	300
	3	-750	-550	-350	25	50	175	225	225
	4	-800	-575	-375	0	0	125	175	175
	5	-875	-750	-675	-275	-175	25	75	75
	6	-1050	-850	-825	-425	-375	-275	-225	-225
	7	-1175	-975	-925	-525	-475	-375	-325	-325
32	1 & 2	-800	-700	-500	-100	0	100	150	150
	3	-825	-700	-525	-125	-100	25	75	75
	4	-875	-725	-600	-200	-175	-75	-25	-25
	5	-975	-850	-800	-375	-300	-75	-25	-25
	6	-1150	-950	-925	-550	-500	-400	-350	-350
	7	-1300	-1075	-1050	-650	-600	-500	-450	-450
42	1-3	-850	-750	-650	-175	-125	-50	0	0
	4	-900	-775	-675	-200	-175	-125	-75	-75
	5	-1050	-900	-825	-425	-375	-300	-250	-250
	6	-1275	-1000	-950	-575	-525	-450	-400	-400
	7	-1400	-1125	-1075	-700	-625	-550	-500	-500
	52	1-4	-1100	-900	-800	-475	-475	-400	-350
5		-1175	-1000	-875	-525	-525	-450	-400	-400
6		-1400	-1200	-1100	-675	-650	-575	-525	-525
7		-1500	-1325	-1225	-800	-775	-650	-600	-600
62	1-5	-1225	-1075	-1025	-600	-575	-500	-450	-450
	6	-1450	-1275	-1225	-800	-775	-675	-625	-625

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1175	-1025	-925	-475	-400	-275	-175	-175
	3	-1200	-1050	-950	-500	-425	-300	-200	-200
	4	-1250	-1125	-1000	-550	-475	-350	-250	-250
	5	-1375	-1225	-1125	-675	-600	-475	-375	-375
	6	-1500	-1300	-1175	-775	-700	-575	-475	-475
	7	-1600	-1400	-1300	-900	-825	-700	-600	-600
33	1 & 2	-1275	-1100	-1000	-530	-475	-350	-250	-250
	3	-1275	-1100	-1000	-555	-500	-375	-250	-250
	4	-1350	-1175	-1050	-605	-550	-425	-300	-300
	5	-1500	-1275	-1150	-730	-675	-550	-425	-425
	6	-1575	-1350	-1250	-855	-800	-675	-550	-550
	7	-1675	-1475	-1350	-980	-925	-800	-675	-675
43	1-3	-1325	-1175	-1050	-605	-550	-425	-300	-300
	4	-1400	-1250	-1100	-630	-575	-450	-325	-325
	5	-1525	-1350	-1200	-760	-700	-575	-450	-450
	6	-1625	-1425	-1300	-880	-850	-725	-600	-600
	7	-1725	-1525	-1400	-980	-950	-825	-700	-700
53	1-4	-1450	-1350	-1225	-780	-775	-675	-550	-550
	5	-1550	-1425	-1325	-855	-850	-750	-625	-625
	6	-1650	-1525	-1425	-1005	-975	-875	-750	-750
	7	-1750	-1625	-1550	-1105	-1050	-950	-825	-825
63	1-5	-1650	-1500	-1375	-955	-850	-750	-625	-625
	6	-1750	-1625	-1475	-1055	-1000	-900	-775	-775
34	1 & 2	-1400	-1275	-1200	-750	-725	-625	-550	-550
	3	-1400	-1275	-1200	-750	-725	-625	-550	-550
	4	-1525	-1400	-1300	-850	-825	-725	-650	-650
	5	-1625	-1500	-1425	-975	-950	-850	-775	-775
	6	-1800	-1675	-1600	-1150	-1125	-1025	-950	-950
44	1-3	-1500	-1375	-1300	-850	-825	-725	-650	-650
	4	-1575	-1475	-1350	-900	-875	-775	-700	-700
	5	-1650	-1550	-1450	-1000	-975	-875	-800	-800
	6	-1825	-1700	-1625	-1175	-1150	-1050	-975	-975
54	1-4	-1600	-1500	-1425	-925	-925	-825	-775	-775
	5	-1700	-1600	-1500	-1000	-1000	-900	-850	-850

Mike	
Range	Diff.
24 & Below	-1875
25-26	-1875
27-29	-1200
30-32	-850
33-34	-625
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-275
22.0 - 22.9	-250
23.0 - 23.9	-225
24.0 - 24.9	-225
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-1500
Plastic - Level 2	-2000

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-275	-190	10	160	375	425	500	525
	3	-350	-240	-40	135	300	400	475	500
	4	-375	-275	-150	125	275	350	400	400
	5	-500	-300	-250	25	175	325	325	325
	6	-675	-500	-425	-175	-150	-100	-100	-100
	7	-750	-550	-500	-250	-225	-175	-175	-175
31	1 & 2	-425	-290	-90	85	275	375	475	500
	3	-475	-315	-115	85	275	375	450	475
	4	-525	-375	-250	75	150	250	275	275
	5	-600	-425	-350	-75	25	175	175	175
	6	-775	-600	-475	-250	-250	-225	-225	-225
	7	-875	-650	-550	-300	-300	-275	-275	-275
41	1 & 2	-575	-400	-200	45	175	250	275	275
	3	-600	-425	-225	45	100	225	250	250
	4	-650	-450	-375	65.30	75	125	150	150
	5	-725	-525	-450	-150	-50	50	50	50
	6	-875	-700	-625	-350	-350	-225	-225	-225
	7	-1000	-800	-725	-450	-400	-325	-325	-325
51	1 & 2	-750	-550	-475	-125	-25	25	25	25
	3	-750	-550	-475	-125	-25	25	25	25
	4	-775	-550	-550	-200	-75	-25	-25	-25
	5	-825	-650	-650	-350	-250	-175	-175	-175
	6	-975	-750	-750	-475	-400	-275	-275	-275
	7	-1075	-850	-850	-575	-500	-400	-400	-400
61	1-5	-900	-725	-725	-400	-300	-200	-200	-200
	6	-1025	-800	-800	-600	-500	-375	-375	-375
	7	-1125	-950	-925	-675	-575	-475	-475	-475
71	1-6	-1100	-925	-875	-675	-575	-500	-500	-500
	7	-1175	-950	-925	-700	-650	-575	-575	-575
12 & 22	1 & 2	-650	-425	-250	75	150	300	375	375
	3	-700	-475	-275	75	100	250	325	325
	4	-725	-525	-450	-150	50	175	250	250
	5	-850	-650	-625	-325	-125	-75	-25	-25
	6	-1000	-775	-750	-425	-350	-250	-200	-200
	7	-1075	-875	-825	-500	-425	-325	-275	-275
32	1 & 2	-725	-500	-325	-75	-25	0	75	75
	3	-775	-550	-350	-125	-50	0	75	75
	4	-850	-625	-525	-200	-75	0	50	50
	5	-975	-825	-750	-400	-250	-200	-150	-150
	6	-1125	-900	-850	-525	-450	-400	-350	-350
	7	-1225	-1000	-900	-625	-525	-475	-425	-425
42	1-3	-875	-650	-575	-225	-150	-25	25	25
	4	-925	-725	-600	-250	-175	-50	0	0
	5	-1025	-875	-775	-425	-275	-250	-200	-200
	6	-1225	-925	-875	-550	-475	-425	-375	-375
	7	-1300	-1075	-975	-675	-550	-500	-450	-450
52	1-4	-1150	-900	-850	-575	-450	-400	-350	-350
	5	-1225	-1000	-925	-625	-500	-450	-400	-400
	6	-1425	-1175	-1100	-750	-650	-600	-550	-550
	7	-1500	-1275	-1200	-850	-750	-700	-650	-650
62	1-5	-1275	-1075	-1025	-725	-625	-575	-525	-525
	6	-1450	-1225	-1175	-875	-800	-750	-700	-700

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1050	-825	-750	-400	-325	-300	-250	-250
	3	-1100	-850	-775	-425	-350	-325	-275	-275
	4	-1125	-925	-850	-475	-400	-375	-325	-325
	5	-1225	-1000	-950	-600	-525	-475	-425	-425
	6	-1325	-1075	-1025	-675	-600	-550	-500	-500
	7	-1400	-1175	-1100	-725	-700	-650	-600	-600
33	1 & 2	-1175	-900	-825	-450	-400	-375	-325	-325
	3	-1175	-900	-825	-450	-400	-375	-325	-325
	4	-1250	-975	-900	-500	-450	-425	-375	-375
	5	-1375	-1075	-1000	-650	-575	-525	-475	-475
	6	-1425	-1150	-1125	-700	-675	-625	-575	-575
	7	-1500	-1250	-1175	-825	-775	-725	-675	-675
43	1-3	-1225	-1000	-925	-525	-475	-425	-375	-375
	4	-1300	-1075	-975	-550	-475	-425	-375	-375
	5	-1400	-1150	-1050	-675	-600	-550	-500	-500
	6	-1475	-1225	-1150	-775	-750	-700	-650	-650
	7	-1550	-1325	-1225	-850	-825	-775	-725	-725
53	1-4	-1400	-1250	-1150	-725	-675	-625	-575	-575
	5	-1475	-1275	-1200	-825	-775	-725	-675	-675
	6	-1600	-1375	-1300	-925	-900	-850	-800	-800
	7	-1675	-1450	-1400	-1050	-1025	-975	-925	-925
63	1-5	-1625	-1400	-1300	-875	-800	-750	-700	-700
	6	-1675	-1475	-1350	-1025	-975	-925	-875	-875
34	1 & 2	-1300	-1075	-1000	-625	-600	-550	-500	-500
	3	-1300	-1075	-1000	-625	-600	-550	-500	-500
	4	-1425	-1200	-1100	-725	-700	-650	-600	-600
	5	-1500	-1275	-1200	-850	-825	-775	-725	-725
	6	-1650	-1425	-1350	-1050	-1025	-975	-925	-925
44	1-3	-1425	-1200	-1125	-750	-725	-675	-625	-625
	4	-1500	-1300	-1175	-800	-775	-725	-675	-675
	5	-1575	-1350	-1250	-900	-875	-825	-775	-775
	6	-1725	-1500	-1425	-1125	-1100	-1050	-1000	-1000
54	1-4	-1525	-1325	-1250	-875	-850	-800	-750	-750
	5	-1600	-1375	-1275	-1000	-975	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-1825
25-26	-1825
27-29	-1175
30-32	-850
33-34	-625
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-275
22.0 - 22.9	-250
23.0 - 23.9	-225
24.0 - 24.9	-225
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-125
78.0 - 78.9	-95
79.0 - 79.9	-80
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-300
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-1500
Plastic - Level 2	-2000

DESERT SOUTHWEST DIFFERENCES

Color	Leaf	Staple						Mike			
		33	34	35	36	37	38	Range	Diff.		
11 & 21	1 & 2	-100	125	575	795	860	945	24 & Below	-1350		
	3	-100	100	500	745	760	845	25-26	-1150		
	4	-300	50	275	360	395	420	27-29	-1050		
	5	-375	-175	0	75	160	160	30-32	-650		
	6	-450	-350	-125	-110	-55	-55	33-34	-450		
	7	-650	-375	-200	-165	-125	-125	35-36	0		
	31	1 & 2	-175	75	525	745	780	855	37-42	25	
3		-175	50	425	695	705	780	43-49	0		
4		-350	25	175	310	345	395	50-52	-300		
5		-400	-200	-75	-25	45	45	53 & Above	-550		
6		-475	-375	-160	-145	-65	-65				
7		-675	-400	-250	-220	-140	-140				
41		1 & 2	-575	0	50	135	145	245	Strength (Grams per Tex)		
	3	-575	0	10	85	120	220				
	4	-625	64.05	0	35	95	145	Range	Diff.		
	5	-650	-500	-400	-390	-330	-330	21.0 - 21.9	-600		
	6	-800	-675	-500	-490	-440	-440	22.0 - 22.9	-450		
	7	-950	-825	-675	-670	-635	-635	23.0 - 23.9	-300		
	51	1 & 2	-675	-500	-300	-265	-255	-255	24.0 - 24.9	-225	
3		-675	-500	-300	-265	-255	-255	25.0 - 25.9	-200		
4		-700	-575	-425	-375	-315	-315	26.0 - 26.9	-125		
5		-800	-750	-625	-600	-550	-550	Base 27.0 - 28.9	0		
6		-950	-850	-700	-700	-650	-650	29.0 - 29.9	0		
7		-1150	-1050	-900	-900	-875	-875	30.0 - 30.9	50		
12 & 22		1 & 2	-475	50	275	335	395	395	31.0 - 32.9	75	
	3	-475	50	250	310	370	370	33.0 & above	100		
	4	-575	0	225	285	370	370	Extraneous Matter			
	5	-600	-425	-125	-125	-50	-50			Type - Level	Diff.
	6	-750	-625	-325	-325	-250	-250			Prep - Level 1	-50
	7	-925	-800	-575	-575	-500	-500			Prep - Level 2	-800
	32	1 & 2	-575	-200	75	160	170			170	Other - Level 1
3		-575	-200	75	160	170	170	Other - Level 2	-800		
4		-625	-425	-75	10	20	20	Plastic - Level 1	-350		
5		-675	-675	-425	-425	-425	-425	Plastic - Level 2	-800		
6		-875	-800	-550	-550	-550	-550	Uniformity			
7		-1025	-975	-800	-800	-800	-800			Unit	Points
42		1-3	-650	-475	-200	-150	-150			-150	77.9 & Below
	4	-675	-550	-300	-250	-250	-250	78.0 - 78.9	-90		
	5	-750	-725	-500	-500	-500	-500	79.0 - 79.9	-80		
	6	-925	-850	-625	-625	-625	-625	80.0 - 80.9	0		
	7	-1125	-1025	-875	-875	-875	-875	Base 81.0 - 81.9	0		
	52	1-4	-875	-750	-550	-500	-500	-500	82.0 - 82.9	0	
		5	-925	-825	-625	-625	-625	-625	83.0 - 83.9	30	
6		-1025	-925	-725	-725	-725	-725	84.0 - 84.9	40		
7		-1275	-1175	-1025	-1000	-1000	-1000	85.0 - 85.9	50		
43		1-3	-750	-675	-600	-525	-525	-525	86.0 & Above	60	
		4	-850	-775	-650	-600	-600	-600	Uniformity		
		5	-950	-850	-675	-650	-650	-650			
	6	-1050	-950	-925	-925	-925	-925				
	7	-1150	-1075	-1050	-1050	-1050	-1050				
	53	1-4	-1000	-900	-825	-825	-825	-825	Uniformity		
		5	-1050	-950	-875	-875	-875	-875			
6		-1150	-1050	-975	-975	-975	-975				
7		-1400	-1300	-1300	-1300	-1300	-1300				

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	315	940	1290	1415	1590		
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	64.55	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-675	-225	-175	-175	-175	29.0 - 29.9	0
	3	-700	-250	-200	-200	-200	30.0 - 30.9	75
	4	-750	-300	-275	-275	-275	31.0 - 32.9	125
	5	-775	-375	-325	-325	-325	33.0 & Above	250
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Type - Level	Diff.
	4	-200	25	50	100	100	Prep - Level 1	-50
	5	-525	-275	-275	-275	-275	Prep - Level 2	-800
	6	-675	-475	-475	-475	-475	Other - Level 1	-350
	7	-850	-750	-750	-750	-750	Other - Level 2	-925
							Plastic - Level 1	-350
42	1-3	-450	-100	-75	-75	-75	Plastic - Level 2	-925
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	50
	3	-500	-500	-500	-500	-500	83.0 - 83.9	80
	4	-600	-600	-600	-600	-600	84.0 - 84.9	90
	5	-800	-800	-800	-800	-800	85.0 - 85.9	100
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	110
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. ^{1/}

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	116.75	125.50	126.50	126.50
	2	116.50	125.25	126.25	126.25
	3	108.75	116.50	116.50	116.50
	4				
	5				
	6				
2	1	116.50	125.25	126.25	126.25
	2	116.25	125.00	126.00	126.00
	3	108.50	116.25	116.25	116.25
	4	98.50	106.75	106.75	106.75
	5				
	6				
3	1	106.25	114.00	114.00	114.00
	2	103.75	111.50	111.50	111.50
	3	102.50	110.25	110.25	110.25
	4	93.50	101.25	101.25	101.25
	5	77.50	84.75	84.75	84.75
	6				
4	1	87.25	95.00	95.75	95.75
	2	87.00	94.75	95.00	95.00
	3	86.75	94.50	94.25	94.25
	4	81.75	89.50	89.25	89.25
	5	70.50	78.25	78.00	78.00
	6				
5	1				
	2	66.25	76.25	76.00	76.00
	3	66.25	75.75	76.00	76.00
	4	66.25	70.25	70.00	70.00
	5	66.00	70.00	69.75	69.75
	6				
6	1				
	2	58.50	61.50	61.25	61.25
	3	58.50	61.50	61.25	61.25
	4	58.50	61.50	61.25	61.25
	5	58.25	61.25	61.00	61.00
	6	57.75	60.75	60.50	60.50

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on December 20, 2018.

Mike	
Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength	
(Grams per Tex)	
Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	0
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-715
Plastic - Level 2	-1035

^{1/} Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

11-Feb-19

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-313	-233	-69	186	441	580	646	698
	3	-375	-253	-82	157	388	544	589	637
	4	-425	-280	-192	68	189	301	342	346
	5	-513	-395	-308	-82	54	136	164	164
	6	-675	-505	-450	-314	-225	-176	-161	-161
	7	-750	-600	-567	-421	-350	-299	-286	-286
31	1 & 2	-413	-258	-107	125	381	530	589	631
	3	-450	-268	-115	114	345	501	549	592
	4	-525	-315	-242	50	150	231	261	269
	5	-588	-425	-333	-125	-7	61	87	87
	6	-738	-530	-467	-343	-269	-231	-213	-213
	7	-825	-625	-583	-439	-382	-346	-327	-327
41	1 & 2	-538	-340	-254	56	157	245	255	280
	3	-563	-350	-263	42	101	191	205	230
	4	-613	-380	-346	65.98	64	141	166	176
	5	-713	-510	-454	-264	-150	-84	-70	-70
	6	-863	-615	-583	-461	-379	-316	-313	-313
	7	-975	-725	-721	-600	-518	-485	-487	-524
51	1 & 2	-713	-580	-471	-318	-182	-141	-136	-136
	3	-713	-620	-475	-339	-200	-156	-151	-151
	4	-750	-640	-504	-389	-268	-229	-216	-216
	5	-800	-725	-675	-514	-396	-354	-343	-343
	6	-963	-805	-779	-639	-571	-532	-525	-525
	7	-1063	-890	-904	-779	-704	-668	-664	-664
61	1-5	-875	-780	-715	-520	-465	-420	-420	-420
	6	-1025	-885	-835	-685	-645	-595	-595	-595
	7	-1125	-1000	-955	-775	-735	-690	-690	-690
71	1-6	-1075	-1080	-1025	-860	-820	-780	-780	-780
	7	-1163	-1120	-1075	-895	-875	-835	-835	-835
12 & 22	1 & 2	-688	-350	-229	64	207	352	405	434
	3	-725	-370	-242	43	161	306	362	387
	4	-763	-395	-338	-32	100	209	255	259
	5	-863	-565	-496	-268	-96	-43	-4	-4
	6	-1025	-685	-642	-468	-350	-304	-271	-271
	7	-1125	-770	-754	-600	-511	-464	-432	-432
32	1 & 2	-763	-465	-346	-86	43	105	131	146
	3	-800	-480	-358	-107	11	76	103	117
	4	-863	-530	-417	-225	-86	-31	-8	-8
	5	-975	-680	-571	-396	-282	-232	-218	-218
	6	-1138	-770	-733	-564	-464	-432	-418	-418
	7	-1263	-875	-842	-689	-611	-586	-571	-571
42	1-3	-863	-625	-525	-314	-168	-118	-104	-104
	4	-913	-665	-546	-354	-236	-186	-171	-171
	5	-1038	-800	-692	-504	-375	-336	-321	-321
	6	-1250	-890	-838	-657	-586	-557	-543	-543
	7	-1350	-985	-929	-796	-721	-700	-686	-686
52	1-4	-1125	-825	-729	-607	-536	-511	-496	-496
	5	-1200	-900	-838	-689	-618	-600	-586	-586
	6	-1413	-1050	-979	-832	-775	-757	-743	-743
	7	-1500	-1135	-1108	-971	-921	-893	-879	-879
62	1-5	-1250	-1030	-955	-770	-735	-710	-690	-690
	6	-1450	-1195	-1120	-915	-885	-855	-835	-835

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1113	-925	-838	-438	-363	-288	-213	-213
	3	-1150	-950	-863	-463	-388	-313	-238	-238
	4	-1188	-1025	-925	-513	-438	-363	-288	-288
	5	-1300	-1113	-1038	-638	-563	-475	-400	-400
	6	-1413	-1188	-1100	-725	-650	-563	-488	-488
	7	-1500	-1288	-1200	-813	-763	-675	-600	-600
33	1 & 2	-1225	-1000	-913	-493	-458	-408	-358	-358
	3	-1225	-1000	-913	-502	-467	-417	-358	-358
	4	-1300	-1075	-975	-568	-533	-483	-425	-425
	5	-1438	-1175	-1075	-727	-683	-625	-567	-567
	6	-1500	-1250	-1188	-877	-850	-792	-733	-733
	7	-1588	-1363	-1263	-1010	-975	-917	-858	-858
43	1-3	-1275	-975	-821	-636	-596	-557	-532	-532
	4	-1350	-1020	-871	-683	-629	-593	-568	-568
	5	-1463	-1070	-967	-823	-768	-739	-714	-714
	6	-1550	-1150	-1054	-922	-900	-875	-850	-850
	7	-1638	-1275	-1163	-1047	-1025	-1000	-975	-975
53	1-4	-1425	-1120	-1013	-818	-779	-754	-725	-725
	5	-1513	-1195	-1108	-909	-879	-854	-825	-825
	6	-1625	-1310	-1196	-1005	-975	-950	-921	-921
	7	-1713	-1375	-1333	-1134	-1113	-1088	-1058	-1058
63	1-5	-1638	-1295	-1220	-1001	-955	-925	-890	-890
	6	-1713	-1380	-1295	-1076	-1045	-1015	-980	-980
34	1 & 2	-1350	-1175	-1100	-688	-663	-588	-525	-525
	3	-1350	-1175	-1100	-688	-663	-588	-525	-525
	4	-1475	-1300	-1200	-788	-763	-688	-625	-625
	5	-1563	-1388	-1313	-913	-888	-813	-750	-750
	6	-1725	-1550	-1475	-1100	-1075	-1000	-938	-938
44	1-3	-1463	-1288	-1213	-800	-775	-700	-638	-638
	4	-1538	-1388	-1263	-850	-825	-750	-688	-688
	5	-1613	-1450	-1350	-950	-925	-850	-788	-788
	6	-1775	-1600	-1525	-1150	-1125	-1050	-988	-988
54	1-4	-1563	-1413	-1338	-900	-888	-813	-763	-763
	5	-1650	-1488	-1388	-1000	-988	-913	-863	-863

Mike	
Range	Diff.
24 & Below	-1683
25-26	-1296
27-29	-979
30-32	-611
33-34	-371
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-279
53 & Above	-404

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-358
22.0 - 22.9	-296
23.0 - 23.9	-242
24.0 - 24.9	-254
25.0 - 25.9	-200
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	36
31.0 - 32.9	57
33.0 & Above	79

Uniformity	
Unit	Points
77.9 & Below	-97
78.0 - 78.9	-83
79.0 - 79.9	-71
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-157
Prep - Level 2	-714
Bark - Level 1	-325
Bark - Level 2	-525
Other - Level 1	-429
Other - Level 2	-756
Plastic - Level 1	-693
Plastic - Level 2	-1156



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

11-Feb-19

Volume 101, No. 134

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-68	152	360	469	522
	3	-83	127	305	434	467
	4	-190	75	180	302	334
	5	-305	-75	60	160	182
21	1 & 2	-68	152	360	469	522
	3	-83	127	305	434	467
	4	-190	75	180	302	334
	5	-305	-75	60	160	182
31	1 & 2	-108	97	305	424	476
	3	-118	92	270	399	436
	4	-240	55	135	232	254
	5	-335	-110	0	80	99
41	1 & 2	-255	49	130	217	229
	3	-265	44	82	167	184
	4	-360	0	50	117	144
	5	-465	-240	-145	-63	-46
51	1 & 2	-470	-240	-160	-113	-106
	3	-475	-260	-175	-123	-116
	4	-505	-315	-245	-195	-178
	5	-665	-460	-385	-340	-325
12	1 & 2	-250	55	155	277	319
	3	-265	45	115	232	279
22	1 & 2	-250	55	155	277	319
	3	-265	45	115	232	279
32	1 & 2	-365	-100	10	72	99
	3	-380	-120	-20	47	74
Strength	25.0 - 25.9	-235				

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 101, No. 134

11-Feb-19

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program				
	N.Y. Futures	Staple 34	Staple 35	Today	Season			
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>			
Southeast	-250 Mar-19	68.05	70.30	0	15,344			
North Delta	-325 Mar-19	67.30	69.05	0	3,844			
South Delta	-325 Mar-19	67.30	69.05	0	1,723			
East TX-OK	-525 Mar-19	65.30	67.80	1,435	187,726			
West Texas	-525 Mar-19	65.30	68.05	429	290,449			
Desert SW	-650 Mar-19	64.05	68.30	450	23,110			
SJ Valley	-600 Mar-19	64.55	73.45	0	0			
Average	-457 Mar-19	65.98	69.43	Upland Total				
Previous day	-457 Mar-19	67.98	71.43	2,314	522,196			
AMERICAN PIMA SPOT PRICE QUOTATIONS								
American Pima	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total				
	125.00	102.50	110.25	0	1,052			
ICE FUTURES US - CONTRACT NO. 2 1/			7-MARKET		Feb 08 - Feb 14			
COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			BASE QUOTATIONS		ADJ. WORLD PRICE			
Month	<i>Cents per pound</i>			FOR UPLAND COTTON				
	Today	Previous	Change					
Mar-19	70.55	72.55	-2.00	Season high				
May-19	71.76	73.69	-1.93					
Jul-19	73.13	75.01	-1.88	8/2/2018	85.65			
Oct-19	72.95	74.31	-1.36	Season low				
Dec-19	72.70	73.93	-1.23					
Mar-20	73.94	75.24	-1.30					
May-20	74.44	75.88	-1.44					
Jul-20	74.79	76.32	-1.53					
Oct-20	73.29	74.36	-1.07	2/11/2019	65.98			
Dec-20	72.17	73.24	-1.07					
CC ADJUSTMENT								
0.00								
FC ADJUSTMENT								
2017 2018								
0.13 0.18								
LOAN DEFICIENCY PMT.								
0.00								
Pima Competitiveness								
Payment								
0.00								
PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/								
	Color							
	11	21	31	41	51	12	22	32
Staple 33								
Leaf 1 & 2	-68	-68	-108	-255	-470	-250	-250	-365
3	-83	-83	-118	-265	-475	-265	-265	-380
4	-190	-190	-240	-360	-505	NOT TENDERABLE		
5	-305	-305	-335	-465	-665	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	152	152	97	49	-240	55	55	-100
3	127	127	92	44	-260	45	45	-120
4	75	75	55	0	-315	NOT TENDERABLE		
5	-75	-75	-110	-240	-460	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	360	360	305	130	-160	155	155	10
3	305	305	270	82	-175	115	115	-20
4	180	180	135	50	-245	NOT TENDERABLE		
5	60	60	0	-145	-385	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	469	469	424	217	-113	277	277	72
3	434	434	399	167	-123	232	232	47
4	302	302	232	117	-195	NOT TENDERABLE		
5	160	160	80	-63	-340	NOT TENDERABLE		
Staple 37								
Leaf 1 & 2	522	522	476	229	-106	319	319	99
3	467	467	436	184	-116	279	279	74
4	334	334	254	144	-178	NOT TENDERABLE		
5	182	182	99	-46	-325	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT: <http://www.ams.usda.gov/mnreports/cnddsq.pdf>