©1992 THE LAWRENCE ASSOCIATES

OWNERSHIP OF DOCUMENTS
THIS DOCUMENT, & THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF SERVICE, IS THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT.

REVISIONS

NO.	DATE	DESCRIPTION

U.L. ROOF/CEIL.

TOP OF BLOCK

MEMB. W.P. MEMB. W.P. (TYP.)

2'-8"

6'-0"

4½" TYP.

SUSP. CEIL.

WINDOW TREATMENT

ALUM. WINDOW

4'-2" M.O.

7'-2"

MEDIA CENTER
105

HD.WD. STOOL & APRON

GRILLES

MILLWORK

1'-6½"

8½"

3½"

1'-6¾"

PLAN @ COL. J-1
2 / A-22

MILLWORK

GRILLES

757.5'

8"

1 / A-22 WALL SECTION
1" = 1'-0"

U.L. ROOF/CEIL.

MEMB. W.P. MEMB. W.P. (TYP.)

2'-8"

PEAK OF WINDOW

5/8" GYP. BD.

5/8" GYP. BD. SLOPING (BEYOND)

3'-4"

4½" TYP.

LIGHT FIXTURE

9'-6" A.F.F.

ALUM. WINDOW

SLOPING GYP. BD. SOFFIT (SEE 7/A-24)

8'-0"

C.M.U. ENCLOSURE

HD. WD. STOOL & APRON

GRILLES

MILLWORK

GRILLES

FLASHING (TYP.)

3'-4"

757.5'

← MILLWORK/ Reception (1" RIGID F.G. FOR BOOK CASES)

3 / A-22 WALL SECTION
1" = 1'-0"

8½"

SPLIT FACE C.M.U.

2" R

2 PC. MTL. COUNTER FLASH

BELLOWS E.J. W/ RATED INSUL.

2x6's P.T. WD. TAPERED INSUL.

5/8" GYP. BD.

5⅝" MTL. STUDS @ 16" O.C.

FIRE RATED EXP. J.T. COVER

AHU #15 IN PLENUM?

RETURN DUCT

EXIST. BEAM

EXH. DUCT (SEE MECH.)

BATT

WALL U.L.

STORAGE
101

CORRIDOR
33

REMOVE EXIST. WALL

NEW WALL

BACKER ROD & SEALANT

EXIST. SLAB

5/8"

EXIST. FOUNDATION

4 / A-22 WALL SECTION
1" = 1'-0"

DO DETAIL @ (MLT. STUD) WINDOW J.A.M.

SNOW BANK

EXIST. STL. BEAMS

SCREEN

5⅝" MTL. STUDS @ 16" O.C.

5/8" GYP. BD. SOFFIT

8'-0" A.F.F.

PIPE CHASE

EXIST. WALL

6" NOM.

8" CLR.

4"

1'-6"

½" ST. SLOPE

5/8"

MTL. EDGE STRIP

54" MAX.

℄ DRAIN & SHOWER HEAD

SCIENCE LECT.
34

NOTE ON ← FLUSH JTS.

CLEAN OUT & EXTEND EXIST. WEEP HOLES THRU EXT. FINISH SYSTEM.

½" MOLDING

EXIST. LINTEL. PAINT

7 / A-22 SECTION DETAIL
1" = 1'-0"

PROVIDE SEALANT BETWEEN EXIST. & MTL. COIL MATL.

SCREED TRIM

MTL. COIL MATL. TRIM WRAP

DRILL WEEPS @ 2'-0" o.c.

BACKER ROD & SEALANT (TYP.)

A to W.P. BLK'G.

TYP. EXIST. CLASSROOM

EXIST. CABINET TO REMAIN

5/8"

6 / A-22 WALL SECTION
1" = 1'-0"

NEW SCUPPER TO MATCH EXIST. V.I.F.

2½"

SUSP. CEIL.

R.L.

1'-0"

TYP. EXIST. CLASSROOM

REMOVE EXIST. WINDOW-WALL

EXIST. UNIT VENTILATOR TO REMAIN

EXIST. SLAB

drawstones to set new wall TYP.

NOTE ON DWG. 2 DL 5/64

Break lines

5 / A-22 WALL SECTION
1" = 1'-0"

THE LAWRENCE ASSOCIATES
370 TOLLAND TURNPIKE
PROJECT NUMBER 2155.00

THE LAWRENCE ASSOCIATES
ARCHITECTS / PLANNERS, P.C.
MANCHESTER, CONNECTICUT
(203) 649-8000

012-89-027EA

ALTERATIONS AND ADDITIONS TO :
BOLTON ELEMENTARY SCHOOL
NOTCH ROAD
BOLTON, CONNECTICUT

DRAWING TITLE
WALL SECTIONS, PLAN DETAILS

SCALE 1" = 1'-0" | DATE 8-17-1992

A-22

DRAWING 30 OF 89