Printing date 07/09/2024

Reviewed on 07/08/2024

1 Identification

- · Product identifier
- · Trade name: Methacrylic acid, stabilized
- · Article number: 126365
- CAS Number:
- 79-41-4
- EC number:
- 201-204-4
- Index number: 607-088-00-5
- · Application of the substance / the mixture Laboratory chemicals for research and development

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: BeanTown Chemical 9 Sagamore Park Road Hudson, NH 03051 USA

Phone: (603) 402-2234 Fax: (603) 402-9713 Email: technical@beantownchem.com www.beantownchem.com

· Information department: Technical Support Department

• Emergency telephone number: During normal operating hours, please call (603) 402-2234 After hours, please call Chemtrec at (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.



Acute Tox. 4H302 Harmful if swallowed.Acute Tox. 4H312 Harmful in contact with skin.

Flam. Liq. 4 H227 Combustible liquid.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Methacrylic acid, stabilized

(Contd. of page 1)

· Hazard-determining compone	nts of labeling:
methacrylic acid	
Hazard statements	
Combustible liquid.	
Harmful if swallowed or in con	tact with skin.
Causes severe skin burns and e	rye damage.
Precautionary statements	, ,
	mediately all contaminated clothing. Rinse skin with water/shower.
If in eyes: Rinse cautiously w	ith water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.	
Immediately call a poison center	er/doctor.
Specific treatment (see on this l	
Take off contaminated clothing	and wash it before reuse.
Store locked up.	•
Dispose of contents/container i	in accordance with local/regional/national/international regulations.
Other hazards	
Results of PBT and vPvB asse	ssment
PBT: Not applicable.	
vPvB: Not applicable.	

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 79-41-4 methacrylic acid
- · Identification number(s)
- EC number: 201-204-4
- · Index number: 607-088-00-5

4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

(Contd. on page 3)

US

Printing date 07/09/2024

Reviewed on 07/08/2024

(Contd. of page 2)

• For safety reasons unsuitable extinguishing agents: Water

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

• Advice for firefighters

• *Protective equipment: Mouth respiratory protective device.*

6 Accidental release measures

Trade name: Methacrylic acid, stabilized

· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
	6.7 ppm
· PAC-2:	
	61 ppm
· PAC-3:	
	220 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Keep respiratory protective device available.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s)* No further relevant information available.

(Contd. on page 4)

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Methacrylic acid, stabilized

(Contd. of page 3)

8 Exposure controls/personal protection

· Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute

· Control parameters

· Components with limit values that require monitoring at the workplace:

79-41-4 methacrylic acid

REL Long-term value: 70 mg/m³, 20 ppm

Skin

TLV Long-term value: 70 mg/m³, 20 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eves and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Colorless Characteristic · Odor: · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition *Melting point/Melting range:* 12-16 °C (53.6-60.8 °F) (Contd. on page 5)

Printing date 07/09/2024

4

Trade name: Methacrylic acid, stabilized

Reviewed	on	07/0	08/2024
----------	----	------	---------

		(Contd. of page
Boiling point/Boiling range:	163 °C (325.4 °F)	
Flash point:	65 °C (149 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	0.87 hPa (0.7 mm Hg)	
Density at 20 °C (68 °F):	1.015 g/cm ³ (8.47017 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water at 20 °C (68 °F):	9.8 g/l	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

79-41-4 methacrylic acid

LD50 1,332 mg/kg (mouse) Oral

Dermal LD50 500 mg/kg (rabbit)

(Contd. on page 6)

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Methacrylic acid, stabilized

(Contd. of page 5)

• Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

• on the eye: Strong caustic effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN2531	
UN proper shipping name		
DOT	Methacrylic acid, stabilized	

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Methacrylic acid, stabilized

	(Contd. of page
· IMDG, IATA	METHACRYLIC ACID, STABILIZED
· Transport hazard class(es)	
DOT, IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	II
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
• Hazard identification number (Kemler code)	: 89
• EMS Number:	F-A,S-B
Segregation groups	Acids
· Stowage Category	Ε
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
·IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2531 METHACRYLIC ACID, STABILIZED, 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

(Contd. on page 8)

[•] US

Printing date 07/09/2024

Reviewed on 07/08/2024

(Contd. of page 7)

Trade name: Methacrylic acid, stabilized

• Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value)

Substance is not listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· RTECS

Substance is not listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· NFPA ratings (scale 0-4) Health = 3Fire = 2*Reactivity* = 0· HMIS ratings (scale 0-4) *Health* = 3Fire = 2 *Reactivity* = 0· Department issuing SDS: Technical Support Department · Contact: Technical Support Department · Date of preparation / last revision 07/09/2024 / -• Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids - Category 4 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A