Printing date 07/09/2024 Reviewed on 07/08/2024

## 1 Identification

· Product identifier

· Trade name: Lead(II) oxide

· Article number: 130700

• CAS Number: 1317-36-8 • EC number: 215-267-0

• Index number: 082-001-00-6

- · Application of the substance / the mixture Laboratory chemicals for research and development
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: BeanTown Chemical 9 Sagamore Park Road Hudson, NH 03051 USA

Phone: (603) 402-2234 Fax: (603) 402-9713

Email: technical@beantownchem.com

www.beantownchem.com

- · Information department: Technical Support Department
- · Emergency telephone number:

During normal operating hours, please call (603) 402-2234 After hours, please call Chemtrec at (800) 424-9300

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Repr. 1A H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

· Signal word Danger

(Contd. on page 2)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Lead(II) oxide

(Contd. of page 1)

Hazard-determining components of labeling:

Lead(II) oxide

· Hazard statements

Harmful if swallowed or if inhaled.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

1317-36-8 Lead(II) oxide

- · Identification number(s)
- · EC number: 215-267-0
- · Index number: 082-001-00-6

## 4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Lead(II) oxide

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

 $0.16 \, mg/m^3$ 

· *PAC-2*:

130 mg/m³

· PAC-3:

750 mg/m³

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute

(Contd. on page 4)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Lead(II) oxide

(Contd. of page 3)

#### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

### 1317-36-8 Lead(II) oxide

PEL Long-term value: 0.05 mg/m<sup>3</sup>

as Pb; See 29 CFR 1910.1025

REL Long-term value:  $0.05* mg/m^3$ 

as Pb;\*8-hr TWA; See Pocket Guide App. C

TLV Long-term value: 0.05 mg/m<sup>3</sup>

as Pb; BEI

#### Ingredients with biological limit values:

#### 1317-36-8 Lead(II) oxide

BEI 30 μg/100 ml

Medium: blood Time: not critical Parameter: Lead

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### · Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder

Color: Not determined.

Odor: Characteristic

Odor threshold: Not determined.

(Contd. on page 5)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Lead(II) oxide

	(Contd. c	of pag
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	886 °C (1,626.8 °F)	
Boiling point/Boiling range:	1,470 °C (34.670 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	9.53 g/cm³ (79.52785 lbs/gal)	
Bulk density:	$3,100 \text{ kg/m}^3$	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
VOC content:	0.00 %	
Solids content:	100.0 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Lead(II) oxide

(Contd. of page 5)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

2A

· NTP (National Toxicology Program)

R

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN3077

(Contd. on page 7)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Lead(II) oxide

	(Contd. of page
UN proper shipping name DOT	Environmentally hazardous substance, solid, n.o.s. (Lead(1 oxide)
IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLII N.O.S. (Lead(II) oxide)
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Kemler code)	
EMS Number:	F- $A$ , $S$ - $A$
Segregation groups	Heavy metals and their salts (including their organometals compounds)
Stowage Category	A
Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 a. 7.7.3.9.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: No limit
	On cargo aircraft only: No limit
<i>IMDG</i>	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANC
•	SOLID, N.O.S. (LEAD(II) OXIDE), 9, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is listed.

(Contd. on page 8)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Lead(II) oxide

(Contd. of page 7)

· TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

*B2* 

· TLV (Threshold Limit Value)

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· RTECS

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· NFPA ratings (scale 0-4)

Health = 3

Fire = 0

Reactivity = 0

· HMIS ratings (scale 0-4)

Health = \*2

Fire = 0

Reactivity = 0

- · Department issuing SDS: Technical Support Department
- · Contact: Technical Support Department
- · Date of preparation / last revision 07/09/2024 / -
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 9)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Lead(II) oxide

(Contd. of page 8)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4
Repr. 1A: Reproductive toxicity – Category 1A

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

IIS.