Printing date 07/09/2024 Reviewed on 07/08/2024

1 Identification

· Product identifier

Trade name: Arsenic(III) oxide

· Article number: 139570

• CAS Number: 1327-53-3 • EC number: 215-481-4 • Index number:

033-003-00-0

· Application of the substance / the mixture Laboratory chemicals for research and development

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: BeanTown Chemical 9 Sagamore Park Road Hudson, NH 03051

USA

Phone: (603) 402-2234 Fax: (603) 402-9713

Email: technical@beantownchem.com

www.beantownchem.com

- · Information department: Technical Support Department
- · Emergency telephone number:

During normal operating hours, please call (603) 402-2234 After hours, please call Chemtrec at (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 1 H300 Fatal if swallowed.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

US

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Reviewed on 07/08/2024 Printing date 07/09/2024

Trade name: Arsenic(III) oxide

· Hazard pictograms





- · Signal word Danger
- · Hazard-determining components of labeling:

Arsenic(III) oxide

· Hazard statements

Fatal if swallowed.

Causes severe skin burns and eye damage.

May cause cancer.

· Precautionary statements

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

1327-53-3 Arsenic(III) oxide

- · Identification number(s)
- · EC number: 215-481-4
- · Index number: 033-003-00-0

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Arsenic(III) oxide

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1: | |
|----------|-----------------------|
| | 0.27 mg/m^3 |
| · PAC-2: | |
| | 3.0 mg/m^3 |
| · PAC-3: | |
| | 9.1 mg/m^3 |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

LIC

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Arsenic(III) oxide

(Contd. of page 3)

8 Exposure controls/personal protection

· Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute

· Control parameters

· Components with limit values that require monitoring at the workplace:

1327-53-3 Arsenic(III) oxide

PEL Long-term value: 0.01 mg/m³

as As; 29CFR1910.1018

REL Ceiling limit value: 0.002 mg/m³

as As; 15min; See Pocket Guide App. A

TLV Long-term value: 0.01 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder

Color: Not determined.
Odor: Characteristic
Odor threshold: Not determined.

(Contd. on page 5)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Arsenic(III) oxide

| | (Contd. o | f pag |
|---------------------------------------|---|-------|
| pH-value: | Not applicable. | |
| Change in condition | | |
| Melting point/Melting range: | 312.3 °C (594.1 °F) | |
| Boiling point/Boiling range: | 465 °C (869 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Product is not flammable. | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Not determined. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure at 20 °C (68 °F): | 0 hPa | |
| Density at 20 °C (68 °F): | 3.738 g/cm³ (31.19361 lbs/gal) | |
| Bulk density: | $2,250 \text{ kg/m}^3$ | |
| Relative density | Not determined. | |
| Vapor density | Not applicable. | |
| Evaporation rate | Not applicable. | |
| Solubility in / Miscibility with | | |
| Water at 20 °C (68 °F): | $20 \ g/l$ | |
| Partition coefficient (n-octanol/wate | er): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| VOC content: | 0.00% | |
| Solids content: | 100.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Arsenic(III) oxide

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

1327-53-3 Arsenic(III) oxide

Oral LD50 15.1 mg/kg (rat)

- Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

1

· NTP (National Toxicology Program)

K

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Arsenic(III) oxide

(Contd. of page 6)

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

| Transport information | |
|--|--|
| UN-Number | |
| DOT, IMDG, IATA | UN1561 |
| UN proper shipping name | |
| DOT | Arsenic trioxide |
| IMDG, IATA | ARSENIC TRIOXIDE |
| Transport hazard class(es) | |
| DOT, IMDG, IATA | |
| Class | 6.1 Toxic substances |
| Label | 6.1 |
| Packing group | |
| DOT, IMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Toxic substances |
| Hazard identification number (Kemler code) | |
| EMS Number: | F-A,S-A |
| Stowage Category | A |
| Transport in bulk according to Annex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 25 kg |
| | On cargo aircraft only: 100 kg |
| Hazardous substance: | 1 lbs, 0.454 kg |
| IMDG | |
| Limited quantities (LQ) | 500 g |
| Excepted quantities (EQ) | Code: E4 |
| | Maximum net quantity per inner packaging: 1 g |
| | Maximum net quantity per outer packaging: 500 g |
| UN "Model Regulation": | UN 1561 ARSENIC TRIOXIDE, 6.1, II, ENVIRONMENTAL |
| | HAZARDOUS |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances):

Substance is listed.

(Contd. on page 8)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Arsenic(III) oxide

(Contd. of page 7)

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is listed.

Proposition 65

· Chemicals known to cause cancer:

Substance is listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

A

· TLV (Threshold Limit Value)

A1

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

· RTECS

Substance is not listed.

· National regulations:

· Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group I (extremely dangerous).

Carcinogenic hazardous material group II (very dangerous).

Carcinogenic hazardous material group III (dangerous).

Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· NFPA ratings (scale 0-4)

Health = 3

Fire = 0

Reactivity = 0

· HMIS ratings (scale 0-4)

Health = *3

Fire = 0

Reactivity = 0

(Contd. on page 9)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: Arsenic(III) oxide

(Contd. of page 8)

· Department issuing SDS: Technical Support Department

· Contact: Technical Support Department

· Date of preparation / last revision 07/09/2024 / -

· Abbreviations and acronyms:

 $ADR: Accord\ relatif\ au\ transport\ international\ des\ marchandises\ dangereuses\ par\ route\ (European\ Agreement\ Concerning\ the\ International\ Concerning\ the\ Concern$

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 1: Acute toxicity - Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Carc. 1A: Carcinogenicity - Category 1A

US