

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/09/2024

Reviewed on 07/08/2024

## 1 Identification

- **Product identifier**
- **Trade name:** Sodium bis(trimethylsilyl)amide
- **Article number:** 144375
- **CAS Number:**  
1070-89-9
- **EC number:**  
213-983-8
- **Application of the substance / the mixture** Laboratory chemicals for research and development
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BeanTown Chemical  
9 Sagamore Park Road  
Hudson, NH 03051  
USA
- **Phone:** (603) 402-2234  
**Fax:** (603) 402-9713  
**Email:** [technical@beantownchem.com](mailto:technical@beantownchem.com)  
[www.beantownchem.com](http://www.beantownchem.com)
- **Information department:** Technical Support Department
- **Emergency telephone number:**  
During normal operating hours, please call (603) 402-2234  
After hours, please call Chemtrec at (800) 424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Water-react. 2 H261 In contact with water releases flammable gas.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Sodium bis(trimethylsilyl)amide

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Sodium bis(trimethylsilyl)amide

(Contd. of page 1)

- **Hazard statements**

- In contact with water releases flammable gas.*

- Causes severe skin burns and eye damage.*

- **Precautionary statements**

- Do not allow contact with water.*

- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

- Immediately call a poison center/doctor.*

- Specific treatment (see on this label).*

- Store locked up.*

- Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Other hazards**

- **Results of PBT and vPvB assessment**

- PBT: Not applicable.*

- vPvB: Not applicable.*

## 3 Composition/information on ingredients

- **Chemical characterization: Substances**

- **CAS No. Description**

- 1070-89-9 Sodium bis(trimethylsilyl)amide*

- **Identification number(s)**

- EC number: 213-983-8*

## 4 First-aid measures

- **Description of first aid measures**

- General information: Immediately remove any clothing soiled by the product.*

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.*

- After skin contact: Immediately wash with water and soap and rinse thoroughly.*

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.*

- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.*

- **Information for doctor:**

- Most important symptoms and effects, both acute and delayed No further relevant information available.*

- Indication of any immediate medical attention and special treatment needed*

- No further relevant information available.*

## 5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

- Extinguishing powder. Do not use water.*

- CO2. Do not use water.*

- Sand. Do not use water.*

- Special powder for metal fires. Do not use water.*

- CO2, sand, extinguishing powder. Do not use water.*

- Use fire fighting measures that suit the environment.*

- **For safety reasons unsuitable extinguishing agents: Water**

- **Special hazards arising from the substance or mixture**

- During heating or in case of fire poisonous gases are produced.*

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Sodium bis(trimethylsilyl)amide

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

30 mg/m<sup>3</sup>

- **PAC-2:**

330 mg/m<sup>3</sup>

- **PAC-3:**

2,000 mg/m<sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Thorough dedusting.  
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:**  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Sodium bis(trimethylsilyl)amide

(Contd. of page 3)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing.
  - Wash hands before breaks and at the end of work.
  - Avoid contact with the eyes.
  - Avoid contact with the eyes and skin.
- **Breathing equipment:**
  - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**
  - Protective gloves
  - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
  - Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
  - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
  - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
  - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:	Powder
Color:	Not determined.
Odor:	Characteristic
Odor threshold:	Not determined.

· **pH-value:** Not applicable.

#### · Change in condition

Melting point/Melting range:	171-175 °C (339.8-347 °F)
Boiling point/Boiling range:	Undetermined

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Contact with water liberates extremely flammable gases.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Not determined.

· **Danger of explosion:** Not determined.

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Sodium bis(trimethylsilyl)amide

(Contd. of page 4)

· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not applicable.
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
<b>VOC content:</b>	0.00 %
<b>Solids content:</b>	100.0 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Contact with water releases flammable gases.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**
- Substance is not listed.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Sodium bis(trimethylsilyl)amide

(Contd. of page 5)

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

## 12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**· **DOT, IMDG, IATA**

UN3096

· **UN proper shipping name**· **DOT**

Corrosive solids, water-reactive, n.o.s. (Sodium bis(trimethylsilyl)amide)

· **IMDG, IATA**

CORROSIVE SOLID, WATER-REACTIVE, N.O.S. (Sodium bis(trimethylsilyl)amide)

· **Transport hazard class(es)**· **DOT**· **Class**

8 Corrosive substances

· **Label**

8, 4.3

· **IMDG**· **Class**

8 Corrosive substances

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Sodium bis(trimethylsilyl)amide

(Contd. of page 6)

· <b>Label</b>	8/4.3
· <b>IATA</b>	
· <b>Class</b>	8 Corrosive substances
· <b>Label</b>	8 (4.3)
· <b>Packing group</b>	
· <b>DOT, IMDG, IATA</b>	II
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Warning: Corrosive substances
· <b>Stowage Category</b>	D
· <b>Handling Code</b>	H1 Keep as dry as reasonably practicable
· <b>Segregation Code</b>	SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
· <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations</b>	On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1 kg
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· <b>UN "Model Regulation":</b>	UN 3096 CORROSIVE SOLID, WATER-REACTIVE, N.O.S. (SODIUM BIS(TRIMETHYLSILYL)AMIDE), 8 (4.3), II

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is not listed.

· **TSCA (Toxic Substances Control Act):**

ACTIVE

· **Hazardous Air Pollutants**

Substance is not listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

Substance is not listed.

(Contd. on page 8)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 07/09/2024

Reviewed on 07/08/2024

**Trade name: Sodium bis(trimethylsilyl)amide**

(Contd. of page 7)

**· Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

**· Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

**· Chemicals known to cause developmental toxicity:**

Substance is not listed.

**· Carcinogenic categories**
**· EPA (Environmental Protection Agency)**

Substance is not listed.

**· TLV (Threshold Limit Value)**

Substance is not listed.

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

**· RTECS**

Substance is not listed.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**· NFPA ratings (scale 0-4)**

Health = 3

Fire = 0

Reactivity = 2

*The substance demonstrates unusual reactivity with water.*
**· HMIS ratings (scale 0-4)**

Health = \*3

Fire = 0

Reactivity = 2

**· Department issuing SDS:** Technical Support Department

**· Contact:** Technical Support Department

**· Date of preparation / last revision** 07/09/2024 / -

**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Water-react. 2: Substances and mixtures which in contact with water emit flammable gases – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1