Printing date 07/09/2024

Reviewed on 07/08/2024

## **1 Identification**

- · Product identifier
- Trade name: <u>Barium chloride</u>
- Article number: 144695
- CAS Number:
- 10361-37-2
- EC number:
- 233-788-1
- Index number: 056-004-00-8
- · Application of the substance / the mixture Laboratory chemicals for research and development

#### · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: BeanTown Chemical 9 Sagamore Park Road Hudson, NH 03051 USA

Phone: (603) 402-2234 Fax: (603) 402-9713 Email: technical@beantownchem.com www.beantownchem.com

• *Information department: Technical Support Department* • *Emergency telephone number:* 

During normal operating hours, please call (603) 402-2234 After hours, please call Chemtrec at (800) 424-9300

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.

· Label elements

- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- *Hazard-determining components of labeling:* barium chloride
- *Hazard statements Toxic if swallowed or if inhaled.*
- **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapors/spray If swallowed: Immediately call a poison center/doctor.

(Contd. on page 2)

<sup>-</sup> US

Printing date 07/09/2024

Reviewed on 07/08/2024

#### Trade name: Barium chloride

(Contd. of page 1)

Specific treatment (see on this label). Rinse mouth. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 10361-37-2 barium chloride
- · Identification number(s)
- · EC number: 233-788-1
- · Index number: 056-004-00-8

### 4 First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 3)

<sup>-</sup> US

Printing date 07/09/2024

Reviewed on 07/08/2024

#### Trade name: Barium chloride

· Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals

· PAC-1:

· PAC-2:

· PAC-3:

1,700 mg/m<sup>3</sup>

 $2.3 \text{ mg/m}^3$ 

 $280 \text{ mg/m}^3$ 

(Contd. of page 2)

## 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Thorough dedusting.

*Ensure good ventilation/exhaustion at the workplace.* 

- Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

#### • Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute

#### · Control parameters

· Com	• Components with limit values that require monitoring at the workplace:			
1036	1-37-2 barium chloride			
	Long-term value: 0.5 mg/m <sup>3</sup> as Ba			
REL	Long-term value: 0.5 mg/m³ as Ba			
TLV	Long-term value: 0.5 mg/m³ as Ba			
· Addi	tional information: The lists that were valid during the creation were used as basis.			
· Perso · Gene	osure controls onal protective equipment: eral protective and hygienic measures: away from foodstuffs, beverages and feed.			

*Keep away from foodstuffs, beverages and feed.* Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

(Contd. on page 4)

US

Printing date 07/09/2024

Reviewed on 07/08/2024

(Contd. of page 3)

#### Trade name: Barium chloride

Store protective clothing separately.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

## 9 Physical and chemical properties

<ul> <li>Information on</li> </ul>	basic ph	iysical and	l chemical	l properties
------------------------------------	----------	-------------	------------	--------------

Appearance:				
Form:	Powder			
Color:	White			
Odor:	Characteristic			
Odor threshold:	Not determined.			
pH-value:	Not applicable.			
Change in condition				
Melting point/Melting range:	963 °C (1,765.4 °F)			
Boiling point/Boiling range:	1,560 °C (34.860 °F)			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Product is not flammable.			
Decomposition temperature:	Not determined.			
Auto igniting:	Not determined.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapor pressure:	Not applicable.			
Density at 20 °C (68 °F):	3.856 g/cm <sup>3</sup> (32.17832 lbs/gal)			
Relative density	Not determined.			
Vapor density	Not applicable.			
Evaporation rate	Not applicable.			
Solubility in / Miscibility with				
Water at 20 °C (68 °F):	357 g/l			
Partition coefficient (n-octanol/wat	er): Not determined.			

US

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Barium chloride

		(Contd. of page 4)
· Viscosity: Dynamic: Kinematic: VOC content:	Not applicable. Not applicable. 0.00 %	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

•) US -

Printing date 07/09/2024

Reviewed on 07/08/2024

(Contd. of page 5)

Trade name: Barium chloride

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN1564
UN proper shipping name	
DOT	Barium compounds, n.o.s.
IMDG, IATA	BARIUM COMPOUND, N.O.S.
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	6.1 Toxic substances
Label	6.1
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Toxic substances
Stowage Category	A
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is listed.

(Contd. on page 7)

US

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: Barium chloride

(Contd. of page 6)

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

• TSCA (Toxic Substances Control Act):

Substance is not listed.

• Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

• Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

D, CBD(inh), NL(oral)

A4

• TLV (Threshold Limit Value)

·NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· RTECS

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· NFPA ratings (scale 0-4) Health = 3Fire = 0*Reactivity* = 0· HMIS ratings (scale 0-4) *Health* = 2Fire = 0Reactivity = 0· Department issuing SDS: Technical Support Department · Contact: Technical Support Department · Date of preparation / last revision 07/09/2024 / -· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) (Contd. on page 8) US

Printing date 07/09/2024

Reviewed on 07/08/2024

#### Trade name: Barium chloride

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 3: Acute toxicity – Category 3 (Contd. of page 7)

US