Printing date 07/09/2024

Reviewed on 07/08/2024

## **1** Identification

- · Product identifier
- Trade name: <u>1,3-Diethylbenzene</u>
- Article number: 221545
- · CAS Number:
- 141-93-5
- EC number:
- 205-511-4
- · Application of the substance / the mixture Laboratory chemicals for research and development
- Details of the supplier of the safety data sheet

• Manufacturer/Supplier: BeanTown Chemical 9 Sagamore Park Road Hudson, NH 03051 USA

Phone: (603) 402-2234 Fax: (603) 402-9713 Email: technical@beantownchem.com www.beantownchem.com

· Information department: Technical Support Department

- Emergency telephone number:
- During normal operating hours, please call (603) 402-2234 After hours, please call Chemtrec at (800) 424-9300

### 2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 3 H226 Flammable liquid and vapor.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



Signal word Warning
Hazard statements
Flammable liquid and vapor.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

– us

Printing date 07/09/2024

Reviewed on 07/08/2024

(Contd. of page 1)

Trade name: 1,3-Diethylbenzene

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description
- 141-93-5 1,3-Diethylbenzene
- · Identification number(s)
- EC number: 205-511-4

#### 4 First-aid measures

- · Description of first aid measures
- *General information: Immediately remove any clothing soiled by the product.*
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 3)

<sup>-</sup> US

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: 1,3-Diethylbenzene

(Contd. of page 2)

• PAC-1:

Substance is not listed.

• PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

## 7 Handling and storage

#### · Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- *Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.*
- Breathing equipment: Not required.
- **Protection of hands:**
- Protective gloves
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

US

Printing date 07/09/2024

Reviewed on 07/08/2024

(Contd. of page 3)

Trade name: 1,3-Diethylbenzene

• Eye protection: Tightly sealed goggles

Form:LiquidColor:Not determined.Odor:CharacteristicOdor threshold:Not determined.pH-value:Not determined.pH-value:Not determined.Change in condition*83.9 °C (-119 °F)Boiling point/Boiling range:181 °C (357.8 °F)Flash point:51 °C (123.8 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:450 °C (842 °F)Decomposition temperature:Not determined.Auto igniting:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/vapomixtures are possible.Explosion limits:Lower:Lower:Not determined.Vapor pressure at 20 °C (68 °F):0.864 g/cm³ (7.21008 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Not miscible or difficult to mix.Partition coefficient (n-octanol/water): Not determined.Not determined.	Physical and chemical proper	ties
General InformationLiquidAppearance:Form:LiquidForm:Not determined.Odor:Not determined.Odor:Not determined.PH-value:Not determined.PH-value:Not determined.Change in conditionMetting point/Boiling range:Metting point/Boiling range:-83.9 °C (-119 °F)Boiling point/Boiling range:-181 °C (357.8 °F)Flash point:51 °C (123.8 °F)Flash point:51 °C (23.8 °F)Flash point:51 °C (242 °F)Decomposition temperature:Not determined.Auto igniting:Not determined.Auto igniting:Not determined.Danger of explosion:Product is not explosive. However, formation of explosive air/vapor mixtures are possible.Explosion limits: Lower:Not determined.Vapor pressure at 20 °C (68 °F):1.3 hPa (1 mm Hg)Density at 20 °C (68 °F):0.3 k4 g/cm³ (7.21008 lbs/gal) Not determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Not determined.Viscosity: Dynamic: Dynamic:Not determined.Viscosity: Dynamic:Not determined.Outo Outo Outo0.0 %	Information on basic physical and a	hemical properties
Appearance:LiquidForm:LiquidColor:Not determined.Odor:CharacteristicOdor threshold:Not determined.pH-value:Not determined.Change in conditionMetting point/Metling range:flammability foolid, gaseous):Not determined.Flash point:51 °C (123.8 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:450 °C (842 °F)Decomposition temperature:Not determined.Auto igniting:Not determined.Auto igniting:Not determined.Darger of explosion:Product is not explosive. However, formation of explosive air/vapo mixtures are possible.Explosion limits: Lower:Not determined.Vapor pressure at 20 °C (68 °F):0.8 determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Not determined.Viscosity: Dynamic:Not determined.Viscosity: VOC content:Not determined.Viscosity: Dynamic:Not determined.Solubility in / Miscibility with Water:Not determined.Viscosity: Dynamic:Not determined.Viscosity: Dynamic:Not determined.Viscosi		nemicui properties
Form:Liquid Color:Not determined.OdorCharacteristicOdor threshold:Not determined.• PH-value:Not determined.• PH-value:Not determined.• Charage in condition		
Color:Not determined.OdorCharacteristicOdor threshold:Not determined.pH-value:Not determined.Change in condition Metting point/Melting range:-83.9 °C (-119 °F) Boling point/Boling range:Boling point/Boling range:181 °C (357.8 °F)Flash point:51 °C (123.8 °F)Flash point:51 °C (123.8 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:450 °C (842 °F)Decomposition temperature:Not determined.Auto igniting:Not determined.Ourger of explosion:Product is not explosive. However, formation of explosive air/vapor mixtures are possible.Explosion limits: Lower:Not determined.Vapor pressure at 20 °C (68 °F):1.3 hPa (1 mm Hg)Obensity at 20 °C (68 °F):0.64 g/cm³ (7.21008 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Wate:Not miscible or difficult to mix.Partition coefficient (n-octanol/water):Not determined.ViScosity: Dynamic: Kinematic:Not determined.VOC content:0.00 %0.00 %0.0 g/1/0.00 lb/galSolubils content:0.0 %		Liquid
Odor:       Characteristic         Odor threshold:       Not determined.         PH-value:       Not determined.         Change in condition       -83.9 °C (-119 °F)         Boiling point/Boiling range:       -83.9 °C (-119 °F)         Boiling point/Boiling range:       181 °C (357.8 °F)         Flash point:       51 °C (123.8 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       450 °C (842 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Not determined.         Auto igniting:       Not determined.         Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Lower:         Lower:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Density at 20 °C (68 °F):       0.864 g/cm² (7.21008 lbs/gal)         Relative density       Not determined.         Vapor pressure at 20 °C (68 °F):       Not determined.         Vapor pressure at 20 °C (68 °F):       0.864 g/cm² (7.21008 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor presoure at 20 °C (68 °F):       0.864 g/cm² (7.21		
Odor threshold:       Not determined.         pH-value:       Not determined.         Change in condition Melting point/Boiling range:       -83.9 °C (-119 °F) Boiling point/Boiling range:       181 °C (357.8 °F)         Flash point:       51 °C (123.8 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       450 °C (842 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Not determined.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Vapor pressure at 20 °C (68 °F):         Lower:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Density at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor pressure at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Solubility in / Miscibility with Wate:       Not determined.         Vapor density       Not determined.         Vot ot miscible or difficult to mix.       Provention coefficient (n-octanol/water): Not determined.         Solubility in / Miscibility with Wate:       Not determined.         Viscosity:       Not determined.         Dynamic		
Change in condition       -83.9 °C (-119 °F)         Boiling point/Boiling range:       181 °C (357.8 °F)         Flash point:       51 °C (123.8 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       450 °C (842 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Not determined.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Lower:         Lower:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Density at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Water:         Water:       Not determined.         Viscosity:       Dynamic:         Dynamic:       Not determined.         Viscosity:       Dynamic:         Not determined.       Viscosity:         Dynamic:       Not determined.         Viscosity:       Dynamic:         Dynamic:       Not determined.         Viscosity:       Dynamice: <tr< th=""><th>• Odor threshold:</th><th></th></tr<>	• Odor threshold:	
Meting point/Meting range:       -83.9 °C (-119 °F)         Boiling point/Boiling range:       181 °C (357.8 °F)         Flash point:       51 °C (123.8 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       450 °C (842 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Not determined.         Auto igniting:       Not determined.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Lower:         Lower:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Oensity at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Water:         Water:       Not determined.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         VOC content:       0.00 %         0.00 % </td <td>pH-value:</td> <td>Not determined.</td>	pH-value:	Not determined.
Meting point/Meting range:       -83.9 °C (-119 °F)         Boiling point/Boiling range:       181 °C (357.8 °F)         Flash point:       51 °C (123.8 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       450 °C (842 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Not determined.         Auto igniting:       Not determined.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Lower:         Lower:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Oensity at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Water:         Water:       Not determined.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         VOC content:       0.00 %         0.00 % </td <td>· Change in condition</td> <td></td>	· Change in condition	
Boiling point/Boiling range:       181 °C (357.8 °F)         Flash point:       51 °C (123.8 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       450 °C (842 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Not determined.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Lower:         Lower:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Density at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water):       Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         VOC content:       0.00 %         0.00 %       0.0 g/1 / 0.00 lb/gal		-83.9 °C (-119 °F)
Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       450 °C (842 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Not determined.         Auto igniting:       Not determined.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Lower:         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Density at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Not determined.         Vater:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.       Viscosity:         Dynamic:       Not determined.         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal       Solids content:	Boiling point/Boiling range:	181 °C (357.8 °F)
Ignition temperature:       450 °C (842 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Not determined.         Auto igniting:       Not determined.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Lower:         Lower:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Desity at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor pressure at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Not determined.         Vater:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.       Viscosity:         Dynamic:       Not determined.         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal       Solids content:	· Flash point:	51 °C (123.8 °F)
Decomposition temperature:       Not determined.         Auto igniting:       Not determined.         Auto igniting:       Not determined.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Not determined.         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Density at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor adensity       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Not determined.         Vater:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.          Viscosity:       Dynamic:       Not determined.         VOC content:       0.00 %          0.00 %       0.0 g/l / 0.00 lb/gal          Solids content:       0.0 %	Flammability (solid, gaseous):	Not applicable.
Auto igniting:       Not determined.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Not determined.         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Density at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.       Not determined.         Viscosity:       Not determined.         More determined.       Not determined.         Viscosity:       Not determined.         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal       0.0 g/l / 0.00 lb/gal	Ignition temperature:	450 °C (842 °F)
Danger of explosion:       Product is not explosive. However, formation of explosive air/vapor mixtures are possible.         Explosion limits:       Not determined.         Lower:       Not determined.         Vpper:       Not determined.         Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         Density at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.       Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal         Solids content:       0.0 %	Decomposition temperature:	Not determined.
imixtures are possible.         Explosion limits:         Lower:       Not determined.         Upper:       Not determined.         · Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         · Density at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         · Relative density       Not determined.         · Vapor density       Not determined.         · Solubility in / Miscibility with       Not miscible or difficult to mix.         · Partition coefficient (n-octanol/water): Not determined.       Not determined.         · Viscosity:       Dynamic:       Not determined.         · Viscosity:       O.00 %       0.0 g/l / 0.00 lb/gal         Solids content:       0.0 %       0.0 %	Auto igniting:	Not determined.
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):1.3 hPa (1 mm Hg)Density at 20 °C (68 °F):0.864 g/cm³ (7.21008 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor ate	Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):1.3 hPa (1 mm Hg)Density at 20 °C (68 °F):0.864 g/cm³ (7.21008 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor ate	• Explosion limits:	
• Vapor pressure at 20 °C (68 °F):       1.3 hPa (1 mm Hg)         • Density at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Water:         • Vater:       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.		Not determined.
• Density at 20 °C (68 °F):       0.864 g/cm³ (7.21008 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with Water:       Not miscible or difficult to mix.         • Partition coefficient (n-octanol/water): Not determined.         • Viscosity:       Dynamic:         Dynamic:       Not determined.         • VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal       0.0 %	Upper:	Not determined.
Relative density       Not determined.         Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Water:         Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water):       Not determined.         Viscosity:       Dynamic:         Dynamic:       Not determined.         Kinematic:       Not determined.         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal       0.0 %	· Vapor pressure at 20 °C (68 °F):	1.3 hPa (1 mm Hg)
Relative density       Not determined.         Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Water:         Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water):       Not determined.         Viscosity:       Dynamic:         Dynamic:       Not determined.         Kinematic:       Not determined.         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal       0.0 %	Density at 20 °C (68 °F):	0.864 g/cm <sup>3</sup> (7.21008 lbs/gal)
Evaporation rate       Not determined.         Solubility in / Miscibility with Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water):       Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         VOC content:       0.00 %         0.00 g/l / 0.00 lb/gal       0.0 %		Not determined.
Solubility in / Miscibility with Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal         Solids content:       0.0 %	Vapor density	Not determined.
Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         VOC content:       0.00 %         Old g/l / 0.00 lb/gal       0.0 %	· Evaporation rate	Not determined.
Water:       Not miscible or difficult to mix.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         VOC content:       0.00 %         O.00 g/l / 0.00 lb/gal       0.0 %	Solubility in / Miscibility with	
Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal         Solids content:       0.0 %	Water:	Not miscible or difficult to mix.
Dynamic:Not determined.Kinematic:Not determined.VOC content:0.00 %0.0 g/l / 0.00 lb/galSolids content:0.0 %	Partition coefficient (n-octanol/wate	er): Not determined.
Kinematic:         Not determined.           VOC content:         0.00 %           0.0 g/l / 0.00 lb/gal           Solids content:         0.0 %	· Viscosity:	
Kinematic:         Not determined.           VOC content:         0.00 %           0.0 g/l / 0.00 lb/gal           Solids content:         0.0 %	Dynamic:	Not determined.
0.0 g/l / 0.00 lb/gal           Solids content:         0.0 %		
Solids content: 0.0 %	VOC content:	
		0.0 g/l / 0.00 lb/gal
• Other information No further relevant information available.	Solids content:	0.0 %
	Other information	No further relevant information available.

(Contd. on page 5)

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: 1,3-Diethylbenzene

(Contd. of page 4)

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

·NTP (National Toxicology Program)

Substance is not listed.

**OSHA-Ca** (Occupational Safety & Health Administration)

Substance is not listed.

### **12 Ecological information**

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

<sup>·</sup> Toxicity

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: 1,3-Diethylbenzene

(Contd. of page 5)

# **13 Disposal considerations**

#### · Waste treatment methods

### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN2049
UN proper shipping name	
DOT	Diethylbenzene
IMDG, IATA	DIETHYLBENZENE
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2049 DIETHYLBENZENE, 3, III

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 7)

\_\_\_\_\_US

Printing date 07/09/2024

Reviewed on 07/08/2024

Trade name: 1,3-Diethylbenzene

· Sara	(Contd. of page
Section 355 (extremely	hazardous substances).
Substance is not listed.	
	vie al amigal listinga).
• Section 313 (Specific to Substance is not listed.	xic chemical listings):
	~
• TSCA (Toxic Substance	·
	ACTIVI
· Hazardous Air Pollutar	its
Substance is not listed.	
· Proposition 65	
· Chemicals known to ca	use cancer:
Substance is not listed.	
	use reproductive toxicity for females:
Substance is not listed.	
· Chemicals known to ca	use reproductive toxicity for males:
Substance is not listed.	
· Chemicals known to ca	use developmental toxicity:
Substance is not listed.	
· Carcinogenic categorie	S
· EPA (Environmental P	rotection Agency)
Substance is not listed.	
• TLV (Threshold Limit ]	Value)
Substance is not listed.	
· NIOSH-Ca (National I	nstitute for Occupational Safety and Health)
Substance is not listed.	
· RTECS	
Substance is not listed.	

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• NFPA ratings (scale 0-4) Health = 0 Fire = 2 Reactivity = 0 • HMIS ratings (scale 0-4) Health = 0 Fire = 2 Reactivity = 0

· Department issuing SDS: Technical Support Department

· Contact: Technical Support Department

· Date of preparation / last revision 07/09/2024 / -

(Contd. on page 8)

<sup>-</sup> US

Printing date 07/09/2024

Reviewed on 07/08/2024

# Trade name: 1,3-Diethylbenzene

(Contd. of page 7)
· Abbreviations and acronyms:
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 3: Flammable liquids – Category 3
- US