Printing date 07/09/2024 Reviewed on 07/08/2024

### 1 Identification

· Product identifier

· Trade name: <u>1-Octanol</u> · Article number: 222920

• CAS Number: 111-87-5 • EC number: 203-917-6

- · Application of the substance / the mixture Laboratory chemicals for research and development
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: BeanTown Chemical 9 Sagamore Park Road Hudson, NH 03051 USA

Phone: (603) 402-2234 Fax: (603) 402-9713

Email: technical@beantownchem.com

www.beantownchem.com

- · Information department: Technical Support Department
- Emergency telephone number:

During normal operating hours, please call (603) 402-2234 After hours, please call Chemtrec at (800) 424-9300

#### 2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

1-Octanol

· Hazard statements

Combustible liquid.

Harmful if swallowed.

Causes serious eye irritation.

(Contd. on page 2)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: 1-Octanol

(Contd. of page 1)

· Precautionary statements

*Keep away from flames and hot surfaces. – No smoking.* 

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 111-87-5 1-Octanol
- · Identification number(s)
- · EC number: 203-917-6

#### 4 First-aid measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: 1-Octanol

(Contd. of page 2)

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1: |         |
|----------|---------|
|          | 5 ppm   |
| · PAC-2: |         |
|          | 20 ppm  |
| · PAC-3: |         |
|          | 150 ppm |

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

111-87-5 1-Octanol

WEEL Long-term value: 50 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

(Contd. on page 4)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: 1-Octanol

(Contd. of page 3)

#### · Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product the preparation the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Tightly sealed goggles

| Information on basic physical and c<br>General Information | chemical properties               |  |
|--|-----------------------------------|--|
| Appearance:  |                                   |  |
| Form:  | Liquid                            |  |
| Color:   | Colorless                         |  |
| Odor:  | Characteristic                    |  |
| Odor threshold:  | Not determined.                   |  |
| pH-value:  | Not determined.                   |  |
| Change in condition  |                                   |  |
| Melting point/Melting range:                               | -15 °C (5 °F)                     |  |
| Boiling point/Boiling range:                               | 196 °C (384.8 °F)                 |  |
| Flash point:   | 87 °C (188.6 °F)                  |  |
| Flammability (solid, gaseous):                             | Not applicable.                   |  |
| Ignition temperature:                                      | 270 °C (518 °F)                   |  |
| Decomposition temperature:                                 | Not determined.                   |  |
| Auto igniting:   | Not determined.                   |  |
| Danger of explosion:                                       | Not determined.                   |  |
| Explosion limits:  |                                   |  |
| Lower:   | 0.8 Vol %                         |  |
| Upper:   | Not determined.                   |  |
| Vapor pressure at 20 °C (68 °F):                           | 0.032 hPa (0 mm Hg)               |  |
| Density at 20 °C (68 °F):                                  | 0.827 g/cm³ (6.90132 lbs/gal)     |  |
| Relative density   | Not determined.                   |  |
| Vapor density  | Not determined.                   |  |
| Evaporation rate   | Not determined.                   |  |
| Solubility in / Miscibility with                           |                                   |  |
| Water:   | Not miscible or difficult to mix. |  |

(Contd. on page 5)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: 1-Octanol

(Contd. of page 4)

827.0 g/l / 6.90 lb/gal

Solids content: 0.0 %

• Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Strong oxidizing agents

Halogens

Acids

Acid anhydrides

Acid chlorides

· Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Aldehyde

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

#### 111-87-5 1-Octanol

Oral LD50 1,790 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

(Contd. on page 6)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: 1-Octanol

(Contd. of page 5)

#### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

| lated<br>lated |
|----------------|
| lated          |
|                |
|                |
|                |
| lated          |
|                |
| lated          |
|                |
|                |
| icable.        |
|                |

(Contd. on page 7)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: 1-Octanol

(Contd. of page 6)

· UN "Model Regulation":

not regulated

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

**ACTIVE** 

· Hazardous Air Pollutants

Substance is not listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

·RTECS

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· NFPA ratings (scale 0-4)

Health = 2

Fire = 2

Reactivity = 0

(Contd. on page 8)

Printing date 07/09/2024 Reviewed on 07/08/2024

Trade name: 1-Octanol

(Contd. of page 7)

· HMIS ratings (scale 0-4)

Health = 2 Fire = 2 Reactivity = 0

- · Department issuing SDS: Technical Support Department
- · Contact: Technical Support Department
- · Date of preparation / last revision 07/09/2024 / -
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

-US