

LED TROFFER TR SERIES



TR22



PRODUCT DESCRIPTION:

The Diva Light TR Series LED troffer is the ideal low profile replacement for any 2'x2' or 2'x4' fluorescent fixture. The TR Series has the latest in optical and LED technology suitable for many indoor commercial applications.

This LED troffer provides a single pleasant volumetric soft light that fills any interior space for a brighter and more productive ambiance.

APPLICATIONS:

- Office
- Retail
- Education
- Healthcare

FEATURES:

- Standard 0-10V dimming
- Efficacy: up to 133 Lumens/Watt
- Voltage: 120-277 VAC
- CCT: 3500K, 4000K, 5000K
- Certification: UL, DLC
- Warranty: 5 Years



TR24

ORDERING INFORMATION:

Example: TR22-40L-40K-D10

TR Series	Size	Lumens	CCT	Voltage	D10 Controls
TR	22 2x2	36L 4000 lumens	35K 3500K 40K 4000K	(Blank) 120-277V	D10 0-10V Dimming
	24 2x4	46L 6000 lumens	50K 5000K		

OPERATIONAL DATA:

SKU	TR22-36L-35K	TR22-36L-40K	TR22-36L-50K	TR24-46L-35K	TR24-46L-40K	TR24-46L-50K
Wattage	30 Watts	30 Watts	30 Watts	38 Watts	38 Watts	38 Watts
Lumens	3500	3780	3500	4800	5000	5000
Efficacy	125 lm/W	126 lm/W	125 lm/W	133 lm/W	132 lm/W	133 lm/W
CCT	3000K	4000K	5000K	3500K	4000K	5000K
CRI	80	80	80	82	82	82

SPECIFICATIONS:

Power Factor	> 0.90
Input Voltage	120-277 VAC
Dimmable	0-10V continuous dimming, 10-100%
Mounting	Existing recessed frame
Operating Temperature	-20°C to +50°C
Environment	Suitable for damp location
Certificates	UL, cUL, DLC
L70 Life	50,000 hours
Warranty	5 Years

DIMENSIONS:

SKU	TR22	TR24
Length	23.78	47.71
Width	23.78	23.8
Height	3.62	3.62

WIRING DIAGRAM:

