



GENERAL SPECIFICATIONS

• Overall Length (L.O.A)*:	15,10 m	49'6"
• Hull length:	13,25 m	43'6"
• Overall width:	4,32 m	14'2"
• Hull Beam:	4,27 m	14'
• Light displacement (EC):	14 360 kg	31,649 lbs
• Air draft:	5,45 m	17'11"
• Draft (min-max):	0,90 - 1,27 m	2'11" - 4'2"
• Fuel tank capacity:	2 x 650 L	2 x 172 US Gal
• Fresh water capacity:	2 x 300 L	2 x 79 US Gal
• Maximum engine power:	2 x 307 kW - 2 x 417 HP	2 x 417 HP
• Max engine certification:	2 x 307 kW - 2 x 417 HP	2 x 417 HP

* (with aft swim platform)

ARCHITECTS / DESIGNERS

- Design: Nuvolari & Lenard
- Interior accommodation: Andreani Design

CE CERTIFICATION

- Category B - 12 people
- Category C - 14 people
- Category D - 16 people



BENETEAU

Monte Carlo 5S

General Equipment list - North America

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- White Cream Gelcoat
- Sandwich (polyester resin - fiberglass - balsa core)
- Structural hull counter molding in monolithic laminate (polyester resin - fiberglass)
- 12 Portholes including 10 Opening portholes

DECK

Composition:

- White Cream Gelcoat
- Sandwich (polyester resin - fiberglass - balsa core)
- Diamond tip type non-slip surface
- Structural deck counter molded in monolithic laminate

DECK EQUIPMENT

- Radar support (in polyester)
- Navigation lights
- LED courtesy lights in gangways, Steps and Stern deck

MOORING - ANCHORING GEAR

- Bow fitting
- Electric windlass 24V, Power 2000 W
- Remote control in mooring locker + Windlass control from wheelhouse helmstation
- 2 Mooring lockers
- 2 Forward cleats, 2 central and 4 aft in stainless steel
- 4 Stainless steel fairleads to aft of cockpit

SAFETY ON DECK

- Stainless steel half open pulpit with teak step and hand rail
- Stainless steel pulpit wrapping the rear section of the hardtop
- 2 Stainless steel handrails on access to sidedeck steps
- 1 Hand rail on rear table
- Opening pulpit on port and starboard

DECK

- 3 Cup holders
- 1 Opening deck hatch, 1 fixed hatch

COCKPIT

- Gate access (starboard)
- 6 People salon
- Uphostery PVC Diamante Snow, piping Diamante Espresso, Open cell foam
- Access hatch to engine compartment
- Access hatch to large storage locker (standard) or crew cabin (optional)
- Cockpit shower hose with hot water mixer tap / Cold water
- Access stairway to hard top, built-in storage locker
- Solid wood swim platform
- Retractable ladder in swimming platform with solid wood steps and stainless steel handrails
- Direct and indirect LED lighting

HARD TOP

- Sun pad position (1,20 m x 2,50 m / 3'11" x 8'2") (trim level)
- 2 Cupholders and storage tray
- Courtesy lighting (LED)
- Hand rail
- Radar support (in polyester) + Navigation light mounting (stainless steel)
- Electric actuated tinted sunroof with remote

INTERIOR

- Choice of wood interior: Alpi brushed Oak or Alpi mat Walnut
- Laminate floors in the galley : Brown oak (standard) or Teak slatted (optional)
- Ivory carpet in salon and cabins
- Teak slatted floor in head compartments

WHEELHOUSE

Headroom: 1,99 m / 6'6"

- Mirror tinted glass bay window and stainless steel frame with full opening (1 opening and 2 folding). Curtain "Cream"
- "Roman" blinds in "Cream" fabric
- Direct and indirect LED lighting
- Electrical panel 12V/110V, starboard side of the entrance

STEERING STATION

- One-piece windscreen, in non-tinted laminated glass
- Mirror tinted side windows, 2 openings (port and starboard)
- 2 Windscreen wipers with washers
- Defogging system
- Electric actuated tinted sunroof with remote
- Pilot and copilot bench with Bolster function, PVC upholstery (standard) or leather (optional) ; Electric Hi-low adjustment
- Dashboard with Clay metallic paint
- Volvo EVC screen (with additional software as an option)
- Rudder angle indicator
- Trim tab control
- Volvo throttle & controls
- IPS joystick
- Steering compass
- Functional controls: wiper, defogging, Fog horn, Navigation lights, Windlass
- Glove box
- 2 Multifunction SIMRAD NSS 12" evo3 displays in wheelhouse
- 1 12 V Power outlet
- SIMRAD VHF coupled to AIS US system receiver
- SIMRAD Broadband 4G Radar
- SIMRAD Autopilot
- SIMRAD wifi module
- Bow thruster control



BENETEAU

Monte Carlo 5S

General Equipment list - North America

SALON

- Sofa 4-6 seats, upholstery "Divine" fabric, with pillows of comfort
- 2 seats facing sofa, Upholstery "Divine" fabric, with pillows of comfort
- Foldable table, faux leather panel
- 3 Storage drawer under sofas
- 32" LED TV precabbling + Bose 2.1 Hi-fi system + Fusion 700 Audio/DVD player + Dock iPod + Bluetooth connection + 2 Remote controls (Cockpit and flybridge) + Outside speakers
- 1 110 V Power outlet

GALLEY

Kitchen-type layout

- Optimum storage space: "magic corner"
- Stainless steel sink with mixer tap
- Ceramic hob (2 burners) Kenyon
- Corian countertop
- Fridge freezer + ice maker with drawers : 150 L / 40 US Gal Standard (or 225 L / 59 US Gal optional) (High cabinet galley layout)
- Cutlery & glasses storage
- Garbage bin
- Lacquer finished furniture
- 2 110 V Power outlets

OWNER CABIN (AFT)

Headroom: 1,85 m / 6'1"

- Full beam cabin
- Double berth (2,03 m x 1,56 m / 6'8" x 5'1")
- Marine mattress with bed base
- Padded bed headboard
- 2 Bedside tables with drawer and reading light
- 2 Illuminated wardrobes with hanging locker and shelving
- Direct and indirect LED lighting
- 2 110 V Power outlets
- 2 Panoramic opening porthole-fitted windows with blinds, Cream blackout curtain
- 32" LED TV precabbling + Bose 2 Hi-fi system
- Fusion Audio/DVD player + Dock iPod
- Storage cupboards (port and starboard)
- Mirror

OWNER HEAD COMPARTMENT

Headroom: 2 m / 6'7"

- Electric toilet Vacuflush + shared rigid holding tank (150 L / 40 US Gal)
- Separated shower stall with stainless steel profiled doors
- Teak slatted seat
- Shower with mixer tap
- Sink with mixer tap fitted
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50 L / 13 US Gal)
- 1 110 V Power outlet
- Opening hull porthole with Cream blackout blinds
- 1 Towel rail

VIP CABIN (FORWARD)

Headroom: 1,94 m / 6'4"

- Double berth (1,95 m x 1,50 m / 6'5" x 4'11")
- Marine mattress with bed base
- Padded bed headboard
- 4 Opening hull portholes, with shades, Cream blackout curtain
- Long natural light wells, with opening deck hatch, fitted blinds and mosquito screens
- 2 Illuminated wardrobes with hanging locker and shelving
- Storage
- 2 Drawers beneath bunk for storage
- 2 110 V Power outlets
- Direct and indirect LED lighting
- 26" LED TV precabbling + Bose 2 Hi-fi system + Fusion Audio/DVD player + Dock iPod

VIP HEAD COMPARTMENT

Headroom: 2 m / 6'7"

- Electric toilet Vacuflush + shared rigid holding tank (150 L / 40 US Gal)
- Separated shower stall with circular door
- Sink with mixer tap fitted
- Shower with mixer tap
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50 L / 13 US Gal)
- Opening hull porthole with Cream blackout blinds
- 1 Towel rail
- 1 110 V Power outlet

GUEST CABIN (SIDE)

Headroom: 1,98 m / 6'6"

- 2 Bunk beds: 1,98 m x 0,62 m and 1,98 m x 0,77 m / 6'6" x 2'0" and 6'6" x 2'6"
- Marine mattresses
- Padded bed headboards
- 2 Opening hull portholes, with shades, Cream blackout curtain
- Bedside tables with drawer and reading light
- 1 110 V Power outlet
- Hanging locker with lighting
- 22" LED TV precabbling + Bose 2 Hi-fi system + Fusion Audio/DVD player + Dock iPod

ENGINE

Pods propulsion:

- Volvo 2 x IPS 600 - 2 x D6 435 CV/HPDiesel (2 x 307 kW) EVC-E

- Fuel filter with decanter
- Sea water filter
- Air intakes on the deck for engine compartment cooling
- Hot air extraction forced by electric ventilators
- Engine room foam soundproofed
- Fire extinguishing system activated from the steering station
- Stainless steel fuel fill
- 2 x 650 L / 172 US Gal Aluminium fuel tanks

Steering system:

- Hydraulic steering
- 2 Outdrives with counter rotating propellers "Jackshaft"
- IPS joystick control

Softs Volvo:

- Trip computer
- Cruise control
- Single lever
- Low speed

ELECTRICITY

- 12 V / 110 V Electrical panel
- 8 12 V batteries (4 engine batteries: 50 Amp + 4 service batteries: 140 Amp)
- Radio-controlled wireless switches (without battery)
- 2 110 V - 60 Hz 63A shore supply with 15 m cable (or 2 110 V - 60 Hz according to country)
- 3 Bilge pumps: 2 electric - 1 manual
- 1 Extinguisher
- 12 V / 110 V inverter - 2000 VA
- Load balancer
- Battery charger: 24 V - 60 Amp
- 110V Sockets: in salon, Galley, heads and cabin
- 12V Power outlet at steering stations (wheelhouse)
- Direct and indirect LED lighting (internal and external)
- 13,5 KVA 230 V / 60 Hz Generator
- Shore socket extension cord - 110 V + Glendinning - 30A

PLUMBING

- 2 Rotomolded water tanks, 2 x 330 L / 2 x 87 US Gal
- Stainless steel water fill
- Water pump for pressurizing hot/cold water system
- 60 L / 16 US Gal water heater working off engine heat exchanger - 110 V

TRIM LEVEL

	ADVANTAGE	EXCLUSIVE
• Wheelhouse side windows (port and starboard) with electric opening	■	■
• Top of furniture upholstered with faux leather	■	■
• Teak slatted cockpit & galley floors	■	■
• Forward sunbed with adjustable back rest and protective cover	■	■
• Sun bed cushions on hardtop	■	■
• Galley unit on transom (Grill, Sink hot/cold, Countertop)	■	■
• 110 V Microwave oven - Upper cupboard	■	■
• Deck searchlight with remote control		■
• Dock water inlet		■
• Fresh water deck washing pump		■
• Blackout blind for opening sunroof		■
• Hydraulic swim platform (max load 350Kg)		■
• Dinghy cradle integrated to the platform		■

OPTIONS

OPTIONAL LAYOUT VERSIONS

CREW CABIN (accessible from cockpit)

Headroom: 1,60 m / 5'3"

- Single bed (2 m x 0,70 m / 6'7" x 2'4")
- Shower with tray
- VacuFlush toilet
- Water washbasin with hot and cold water mixer tap under pressure
- 1 Fixed porthole + 1 Opening porthole

"HIGH CABINET" GALLEY (On the starboard side)

- 2 Drawer refrigerator (145 L)
- 1 Freezer with drawers, + integrated icemaker (75 L)
- Storage cupboard (Position for Dishwasher option)



BENETEAU

Monte Carlo 5S

General Equipment list - North America

OTHERS

INTERIOR

- Chilled water Mediterranean air conditioning 36 kBTU (18 kBTU in wheelhouse, 9 kBTU in owner's cabin and heads, 9 kBTU in the VIP cabin and Guest cabin) - Distribution by ceilings
- Chilled water Tropical air conditioning 60 kBTU (24 kBTU + 12 kBTU in wheelhouse, 9 kBTU in owner's cabin and heads, 9 kBTU in the VIP cabin and 6 kBTU in guest cabin) - Distribution by ceilings
- Air conditioning 4 kBTU in the crew cabin
- 12 kW heating, water system
- 2 kW heating, in the crew cabin
- 2 Multifunction SIMRAD NSO 16" screens (replacing the NSS 12" (x 2) in wheelhouse)
- Fabric upholstery in the salon: Vibrant beige, Mondo cream, Aura brown
- Leather salon upholstery
- Nubuck leather salon upholstery
- Light grey leather pilot bench seat
- Dune Berber or Taupe carpet (Cabins & passageway)
- Teak floor in salon and helm
- Doors padded with faux leather
- ELLE Decor Yatch table setting for Monte Carlo
- Cooker hood
- Dishwasher for 6 sets (starboard, "High cabinet" galley)
- Washing machine + Tumble dryer
- Mosquito screens (Cabins and Aft window door)
- Set of interior and exterior decorative pillows

EXTERIOR

- Mooring kit: Anchor Delta 25 kg + Chain (12 mm diameter, Length: 40 m) + Line (22 mm diameter, Length: 50 m) + 4 Moorings lines (18 mm, Length: 15 m) + 6 Fenders (230 mm diameter, Length: 860 mm)
- 2nd Engine control in cockpit (Joystick, Thruster)
- Underwater lights (x2)
- Ivory & Taupe exterior upholstery
- Integrated telescopic gangway
- Solid wood cockpit table with stainless steel legs and protective cover
- Hardtop table convertible into sunpad (Electric pedestal)
- Drawer refrigerator on flybridge
- Retractable electric sun awning
- Cockpit aft enclosure Graphite
- Black outside wheelhouse curtains
- Protective covers exterior upholstery: Cockpit, Forward sun deck, flybridge
- Bose waterproof speakers: Cockpit, flybridge
- Fusion speakers + Remote control: Forward sun deck
- Aft camera
- WILLIAMS 285 Turbojet tender 80HP special edition for MC
- Aqua blue & cream hull
- Hull paint
- Sunshade on hardtop