



THE "ROANOKE A"

HEATED:
2,520 SF
UNDER ROOF:
2,966 SF
DEPTH:
46'8"
WIDTH:
39'8"



FRONT ELEVATION - A



FRONT ELEVATION - B

NOTE: GARAGE ORIENTATION DEPENDS ON
COMMUNITY STANDARDS.

CUSTOMER SIGNATURE

DATE

BUILDER RESERVES THE RIGHT TO CHANGE PLANS WITHOUT WRITTEN NOTICE OR PRIOR APPROVAL. FLOOR PLAN AND ELEVATION ARE FOR ILLUSTRATIVE PURPOSES ONLY.
ALL LAYOUTS AND DIMENSIONS ARE APPROXIMATE AND ARE SUBJECT TO REASONABLE ENGINEERING AND CONSTRUCTION VARIANCES.

OCTOBER 9, 2020



THE "ROANOKE A"

HEATED:
2,520 SF
UNDER ROOF:
2,966 SF
DEPTH:
46'8"
WIDTH:
39'8"



FRONT ELEVATION- C

NOTE: GARAGE ORIENTATION DEPENDS ON
COMMUNITY STANDARDS.

CUSTOMER SIGNATURE

DATE


BUILDER RESERVES THE RIGHT TO CHANGE PLANS WITHOUT WRITTEN NOTICE OR PRIOR APPROVAL. FLOOR PLAN AND ELEVATION ARE FOR ILLUSTRATIVE PURPOSES ONLY.
ALL LAYOUTS AND DIMENSIONS ARE APPROXIMATE AND ARE SUBJECT TO REASONABLE ENGINEERING AND CONSTRUCTION VARIANCES.

OCTOBER 9, 2020



THE "ROANOKE A"

HEATED:
2,520 SF
UNDER ROOF:
2,966 SF
DEPTH:
46'8"
WIDTH:
39'8"



FIRST FLOOR-OPT. A

NOTE: GARAGE ORIENTATION DEPENDS ON COMMUNITY STANDARDS.

CUSTOMER SIGNATURE

DATE



BUILDER RESERVES THE RIGHT TO CHANGE PLANS WITHOUT WRITTEN NOTICE OR PRIOR APPROVAL. FLOOR PLAN AND ELEVATION ARE FOR ILLUSTRATIVE PURPOSES ONLY. ALL LAYOUTS AND DIMENSIONS ARE APPROXIMATE AND ARE SUBJECT TO REASONABLE ENGINEERING AND CONSTRUCTION VARIANCES.

OCTOBER 9, 2020



THE "ROANOKE A"

HEATED:
2,520 SF
UNDER ROOF:
2,966 SF
DEPTH:
46'8"
WIDTH:
39'8"



OPTIONAL
LOFT

SECOND FLOOR—OPT. A

NOTE: GARAGE ORIENTATION DEPENDS ON
COMMUNITY STANDARDS.

CUSTOMER SIGNATURE

DATE

BUILDER RESERVES THE RIGHT TO CHANGE PLANS WITHOUT WRITTEN NOTICE OR PRIOR APPROVAL. FLOOR PLAN AND ELEVATION ARE FOR ILLUSTRATIVE PURPOSES ONLY.
ALL LAYOUTS AND DIMENSIONS ARE APPROXIMATE AND ARE SUBJECT TO REASONABLE ENGINEERING AND CONSTRUCTION VARIANCES.

OCTOBER 9, 2020