


CLAUSEN

CARPET SOLUTIONS


G.T.O. SOLVENT SPOTTER REMOVES SPOTS FROM GREASE, TAR & OIL



FRESH SCENT



QUICK CLEANING



QUICK CLEANING



SAFE PROPELLANT

DESCRIPTION

Clausen G.T.O. CARPET PLUS is a pleasant odor, non-flammable, quick acting, quick drying solvent spotter for carpets, rugs, upholstery, clothing and other textile products for use in offices, restaurants, apartments, theaters, hotels, motels, homes, cars, airplanes, etc.

USES

Dissolves and removes grease, tar, oily soil, shoe polish, solvent paints, masking and adhesive tape, crayon, candle wax, lipstick, make up, tar and blacktop coating.

HOW TO USE:

If the cause of a spot is unknown - first use G.T.O. CARPET PLUS. If spot remains, apply Clausen ALL PURPOSE SPOTTER.

Spray G.T.O. CARPET PLUS on a pile fabric cloth such as a wash cloth or toweling rather than directly on spot. This prevents over-wetting with solvent which on carpet could possibly cause delamination of double back tufted carpet. With cloth dampened with G.T.O. CARPET PLUS rub spot from outer edge towards the center to avoid spreading it.

PACKAGING

12/20 oz. per case

BENEFITS

FRESH SCENT - Unlike so many other solvent spot removers G.T.O. CARPET PLUS radiates a pleasant odor during and after use.

QUICK CLEANING - Penetrates, dissolves and quickly and thoroughly removes greasy, oily soil.

QUICK DRYING - Evaporates quickly to enable immediate use of the treated article.

NON-RESIDUAL - Leaves no cleaner residue to attract and hold new soil.

CONVENIENT - Nothing to mix. Everything you need to remove difficult stains is in this handy, easy to use aerosol can. Keep a can handy for emergency use.

OZONE SAFE - Contains no I,I,I- Trichloroethane or other ozone depleting chemicals.

SPECIFICATIONS

TYPE.....aerosol
 ODOR.....floral
 FLASH POINT (OF PROPELLANT).....N/A
 SHELF LIFE.....1 year from date of manufacture

DISTRIBUTED BY:

MATERIAL SAFETY DATA SHEET

(Prepared According to 29 CFR 1910.1200)

SECTION 1 - PRODUCT IDENTIFICATION

Distributor Clausen Carpet Solutions	Emergency Phone 800-444-8900
Address P.O. Box 37 Folcroft, PA 19032	
Trade Name GTO CARPET PLUS	Product Type Aerosol Solvent Spot Remover

SECTION 2 - HAZARDOUS INGREDIENTS

CHEMICAL NAME/COMMON NAME	CAS NO.	PERCENT(optional)	TLV(Source)
Perchloroethylene*	127-18-4	70-75	PEL(OSHA) 25 PPM: ACGIH (TLV) 25 PPM
Isopropyl Alcohol	67-63-0	15-20	TWA(OSHA) 400 ppm : ACGIH 400 ppm
Toluene*	108-88-3	1-5	TWA(OSHA) 100 ppm : ACGIH(TWA) 50 ppm
Carbon Dioxide	124-38-9	1-5	PEL(OSHA) 5000 PPM: ACGIH (TLV) 5000PPM

Other ingredients in this product are : Less than 1% by weight or less than 0.1% for carcinogens Not hazardous Declared to be Trade Secret

SECTION 3 - PHYSICAL DATA

Boiling point(°F.) 250	Specific Gravity(H2O=1.0) (± 0.005) 1.35	pH (± 0.5) N/A
Vapor Pressure(mm Hg) 14mm Hg	Vapor Density(Air=1) >1	
Solubility in water <input type="checkbox"/> Complete <input type="checkbox"/> Insoluble <input type="checkbox"/> Emulsifiable (or Dispersible) <input checked="" type="checkbox"/> Slight (or Partial)		
Evaporation Rate(vs. H2O) <input checked="" type="checkbox"/> Faster <input type="checkbox"/> Slower <input type="checkbox"/> About the Same		
Appearance and Odor Clear colorless liquid with ethereal odor		

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point(T.C.C.) N/A	°F. <input type="checkbox"/> None to Boiling	Flammable Limits Upper N/A	Lower N/A
Extinguishing Media Water fog.			
Special Firefighting Procedures Firefighters should use self-contained respiratory protection in buildings or confined spaces.			
Unusual Fire and Explosion Hazards Aerosol cans are under pressure - exposure to temperatures above 120°F. can cause bursting or "rocketing" of cans.			

SECTION 5 - REACTIVITY DATA

Stability Avoid open flames and high	Incompatibility Strong oxidizers & active metals
Hazardous Decomposition Products Carbon monoxide, Carbon dioxide, hydrogen chloride, phosgene.	

SECTION 6 - HEALTH HAZARDS

Primary Routes of Exposure <input checked="" type="checkbox"/> Eye <input checked="" type="checkbox"/> Skin <input checked="" type="checkbox"/> Oral <input checked="" type="checkbox"/> Inhalation <input type="checkbox"/> Other
Signs and Symptoms of Overexposure (Acute) Eyes: Temporary irritation, redness, blurred vision. Skin: Prolonged contact can cause irritation and dermatitis. Inhalation: Overexposure can cause irritation of respiratory tract and central nervous system. Ingestion: Nausea, diarrhea.
Signs and Symptoms of Overexposure(Chronic) Perchloroethylene has been shown to cause cancer in laboratory animals. Epidemiological studies linking Perchloroethylene
Medical Conditions Aggravated by Overexposure Pre-existing skin disorders. Carcinogen/Suspect Carcinogen Ingredients <input checked="" type="checkbox"/> NTP <input type="checkbox"/> OSHA <input checked="" type="checkbox"/> IARC <input type="checkbox"/> NONE

SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES

Eyes Flush thoroughly with water for at least 15 minutes.
Skin Wash affected area with soap and water.
Ingestion Do NOT induce vomiting. Drink two glasses of water and contact physician, hospital, or poison control center.
Inhalation Move to fresh air. Give oxygen to exposed person, if necessary.

SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection Not required when used as directed. Respirators with organic vapor filters may be used in confined spaces or poorly ventilated areas.
Ventilation Requirements <input type="checkbox"/> Local Exhaust <input checked="" type="checkbox"/> Mechanical <input type="checkbox"/> Room Ventilation Is Adequate
Protective Gloves PVA or Eye Protection Safety glasses/goggles Other Protective Clothing Not required for normal use

SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be Taken if Released or Spilled In case of spill or accidental release: Use absorbent material to soak up liquid. Place used absorbents into closed DOT-approved containers for disposal.
Waste Disposal Methods Always use up product according to label directions before disposal. Offer empty container for recycling where facilities exist. If recycling is not available, wrap

SECTION 10 - STORAGE AND HANDLING INFORMATION

Precautions to be Taken in Handling and Storage Shake well before using. Keep away from heat, sparks and open flames. Prolonged exposure to direct sunshine or storage above 120°F may cause can to burst. Do not puncture or incinerate can. Contents under pressure. Perchloroethylene has been shown to cause cancer in laboratory animals. Avoid prolonged breathing of vapors or contact with skin. Wash

The health hazards given on the Material Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of over exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure to the product, under normal conditions of use.

DATE PREPARED
7/27/2010