



# SOAP FILM REMOVER

Chemically Dissolves Soap Film Deposits

## DESCRIPTION

A unique combination of special chemicals that quickly and easily dissolve and remove dingy, unsanitary soap scum. Does effortlessly what can't be done, even by hard scrubbing with ordinary cleaners or abrasives. Also, highly effective as a water softening additive to other cleaners being used in hard water areas.

## BENEFITS

**EFFORTLESS:** Removes dingy film from soap, detergents and hard water without scrubbing. Just spray it on and flush away for a clean, fresh, sanitary surface.

**WORKS LIKE MAGIC:** Converts sticky soap film to liquid soap that can be easily rinsed down the drain.

**SAVES LABOR:** It's more effective in removing soap and detergent film than long tedious scrubbing required with other products.

**NON ABRASIVE:** Contains no grit of any kind to scratch the surfaces on which it is used.

**HIGHLY CONCENTRATED:** Many times the power of household brands, yet safe to use. You can make your own "after each shower" product to prevent soap film from building up in the first place.

## HOW TO USE

**FLOORS: FOR REMOVING ACCUMULATED SOAP SCUM FOR ALL FLOORS:** To each gallon of hot water, add one half to one pint of Soap Film Remover depending on accumulation. Mop on liberally. Allow to soak a few minutes. If necessary, scrub and then mop off and rinse.

**TO REPLACE PERIODIC SCOURING OF MARBLE, TERRAZZO, TRAVERTINE:** Dilute 4 to 8 ounces per gallon of hot water - use as above.

**SHOWER WALLS, SHOWER DOORS, WASH BASINS, ETC:** Dilute 1 to 1-1/2 pints per gallon of hot water. Apply and agitate with scrub brush then rinse. Use rubber gloves to avoid continuous contact with skin.



## SPECIFICATIONS

APPEARANCE.....	Pink liquid
ODOR.....	Slight alcohol
SPECIFIC GRAVITY.....	1.070 ± 0.005
DENSITY.....	8.93 ± 0.05 lb/gal
BOILING POINT.....	Near 212°F
pH.....	12.5 ± 0.5
FLASH POINT.....	None to boiling
STABILITY.....	One year minimum

PRODUCT CODE.....SFR