

Serial Number Window: YCG214938

Build Date 12/Mar/2012

✘	Technical Type	510587001 - FS8AN4 NA AXIAL FLOW COMBINE T
---	----------------	--

✘	Variante	722611146 - 722611146-OP-COM SENSORES REND
---	----------	--

✘	Variante	415149106 - 415149106
---	----------	-----------------------

✘	Variante	425256016 - 425256016
---	----------	-----------------------

✘	Variante	722988036 - 722988036
---	----------	-----------------------

✘	Variante	712432036 - 712432036-OP-EXT.PLATAF.OPER.3
---	----------	--

✘	Variante	425365006 - 425365006
---	----------	-----------------------

✘	Variante	712209032 - 712209032
---	----------	-----------------------

✘	Variante	712635066 - 712635066-OP-SOFTWARE PARA PC
---	----------	---

✘	Variante	425137016 - 425137016-OP-CONTROL.ELETRO.NA
---	----------	--

✘	Variante	425371016 - 425371016
---	----------	-----------------------

✘	Variante	425135026 - 425135026-425135026
---	----------	---------------------------------

✘	Variante	810019816 - 810019816-OP-PN/RD 600/65R28 R
---	----------	--

✘	Variante	722733016 - 722733016
---	----------	-----------------------

✘	Variante	425187026 - 425187026-OP-ASSENTO OPER.TECI
---	----------	--

✘	Variante	722702016 - 722702016-OP-ESPELHOS RETR.AJ.
---	----------	--

✘	Variante	722754016 - 722754016-OP-CONCAVO ARAME GRO
---	----------	--

✘	Variante	425479036 - 425479036
---	----------	-----------------------

✘	Variante	425464006 - 425464006
---	----------	-----------------------

✘	Variante	425339006 - 425339006
---	----------	-----------------------

✘	Variante	722764023 - 722764023
---	----------	-----------------------

✘	Variante	722810003 - 722810003
---	----------	-----------------------

✘	Variante	831900801 - 831900801
---	----------	-----------------------

✘	Variante	722776126 - 722776126
---	----------	-----------------------

✘	Variante	425292006 - 425292006
---	----------	-----------------------

✘	Variante	425200476 - 425200476
---	----------	-----------------------

✘	Variante	425343006 - 425343006
---	----------	-----------------------

✘	Variante	722723016 - 722723016
---	----------	-----------------------

✘	Variante	425241036 - 425241036
---	----------	-----------------------

✘	Variante	425348006 - 425348006
---	----------	-----------------------

✘	Variante	722030226 - 722030226
---	----------	-----------------------

✘	Variante	425165066 - 425165066
---	----------	-----------------------

✘	Variante	425198006 - 425198006
---	----------	-----------------------

✘	Variante	425389016 - 425389016
---	----------	-----------------------

✘	Variante	425241036 - 425241-Std. wear 2-speed elevator
---	----------	---

✘	Variante	722754016 - 722754-Large wire, 1/4 in.
✘	Variante	722723016 - 722723-1-5/8 adj. corn slat - Elec
✘	Variante	425187026 - 425187-Cloth bucket operator seat
✘	Variante	722744066 - 722744-Lateral header tilt w/trap
✘	Variante	722988036 - 722988-Large color touch screen
✘	Variante	712358816 - 712358-English Manual
✘	Variante	722733016 - 722733-1-5/8 in. closz slat - Elec
✘	Variante	722702016 - 722702-Manual adjustable mirrors
✘	Variante	425256016 - 425256-HD Adjustable steer axle
✘	Variante	722776126 - 722776-HD planetary w/ diff lock
✘	Variante	415149106 - 415149-AutoGuidance Manual-English
✘	Variante	831900801 - 8319008-No drive tires taken
✘	Variante	425137016 - 425137-AutoGuidance Nav II controller
✘	Variante	425200476 - 425200-Standard Equipment 425200
✘	Variante	425198006 - 425198-Standard wear
✘	Variante	722611146 - 722611-Yield and moisture logging
✘	Variante	425135026 - 425135-262 antenna receiver- WAAS
✘	Variante	425371016 - 425371-Grain tank HC man ext
✘	Variante	425339006 - 425339-Std spreader

✘	Variante	425292006 - 425292-Std. wear rotor w/bars/spikes
<hr/>		
✘	Variante	425165066 - 425165-English for North America
<hr/>		
✘	Variante	712635066 - 712635-Desktop software for PC
<hr/>		
✘	Variante	425365006 - 425365-HC independt cross auger ctrl
<hr/>		
✘	Variante	425348006 - 425348-HC unload 40 ft. hdrs
<hr/>		
✘	Variante	722764023 - 722764-Engine block heater
<hr/>		
✘	Variante	722810003 - 722810-HID stadium lighting
<hr/>		
✘	Variante	425479036 - 425479-Cab
<hr/>		
✘	Variante	722030226 - 722030-Self-leveling sys. w/grain pan
<hr/>		
✘	Variante	425464006 - 425464-PowerPlus CVT drive
<hr/>		
✘	Variante	722761146 - 722761-Standard cut straw chopper
<hr/>		
✘	Variante	425389016 - 425389-Large skip wire
<hr/>		
✘	Variante	712209032 - 712209-Rotating screen brush
<hr/>		
✘	Variante	810019816 - 8100198-600/65R28 LI 154 A8 R1W
<hr/>		
✘	Variante	425286006 - 425286-Autoguide Rdy w/GPS mnt
<hr/>		
✘	Variante	712432036 - 712432-30 in./750 mm platform ext.
<hr/>		
✘	Variante	722650002 - 722650-AM/FM weather band radio
<hr/>		
✘	Variante	425343006 - 425343-Std unload spout
<hr/>		
✘	Variante	722650002 - 722650002
<hr/>		

✘ Variante 425286006 - 425286006

✘ Variante 712358816 - 712358816

✘ Variante 722761146 - 722761146

✘ Variante 722744066 - 722744066

✘ Engine Serial Number 3BF007184143
