

8285R Tractor

235 HP

Equipment for Base Machine

ENGINE:

John Deere PowerTech PSX Diesel
 In-line 6-Cylinder Wet-Sleeve
 with High Pressure Common Rail
 (HPCR)
 Fuel System and 24 Valve Head
 9.0 L (549 Cu. In.) Displacement
 285 Engine Hp (210 kW) 97/68/EC @
 Rated Speed
 234 SAE PTO hp (175 kW) @ Rated
 Speed
 Air to Air Intercooled
 Automatic Shutdown System
 Dry Type Air Cleaner with Safety
 Element
 and Dirt Aspiration System
 Tilt Hood Enclosure
 VariCool Fan Drive System
 Electric Fuel Shutoff
 Engine Coolant Conditioner Additive
 Engine Coolant Recovery System
 Dual Stage Fuel Filtration System
 with
 Fuel Water Separator with Sensor
 Self-Priming and Bleeding
 Electronic
 Fuel Pump
 680 L (180 U.S. Gal.) Fuel Tank
 Capacity
 with Lockable Fuel Cap
 Top-loading Vertical Engine Oil
 Filter
 Electronic Injection and Governor
 Control
 Field Cruise Control

TRANSMISSION:

Powershift
 16 Forward/5 Reverse Speeds
 Hydraulically-Engaged Wet-Disk
 Clutch
 Park Lock
 Neutral Safety Start System

STEERING, BRAKES DIFFERENTIAL:

Load-Sensing Hydraulic Power
 Steering
 Wet-Disk Hydraulic Power Brakes
 Hydraulically-Engaged Differential
 Lock

HYDRAULICS:

Hydraulic Settings
 Hitch Settings
 Hitch Slip Command
 Productivity
 Efficiency
 Area
 Adjustable PTO Modulation
 Implement Width
 Service Hours
 Voltage
 Fuel Consumption Rate
 Temperatures
 Time of Day
 Ambient Temperature
 Command Control System with:
 Automatic Powershift
 Set and Adjust Time and Flow of
 Individual Selective Control Valves
 iTEC End of Row Functions
 Languages:
 For a complete list of languages,
 refer to the Ag Sales Manual

OPERATOR PROTECTIVE STRUCTURE:
 Deluxe CommandView II Cab
 Tilt/Telescoping Memory Steering
 Wheel
 Comfort Command Seat with
 Air Suspension, Swivel
 Fore-Aft Lateral Attenuation,
 Lumbar Support
 Backrest Adjustment with
 Integrated CommandARM Controls
 Adjustable Position CommandARM with
 Integrated CommandCenter Display
 Swing-Out Rear Window (30 Degrees)
 Tinted Glass
 Air Conditioner and Heater
 Two Speed and Intermittent Front
 Wiper
 and Rear Wiper
 Front and Rear Windshield Washer
 Pull Down Front Sun Visor
 Rear Under Seat Storage
 Folding Instructional Seat
 Left Hand Storage
 Two Beverage Holders
 Right and Left Outside Mirrors
 Less Radio and Speakers
 Includes Wiring Harness for Radio
 and Speakers
 Inside Cab Mounted Rear View Mirror

Pressure Flow Compensating

Axial Piston Pump
63 cc Displacement 166.6 lpm (44 gpm)

Pump Output
132 lpm (35 gpm) Flow @ One SCV
L (gal) Oil Take Out Capacity @
Max Flow Rate
50 L (13 Gal.) Take-Out Capacity
Four Electrohydraulic Remote
Selective
Control Valves with Push/Pull
ISO Breakaway Couplers and
High Pressure Release Levers

PTO:

Independent 1000 RPM, 45 mm
(1-3/4 In.) 20 Spline
PTO Safety Start System
Seat-Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR:

Dual Cylinder Electrohydraulic Rear
3-Point Hitch, Category 3/3N
Solid Draft Links with External
Remote Raise/Lower Switch
Sway Blocks with Tapered Wedge
Adjustment
Electro/Hydraulic Hitch Dampening
Center Link Adjustment Handle
Transport Lock
Adjustable Swinging Drawbar
Cat. 3 Drawbar with Clevis
and 1.5 In. Pin

INSTRUMENTATION:

Corner Post Digital Instrument
Panel
Includes:
Engine Oil Pressure Gauge
Engine Coolant Temperature Gauge
Fuel Level Gauge with
Low Fuel Warning Signal
Engine RPM Indicator
Status Indicator for:
MFWD
Differential Lock
Rear PTO Speed
CommandCenter Display Includes:
GreenStar 3 Application Capability
Video Capability, with Tractor
Function
Activated Triggers
AutoTrac and Swath Control Pro
Activation Required
Access Manager

Passive Noise Reduction System
Backlit Right Hand Console Controls
with Adjustable Brightness
Step, Left Hand Convenience

ELECTRICAL:

Key Engine Shutoff
12V Electrical System
Two 925 CCA 12V Batteries
Two 12V Electrical Convenience
Outlet
Two 12V Electrical 3-Pin Outlet
with Adapter
Battery Boost Terminal
200 Amp Alternator
SmartCircuit Current Load
Monitoring
System with Fuse Panel
7-Terminal Rear Implement
Electrical
Outlet Socket
Integrated ISO Radar Connector
StarFire ITC or Radar Speed
Input Harness
ServiceADVISOR Data Port
LIGHTS:
Six Front Grill Mounted Lights
Ten Cab Roof Mounted Lights
Two Rear Fender Flood Lights
Extremity, Brake, Turning, and
Hazard
Lights
AXLES, WHEELS AND TIRES:
1300 MFWD Front Axle with Limited
Slip Differential
Rear Axle and Wheels and Tires

AG MANAGEMENT SOLUTIONS:

Integrated Plug-In for GreenStar
Display
Deluxe StarFire Receiver Bracket
GreenStar Ready harness with
Implement
Circuit Gateway and Integrated
GreenStar Display Plug-In
Connector (ISO 11783 Compatible)
AutoTrac Ready Components:
Wiring, SSU, Front Wheel-
Angle Sensor and Electro-Hydraulic
Steering Valve

MISCELLANEOUS:

Enclosed Chain Storage Box
Horn
PTO Master Shield
Tool Box

Universal Performance Monitor
Display Functions Definable By
Operator:
 % Slip
 Ground Speed
 PTO Speed
 Engine Hours

Operator's Manual
Lockable Fuel Cap

* Manufacturer's Rating
**Cold Cranking Amperes

Specifications are based on published information at the time of publication. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Specifications are subject to change without notice. Contact your local John Deere dealer for more detailed information.

Prices are subject to change without notice. In all cases, current published price lists and incentive program bulletins will take precedence.



JOHN DEERE

Equipment Details

Dealership: FELIX THISSEN
 HAUG IMPLEMENT CO.
 3593 HWY. 12 SE
 WILLMAR, MN 56201
 Phone: 3202358115

Date July 20, 2011

Price and availability subject to change without notice. Taxes, extended warranty and freight charges are extra. Some additional charges may apply.

All amounts are displayed in USD

		8285R Tractor	
Code	Description	Qty	List Price
7520RW	8285R Tractor		\$218,068.00
Options			
Required Items:			
0202	United States	1	\$1,209.00
Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription, Code 1888 JDLink Ultimate Promotion 3 Year Subscription, or Code 1884 JDLink Ultimate Promotion 5 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6,169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.			
0500	No Package	1	In Base Price
Order one Code from each box in the Price Pages.			
2061	Premium CommandView II Cab with Active Seat	1	\$3,352.00
Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Wiper and Washer. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade.			

	Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. Active Seat. See Attachments Section for ordering information on additional field attachments.		
1823	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	1	\$1,260.00
	Includes Access Manager user lockout software, and video capability. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.		
1835	Does not include a cornerpost bracket for mounting an additional GreenStar Display. Less StarFire 3000 Receiver	1	In Base Price
	Tractor includes deluxe receiver mounting bracket only.		
	When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.		
1845	Less AutoTrac Activation - GS3	1	In Base Price
1887	JDLINK Ultimate Promotion - 1 Year Subscription Included	1	No Charge
	Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLINK Ultimate activation, and 1 year subscription to JDLINK Ultimate service. In addition to JDLINK Select features: machine utilization information, machine reports, machine diagnostics. JDLINK customer account must be created to access JDLINK Ultimate data. Annual subscription renewal required after first year of service for continued functionality.		
1834	Less John Deere ActiveCommand Steering (ACS)	1	In Base Price
1490	16F/5R Speed PowerShift Transmission 42 km/h (26 mph)	1	In Base Price
	5R is only available through John Deere dealer programming in some geographic regions.		
7202	Premium Lighting	1	\$3,278.00
	Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.		
2660	Deluxe Radio Package	1	\$650.00
	AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.		
3341	Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1	In Base Price
3810	45 mm (1-3/4 In.) 1000 rpm PTO (20 Spline)	1	In Base Price
4033	6169 kg (13,600 Lbs.) Capacity 3-Point Hitch (Cat 3/3N) with Sway Blocks and Quick Coupler	1	In Base Price
	8,679 kg (19,134 Lbs.)Maximum Lift Capacity.		
4322	Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 In.) Pin with	1	\$789.00

Heavy Duty Support

4990 kg (11,000 Lb.) Maximum Vertical Load.

Use of 540 RPM PTO Shaft is not recommended due to interference during turns.

3260	227.1 lpm (60 gpm) 85 cc Hydraulic Pump Displacement	1	\$1,223.00
5041	110 mm (4.33 In.) Diameter x 3010 mm (118.5 In.) Length with Double Taper Wheel Hubs	1	\$243.00
5501	380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration	1	(\$444.00)
	Available in Goodyear only. Requires No Brand Preference Code 5999.		
6040	1300 Series Mechanical Front Wheel Drive - Group 47 Rear/Group 42 Front	1	In Base Price
	Requires front tires with a load index rating of 141 or greater.		
6106	320/85R38 In. 143A8 R1W Radial in Single Wheel Configuration	1	\$656.00
	Available in Goodyear only. Requires No Brand Preference Code 5999. Not compatible with 6060 or 6061 ILS Axle.		
5999	No Brand Preference	1	No Charge
	Matching front and rear tire brands will be installed on Tractor unless notified by factory.		
0409	English	1	In Base Price
	Optional Items:		
8242	Radar, Dual Beam Sensor	1	\$943.00
8251	Antenna Mount and Wiring for Business Band (2-Way) Radio	1	\$135.00
832G	Auxiliary Hydraulic Connections	1	\$893.00
	Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.		
8010	Fenders, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 In.) Wide	1	\$1,322.00
	Recommended for use with 290 mm (12.4 In.) to 420 mm (16.9 In.) tire widths. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with Code 8011 Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 In.) wide.		
8300	Cold Weather Start Kit	1	\$144.00
	Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.		
8336	John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	1	No Added Cost
9076	Gold Key Experience	1	No Charge

Not compatible with Code 9075.

This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.

Configuration Total:

\$233,721.00

Summary

All amounts are displayed in USD

Equipment Totals (includes "Other Charges")	Qty	Each	Extended
8285R Tractor	1	\$233,721.00	\$233,721.00
Total Equipment Group Price:			\$233,721.00
Additional Charges			
Freight:		+/-	\$0.00
Setup & Delivery:		+/-	\$0.00
Discounts:		+/-	\$0.00
Trade In Allowance:		+/-	\$0.00
Extended Warranty:		+/-	\$0.00
Taxes:		+/-	\$0.00
Total Additional Charges:			\$0.00
Total Delivered Price:	1		\$233,721.00

Price and availability subject to change without notice. Taxes, extended warranty and freight charges are extra. Some additional charges may apply.