

# MINI COUNTRYMAN



APPLIES TO	BUILT FROM	RATING CRITERIA
All variants	November 2023	2023-2025
VEHICLE TYPE	ON SALE FROM	RATING EXPIRES
Small SUV	March 2024	December 2031
ENGINE / MOTOR TYPES	MODEL SERIES	AIRBAGS
Battery Electric + Petrol	U25	Dual frontal, side chest, side head, centre



**ANCAP**  
SAFETY

TESTED  
2024




The Mini Countryman was introduced in Australia and New Zealand in March 2024. This ANCAP safety rating applies to all variants.

Dual frontal, side chest-protecting and side head-protecting airbags are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and an advanced speed assistance system (SAS) are standard equipment.

## ASSESSMENT SCORES



## RATING APPLICABILITY\*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
Mini Countryman C	5 door SUV	1.5L petrol 115 kW	FWD	✓	✓
Mini Countryman S ALL4	5 door SUV	2.0L petrol 150 kW	AWD	✓	✓
Mini Countryman JCW ALL4	5 door SUV	2.0L petrol 233 kW	AWD	✓	✓
Mini Countryman E	5 door SUV	Single electric motor	FWD	✓	✓
Mini Countryman SE ALL4 ♦	5 door SUV	Dual electric motor	AWD	✓	✓

\* Correct at time of publication. Subject to change. Check with manufacturer.



## Adult Occupant Protection

83%

33.45 out of 40

FRONTAL OFFSET (MPDB) <sup>#</sup> 4.12 points out of 8	OBlique POLE <sup>#</sup> 5.93 points out of 6	RESCUE & EXTRICATION 2.67 points out of 4
FULL WIDTH FRONTAL <sup>#</sup> 7.13 points out of 8	WHIPLASH PROTECTION 3.68 points out of 4	
SIDE IMPACT <sup>#</sup> 6.00 points out of 6	FAR SIDE IMPACT 3.92 points out of 4	

<sup>#</sup> Scaled scores. Total test scored out of 16.00 points.

The passenger compartment of the Mini Countryman remained stable in the **frontal offset (MPDB)** test. Protection of the driver chest was **ADEQUATE**, with **GOOD** protection offered to all other body regions. Structures in the dashboard were a potential source of injury for the passenger and protection of the upper legs was rated as **MARGINAL**, with **ADEQUATE** protection of the lower legs. Protection for all other critical body regions of the front passenger was **GOOD**.

The front structure of the Mini Countryman presented a moderate risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 4.27 point penalty (out of 8.00 points) was applied.

In the **full width frontal** test, protection was **MARGINAL** for the chest of both the driver and the rear passenger, with **GOOD** protection of all other critical body areas

In the **side impact** test, protection of all critical body areas was **GOOD** and the Mini Countryman scored maximum points in this test.

In the **oblique pole** test, protection was **ADEQUATE** for the chest of the driver and **GOOD** for all other critical body regions.

The Mini Countryman is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts and it provided **GOOD** protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the far side impact tests was assessed as **GOOD** for the vehicle-to-vehicle impact scenario, and **ADEQUATE** in the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors and windows of the Mini Countryman would remain functional for the minimum required time period.

## FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
<b>Head / Neck</b>	4.00 pts	4.00 pts
<b>Chest</b>	3.14 pts	4.00 pts
<b>Upper Legs</b>	4.00 pts	2.00 pts
<b>Lower Legs</b>	4.00 pts	3.38 pts
<b>Deductions</b>	Nil	-1.00 pts ( <i>variable contact</i> ) -1.00 pts ( <i>concentrated load</i> )



## COMPATIBILITY

<b>Deductions</b>	-4.27 pts
-------------------	-----------

## FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
<b>Head</b>	4.00 pts	4.00 pts
<b>Neck</b>	4.00 pts	4.00 pts
<b>Chest</b>	2.03 pts	2.48 pts
<b>Upper Legs</b>	4.00 pts	4.00 pts
<b>Deductions</b>	Nil	Nil

## SIDE IMPACT TEST - 60km/h



	DRIVER
<b>Head</b>	4.00 pts
<b>Chest</b>	4.00 pts
<b>Abdomen</b>	4.00 pts
<b>Pelvis</b>	4.00 pts
<b>Deductions</b>	Nil

## OBlique POLE TEST - 32km/h



	DRIVER
<b>Head</b>	4.00 pts
<b>Chest</b>	3.81 pts
<b>Abdomen</b>	4.00 pts
<b>Pelvis</b>	4.00 pts
<b>Deductions</b>	Nil



## Adult Occupant Protection

83%

33.45 out of 40

## FAR SIDE IMPACT TESTS - 60km/h and 32km/h



SIDE IMPACT (60km/h)	DRIVER
<b>Head</b>	4.00 pts
<b>Neck</b>	4.00 pts
<b>Chest &amp; Abdomen</b>	4.00 pts
<b>Pelvis</b>	No penalty



OBLIQUE POLE (32km/h)	DRIVER
<b>Head</b>	4.00 pts
<b>Neck</b>	3.50 pts
<b>Chest &amp; Abdomen</b>	4.00 pts
<b>Pelvis</b>	No penalty



OCCUPANT-TO-OCCUPANT	DRIVER
<b>Head Contact</b>	No penalty

## WHIPLASH PROTECTION TESTS



	DRIVER / FRONT PASSENGER	REAR PASSENGER
<b>Rear Impact</b>	2.93 pts	0.75 pts

## RESCUE &amp; EXTRICATION



<b>Rescue Sheet</b>	●	No penalty
<b>Door Opening / Extrication</b>	●	No penalty
<b>Multi-Collision Braking</b>	●	1.00 pt
<b>Advanced eCall</b>	✗	1.00 pt default
<b>Vehicle Submergence</b>		
- <b>Door opening</b>	●	0.50 pt
- <b>Window opening</b>	●	0.50 pt

● FITTED TO TEST CAR AS STANDARD   ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION   ✗ NOT AVAILABLE   - N/A



## Child Occupant Protection

86%

42.22 out of 49

DYNAMIC TEST (FRONT)  
16.00 points out of 16RESTRAINT INSTALLATION  
11.22 points out of 12DYNAMIC TEST (SIDE)  
8.00 points out of 8ON-BOARD SAFETY FEATURES  
7.00 points out of 13

In the **frontal offset** and **side impact** tests, protection of the 10 year and 6 year dummies was **GOOD** and the Mini Countryman scored maximum points in these tests.

The Mini Countryman is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

A child presence detection (CPD) system is not available.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions, though one of the selected Type A convertible seats could not be correctly installed in rearward facing mode in the centre rear position or using the ISOFix anchorages, and one of the selected booster seats could not be correctly installed in the centre rear seating position.

## FRONTAL OFFSET (MPDB) TEST - 50km/h



6 YEAR OLD

10 YEAR OLD

## SIDE IMPACT TEST - 60km/h



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorage	✗	●	✗	–	–
Top Tether Anchorage	✗	●	●	–	–
Airbag Disabling	✗	–	–	–	–
Child Presence Detection	✗	✗	✗	–	–
0.00 pts (out of 4.00pts)					

● FITTED AS STANDARD   ✗ NOT AVAILABLE   – N/A

CHILD RESTRAINT TYPE <sup>**</sup>	FRONT ROW PASSENGER	2nd ROW			3rd ROW		
		L	C	R	L	C	R
Rearward-facing capsule	✗	●	●	●	–	–	–
Rearward-facing with harness - convertible (Model A)	✗	●	●	●	–	–	–
Rearward-facing with harness - convertible (Model B)	✗	●	●	●	–	–	–
Forward-facing with harness - convertible (Model A)	✗	●	●	●	–	–	–
Forward-facing with harness - convertible (Model B)	✗	●	●	●	–	–	–
Booster - 4 to 8 years	✗	●	●	●	–	–	–
Booster - 4 to 10 years	✗	●	●	●	–	–	–
Rearward-facing capsule	✗	●	–	●	–	–	–
Rearward-facing with harness - convertible (Model A)	✗	●	–	●	–	–	–
Rearward-facing with harness - convertible (Model B)	✗	●	–	●	–	–	–
Forward-facing with harness - convertible (Model A)	✗	●	–	●	–	–	–
Forward-facing with harness - convertible (Model B)	✗	●	–	●	–	–	–

● INSTALL WITHOUT PROBLEM   ○ INSTALL WITH CARE   ● CANNOT BE FITTED SAFELY   ✗ INSTALLATION NOT ALLOWED   – N/A

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australian consumers this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australian child restraints - see [www.childcarseats.com.au](http://www.childcarseats.com.au).  
 \* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.  
 ^ The list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



## Vulnerable Road User Protection

81%

51.52 out of 63

HEAD PROTECTION (Adult, Child, Cyclist) <b>12.69 points</b> out of 18	KNEE & TIBIA PROTECTION <b>9.00 points</b> out of 9	AEB CYCLIST <b>7.82 points</b> out of 9
PELVIS PROTECTION <b>2.14 points</b> out of 4.5	AEB PEDESTRIAN (Forward) <b>6.87 points</b> out of 7	AEB MOTORCYCLE <b>6.00 points</b> out of 6
FEMUR PROTECTION <b>4.50 points</b> out of 4.5	AEB PEDESTRIAN (Backover) <b>0.00 points</b> out of 2	LSS MOTORCYCLE <b>2.50 points</b> out of 3

The Mini Countryman has an 'active' bonnet. Sensors detect when a pedestrian is struck and actuators lift the bonnet to provide greater clearance from stiff components in the engine bay. The vehicle was tested with the bonnet in the raised position and GOOD or ADEQUATE results were recorded over most of the windscreen and bonnet area with some WEAK and POOR results recorded on the windscreen pillars, the base of the windscreen and front edge of the bonnet surface

Protection of the pelvis was mixed, with areas of GOOD and POOR performance, while protection of the femurs and lower legs was GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists.

Testing of this system showed GOOD performance in **AEB pedestrian** test scenarios including in turning scenarios, with collisions avoided or mitigated in most tests. The AEB system variants reacts to vulnerable road users in reverse (**AEB Backover**), but was not standard on the tested vehicle and tests of this function were not conducted.


GOOD performance was seen in **AEB Cyclist** test scenarios with collisions avoided or mitigated at all test speeds including in the turning scenarios. The Mini Countryman is fitted with a **cyclist anti-dooring** system, however the system is not default on, so no points were awarded.

GOOD performance was seen in the **AEB** and **LSS motorcyclist** tests, including in the turning and in some of the overtaking scenarios.

## PEDESTRIAN &amp; CYCLIST IMPACT TESTS



## AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian &amp; Motorcycle)

System Name	Warning function for pedestrians						
Type	Autonomous emergency braking with forward collision warning						
Operational From	5-80 km/h						
	Cyclist traveling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist traveling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)	Cyclist crossing side road, car turning (nearside)	Cyclist crossing side road, car turning (farside)
AEB CYCLIST TEST SCENARIOS (forward)	DAY	DAY	DAY	DAY	DAY	DAY	DAY
							
PERFORMANCE	GOOD						

## CYCLIST DOORING

Information (driver door)	✗
Warning (driver door)	✗
Retention (driver door)	✗
Warning or retention (all other doors)	✗

● PASS    ✗ FAIL - N/A

 GOOD

 ADEQUATE

 MARGINAL

 WEAK

 POOR / NOT TESTED DUE TO  
NO PERFORMANCE PREDICTED

 NOT TESTED



## Vulnerable Road User Protection

81%

51.52 out of 63

AEB PEDESTRIAN TEST SCENARIOS (reverse)	Child / Adult standing behind reversing vehicle (25% offset)	Adult / Child standing behind reversing vehicle (50% offset)	Child / Adult standing behind reversing vehicle (75% offset)	Adult / Child walking behind reversing vehicle (50% offset)
	DAY	DAY	DAY	DAY
4km/h				
8km/h				
PERFORMANCE				NOT TESTED

AEB PEDESTRIAN TEST SCENARIOS (forward)	Adult walking along road	Adult crossing towards kerb (50%)	Adult crossing from kerb (25%)	Adult crossing from kerb (75%)	Child running (obstructed)	Adult crossing side road (farside), car turning	Adult crossing side road (nearside), car turning					
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT
PERFORMANCE											GOOD	

AEB MOTORCYCLE TEST SCENARIOS (forward)	Driving towards a stationary motorcycle	Driving towards a braking motorcycle (25% offset)	Turning across the path of an oncoming motorcycle	
	100% OFFSET	12m HEADWAY	40m HEADWAY	TARGET MOTORCYCLE SPEED
	30km/h	45km/h	60km/h	
AEB (10-50km/h)				
FCW (30-80km/h)				
PERFORMANCE		GOOD		GOOD

## LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

System Name  
Operational From

Lane Departure Warning with active return  
60-210 km/h

EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Motorcycle	Oncoming motorcycle	Overtaking motorcycle (EMT at 60km/h)	Overtaking motorcycle (EMT at 80km/h)	
	UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL
PERFORMANCE				GOOD

GOOD  
  ADEQUATE  
  MARGINAL  
  WEAK  
  POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED  
  NOT TESTED



## Safety Assist

83%

15.06 out of 18

SEAT BELT REMINDERS 1.00 points out of 1	AEB / AES (Car-to-Car) 3.75 points out of 4	LANE SUPPORT SYSTEMS 3.00 points out of 3
DRIVER MONITORING 0.25 points out of 2	AEB / AES (Junction & Crossing) 3.40 points out of 4	
SPEED ASSISTANCE SYSTEMS 2.66 points out of 3	AEB / AES (Head-On) 1.00 points out of 1	

The Mini Countryman is fitted with an autonomous emergency braking system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the **AEB (Car-to-Car)** system showed GOOD performance with collisions avoided or mitigated in all test scenarios, including in **AEB Junction** and **AEB Crossing** scenarios where the test vehicle can autonomously brake to avoid crashes when turning across or into the path of an oncoming vehicle. The **AEB Head-On** system was shown to mitigate frontal crashes in the specified test scenarios (GOOD performance).

Tests of lane support system functionality showed GOOD performance, including in the more critical emergency lane keeping test scenarios.

A speed assistance system (SAS) with speed limit information function (SLIF), intelligent speed limiter (ISL), and intelligent adaptive cruise control (iACC) is standard, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all seating positions. A driver drowsiness monitor system (indirect) is fitted as standard.

## AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

<b>System Name</b>	Front collision warning with brake intervention
<b>Type</b>	Autonomous emergency braking with forward collision warning
<b>Operational From</b>	5-210 km/h

TEST VEHICLE SPEED	Driving towards a stationary car	Driving towards a slower moving car	Driving towards a lightly braking car	Driving towards a heavily braking car
	OFFSETS +/- 50%, 75%, 100%	OFFSETS +/- 50%, 75%, 100%	HEADWAY 12m & 40m	HEADWAY 12m & 40m
10km/h				
15km/h				
20km/h				
25km/h				
AEB				
30km/h				
35km/h				
40km/h				
45km/h				
50km/h				
55km/h				
60km/h				
65km/h				
FCW				
70km/h				
75km/h				
80km/h				
PERFORMANCE	GOOD	GOOD	GOOD	GOOD



## Safety Assist

83%

15.06 out of 18

## AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)

TARGET VEHICLE SPEED	JUNCTION ASSIST Turning across the path of an oncoming vehicle			CROSSING (T-BONE) Crossing the path of another vehicle				
	30km/h	45km/h	60km/h	20km/h	30km/h	40km/h	50km/h	60km/h
Start from stop								
10km/h	GOOD	GOOD	GOOD	-	-	-	-	-
15km/h	GOOD	GOOD	GOOD	-	-	-	-	-
20km/h	GOOD	GOOD	GOOD	-	MARGINAL	GOOD	GOOD	GOOD
30km/h	-	-	-	-	GOOD	GOOD	GOOD	GOOD
40km/h	-	-	-	-	GOOD	GOOD	GOOD	GOOD
50km/h	-	-	-	MARGINAL	GOOD	GOOD	GOOD	GOOD
60km/h	-	-	-	MARGINAL	GOOD	GOOD	GOOD	GOOD
PERFORMANCE	GOOD			GOOD				

TEST VEHICLE SPEED	HEAD-ON In the path of oncoming vehicle		
	50km/h	70km/h	PERFORMANCE
Travelling straight		-	GOOD
		-	GOOD
Lane change		-	GOOD
		-	GOOD

## LANE SUPPORT SYSTEMS (Car-to-Car)

System Name	Lane Departure Warning with active return	
Operational From	60-210 km/h	

TEST SCENARIOS Car-to-Car	TARGET VEHICLE SPEED	Dashed line		Solid line		PERFORMANCE
		50km/h	70km/h	50km/h	70km/h	
LANE KEEP ASSIST (LKA) TEST SCENARIOS Car-to-Car						GOOD
EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Car	Oncoming vehicle	UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL	
						Solid line
	PERFORMANCE					GOOD

GOOD
  ADEQUATE
  MARGINAL
  WEAK
  POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
  NOT TESTED



Safety Assist

83%

15.06 out of 18

## OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●

## DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	✗	✗
Fatigue	●	✗
Unresponsive Driver	-	✗

## SPEED ASSISTANCE SYSTEMS (SAS)

## FEATURE

Speed Limit Information Function (SLIF)	Camera & map
Manual Speed Limiter	●
Intelligent Adaptive Cruise Control (iACC)	●
Intelligent Speed Limitation (ISL)	●

## HUMAN MACHINE INTERFACE (HMI)

## FEATURE

AEB: Supplementary Warning	✗
AEB: Restraint activation / dynamic retractors	●
Lane Departure Warning (LDW)	●
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	●

## SAFETY FEATURES & TECHNOLOGIES

SAFETY FEATURE / TECHNOLOGY*	AUS	NZ
Seat belt pre-tensioners (front seats)	●	●
Seat belt pre-tensioners (rear outboard seats) - 2nd row	●	●
Seat belt pre-tensioners (rear centre seat) - 2nd row	✗	✗
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - dual frontal (driver & front passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	✗	✗
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	●	●
Airbag - knee (driver)	✗	✗
Airbag - knee (front passenger)	✗	✗
Airbag - pedestrian (external)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	✗	✗
Autonomous emergency braking (AEB) - Car-to-Car	●	●
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	●	●
- AEB Backover	●	●
- AEB Cyclist	●	●
- AEB Motorcycle	●	●
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Car)	●	●
- AEB Junction (Pedestrian)	●	●
- AEB Junction (Cyclist)	●	●
- AEB Junction (Motorcycle)	●	●
Autonomous emergency braking (AEB) - Crossing	●	●
Automatic emergency call (eCall)	●	●
Blind spot monitor (BSM)	●	●
Child presence detection / alert	✗	✗
Cyclist dooring detection / alert	●	●
Driver monitoring system - Indirect	●	●
Driver monitoring system - Direct	✗	✗
Forward collision warning (FCW)	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)		
- LKA (Car-to-Car)	●	●
- LKA (Car-to-Motorcycle)	●	●
Secondary / multi-collision brake	●	●
Speed assistance - intelligent adaptive cruise control (iACC)	●	●
Speed assistance - auto / intelligent speed limiter	●	●
Speed assistance - manual speed limiter	✗	✗
Speed assistance - speed sign recognition & warning	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

● STANDARD    ○ AVAILABLE ON HIGHER VARIANTS    ○ OPTIONAL    ✗ NOT AVAILABLE    - NOT APPLICABLE

\* Correct at time of publication. Subject to change. Check with manufacturer.

TESTED MAKE / MODEL  
Mini Countryman SE ALL4, LHD

TESTED VEHICLE ENGINE  
Battery Electric (BEV)

RATING UPDATED  
December 2025

TESTED BODY TYPE  
5 door SUV

RATING PUBLISHED  
March 2025