

CHERY TIGGO 7 PRO



APPLIES TO
1.6 litre petrol variants

BUILT FROM
August 2023

RATING CRITERIA
2023-2025

VEHICLE TYPE
Medium SUV

ON SALE FROM
October 2023

RATING EXPIRES
December 2029

ENGINE / MOTOR TYPES
Petrol

MODEL SERIES
N/A

AIRBAGS
Dual frontal, side chest, side head,
centre, driver knee



ANCAP
SAFETY

TESTED
2023



The Chery Tiggo 7 Pro was introduced in Australia in October 2023. This ANCAP safety rating applies to 1.6 litre petrol variants.

Dual frontal airbags, side chest-protecting and side head-protecting (1st & 2nd row) airbags, and a driver knee airbag are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing, Backover and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and an advanced speed assistance system (SAS) are standard.

ASSESSMENT SCORES



Adult Occupant Protection

88%

35.52 out of 40



Child Occupant Protection

87%

42.74 out of 49



Vulnerable Road User Protection

80%

50.66 out of 63




Safety Assist

86%

15.54 out of 18

RATING APPLICABILITY*

| VARIANT | BODY TYPE | ENGINE / POWERTRAIN | DRIVETRAIN | AUS | NZ |
|---|------------|---------------------|------------|-----|----|
| Chery Tiggo 7 Pro Urban  | 5 door SUV | 1.6 litre petrol | 2WD | ✓ | - |
| Chery Tiggo 7 Pro Elite | 5 door SUV | 1.6 litre petrol | 2WD | ✓ | - |
| Chery Tiggo 7 Pro Ultimate | 5 door SUV | 1.6 litre petrol | AWD | ✓ | - |

* Correct at time of publication. Subject to change. Check with manufacturer.



Adult Occupant Protection

88%

35.52 out of 40

FRONTAL OFFSET (MPDB)*
5.49 points out of 8

OBLIQUE POLE*
4.84 points out of 6

RESCUE & EXTRICATION
4.00 points out of 4

FULL WIDTH FRONTAL*
7.48 points out of 8

WHIPLASH PROTECTION
3.71 points out of 4

SIDE IMPACT*
6.00 points out of 6

FAR SIDE IMPACT
4.00 points out of 4

* Scaled scores. Total test scored out of 16.00 points.

The passenger compartment of the Chery Tiggo 7 Pro remained stable in the **frontal offset (MPDB)** test. Dummy readings indicated that protection of the driver's chest was WEAK and the driver's lower legs was ADEQUATE, while protection of the front passenger chest was ADEQUATE. Protection of all other critical body regions for the driver and front passenger was GOOD.

The front structure of the Chery Tiggo 7 Pro presented a lower risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 1.38 point penalty (out of 8 points) was applied.

In the **full width frontal** test, protection of the driver dummy chest was ADEQUATE and protection was also ADEQUATE for the neck and chest of the rear passenger. GOOD protection was offered for all other critical body regions of both the driver and rear passenger.

In the **side impact** test, protection offered to all critical body regions of the driver was GOOD and maximum points were scored in this test. In the **oblique pole** test, protection of the chest was WEAK, while protection was GOOD for all other critical body regions.

The Chery Tiggo 7 Pro is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts, and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as ADEQUATE for the vehicle-to-vehicle impact scenario, and ADEQUATE in the vehicle-to-pole scenario.

A Rescue Sheet providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors of the Chery Tiggo 7 Pro would remain functional for the minimum required time period, and an escape hammer is provided to allow egress via the windows.

FRONTAL OFFSET (MPDB) TEST - 50km/h



| | DRIVER | FRONT PASSENGER |
|-------------|----------|-----------------|
| Head / Neck | 4.00 pts | 4.00 pts |
| Chest | 1.30 pts | 2.86 pts |
| Upper Legs | 4.00 pts | 4.00 pts |
| Lower Legs | 3.07 pts | 4.00 pts |
| Deductions | Nil | Nil |



COMPATIBILITY

| | |
|------------|-----------|
| Deductions | -1.38 pts |
|------------|-----------|

FULL WIDTH FRONTAL TEST - 50km/h



| | DRIVER | REAR PASSENGER |
|------------|----------|----------------|
| Head | 4.00 pts | 4.00 pts |
| Neck | 4.00 pts | 3.96 pts |
| Chest | 3.20 pts | 2.74 pts |
| Upper Legs | 4.00 pts | 4.00 pts |
| Deductions | Nil | Nil |

SIDE IMPACT TEST - 60km/h



| | DRIVER |
|------------|----------|
| Head | 4.00 pts |
| Chest | 4.00 pts |
| Abdomen | 4.00 pts |
| Pelvis | 4.00 pts |
| Deductions | Nil |

OBLIQUE POLE TEST - 32km/h



| | DRIVER |
|------------|----------|
| Head | 4.00 pts |
| Chest | 0.92 pts |
| Abdomen | 4.00 pts |
| Pelvis | 4.00 pts |
| Deductions | Nil |




Adult Occupant Protection

88%

35.52 out of 40

FAR SIDE IMPACT TESTS - 60km/h and 32km/h



| SIDE IMPACT (60km/h) | DRIVER |
|----------------------|----------|
| Head | 4.00 pts |
| Neck | 4.00 pts |
| Chest & Abdomen | 4.00 pts |
| Pelvis | Nil |



| OBLIQUE POLE (32km/h) | DRIVER |
|-----------------------|----------|
| Head | 4.00 pts |
| Neck | 4.00 pts |
| Chest & Abdomen | 4.00 pts |
| Pelvis | Nil |



| OCCUPANT-TO-OCCUPANT | |
|----------------------|------------|
| Head Contact | No penalty |

WHIPLASH PROTECTION TESTS



| | DRIVER / FRONT PASSENGER | REAR PASSENGER |
|-------------|--------------------------|----------------|
| Rear Impact | 2.71 pts | 1.00 pts |

RESCUE & EXTRICATION



| | | |
|----------------------------|---|-----------------|
| Rescue Sheet | ● | No penalty |
| Door Opening / Extrication | ● | No penalty |
| Multi-Collision Braking | ● | 1.00 pt |
| Advanced eCall | ✗ | 2.00 pt default |
| Vehicle Submergence | | |
| - Door opening | ● | 0.50 pt |
| - Window opening | ● | 0.50 pt |

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION ✗ NOT AVAILABLE - N/A



Child Occupant Protection

87%

42.74 out of 49

DYNAMIC TEST (FRONT)

15.70 points out of 16

RESTRAINT INSTALLATION

11.43 points out of 12

DYNAMIC TEST (SIDE)

7.62 points out of 8

ON-BOARD SAFETY FEATURES

8.00 points out of 13

In the **frontal offset** test, protection of the neck of the 10 year dummy was ADEQUATE, while the protection offered to all other critical body regions of both the 6 and 10 year dummies was GOOD.

In the **side impact** test, protection of the head of the 10 year dummy was ADEQUATE, while that of other body areas of both the 6 year and 10 year dummies was GOOD.

The Chery Tiggo 7 Pro is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

An indirect child presence detection (CPD) system, which provides an alert when a child may have been left in the rear passenger seats of the vehicle, is fitted as standard.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions, though for the centre rear position the Type A capsule, one of the convertible seats (forward facing), and one of the selected booster seats could not be correctly installed.

FRONTAL OFFSET (MPDB) TEST - 50km/h



6 YEAR OLD

10 YEAR OLD

SIDE IMPACT TEST - 60km/h



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES

| | FRONT PASSENGER | 2nd ROW OUTBOARD | 2nd ROW CENTRE | 3rd ROW OUTBOARD | 3rd ROW CENTRE |
|---|-----------------|------------------|----------------|------------------|----------------|
| ISOFIX Anchorages | ✗ | ● | ✗ | - | - |
| Top Tether Anchorage | ✗ | ● | ● | - | - |
| Airbag Disabling | ✗ | - | - | - | - |
| Child Presence Detection 1.00 pts (out of 4.00pts) | ✗ | ● | ● | - | - |

● FITTED AS STANDARD ✗ NOT AVAILABLE - N/A

| CHILD RESTRAINT TYPE [^] | | FRONT ROW PASSENGER | 2nd ROW | | | 3rd ROW | | |
|-----------------------------------|--|---------------------|---------|---|---|---------|---|---|
| | | | L | C | R | L | C | R |
| BELTED | Rearward-facing capsule | ✗ | ● | ● | ● | - | - | - |
| | Rearward-facing with harness - convertible (Model A) | ✗ | ● | ● | ● | - | - | - |
| | Rearward-facing with harness - convertible (Model B) | ✗ | ● | ● | ● | - | - | - |
| | Forward-facing with harness - convertible (Model A) | ✗ | ● | ● | ● | - | - | - |
| | Forward-facing with harness - convertible (Model B) | ✗ | ● | ● | ● | - | - | - |
| | Booster - 4 to 8 years | ✗ | ● | ● | ● | - | - | - |
| | Booster - 4 to 10 years | ✗ | ● | ● | ● | - | - | - |
| ISOFIX | Rearward-facing capsule | ✗ | ● | - | ● | - | - | - |
| | Rearward-facing with harness - convertible (Model A) | ✗ | ● | - | ● | - | - | - |
| | Rearward-facing with harness - convertible (Model B) | ✗ | ● | - | ● | - | - | - |
| | Forward-facing with harness - convertible (Model A) | ✗ | ● | - | ● | - | - | - |
| | Forward-facing with harness - convertible (Model B) | ✗ | ● | - | ● | - | - | - |

● INSTALL WITHOUT PROBLEM ● INSTALL WITH CARE ● CANNOT BE FITTED SAFELY ✗ INSTALLATION NOT ALLOWED - N/A

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.
 * Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.
 ^ The list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



Vulnerable Road User Protection

80%
50.66 out of 63

HEAD PROTECTION (Adult, Child, Cyclist)
13.48 points out of 18

PELVIS PROTECTION
0.58 points out of 4.5

FEMUR PROTECTION
4.50 points out of 4.5

KNEE & TIBIA PROTECTION
9.00 points out of 9

AEB PEDESTRIAN (Forward)
5.65 points out of 7

AEB PEDESTRIAN (Backover)
1.00 points out of 2

AEB CYCLIST
7.91 points out of 9

AEB MOTORCYCLE
5.54 points out of 6

LSS MOTORCYCLE
3.00 points out of 3


The bonnet of the Chery Tiggo 7 Pro provided predominantly GOOD or ADEQUATE protection to the head of a struck pedestrian, while MARGINAL and POOR results were recorded at the rear of the bonnet, on the stiff windscreen pillars, and at the front of the bonnet. Protection of the pelvis was mostly POOR, while protection of the femurs and lower legs was GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists. Testing of this system showed GOOD performance in **AEB pedestrian** test scenarios including in turning scenarios, with collisions avoided or mitigated in most tests. Performance in reverse (AEB Backover) scenarios was MARGINAL.

GOOD performance was seen in **AEB cyclist** test scenarios with collisions avoided or mitigated at all test speeds including in the turning scenarios. The vehicle provides information-only when a bicycle is approaching from behind (cyclist anti-dooring).

GOOD performance was seen in all AEB motorcyclist tests.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

| | |
|-------------------------|---|
| System Name | Autonomous Emergency Braking System |
| Type | Autonomous emergency braking with forward collision warning |
| Operational From | 5-80 km/h |

| | Cyclist traveling along road (25%) | Cyclist crossing from kerb (obstructed) | Cyclist traveling along road (50%) | Cyclist crossing (nearside) | Cyclist crossing (farside) | Cyclist crossing side road, car turning (nearside) | Cyclist crossing side road, car turning (farside) |
|---|------------------------------------|---|------------------------------------|-----------------------------|----------------------------|--|---|
| | DAY | DAY | DAY | DAY | DAY | DAY | DAY |
| AEB CYCLIST TEST SCENARIOS (forward) | | | | | | | |
| PERFORMANCE | GOOD | GOOD | GOOD | GOOD | GOOD | GOOD | GOOD |

CYCLIST DOORING

| | |
|---|---|
| Information (driver door) | ● |
| Warning (driver door) | × |
| Retention (driver door) | × |
| Warning or retention (all other doors) | × |

● PASS × FAIL - N/A

GOOD ADEQUATE MARGINAL WEAK POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED NOT TESTED



Vulnerable Road User Protection

80%
50.66 out of 63

| AEB PEDESTRIAN TEST SCENARIOS (reverse) | Child / Adult standing behind reversing vehicle (25% offset) | Adult / Child standing behind reversing vehicle (50% offset) | Child / Adult standing behind reversing vehicle (75% offset) | Adult / Child walking behind reversing vehicle (50% offset) |
|---|--|--|--|---|
| | DAY | DAY | DAY | DAY |
| | | | | |
| 4km/h | | | | |
| 8km/h | | | | |
| PERFORMANCE | MARGINAL | | | |

| AEB PEDESTRIAN TEST SCENARIOS (forward) | Adult walking along road | | Adult crossing towards kerb (50%) | | Adult crossing from kerb (25%) | | Adult crossing from kerb (75%) | | Child running (obstructed) | | Adult crossing side road (farside), car turning | | Adult crossing side road (nearside), car turning | |
|---|-----------------------------|-------|--------------------------------------|-------|-----------------------------------|-------|-----------------------------------|-------|-------------------------------|-------|---|-------|--|-------|
| | DAY | NIGHT | DAY | NIGHT | DAY | NIGHT | DAY | NIGHT | DAY | NIGHT | DAY | NIGHT | DAY | NIGHT |
| | | | | | | | | | | | | | | |
| PERFORMANCE | | | | | | | | | | | | | | |
| | GOOD | | | | | | | | | | | | | |

| AEB MOTORCYCLE TEST SCENARIOS (forward) | Driving towards a stationary motorcycle | | | Driving towards a braking motorcycle (25% offset) | | | Turning across the path of an oncoming motorcycle | | |
|---|--|--|--|---|--|--|--|--------|--------|
| | 100% OFFSET | | | 12m HEADWAY | | | TARGET MOTORCYCLE SPEED | | |
| | 40m HEADWAY | | | | | | 30km/h | 45km/h | 60km/h |
| | | | | | | | | | |
| AEB (10-50km/h) | | | | | | | | | |
| FCW (30-80km/h) | | | | | | | | | |
| PERFORMANCE | GOOD | | | GOOD | | | GOOD | | |

LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

| | |
|------------------|--------------------------------------|
| System Name | Chery Smart Driver Assistance System |
| Operational From | 65-150 km/h |

| EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Motorcycle | Oncoming motorcycle | Overtaking motorcycle (GVT at 72km/h) | | Overtaking motorcycle (GVT at 80km/h) | |
|---|------------------------|--|-------------|--|-------------|
| | | UNINTENTIONAL | INTENTIONAL | UNINTENTIONAL | INTENTIONAL |
| | | | | | |
| PERFORMANCE | | | | | |
| | GOOD | | | | |

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Safety Assist

86%

15.54 out of 18

SEAT BELT REMINDERS
1.00 point out of 1DRIVER MONITORING
1.65 points out of 2SPEED ASSISTANCE SYSTEMS
2.45 points out of 3AEB / AES (Car-to-Car)
3.60 points out of 4AEB / AES (Junction & Crossing)
3.08 points out of 4AEB / AES (Head-On)
0.75 points out of 1LANE SUPPORT SYSTEMS
3.00 points out of 3

The Chery Tiggo 7 Pro is fitted with autonomous emergency braking (AEB), a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the **AEB (Car-to-Car)** system showed GOOD performance with collisions avoided or mitigated in all test scenarios, including in many of the **AEB Junction** and **AEB Crossing** scenarios where the test vehicle can autonomously brake to avoid crashes when turning across or crossing into the path of an oncoming vehicle.

Tests of **lane support system** (LSS) functionality showed GOOD performance across all test scenarios, including in several of the more critical emergency lane keeping test scenarios. Full points were scored for LSS functionality.

A **speed assistance system** (SAS) with speed limit information function (SLIF) and intelligent adaptive cruise control (iACC) are fitted, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all seating positions. A direct driver drowsiness monitor system is fitted as standard.

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

| | |
|------------------|--|
| System Name | Autonomous Emergency Braking System |
| Type | Autonomous emergency braking system with forward collision warning |
| Operational From | 5-135 km/h |









Safety Assist

86%

15.54 out of 18

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)

| | | JUNCTION ASSIST Turning across the path of an oncoming vehicle | | | CROSSING (T-BONE) Crossing the path of another vehicle | | | | |
|-------------------------|-----------------|---|--------|--------|---|--------|--------|--------|--------|
| TARGET VEHICLE SPEED | | 30km/h | 45km/h | 60km/h | 20km/h | 30km/h | 40km/h | 50km/h | 60km/h |
| | |  | | |  | | | | |
| TEST VEHICLE SPEED | Start from stop | - | - | - | | | | | |
| | 10km/h | | | | - | - | - | - | - |
| | 15km/h | | | | - | - | - | - | - |
| | 20km/h | | | | | | | | |
| | 30km/h | - | - | - | | | | | |
| | 40km/h | - | - | - | | | | | |
| | 50km/h | - | - | - | | | | | |
| | 60km/h | - | - | - | | | | | |
| PERFORMANCE | | GOOD | | | ADEQUATE | | | | |

| | | TARGET VEHICLE SPEED | | HEAD-ON In the path of oncoming vehicle | |
|--------------------|---------------------|----------------------|--|--|--------|
| | | | | 50km/h | 70km/h |
| TEST VEHICLE SPEED | Travelling straight | 50km/h |  | | - |
| | | 70km/h | | - | |
| | Lane change | 50km/h |  | | - |
| | | 70km/h | | - | |
| PERFORMANCE | | | | ADEQUATE | |

LANE SUPPORT SYSTEMS (Car-to-Car)

| | |
|------------------|--------------------------------------|
| System Name | Chery Smart Driver Assistance System |
| Operational From | 65-150 km/h |

| | | Dashed line | Solid line |
|---|--|-------------|------------|
| LANE KEEP ASSIST (LKA) TEST SCENARIOS Car-to-Car | | | |
| | | | |
| PERFORMANCE | | GOOD | |

| | | Overtaking vehicle (GVT at 72km/h) | | Overtaking vehicle (GVT at 80km/h) | | Road edge | | Solid line | |
|--|--|---------------------------------------|-------------|---------------------------------------|-------------|-----------|--|------------|--|
| | | UNINTENTIONAL | INTENTIONAL | UNINTENTIONAL | INTENTIONAL | | | | |
| EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Car | | | | | | | | | |
| | | | | | | | | | |
| PERFORMANCE | | GOOD | | | | | | | |

GOOD

ADEQUATE

MARGINAL

WEAK

POOR / NOT TESTED DUE TO
NO PERFORMANCE PREDICTED

NOT TESTED



Safety Assist

86%

15.54 out of 18

OCCUPANT STATUS

| WARNING TYPE | DRIVER | FRONT PASSENGER | REAR PASSENGERS |
|------------------------------|--------|-----------------|-----------------|
| Occupant Detection | - | ● | ● |
| Seat Belt Reminder (Visual) | ● | ● | ● |
| Seat Belt Reminder (Audible) | ● | ● | ● |

DRIVER MONITORING

| | WARNING | INTERVENTION |
|---------------------|---------|--------------|
| Distraction | ● | ● |
| Fatigue | ● | ● |
| Unresponsive Driver | - | ✗ |

SPEED ASSISTANCE SYSTEMS (SAS)

| FEATURE | |
|--|--------------|
| Speed Limit Information Function (SLIF) | Camera & map |
| Manual Speed Limiter | ✗ |
| Intelligent Adaptive Cruise Control (iACC) | ● |
| Intelligent Speed Limitation (ISL) | ✗ |

HUMAN MACHINE INTERFACE (HMI)

| FEATURE | |
|---|---|
| AEB: Supplementary Warning | ● |
| AEB: Restraint activation / dynamic retractors | ✗ |
| Lane Departure Warning (LDW) | ● |
| Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle | ● |

SAFETY FEATURES & TECHNOLOGIES

| SAFETY FEATURE / TECHNOLOGY* | AUS | NZ |
|---|-----|----|
| Seat belt pre-tensioners (front seats) | ● | - |
| Seat belt pre-tensioners (rear outboard seats) - 2nd row | ● | - |
| Seat belt pre-tensioners (rear centre seat) - 2nd row | ✗ | - |
| Seat belt pre-tensioners (rear outboard seats) - 3rd row | - | - |
| Seat belt pre-tensioners (rear centre seat) - 3rd row | - | - |
| Intelligent seat belt reminder (driver) | ● | - |
| Intelligent seat belt reminder (front passenger) | ● | - |
| Intelligent seat belt reminder (2nd row seats) | ● | - |
| Intelligent seat belt reminder (3rd row seats) | - | - |
| Airbag - dual frontal (driver & front passenger) | ● | - |
| Airbags - side, chest protection (front seats) | ● | - |
| Airbags - side, chest protection (2nd row seats) | ✗ | - |
| Airbags - side, chest protection (3rd row seats) | - | - |
| Airbags - side, head protection (front seats) | ● | - |
| Airbags - side, head protection (2nd row seats) | ● | - |
| Airbags - side, head protection (3rd row seats) | - | - |
| Airbag - centre | ● | - |
| Airbag - knee (driver) | ● | - |
| Airbag - knee (front passenger) | ✗ | - |
| Airbag - pedestrian (external) | ✗ | - |
| Airbag disabling switch - automatic (front passenger) | ✗ | - |
| Airbag disabling switch - manual (front passenger) | ✗ | - |
| Autonomous emergency braking (AEB) - Car-to-Car | ● | - |
| Autonomous emergency braking (AEB) - Vulnerable Road User | | - |
| - AEB Pedestrian | ● | - |
| - AEB Backover | ● | - |
| - AEB Cyclist | ● | - |
| - AEB Motorcycle | ● | - |
| Autonomous emergency braking (AEB) - Junction | | - |
| - AEB Junction (Pedestrian) | ● | - |
| - AEB Junction (Cyclist) | ● | - |
| - AEB Junction (Motorcycle) | ● | - |
| Autonomous emergency braking (AEB) - Crossing | ● | - |
| Automatic emergency call (eCall) | ✗ | - |
| Blind spot monitor (BSM) | ● | - |
| Child presence detection / alert | ● | - |
| Cyclist dooring detection / alert | ● | - |
| Driver monitoring system - Indirect | ✗ | - |
| Driver monitoring system - Direct | ● | - |
| Forward collision warning (FCW) | ● | - |
| Lane departure warning (LDW) | ● | - |
| Lane keep assist (LKA) | | - |
| - LKA (Car-to-Car) | ● | - |
| - LKA (Car-to-Motorcycle) | ● | - |
| Secondary / multi-collision brake | ● | - |
| Speed assistance - intelligent adaptive cruise control (iACC) | ● | - |
| Speed assistance - auto / intelligent speed limiter | ✗ | - |
| Speed assistance - manual speed limiter | ✗ | - |
| Speed assistance - speed sign recognition & warning | ● | - |
| Vehicle-to-infrastructure communication (V2I) | ✗ | - |
| Vehicle-to-vehicle communication (V2V) | ✗ | - |

● STANDARD ● AVAILABLE ON HIGHER VARIANTS ● OPTIONAL ✗ NOT AVAILABLE - NOT APPLICABLE

* Correct at time of publication. Subject to change. Check with manufacturer.

TESTED MAKE / MODEL
Chery Tiggo 7 Pro Urban, RHD

TESTED VEHICLE ENGINE
1.6 litre petrol

RATING UPDATED
August 2025

TESTED BODY TYPE
5 door SUV

RATING PUBLISHED
December 2023