

APPLIES TO All variants

VEHICLE TYPE Medium SUV

ENGINE / MOTOR TYPES

Battery Electric

BUILT FROM April 2025

ON SALE FROM AU: July 2025 NZ: November 2025

MODEL SERIES

S12L

RATING CRITERIA 2023-2025

RATING EXPIRES December 2031

AIRBAGS

Dual frontal, side chest. side head, centre







The IM 6 was introduced in Australia in July 2025 and New Zealand in November 2025. This ANCAP safety rating applies to all variants.

Dual frontal, side chest-protecting and side head-protecting airbags are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing, Backover and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and a speed sign recognition system, are standard equipment.

ASSESSMENT SCORES









RATING APPLICABILITY*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
IM 6 Premium	5 door SUV	Battery Electric Vehicle (BEV)	RWD	✓	\checkmark
IM 6 Platinum	5 door SUV	Battery Electric Vehicle (BEV)	RWD	\checkmark	\checkmark
IM 6 Performance	5 door SUV	Battery Electric Vehicle (BEV)	AWD	✓	\checkmark



^{*} Correct at time of publication. Subject to change. Check with manufacturer.



Adult Occupant Protection

90% 36.10 out of 40 FRONTAL OFFSET (MPDB)#

OBLIQUE POLE# 5.30 points out of 6 **RESCUE & EXTRICATION 2.17 points** out of 4

FULL WIDTH FRONTAL# **7.66 points** out of 8

WHIPLASH PROTECTION **3.93 points** out of 4

7.54 points out of 8

6.00 points out of 6

SIDE IMPACT#

FAR SIDE IMPACT 3.50 points out of 4

*Scaled scores. Total test scored out of 16.00 points.

The passenger compartment of the IM 6 remained stable in the frontal offset (MPDB) test. Dummy readings for the driver and front passenger showed GOOD protection for all critical body regions

The front structure of the IM 6 presented a lower risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 0.92 point penalty (out of 8.00 points) was applied.

In the full width frontal test, protection was ADEQUATE for the chest of both the driver and the rear passenger, and GOOD for all other critical body regions.

In the side impact test, protection offered to all critical body regions of the driver was GOOD.

In the more severe oblique pole test, protection for the driver's head and pelvis was GOOD and chest protection was

The IM 6 is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as ADEQUATE for the vehicle-to-vehicle impact scenario and MARGINAL for the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors of the IM 6 would remain functional for the minimum required time period, though window opening functionality was not demonstrated.

FRONTAL OFFSET (MPDB) TEST - 50km/h



Deductions	Nil	Nil
Lower Legs	4.00 pts	4.00 pts
Upper Legs	4.00 pts	4.00 pts
Chest	4.00 pts	4.00 pts
Head / Neck	4.00 pts	4.00 pts
	DRIVER	FRONT PASSENGER



COMPATIBILITY **Deductions** -0.92 pts

FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
Head	4.00 pts	4.00 pts
Neck	4.00 pts	4.00 pts
Chest	3.56 pts	3.06 pts
Upper Legs	4.00 pts	4.00 pts
Deductions	Nil	Nil

SIDE IMPACT TEST - 60km/h

OBLIQUE POLE TEST - 32km/h



	DRIVER
Head	4.00 pts
Chest	4.00 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



	DRIVER
Head	4.00 pts
Chest	2.15 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



90% 36.10 out of 40

FAR SIDE IMPACT TESTS - 60km/h and 32km/h



DRIVER
4.00 pts
4.00 pts
4.00 pts
No penalty



OBLIQUE POLE (32km/h)	DRIVER
Head	3.00 pts
Neck	3.00 pts
Chest & Abdomen	3.00 pts
Pelvis	No penalty



OCCUPANT-TO-OCC	UPANT
Head Contact	No penalty

WHIPLASH PROTECTION TESTS





	DRIVER / FRONT PASSENGER	REAR PASSENGER
Rear Impact	2.93 pts	1.00 pts

RESCUE & EXTRICATION



	No penalty
	No penalty
	1.00 pt
×	0.67 pt default
	0.50 pt
×	Not available
	•

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION 🗶 NOT AVAILABLE - N/A



Child Occupant Protection

91% 44.81 out of 49 DYNAMIC TEST (FRONT) **16.00 points** out of 16

RESTRAINT INSTALLATION

11.81 points out of 12

DYNAMIC TEST (SIDE) 8.00 points out of 8

ON-BOARD SAFETY FEATURES

9.00 points out of 13

In the frontal offset and side impact tests, protection of both the 10 year and 6 year dummies was GOOD and maximum points were scored in these tests.

The IM 6 is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

A child presence detection (CPD) system is not available.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions, however one of the booster seats could not be correctly installed in the centre rear position.

FRONTAL OFFSET (MPDB) TEST - 50km/h

SIDE IMPACT TEST - 60km/h



6 YEAR OLD	10 YEAR OLD	10 YEAR OLD	6 YEAR OLD

ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorages	×		×	-	-
Top Tether Anchorage	×			_	-
Airbag Disabling		-	-	_	-
Child Presence Detection 0.00 pts (out of 4.00pts)	×	×	×	-	-

FITTED AS STANDARD	X	NOT AVAILABLE	-	N/A	

CHILD DECEDAINT TYPEA+	FRONT ROW	NT ROW 2nd ROW		W	3rd ROW			
	CHILD RESTRAINT TYPE^*	PASSENGER	L	С	R	L	С	R
	Rearward-facing capsule	×				-	-	-
	Rearward-facing with harness - convertible (Model A)	×				-	-	-
Ω	Rearward-facing with harness - convertible (Model B)	×				-	-	-
BELTED	Forward-facing with harness - convertible (Model A)	×				-	-	-
m	Forward-facing with harness - convertible (Model B)	×				-	-	-
	Booster - 4 to 8 years	×				-	-	-
	Booster - 4 to 10 years	×				-	-	-
	Rearward-facing capsule	×		-		-	-	-
×	Rearward-facing with harness - convertible (Model A)	×		-		-	-	-
SOFIX	Rearward-facing with harness - convertible (Model B)	×		-		-	-	-
55	Forward-facing with harness - convertible (Model A)	×		-		-	-	-
	Forward-facing with harness - convertible (Model B)	×		-		-	-	-

INSTALL WITHOUT PROBLEM INSTALL WITH CARE CANNOT BE FITTED SAFELY X INSTALLATION NOT ALLOWED - N/A

The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle sonly. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au. arious CRS types. ANCAP does not endorse or recomi Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible. The list of child rone CRS brand or



83% 52.68 out of 63 HEAD PROTECTION (Adult, Child, Cyclist) **KNEE & TIBIA PROTECTION AEB CYCLIST** 9.00 points out of 9 **9.53 points** out of 18 8.75 points out of 9 PELVIS PROTECTION **AEB PEDESTRIAN (Forward) AEB MOTORCYCLE 4.16 points** out of 4.5 **6.93 points** out of 7 6.00 points out of 6 FEMUR PROTECTION AEB PEDESTRIAN (Backover) LSS MOTORCYCLE 4.33 points out of 4.5 3.00 points out of 3 1.00 points out of 2

In pedestrian impact tests, the bonnet and windscreen of the IM 6 provided ADEQUATE protection to the head of a struck pedestrian over most of its surface, with MARGINAL and POOR results recorded on the stiff windscreen pillars, the base of the windscreen, and at the rear and sides of the bonnet.

Protection of the pelvis and femurs was mixed, varying from GOOD to MARGINAL performance. Protection of the lower legs was GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists.

Testing of this system showed GOOD performance in AEB Pedestrian test scenarios, with collisions avoided or mitigated in all tests, including turning scenarios. Performance in reverse (AEB Backover) scenarios was ADEQUATE.

GOOD performance was seen in **AEB Cyclist** test scenarios with collisions avoided or mitigated at all test speeds, including turning scenarios. The vehicle provides information and warning to occupants when a bicycle is approaching from behind (cyclist anti-dooring).


GOOD performance was seen in the AEB Motorcyclist tests, including in turning scenarios and emergency lane keeping scenarios, earning full points.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

System Name	VRU Active Safety
Туре	Autonomous emergency braking with forward collision warning
Operational From	8 - 90 km/h



CYCLIST DOORING




PASS X FAIL - N/A


















LANE SUPPORT SYSTEMS (Car-to-Motorcycle)





Safety Assist

79% 14.39 out of 18 SEAT BELT REMINDERS

AEB / AES (Car-to-Car) **3.75 points** out of 4

LANE SUPPORT SYSTEMS 2.50 points out of 3

1.00 points out of 1

DRIVER MONITORING **1.65 points** out of 2

AEB / AES (Junction & Crossing)

3.58 points out of 4

SPEED ASSISTANCE SYSTEMS

0.91 points out of 3

AEB / AES (Head-On) 1.00 points out of 1

The IM 6 is fitted with an autonomous emergency braking system capable of functioning at highway speeds, and a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality.

Tests of the AEB (Car-to-Car) system showed GOOD performance with collisions avoided or mitigated in all test scenarios, including in many AEB Junction and AEB Crossing scenarios, where the test vehicle can autonomously brake to avoid crashes when turning across or into the path of an oncoming vehicle. AEB Head-On system functionality showed GOOD performance.

Tests of lane support system functionality showed GOOD performance overall, including in many of the more critical emergency lane keeping test scenarios.


A speed assistance system (SAS) with speed limit information function (SLIF) and intelligent adaptive cruise control (iACC) is standard, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly. However the process for activation of the iACC function does not meet ANCAP requirements and no points were awarded.

A seatbelt reminder system with occupancy detection is fitted to all seating positions.

A direct driver monitoring system (DMS) that can detect driver drowsiness and distraction is fitted as standard. The system provides a warning to the driver and can adjust driver assistance parameters.

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

System Name	AEB Car to Car System
Туре	Autonomous emergency braking with forward collision warning
Operational From	8-150 km/h








79%14.39 out of 18

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)



TARGET VEHICLE SPEED


TARGET VEHICLE SPEED


Travelling straight

Tokm/h

Tokm/

LANE SUPPORT SYSTEMS (Car-to-Car)







Safety Assist

79%14.39 out of 18

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	•	
Seat Belt Reminder (Visual)			
Seat Belt Reminder (Audible)			

DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	•	•
Fatigue		
Unresponsive Driver	_	×

SPEED ASSISTANCE SYSTEMS (SAS)

FEATURE

Speed Limit Information Function (SLIF)	Camera based
Manual Speed Limiter	×
Intelligent Adaptive Cruise Control (iACC)	
Intelligent Speed Limitation (ISL)	×

HUMAN MACHINE INTERFACE (HMI)

FEATURE

AEB: Supplementary Warning	
AEB: Restraint activation / dynamic retractors / emergency steering support	×
Lane Departure Warning (LDW)	
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	

SAFETY FEATURES & TECHNOLOGIES

AFETY FEATURE / TECHNOLOGY*	AUS	NZ
Seat belt pre-tensioners (front seats)	•	•
Seat belt pre-tensioners (rear outboard seats) - 2nd row	•	
Seat belt pre-tensioners (rear centre seat) - 2nd row	×	×
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
ntelligent seat belt reminder (driver)	•	•
ntelligent seat belt reminder (front passenger)	•	•
ntelligent seat belt reminder (2nd row seats)	•	
ntelligent seat belt reminder (3rd row seats)	_	_
Airbag - dual frontal (driver & front passenger)	•	•
Airbags - side, chest protection (front seats)	•	•
Airbags - side, chest protection (2nd row seats)	×	×
Airbags - side, chest protection (3rd row seats)	_	_
Airbags - side, head protection (front seats)	•	
Airbags - side, head protection (2nd row seats)	•	•
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	•	•
Airbag - knee (driver)	×	×
Airbag - knee (front passenger)	×	×
Airbag - pedestrian (external)	×	×
Airbag disabling switch - automatic (front passenger)	×	×
Airbag disabling switch - manual (front passenger)	×	×
Autonomous emergency braking (AEB) - Car-to-Car	•	
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	•	•
- AEB Backover	•	•
- AEB Cyclist	•	•
- AEB Motorcycle	•	•
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Car)	•	•
- AEB Junction (Pedestrian)	•	•
- AEB Junction (Cyclist)		•
- AEB Junction (Motorcycle)	•	•
Autonomous emergency braking (AEB) - Crossing	•	•
Automatic emergency call (eCall)	×	×
Blind spot monitor (BSM)	•	•
Child presence detection / alert	×	×
Cyclist dooring detection / alert	•	•
Driver monitoring system - Indirect	×	×
Driver monitoring system - Direct	•	•
Forward collision warning (FCW)	•	•
Lane departure warning (LDW)	•	
Lane keep assist (LKA)		
- LKA (Car-to-Car)	•	•
- LKA (Car-to-Motorcycle)	•	•
Secondary / multi-collision brake	•	
Speed assistance - intelligent adaptive cruise control (iACC)	•	•
Speed assistance - auto / intelligent speed limiter	×	×
Speed assistance - manual speed limiter	×	×
Speed assistance - speed sign recognition & warning	•	
Vehicle-to-infrastructure communication (V2I)	×	×
Vehicle-to-vehicle communication (V2V)	×	×
	NOT AVAILABLE - Notition. Subject to change. Check	OT APPLICAE

TESTED MAKE / MODEL IM 6 Standard Range LHD

TESTED VEHICLE ENGINE Battery Electric (BEV) RATING UPDATED n/a

TESTED BODY TYPE 5 door SUV RATING PUBLISHED
October 2025