

MERCEDES-BENZ G-CLASS

AUGUST 2018 - ONWARDS
G63 and G400d VARIANTS ONLY



TESTED
2019



90%

ADULT OCCUPANT
PROTECTION



85%

CHILD OCCUPANT
PROTECTION



78%

VULNERABLE ROAD USER
PROTECTION



73%

SAFETY
ASSIST



MERCEDES-BENZ G-CLASS (G 63)

OVERVIEW

The Mercedes-Benz G-Class was introduced in Australia in August 2018. This ANCAP safety rating applies to G 63 variants and the G400d introduced in mid-2021.

Dual frontal, side chest-protecting airbags for front and second row outboard seating positions, side head-protecting (curtains) for the front and second rows, and knee airbags for the driver and front passenger are standard.

Autonomous emergency braking (City, Interurban and Vulnerable Road User) as well as lane keep assist (LKA) with lane departure warning (LDW) and blind spot monitor (BSM) are standard equipment.

ANCAP SAFETY RATING

★★★★★

RATING YEAR (DATESTAMP)

2019

VEHICLE TYPE

LARGE SUV

AIRBAGS

Dual frontal, side chest (front & second rows), side head (front & second rows), driver & passenger knee

RATING APPLICABILITY

VARIANT	BODY TYPE	ENGINE	DRIVETRAIN	AUS	NZ
Mercedes-Benz G-Class G 63 AMG	5 door SUV	4.0 litre petrol	4WD	✓	✓
Mercedes-Benz G-Class G400d	5 door SUV	3.0 litre diesel	4WD	✓	✓
Mercedes-Benz G-Class Professional	5 door SUV	3.0 litre diesel	4WD	✗	✗

✓ COVERED BY THIS RATING

✗ NOT COVERED BY THIS RATING

◆ TESTED VARIANT

ADULT OCCUPANT PROTECTION



90%

34.56 POINTS
OUT OF 38

The passenger compartment remained stable in the frontal offset test. Dummy readings indicated that protection of the driver's chest was **WEAK** and the driver's lower legs was **ADEQUATE**. Protection of the front passenger chest and lower legs were also **ADEQUATE**. Protection was **GOOD** for all other critical body regions for both the driver and front passenger.

In the full width frontal test, protection of the driver was **MARGINAL** for the chest and **GOOD** for all other critical body regions. Protection of the rear passenger neck was **ADEQUATE** while protection of the chest was rated **WEAK** with high shoulder belt loads. All other critical body regions for the passenger were **GOOD**.

In both the side impact and the oblique pole tests, protection of all critical body areas for the driver was **GOOD** and the vehicle scored maximum points in these tests.

The low-speed autonomous emergency braking (AEB) system showed **GOOD** performance in low-speed test scenarios typical of city driving and scored full points.

FRONTAL OFFSET#	6.45 (out of 8)
FULL WIDTH FRONTAL#	6.60 (out of 8)
SIDE IMPACT#	8.00 (out of 8)
OBLIQUE POLE#	8.00 (out of 8)
WHIPLASH PROTECTION	1.52 (out of 2)
AEB - City	4.00 (out of 4)

Scaled scores. Total test scored out of 16.00 points.

FRONTAL OFFSET TEST (64 KM/H)



Driver

Head / neck:	4.00 pts
Chest:	1.33 pts
Upper legs:	4.00 pts
Lower legs:	3.87 pts
Deductions:	Nil



Front Passenger

Head / neck:	4.00 pts
Chest:	3.95 pts
Upper legs:	4.00 pts
Lower legs:	3.57 pts
Deductions:	Nil

FULL WIDTH FRONTAL TEST (50 KM/H)



Driver

Head:	4.00 pts
Neck:	4.00 pts
Chest:	2.65 pts
Upper legs:	4.00 pts
Deductions:	Nil



Rear Passenger

Head:	4.00 pts
Neck:	3.66 pts
Chest:	0.07 pts
Upper legs:	4.00 pts
Deductions:	-2.00 pts (shoulder belt load)

SIDE IMPACT TEST (50 KM/H)



Driver

Head:	4.00 points
Chest:	4.00 points
Abdomen:	4.00 points
Pelvis:	4.00 points
Deductions:	Nil



Driver

Head:	4.00 points
Chest:	4.00 points
Abdomen:	4.00 points
Pelvis:	4.00 points
Deductions:	Nil

WHIPLASH (REAR IMPACT) PROTECTION TEST



Rear Passenger

Rear:	0.31 points
Front:	1.21 points



Driver / Front Passenger

AEB - CITY (10-50 KM/H)

Score: 4.00 points

OVERLAP	-50%	-75%	100%	75%	50%
PERFORMANCE					
	GOOD				

GOOD ADEQUATE MARGINAL WEAK POOR

CHILD OCCUPANT PROTECTION



85%

41.76 POINTS
OUT OF 49

In the frontal offset test, readings of neck tension indicated POOR protection for the 10 year dummy, while for the 6 year dummy protection of the head was ADEQUATE and the neck was MARGINAL. Protection of both dummies in other key body regions was GOOD.

In the side impact test, protection was GOOD for all critical body regions of both child dummies and maximum points were scored.

The Mercedes-Benz G-Class is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed that all of the selected child restraints could be accommodated in each of the rear seating positions and full points were scored for this assessment.

DYNAMIC TEST (FRONT)	11.76 (out of 16)
DYNAMIC TEST (SIDE)	8.00 (out of 8)
RESTRAINT INSTALLATION	12.00 (out of 12)
ON-BOARD SAFETY FEATURES	10.00 (out of 13)

FRONTAL OFFSET TEST (64 KM/H)



6 year old

10 year old

SIDE IMPACT TEST (50 KM/H)



10 year old

6 year old

ON-BOARD SAFETY FEATURES

FEATURE	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFix	×	●	×	-	-
Integrated child restraints	×	×	×	-	-
Top tether anchorage	×	●	●	-	-
Airbag disabling	●	-	-	-	-

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION × NOT AVAILABLE - NOT APPLICABLE

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.

GOOD ADEQUATE MARGINAL WEAK POOR

CHILD OCCUPANT PROTECTION



85%

41.76 POINTS
OUT OF 49

CHILD RESTRAINT INSTALLATION*

CHILD RESTRAINT (CRS) TYPE^		FRONT ROW PASSENGER	2nd ROW			3rd ROW		
			LEFT	CENTRE	RIGHT	LEFT	CENTRE	RIGHT
BELTED	TYPE A	Rearward facing capsule	×	●	●	●	–	–
		Rearward facing with harness - convertible (Model A)	×	●	●	●	–	–
		Rearward facing with harness - convertible (Model B)	×	●	●	●	–	–
	TYPE B	Forward facing with harness - convertible (Model A)	×	●	●	●	–	–
		Forward facing with harness - convertible (Model B)	×	●	●	●	–	–
	TYPE E	Booster - 4 to 8 years	×	●	●	●	–	–
ISOFIX	TYPE A	Rearward facing capsule	×	●	–	●	–	–
		Rearward facing with harness - convertible (Model A)	×	●	–	●	–	–
		Rearward facing with harness - convertible (Model B)	×	●	–	●	–	–
	TYPE B	Forward facing with harness - convertible (Model A)	×	●	–	●	–	–
		Forward facing with harness - convertible (Model B)	×	●	–	●	–	–
	TYPE F	Booster - 4 to 10 years	×	●	●	●	–	–

* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.

^ The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.

● INSTALL WITHOUT PROBLEM ● INSTALL WITH CARE ● CANNOT BE FITTED SAFELY × INSTALLATION NOT ALLOWED – NOT APPLICABLE / NOT ASSESSED

VULNERABLE ROAD USER PROTECTION



78%

37.45 POINTS
OUT OF 48

The protection provided by the bonnet to the head of a struck pedestrian was predominantly MARGINAL to ADEQUATE with some WEAK and POOR results recorded on the stiff windscreen pillars and front of the bonnet. Protection of the pelvis was GOOD or ADEQUATE, while the bumper provided mostly GOOD protection to pedestrians' legs with some ADEQUATE results seen on the outer edges of the bumper.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians and cyclists. The AEB system showed GOOD performance in pedestrian test scenarios, in both daylight and low light, with collisions avoided or mitigated in most scenarios. GOOD performance was also seen in cyclist test scenarios, with collisions avoided or mitigated in most scenarios.

HEAD IMPACTS	15.07 (out of 24)
UPPER LEG IMPACTS	5.94 (out of 6)
LOWER LEG IMPACTS	6.00 (out of 6)
AEB - Pedestrian	5.45 (out of 6)
AEB - Cyclist	5.00 (out of 6)

PEDESTRIAN IMPACT TEST (40 KM/H)



AUTONOMOUS EMERGENCY BRAKING (PEDESTRIAN & CYCLIST)

SYSTEM NAME: Active Brake Assist
TYPE: Autonomous emergency braking with forward collision warning
OPERATIONAL FROM: 10-80 km/h
DESCRIPTION: System functions in the daytime and night

TEST SCENARIO	AEB - Pedestrian										AEB - Cyclist		
						FORWARD COLLISION WARNING							FORWARD COLLISION WARNING
	Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)	Child running (obstructed)		Adult walking along road		Adult walking along road	Cyclist crossing from kerb		Cyclist travelling along road (50%)
	DAY	NIGHT	DAY	NIGHT	DAY	DAY	NIGHT	DAY	NIGHT	DAY	DAY	DAY	DAY
PERFORMANCE													
	GOOD										GOOD		

GOOD ADEQUATE MARGINAL WEAK POOR

SAFETY ASSIST



73%

9.59 POINTS
OUT OF 13

The Mercedes-Benz G-Class is fitted as standard with a range of safety assist features including autonomous emergency braking (AEB), a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the AEB system showed ADEQUATE and GOOD performance with collisions avoided or mitigated in most test scenarios.

Tests of LSS functionality showed MARGINAL performance, with ADEQUATE performance in the ELK test scenarios, while performance in lane keep assist scenarios was WEAK.

A speed assistance system (SAS) is also standard, informing the driver of the local speed limit and allowing the driver to set speed accordingly.

A seatbelt reminder system is fitted to all seating positions, however occupancy detection is not available for rear seating positions.

SPEED ASSISTANCE SYSTEMS

2.63 (out of 3)

SEAT BELT REMINDERS

2.50 (out of 3)

LANE SUPPORT SYSTEMS

2.00 (out of 4)

AEB - Interurban

2.46 (out of 3)

LANE SUPPORT SYSTEMS (LSS)

SYSTEM NAME: Active Lane Keeping Assist
OPERATIONAL FROM: 60-200 km/h

EMERGENCY LANE KEEPING (ELK)								
TEST SCENARIO	Oncoming vehicle	Overtaking vehicle (GVT at 72 km/h)		Overtaking vehicle (GVT at 80 km/h)		Road edge		
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL			
PERFORMANCE		-	-	-	-			
ADEQUATE								

LANE KEEP ASSIST (LKA)									
TEST SCENARIO	Dashed Line				Solid Line				Road Edge
PERFORMANCE	-	-	-	-	-	-			-
WEAK									

HUMAN MACHINE INTERFACE (HMI)		
FUNCTION	Lane Departure Warning (LDW)	PASS
	Blind Spot Monitoring (BSM)	PASS



GOOD



ADEQUATE



MARGINAL



WEAK



POOR

SAFETY ASSIST





















73%

9.59 POINTS
OUT OF 13

AUTONOMOUS EMERGENCY BRAKING (INTERURBAN)

SYSTEM NAME: Active Brake Assist
TYPE: Autonomous emergency braking with forward collision warning
OPERATIONAL FROM: 7-200 km/h
DESCRIPTION: Defaults ON for every journey

HUMAN MACHINE INTERFACE (HMI)										
FUNCTION	Supplementary warning					NOT FITTED				
	Restraint activation / dynamic retractors					PASS				
FORWARD COLLISION WARNING (FCW)										
TEST SCENARIO	Driving towards a stationary car					Driving towards a slower moving car				
										
PERFORMANCE										
GOOD										
AUTONOMOUS EMERGENCY BRAKING - Interurban										
TEST SCENARIO	Toward car braking lightly		Toward car braking heavily		Driving towards a slower moving car					
	12m HEADWAY	40m HEADWAY	12m HEADWAY	40m HEADWAY						
										
PERFORMANCE										
GOOD										

SPEED ASSISTANCE SYSTEMS (SAS)

SYSTEM NAME: Speed Limit Assist

SAS FEATURE	DESCRIPTION
Speed Limit Information Function (SLIF)	Camera & map
Speed Limitation Function	System advised

SEAT BELT REMINDERS (SBR)

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	✗
Visual	●	●	●
Audible	●	●	●

● PASS ● FAIL ✗ NOT AVAILABLE - NOT APPLICABLE

GOOD ADEQUATE MARGINAL WEAK POOR

SAFETY FEATURES & TECHNOLOGIES

FEATURE / TECHNOLOGY~	AVAILABILITY	
	AUS	NZ
Seat belts (three-point) for all forward-facing seats	●	●
Seat belt pre-tensioners (front)	●	●
Seat belt pre-tensioners (rear outboard) - 2nd row	●	●
Seat belt pre-tensioners (rear centre) - 2nd row	✗	✗
Seat belt pre-tensioners (rear outboard) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - frontal (driver)	●	●
Airbag - frontal (passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	●	●
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - knee (driver)	●	●
Airbag - knee (front passenger)	●	●
Airbag disabling switch - automatic (front passenger)	●	●
Airbag disabling switch - manual (front passenger)	✗	✗
Head restraints for all seats	●	●
Active bonnet	✗	✗
Adaptive cruise control (ACC)	●	●
Adaptive headlights	●	●
Anti-lock braking system (ABS)	●	●
Autonomous emergency braking (AEB) - City	●	●
Autonomous emergency braking (AEB) - Interurban	●	●
Autonomous emergency braking (AEB) - VRU	●	●
Automatic emergency call (eCall)	✗	✗
Automatic headlights	●	●
Automatic high beam	●	●

FEATURE / TECHNOLOGY~	AVAILABILITY	
	AUS	NZ
Blind spot monitor (BSM)	●	●
Child presence alert	✗	✗
Daytime running lights (DRL)	●	●
Electronic brakeforce distribution (EBD)	●	●
Electronic data recorder (EDR)	✗	✗
Electronic stability control (ESC)	●	●
Emergency brake assist (EBA)	●	●
Emergency stop signal (ESS)	●	●
Fatigue reminder	●	●
Fatigue detection	●	●
Forward collision warning (FCW)	●	●
Hill launch assist	●	●
Integrated child seat / restraint	✗	✗
ISOFix	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)	●	●
Pre-crash systems	●	●
Rear cross-traffic alert (RCTA)	●	●
Reversing collision avoidance (camera)	●	●
Reversing collision avoidance (auto brake)	●	●
Roll stability system	●	●
Secondary / multi-collision brake	●	●
Speed assistance - auto / intelligent speed limiter	●	●
Speed assistance - manual speed limiter	●	●
Speed assistance - speed sign recognition & warning	●	●
Smart (intelligent) key	✗	✗
Trailer stability control	○	○
Tyre pressure monitoring system (TPMS)	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

~ Specifications & availability subject to change. Please check with the vehicle manufacturer for confirmation of vehicle specification.

● STANDARD ● NOT AVAILABLE ON BASE VARIANT BUT STANDARD OR OPTIONAL ON HIGHER VARIANTS ○ OPTIONAL ✗ NOT AVAILABLE

MODEL VARIANTS:

ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on the extension of a rating to additional variants of a model.

RATING YEAR (DATESTAMP):

The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and, for vehicles rated from 2018, the Rating Year is the year in which the vehicle was tested.

ASSESSMENT DETAILS

TESTED MAKE / MODEL	Mercedes-Benz G350d LHD
TESTED VEHICLE(S) BUILT	2019
TESTED BODY TYPE	5 door SUV
TESTED VEHICLE ENGINE	3.0 litre diesel
RATING PUBLISHED	July 2019
RATING UPDATED	March 2021