

CUPRA LEON



APPLIES TO

All variants exc. Extreme Package

VEHICLE TYPE

Small Car

ENGINE / MOTOR TYPES

Petrol + Hybrid

BUILT FROM

NZ: July 2025
AU: August 2025

ON SALE FROM

AU: November 2025
NZ: December 2025

MODEL SERIES

N/A

RATING CRITERIA

2023-2025

RATING EXPIRES

December 2031

AIRBAGS

Dual frontal, side chest, side head, centre, driver knee



ANCAP

SAFETY

TESTED
2025



The Cupra Leon was introduced in New Zealand in July 2021 and Australia from July 2022.

Updates were introduced for vehicles on sale from November 2025 in New Zealand, and January 2026 in Australia, and this ANCAP safety rating applies to all New Zealand variants built from July 2025 and Australian variants built from August 2025 (VIN VSSZZZKU1TXXXXXX onwads), excluding VZx and VZe variants with Extreme Package. A separate rating applies to Cupra Leon vehicles built prior to July 2025 for New Zealand, and August 2025 for Australia.

The ANCAP safety rating for the Cupra Leon is based on testing of the Cupra Leon conducted in 2025, and closely-related SEAT Leon, conducted in 2020. ANCAP was provided with technical information and additional test data to show that the test results of the SEAT Leon are also applicable to the Cupra Leon.

Dual frontal, side chest-protecting and side head-protecting airbags and a driver knee airbag are standard. A centre airbag, which provides added protection to front seat occupants in side impact crashes, is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and a speed assistance system (SAS), are standard.

ASSESSMENT SCORES



Adult Occupant Protection

88%

35.29 out of 40



Child Occupant Protection

86%

42.20 out of 49



Vulnerable Road User Protection

82%

51.67 out of 63



Safety Assist

82%

14.89 out of 18

RATING APPLICABILITY*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
Cupra Leon S	5 door hatch	1.5L petrol	FWD	✓	-
Cupra Leon VZx	5 door hatch	2.0L petrol	FWD	✓	-
Cupra Leon Ve	5 door hatch	1.5 TSI eHybrid	FWD	✓	-
Cupra Leon VZe Sportstourer	5 door wagon	1.5 TSI eHybrid	FWD	✓	-
Cupra Leon VZx Sportstourer	5 door wagon	2.0L petrol	AWD	✓	✓
Cupra Leon V Sportstourer	5 door wagon	1.5L turbo petrol	AWD	-	✓
Cupra Leon VZx with Extreme Package	5 door hatch	2.0L petrol	FWD	✗	✗
Cupra Leon VZx Sportstourer with Extreme Package	5 door wagon	2.0L petrol	AWD	✗	✗
Cupra Leon VZe Sportstourer with Extreme Package	5 door wagon	1.5 TSI eHybrid	FWD	✗	✗



Adult Occupant Protection

88%

35.29 out of 40

FRONTAL OFFSET (MPDB)*
5.74 points out of 8

OBLIQUE POLE*
4.89 points out of 6

RESCUE & EXTRICATION
4.00 points out of 4

FULL WIDTH FRONTAL*
7.49 points out of 8

WHIPLASH PROTECTION
3.65 points out of 4

SIDE IMPACT*
5.52 points out of 6

FAR SIDE IMPACT
4.00 points out of 4

* Scaled scores. Total test scored out of 16.00 points.

The passenger compartment remained stable in the **frontal offset (MPDB)** test. MARGINAL protection was seen for the driver's chest, with ADEQUATE for the lower legs of both the driver and front passenger. Protection was GOOD for all other critical body regions for both the driver and front passenger.

The front structure of the Cupra Leon presented a lower risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 1.71 point penalty (out of 8.00 points) was applied.

In the **full width frontal** test, protection of the driver dummy was ADEQUATE for the chest. Protection was MARGINAL for the chest of the rear passenger, with GOOD protection of all other critical body areas for both the driver and rear passenger.

In the **side impact** test, protection was ADEQUATE to the chest and pelvis of the driver, while protection for all other critical body regions of the driver was GOOD.

In the **oblique pole** test, protection was WEAK for the chest of the driver and GOOD for all other critical body regions.

The Cupra Leon is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impact crashes and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as ADEQUATE for both the vehicle-to-vehicle impact scenario and the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors and windows of the Cupra Leon would remain functional for the minimum required time period.

FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
Head / Neck	4.00 pts	4.00 pts
Chest	2.08 pts	4.00 pts
Upper Legs	4.00 pts	4.00 pts
Lower Legs	3.12 pts	3.59 pts
Deductions	Nil	Nil



COMPATIBILITY

Deductions	-1.71 pts
------------	-----------

FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
Head	4.00 pts	4.00 pts
Neck	4.00 pts	4.00 pts
Chest	3.41 pts	2.56 pts
Upper Legs	4.00 pts	4.00 pts
Deductions	Nil	Nil

SIDE IMPACT TEST - 60km/h



	DRIVER
Head	4.00 pts
Chest	2.75 pts
Abdomen	4.00 pts
Pelvis	3.96 pts
Deductions	Nil

OBLIQUE POLE TEST - 32km/h



	DRIVER
Head	4.00 pts
Chest	1.04 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



Adult Occupant Protection

88%

35.29 out of 40

FAR SIDE IMPACT TESTS - 60km/h and 32km/h



SIDE IMPACT (60km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OBLIQUE POLE (32km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OCCUPANT-TO-OCCUPANT	
Head Contact	No penalty

WHIPLASH PROTECTION TESTS



	DRIVER / FRONT PASSENGER	REAR PASSENGER
Rear Impact	2.90 pts	0.75 pts

RESCUE & EXTRICATION



Rescue Sheet	●	No penalty
Door Opening / Extrication	●	No penalty
Multi-Collision Braking	●	1.00 pt
Advanced eCall	✗	2.00 pt default
Vehicle Submergence		
- Door opening	●	0.50 pt
- Window opening	●	0.50 pt

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION ✗ NOT AVAILABLE - N/A



Child Occupant Protection

86%

42.20 out of 49

DYNAMIC TEST (FRONT)
15.39 points out of 16

RESTRAINT INSTALLATION
11.81 points out of 12

DYNAMIC TEST (SIDE)
8.00 points out of 8

ON-BOARD SAFETY FEATURES
7.00 points out of 13

In the **frontal offset** test, protection of the neck of the 10 year dummy was ADEQUATE, while the protection offered to all other critical body regions of both the 6 and 10 year dummies was GOOD.

In the **side impact** test, protection of all critical body areas was GOOD for both child dummies, and maximum points were scored.

The Cupra Leon is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions, though one of the selected booster seats could not be correctly installed in the centre rear seating position.

An indirect child presence detection (CPD) system, which provides an alert when a child may have been left in the rear passenger seats of the vehicle, is fitted as standard. However, the system did not meet ANCAP's requirements and was not rewarded.

FRONTAL OFFSET (MPDB) TEST - 50km/h

SIDE IMPACT TEST - 60km/h



6 YEAR OLD

10 YEAR OLD

10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorages	✗	●	✗	-	-
Top Tether Anchorage	✗	●	●	-	-
Airbag Disabling	✗/●#	-	-	-	-
Child Presence Detection 0.00 pts (out of 4.00pts)	✗	✗	✗	-	-

● FITTED AS STANDARD ✗ NOT AVAILABLE - N/A

Not available on Australian vehicles, standard on New Zealand vehicles.

CHILD RESTRAINT TYPE ^{^*}	FRONT ROW PASSENGER	2nd ROW			3rd ROW		
		L	C	R	L	C	R
BELTED							
Rearward-facing capsule	✗	●	●	●	-	-	-
Rearward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-
Rearward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-
Forward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-
Forward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-
Booster - 4 to 8 years	✗	●	●	●	-	-	-
Booster - 4 to 10 years	✗	●	●	●	-	-	-
ISOFIX							
Rearward-facing capsule	✗	●	-	●	-	-	-
Rearward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
Rearward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-
Forward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
Forward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-

● INSTALL WITHOUT PROBLEM ● INSTALL WITH CARE ● CANNOT BE FITTED SAFELY ✗ INSTALLATION NOT ALLOWED - N/A

GOOD ADEQUATE MARGINAL WEAK POOR NOT TESTED

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childrestraints.com.au. * Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible. ^ The list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



Vulnerable Road User Protection

82%

51.67 out of 63

HEAD PROTECTION (Adult, Child, Cyclist) 11.43 points out of 18	KNEE & TIBIA PROTECTION 9.00 points out of 9	AEB CYCLIST 7.70 points out of 9
PELVIS PROTECTION 4.50 points out of 4.5	AEB PEDESTRIAN (Forward) 6.57 points out of 7	AEB MOTORCYCLE 6.00 points out of 6
FEMUR PROTECTION 4.48 points out of 4.5	AEB PEDESTRIAN (Backover) 0.00 points out of 2	LSS MOTORCYCLE 2.00 points out of 3

In **pedestrian impact** tests, the bonnet and windscreen of the Cupra Leon provided GOOD or ADEQUATE protection to the head of a struck pedestrian over most of its surface, with MARGINAL and POOR results recorded at the stiff windscreen pillars and at the rear and sides of the bonnet.

Protection of the pelvis and lower legs was GOOD at all test locations, while protection of the femurs was GOOD or ADEQUATE.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists.

Testing of this system showed GOOD performance in **AEB Pedestrian** test scenarios including in turning scenarios with collisions avoided or mitigated in most tests. The AEB system does not react to vulnerable road users in reverse, and hence **AEB Backover** tests were not conducted.

GOOD performance was seen in **AEB Cyclist** test scenarios with collisions avoided or mitigated at most test speeds, including turning scenarios. Australian and New Zealand vehicles provide a warning when a bicycle is approaching from behind (**cyclist anti-dooring**), however the system was not standard on the tested vehicle and hence these tests were not conducted.

GOOD performance was seen in the **AEB Motorcyclist** tests, though the emergency lane keeping system fitted to the test vehicle was ADEQUATE. While a more capable system featuring overtaking vehicle detection is standard on Australian and New Zealand vehicles, its performance has not been tested.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

System Name	Front Assist
Type	Autonomous emergency braking with forward collision warning
Operational From	5-85 km/h

	Cyclist traveling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist traveling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)	Cyclist crossing side road, car turning (nearside)	Cyclist crossing side road, car turning (farside)
	DAY	DAY	DAY	DAY	DAY	DAY	DAY
AEB CYCLIST TEST SCENARIOS (forward)							
PERFORMANCE	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD

CYCLIST DOORING

Information (driver door)	-
Warning (driver door)	-
Retention (driver door)	-
Warning or retention (all other doors)	-

● PASS ✗ FAIL - N/A

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Vulnerable Road User Protection

82%

51.67 out of 63

AEB PEDESTRIAN TEST SCENARIOS (reverse)	Child / Adult standing behind reversing vehicle (25% offset)	Adult / Child standing behind reversing vehicle (50% offset)	Child / Adult standing behind reversing vehicle (75% offset)	Adult / Child walking behind reversing vehicle (50% offset)
	DAY	DAY	DAY	DAY
4km/h				
8km/h				
PERFORMANCE	NOT ASSESSED			

AEB PEDESTRIAN TEST SCENARIOS (forward)	Adult walking along road		Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)		Adult crossing side road (farside), car turning		Adult crossing side road (nearside), car turning	
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT
PERFORMANCE	GOOD													

AEB MOTORCYCLE TEST SCENARIOS (forward)	Driving towards a stationary motorcycle			Driving towards a braking motorcycle (25% offset)			Turning across the path of an oncoming motorcycle		
	100% OFFSET	12m HEADWAY	40m HEADWAY	100% OFFSET	12m HEADWAY	40m HEADWAY	TARGET MOTORCYCLE SPEED		
AEB (10-50km/h)							30km/h	45km/h	60km/h
FCW (30-80km/h)									
PERFORMANCE	GOOD						GOOD		

LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

System Name	Advanced Lane Departure Warning
Operational From	65-215 km/h

EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Motorcycle	Oncoming motorcycle	Overtaking motorcycle (EMT at 60km/h)		Overtaking motorcycle (EMT at 80km/h)	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL
PERFORMANCE					
	ADEQUATE				

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Safety Assist

82%

14.89 out of 18

SEAT BELT REMINDERS
1.00 points out of 1

AEB / AES (Car-to-Car)
4.00 points out of 4

LANE SUPPORT SYSTEMS
2.50 points out of 3

DRIVER MONITORING
0.25 points out of 2

AEB / AES (Junction & Crossing)
3.95 points out of 4

SPEED ASSISTANCE SYSTEMS
2.69 points out of 3

AEB / AES (Head-On)
0.50 points out of 1

The Cupra Leon is fitted as standard with a range of safety assist features including autonomous emergency braking (AEB) and a lane support system (LSS) with lane keep assist (LKA), lane departure warning (LDW) and blind spot monitoring (BSM).

Tests of the **AEB (Car-to-Car)** system showed GOOD performance with collisions avoided or mitigated in all test scenarios, including in **AEB Junction** and **AEB Crossing** scenarios where the test vehicle can autonomously brake to avoid crashes when turning across or into the path of an oncoming vehicle. **AEB Head-On** system functionality showed ADEQUATE performance.

Tests of the **lane keep assist** functionality showed some GOOD performance, including in some of the more critical emergency lane keeping test scenarios. A more capable ELK system is fitted as standard on Australian and New Zealand, but was not fitted to the test vehicle and was therefore not assessed.


A speed assistance system (SAS) with speed limit information function (SLIF), intelligent adaptive cruise control (iACC) and intelligent speed limiter (ISL) is standard, informing the driver of the local speed limit and automatically changing the speed accordingly.

A seatbelt reminder system is fitted to all seating positions.

A driver monitoring system (DMS) detecting driver drowsiness (indirect) is fitted as standard.

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

System Name	Front Assist
Type	Autonomous emergency braking with forward collision warning
Operational From	5-250 km/h



■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Safety Assist

82%

14.89 out of 18

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)

		JUNCTION ASSIST Turning across the path of an oncoming vehicle			CROSSING (T-BONE) Crossing the path of another vehicle				
TARGET VEHICLE SPEED		30km/h	45km/h	60km/h	20km/h	30km/h	40km/h	50km/h	60km/h
TEST VEHICLE SPEED	Start from stop	-	-	-	GOOD	GOOD	GOOD	GOOD	GOOD
	10km/h	GOOD	GOOD	GOOD	-	-	-	-	-
	15km/h	GOOD	GOOD	GOOD	-	-	-	-	-
	20km/h	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD
	30km/h	-	-	-	GOOD	GOOD	GOOD	GOOD	GOOD
	40km/h	-	-	-	GOOD	GOOD	GOOD	GOOD	GOOD
	50km/h	-	-	-	GOOD	GOOD	GOOD	GOOD	GOOD
	60km/h	-	-	-	MARGINAL	GOOD	GOOD	GOOD	GOOD
PERFORMANCE		GOOD			GOOD				

		TARGET VEHICLE SPEED		HEAD-ON In the path of oncoming vehicle	
		50km/h	70km/h	50km/h	70km/h
TEST VEHICLE SPEED	Travelling straight	50km/h		GOOD	-
		70km/h		-	GOOD
	Lane change	50km/h		GOOD	-
		70km/h		-	GOOD
PERFORMANCE		ADEQUATE			

LANE SUPPORT SYSTEMS (Car-to-Car)

System Name: Advanced Lane Departure Warning
Operational From: 65-215 km/h

		Dashed line		Solid line	
LANE KEEP ASSIST (LKA) TEST SCENARIOS Car-to-Car					
PERFORMANCE		GOOD			

		Overtaking vehicle (GVT at 72km/h)		Overtaking vehicle (GVT at 80km/h)		Road edge		Solid line	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL	GOOD	GOOD	GOOD	GOOD
EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Car									
PERFORMANCE		GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Safety Assist

82%

14.89 out of 18

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●

DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	×	×
Fatigue	●	×
Unresponsive Driver	-	×

SPEED ASSISTANCE SYSTEMS (SAS)

FEATURE	
Speed Limit Information Function (SLIF)	Camera & map
Manual Speed Limiter	●
Intelligent Adaptive Cruise Control (iACC)	●
Intelligent Speed Limitation (ISL)	●

HUMAN MACHINE INTERFACE (HMI)

FEATURE	
AEB: Supplementary Warning	●
AEB: Restraint activation / dynamic retractors / emergency steering support	●
Lane Departure Warning (LDW)	●
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	[NOT ASSESSED]

SAFETY FEATURES & TECHNOLOGIES

SAFETY FEATURE / TECHNOLOGY*	AUS	NZ
Seat belt pre-tensioners (front seats)	●	●
Seat belt pre-tensioners (rear outboard seats) - 2nd row	●	●
Seat belt pre-tensioners (rear centre seat) - 2nd row	✗	✗
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - dual frontal (driver & front passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	●	●
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	●	●
Airbag - knee (driver)	●	●
Airbag - knee (front passenger)	✗	✗
Airbag - pedestrian (external)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	✗	●
Autonomous emergency braking (AEB) - Car-to-Car	●	●
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	●	●
- AEB Backover	✗	✗
- AEB Cyclist	●	●
- AEB Motorcycle	●	●
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Car)	●	●
- AEB Junction (Pedestrian)	●	●
- AEB Junction (Cyclist)	●	●
- AEB Junction (Motorcycle)	●	●
Autonomous emergency braking (AEB) - Crossing	●	●
Automatic emergency call (eCall)	✗	✗
Blind spot monitor (BSM)	●	●
Child presence detection / alert	●	●
Cyclist dooring detection / alert	●	●
Driver monitoring system - Indirect	●	●
Driver monitoring system - Direct	✗	✗
Forward collision warning (FCW)	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)		
- LKA (Car-to-Car)	●	●
- LKA (Car-to-Motorcycle)	●	●
Secondary / multi-collision brake	●	●
Speed assistance - intelligent adaptive cruise control (iACC)	●	●
Speed assistance - auto / intelligent speed limiter	●	●
Speed assistance - manual speed limiter	●	●
Speed assistance - speed sign recognition & warning	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

● STANDARD ● AVAILABLE ON HIGHER VARIANTS ○ OPTIONAL ✗ NOT AVAILABLE - NOT APPLICABLE

* Correct at time of publication. Subject to change. Check with manufacturer.

TESTED MAKE / MODEL
Cupra Leon LHD

TESTED VEHICLE ENGINE
1.5 eTSI 110 kW

RATING UPDATED
n/a

TESTED BODY TYPE
5 door hatch

RATING PUBLISHED
March 2026