

JAC T9



APPLIES TO
All variants

BUILT FROM
January 2024

RATING CRITERIA
2023-2025

VEHICLE TYPE
Utility

ON SALE FROM
AU: August 2024
NZ: November 2024

RATING EXPIRES
December 2031

ENGINE / MOTOR TYPES
Diesel + Plug-in Hybrid

MODEL SERIES
N/A

AIRBAGS
Dual frontal, side chest,
side head, centre



ANCAP
SAFETY

TESTED
2024



The JAC T9 was introduced in Australia in August 2024 and New Zealand in November 2024.

In order to confirm integrity of the battery and safety of high voltage electrical systems in PHEV variants, additional frontal offset (MPDB) and oblique pole tests were conducted. With these additional tests, this ANCAP safety rating applies to all plug-in hybrid and 2.0L diesel variants of the JAC T9.

Dual frontal, side chest-protecting and side head-protecting airbags are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction Assist, Crossing, Backover and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) with emergency lane keeping (ELK), and an advanced speed assistance system (SAS) are standard.

SAFETY NOTE

Installation of child restraints in the centre seating position of the second row is not recommended as there is no top tether anchorage.

ASSESSMENT SCORES



Adult Occupant Protection

85%

34.29 out of 40



Child Occupant Protection

87%

43.00 out of 49



Vulnerable Road User Protection

87%

54.93 out of 63



Safety Assist

89%

16.15 out of 18

RATING APPLICABILITY*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
JAC T9 Haven ◆	Dual Cab Utility	2.0L diesel	4WD	✓	-
JAC T9 Oasis	Dual Cab Utility / Cab Chassis [^]	2.0L diesel	4WD	✓	-
JAC T9 Osprey	Dual Cab Utility	2.0L diesel	4WD	✓	-
JAC T9 Osprey X	Dual Cab Utility	2.0L diesel	4WD	✓	-
JAC T9 Tradepro	Dual Cab Cab Chassis [^]	2.0L diesel	4WD	✓	✓
JAC T9 Luxury	Dual Cab Utility	2.0L diesel	4WD	-	✓
JAC T9 Advance	Dual Cab Utility	2.0L diesel	4WD	-	✓
JAC T9 Lux	Dual Cab Utility	2.0L diesel	4WD	-	✓
JAC T9 Lux Black Edition	Dual Cab Utility	2.0L diesel	4WD	-	✓
JAC T9 CC	Dual Cab Cab Chassis [^]	2.0L diesel	4WD	-	✓
JAC T9 Plug-in Hybrid	Dual Cab Utility	2.0L petrol PHEV	4WD	-	✓

[^] With body, tray or equipment fitted in accordance with manufacturer's cab chassis modification manual.

* Correct at time of publication. Subject to change. Check with manufacturer.



Adult Occupant Protection

85%

34.29 out of 40

FRONTAL OFFSET (MPDB)*
4.30 points out of 8

OBLIQUE POLE*
5.73 points out of 6

RESCUE & EXTRICATION
3.00 points out of 4

FULL WIDTH FRONTAL*
7.27 points out of 8

WHIPLASH PROTECTION
4.00 points out of 4

SIDE IMPACT*
6.00 points out of 6

FAR SIDE IMPACT
4.00 points out of 4

* Scaled scores. Total test scored out of 16.00 points.

The passenger compartment of the JAC T9 remained stable in the **frontal offset (MPDB)** test. ADEQUATE protection was seen for the chest and lower legs of the driver and lower legs of the front passenger. Protection was GOOD for all other critical body regions for both the driver and front passenger.

The front structure of the JAC T9 presented a higher risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 6.22 point penalty (out of 8.00 points) was applied.

In the **full width frontal** test, protection of the driver dummy was GOOD for all critical body areas and full points were scored. Protection of the rear passenger was ADEQUATE for the neck and MARGINAL for the chest. Protection offered to other body regions was GOOD.


In the **side impact** test, protection offered to all critical body regions of the driver was GOOD and maximum points were scored in this test.

In the more severe **oblique pole** test, protection was ADEQUATE for the chest of the driver and GOOD for all other critical body regions.

The JAC T9 is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as GOOD for the vehicle-to-vehicle impact scenario and ADEQUATE for the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available. A multi-collision braking system is fitted, but did not meet ANCAP's requirements and was therefore not rewarded. It was demonstrated that, if the car entered water, the doors of the JAC T9 would remain functional for the minimum required time period, and an escape hammer is provided to allow egress via the windows.

FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
Head / Neck	4.00 pts	4.00 pts
Chest	2.96 pts	4.00 pts
Upper Legs	4.00 pts	4.00 pts
Lower Legs	3.87 pts	3.97 pts
Deductions	Nil	Nil



COMPATIBILITY	
Deductions	-6.22 pts

FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
Head	4.00 pts	4.00 pts
Neck	4.00 pts	3.16 pts
Chest	4.00 pts	1.90 pts
Upper Legs	4.00 pts	4.00 pts
Deductions	Nil	Nil

SIDE IMPACT TEST - 60km/h



	DRIVER
Head	4.00 pts
Chest	4.00 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil

OBLIQUE POLE TEST - 32km/h



	DRIVER
Head	4.00 pts
Chest	3.26 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



Adult Occupant Protection

85%

34.29 out of 40

FAR SIDE IMPACT TESTS - 60km/h and 32km/h



SIDE IMPACT (60km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OBLIQUE POLE (32km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OCCUPANT-TO-OCCUPANT	
Head Contact	No penalty

WHIPLASH PROTECTION TESTS



	DRIVER / FRONT PASSENGER	REAR PASSENGER
Rear Impact	3.00 pts	1.00 pts

RESCUE & EXTRICATION



Rescue Sheet	●	No penalty
Door Opening / Extrication	●	No penalty
Multi-Collision Braking	●	0.00 pt
Advanced eCall	✗	2.00 pt default
Vehicle Submergence		
- Door opening	●	0.50 pt
- Window opening	●	0.50 pt

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION ✗ NOT AVAILABLE - N/A



Child Occupant Protection

87%

43.00 out of 49

DYNAMIC TEST (FRONT)
16.00 points out of 16

RESTRAINT INSTALLATION
12.00 points out of 12

DYNAMIC TEST (SIDE)
8.00 points out of 8

ON-BOARD SAFETY FEATURES
7.00 points out of 13

In the **frontal offset** and **side impact** tests, protection of the 10 year and 6 year dummies was GOOD and maximum points were scored in these tests.

The JAC T9 dual cab is fitted with lower ISOFix anchorages and top tether anchorages on the rear outboard seats.

Installation of typical child restraints available in Australia and New Zealand showed that all of the selected child restraints could be accommodated in each of the rear outboard seating positions in the dual cab and full points were scored for this assessment.

Installation of child restraints in the rear centre seating position of the dual cab is not recommended as there is no top tether anchorage.

A child presence detection (CPD) system is not available.

FRONTAL OFFSET (MPDB) TEST - 50km/h

SIDE IMPACT TEST - 60km/h



6 YEAR OLD

10 YEAR OLD



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES

	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorages	✗	●	✗	-	-
Top Tether Anchorage	✗	●	✗	-	-
Airbag Disabling	✗	-	-	-	-
Child Presence Detection 0.00 pts (out of 4.00pts)	✗	✗	✗	-	-

● FITTED AS STANDARD ✗ NOT AVAILABLE - N/A

CHILD RESTRAINT TYPE ^{^*}	FRONT ROW PASSENGER	2nd ROW			3rd ROW		
		L	C	R	L	C	R
BELTED							
Rearward-facing capsule	✗	●	✗	●	-	-	-
Rearward-facing with harness - convertible (Model A)	✗	●	✗	●	-	-	-
Rearward-facing with harness - convertible (Model B)	✗	●	✗	●	-	-	-
Forward-facing with harness - convertible (Model A)	✗	●	✗	●	-	-	-
Forward-facing with harness - convertible (Model B)	✗	●	✗	●	-	-	-
Booster - 4 to 8 years	✗	●	✗	●	-	-	-
Booster - 4 to 10 years	✗	●	✗	●	-	-	-
ISOFIX							
Rearward-facing capsule	✗	●	-	●	-	-	-
Rearward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
Rearward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-
Forward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
Forward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-

● INSTALL WITHOUT PROBLEM ● INSTALL WITH CARE ● CANNOT BE FITTED SAFELY ✗ INSTALLATION NOT ALLOWED - N/A

GOOD ADEQUATE MARGINAL WEAK POOR NOT TESTED

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childrestraints.com.au. * Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible. ^ The list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



Vulnerable Road User Protection

87%

54.93 out of 63

HEAD PROTECTION (Adult, Child, Cyclist) 10.66 points out of 18	KNEE & TIBIA PROTECTION 9.00 points out of 9	AEB CYCLIST 8.57 points out of 9
PELVIS PROTECTION 4.37 points out of 4.5	AEB PEDESTRIAN (Forward) 6.83 points out of 7	AEB MOTORCYCLE 6.00 points out of 6
FEMUR PROTECTION 4.50 points out of 4.5	AEB PEDESTRIAN (Backover) 2.00 points out of 2	LSS MOTORCYCLE 3.00 points out of 3


The bonnet of the JAC T9 provided GOOD or ADEQUATE protection to the head of a struck pedestrian over much of its surface, with WEAK and POOR results recorded at the base of the windscreen, on the stiff windscreen pillars and front edge of the bonnet surface. Protection of the pelvis was mostly GOOD, while protection of the femurs and lower legs was GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcycles. Testing of this system showed GOOD performance in **AEB Pedestrian** test scenarios, including in reverse (**AEB Backover**) and turning (**AEB Crossing**) scenarios, with collisions avoided or mitigated in almost all tests.

GOOD performance was seen in **AEB Cyclist** test scenarios with collisions avoided or mitigated at all test speeds including in the turning scenarios. The vehicle provides information and an audible warning when a bicycle is approaching from behind (cyclist anti-dooring). Door retention is not available.

GOOD performance was also seen in the **AEB and LSS motorcycle tests**, including in the turning and in overtaking scenarios, with maximum points scored for these tests.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

System Name	J-AEB
Type	Autonomous emergency braking with forward collision warning
Operational From	5-155km/h

	Cyclist traveling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist traveling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)	Cyclist crossing side road, car turning (nearside)	Cyclist crossing side road, car turning (farside)
	DAY	DAY	DAY	DAY	DAY	DAY	DAY
AEB CYCLIST TEST SCENARIOS (forward)							
PERFORMANCE	GOOD						

CYCLIST DOORING

Information (driver door)	●
Warning (driver door)	●
Retention (driver door)	✗
Warning or retention (all other doors)	●

● PASS ✗ FAIL - N/A





Vulnerable Road User Protection

87%

54.93 out of 63

AEB PEDESTRIAN TEST SCENARIOS (reverse)	Child / Adult standing behind reversing vehicle (25% offset)	Adult / Child standing behind reversing vehicle (50% offset)	Child / Adult standing behind reversing vehicle (75% offset)	Adult / Child walking behind reversing vehicle (50% offset)
	DAY	DAY	DAY	DAY
4km/h	GOOD	GOOD	GOOD	GOOD
8km/h	GOOD	GOOD	GOOD	GOOD
PERFORMANCE	GOOD			

AEB PEDESTRIAN TEST SCENARIOS (forward)	Adult walking along road		Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)		Adult crossing side road (farside), car turning		Adult crossing side road (nearside), car turning	
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT
PERFORMANCE	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD

AEB MOTORCYCLE TEST SCENARIOS (forward)	Driving towards a stationary motorcycle			Driving towards a braking motorcycle (25% offset)			Turning across the path of an oncoming motorcycle			
	100% OFFSET	12m HEADWAY	40m HEADWAY	100% OFFSET	12m HEADWAY	40m HEADWAY	TARGET MOTORCYCLE SPEED			
AEB (10-50km/h)	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	10km/h	GOOD	GOOD	GOOD
FCW (30-80km/h)	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	15km/h	GOOD	GOOD	GOOD
PERFORMANCE	GOOD						GOOD			

LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

System Name	J-LKA
Operational From	48-130 km/h

EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Motorcycle	Oncoming motorcycle	Overtaking motorcycle (GVT at 72km/h)		Overtaking motorcycle (GVT at 80km/h)	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL
PERFORMANCE	GOOD	GOOD	GOOD	GOOD	GOOD

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Safety Assist

89%

16.15 out of 18

SEAT BELT REMINDERS
1.00 points out of 1

AEB / AES (Car-to-Car)
3.68 points out of 4

LANE SUPPORT SYSTEMS
3.00 points out of 3

DRIVER MONITORING
1.59 points out of 2

AEB / AES (Junction & Crossing)
3.56 points out of 4

SPEED ASSISTANCE SYSTEMS
2.33 points out of 3

AEB / AES (Head-On)
1.00 points out of 1

The JAC T9 is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the **AEB (Car-to-Car)** system showed GOOD performance with collisions avoided or mitigated in all test scenarios, including in many of the **AEB Junction** and **AEB Crossing** scenarios where the vehicle can autonomously brake to avoid crashes when turning across or into the path of an oncoming vehicle. The **AEB Head-On** system is capable of mitigating frontal crashes in the specified test scenarios, with an overall level of GOOD performance shown.


Tests of LSS functionality showed GOOD performance, including in the more critical emergency lane keeping test scenarios.

A speed assistance system (SAS) with speed limit information function (SLIF) and intelligent adaptive cruise control (iACC) is standard, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all seating positions. A direct driver monitoring system (DMS) that can detect driver drowsiness and distraction is fitted as standard. The system provides a warning to the driver and can adjust vehicle sensitivity (lane departure warning and forward collision warning) accordingly.

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

System Name	J-AEB
Type	Autonomous emergency braking with forward collision warning
Operational From	5-155 km/h





Safety Assist

89%

16.15 out of 18

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)

		JUNCTION ASSIST Turning across the path of an oncoming vehicle			CROSSING (T-BONE) Crossing the path of another vehicle				
TARGET VEHICLE SPEED		30km/h	45km/h	60km/h	20km/h	30km/h	40km/h	50km/h	60km/h
TEST VEHICLE SPEED	Start from stop								
	10km/h	GOOD			POOR				
	15km/h	GOOD			POOR				
	20km/h	GOOD			POOR				
	30km/h	-	-	-	GOOD		POOR		POOR
	40km/h	-	-	-	GOOD		GOOD		POOR
	50km/h	-	-	-	GOOD		GOOD		GOOD
	60km/h	-	-	-	GOOD		GOOD		GOOD
PERFORMANCE		GOOD			GOOD				

		TARGET VEHICLE SPEED		HEAD-ON In the path of oncoming vehicle	
		50km/h	70km/h	50km/h	70km/h
TEST VEHICLE SPEED	Travelling straight	50km/h		GOOD	-
		70km/h		-	GOOD
	Lane change	50km/h		GOOD	-
		70km/h		-	GOOD
PERFORMANCE				GOOD	

LANE SUPPORT SYSTEMS (Car-to-Car)

System Name	J-LKA
Operational From	48-130 km/h

		Dashed line		Solid line		
LANE KEEP ASSIST (LKA) TEST SCENARIOS Car-to-Car						
	PERFORMANCE		GOOD			

		Overtaking vehicle (GVT at 72km/h)		Overtaking vehicle (GVT at 80km/h)		Road edge		Solid line	
EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Car		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL				
PERFORMANCE									
		GOOD							

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Safety Assist

89%

16.15 out of 18

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●

DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	●	●
Fatigue	●	●
Unresponsive Driver	-	✗

SPEED ASSISTANCE SYSTEMS (SAS)

FEATURE	
Speed Limit Information Function (SLIF)	Camera based
Manual Speed Limiter	✗
Intelligent Adaptive Cruise Control (iACC)	●
Intelligent Speed Limitation (ISL)	✗

HUMAN MACHINE INTERFACE (HMI)

FEATURE	
AEB: Supplementary Warning	●
AEB: Restraint activation / dynamic retractors	✗
Lane Departure Warning (LDW)	●
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	●

SAFETY FEATURES & TECHNOLOGIES

SAFETY FEATURE / TECHNOLOGY*	AUS	NZ
Seat belt pre-tensioners (front seats)	●	●
Seat belt pre-tensioners (rear outboard seats) - 2nd row	●	●
Seat belt pre-tensioners (rear centre seat) - 2nd row	✗	✗
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - dual frontal (driver & front passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	✗	✗
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	●	●
Airbag - knee (driver)	✗	✗
Airbag - knee (front passenger)	✗	✗
Airbag - pedestrian (external)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	●	●
Autonomous emergency braking (AEB) - Car-to-Car	●	●
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	●	●
- AEB Backover	●	●
- AEB Cyclist	●	●
- AEB Motorcycle	●	●
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Pedestrian)	●	●
- AEB Junction (Cyclist)	●	●
- AEB Junction (Motorcycle)	●	●
Autonomous emergency braking (AEB) - Crossing	●	●
Automatic emergency call (eCall)	✗	✗
Blind spot monitor (BSM)	●	●
Child presence detection / alert	✗	✗
Cyclist dooring detection / alert	●	●
Driver monitoring system - Indirect	✗	✗
Driver monitoring system - Direct	●	●
Forward collision warning (FCW)	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)		
- LKA (Car-to-Car)	●	●
- LKA (Car-to-Motorcycle)	●	●
Secondary / multi-collision brake	●	●
Speed assistance - intelligent adaptive cruise control (iACC)	●	●
Speed assistance - auto / intelligent speed limiter	✗	✗
Speed assistance - manual speed limiter	✗	✗
Speed assistance - speed sign recognition & warning	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

● STANDARD ● AVAILABLE ON HIGHER VARIANTS ● OPTIONAL ✗ NOT AVAILABLE - NOT APPLICABLE

* Correct at time of publication. Subject to change. Check with manufacturer.

TESTED MAKE / MODEL

JAC T9 Haven RHD
JAC Hunter X RHD

TESTED VEHICLE ENGINE

2.0 litre diesel
2.0 litre PHEV

RATING UPDATED

April 2026

TESTED BODY TYPE

Dual Cab Utility

RATING PUBLISHED

August 2024