




Opel Astra-L 5dr Hatchback (2021 →)



	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit	
			Gas strut/ Preloaded spring		High strength zone		Zone requiring special attention	
	Battery low voltage				Fuel tank			
					Fuel tank content gasoline/ethanol		Fuel tank content Diesel	

1. Identification / Recognition

Brand



Model name



2. Immobilization / Stabilization / Lifting

Immobilize vehicle:

1. Block wheels, apply brake and move gear selector to (P) park mode (AT-version)
2. Set parking brake by pulling the parking brake switch (P)



Lifting points:

 Appropriate lifting points





3. Disable direct hazards / Safety regulations

1. Switch the ignition key to the 'OFF' position and remove it or push the Start/Stop button once. Then, remove the electronic key and keep at least 16 ft. (5 m) away from the vehicle



2. Disconnect 12 Volt battery



4. Access to the occupants


Seat adjustment

















Steering column adjustment



Glass types:
A. Laminated glass.
B. Tempered glass.



5. Stored energy / Liquids / Gases / Solids

	12V	 
	R-1234yf 395-445 g	   
	52L	 
	52L	 

8. Towing / transportation / storage

Location front hook



Location rear hook




Towing














9. Important additional information

Location of trunk release touchpad



10. Explanation of pictograms used

	Remove smart key		Flammable
	Air-conditioning component		Hazardous to the human health
	Caution		Explosive
	Warning; low temperature		Corrosives
	Vehicle on fuel of liquid group 1		Bonnet
	Vehicle on fuel of liquid group 2		