

ANCAP Safety Rating

LAND ROVER

RANGE ROVER VELAR (September 2017 - onwards)



Land Rover Range Rover Velar

This ANCAP safety rating applies to:

Make / Model	Land Rover Range Rover Velar
Year Range	September 2017 - onwards
Variant(s)*	All variants
Vehicle Type	Medium SUV

The tested model of Land Rover Range Rover Velar was introduced in Australia and New Zealand in September 2017. This ANCAP safety rating applies to all variants.

Dual frontal, side chest-protecting and side head-protecting (curtain) airbags are standard. Autonomous emergency braking (AEB) and a lane departure warning system are standard. A full list of safety features and technologies can be viewed within the *Safety Features & Technologies* table on page 2 of this report.

Injury Outcomes.

Full Width Frontal

Driver Rear Passenger Frontal Offset Front Passenger



Side Impact

Driver



Pole

Driver



Whiplash Protection

Rear Front



Test Results Summary.

Airbags	Dual Frontal, Side, Head
Adult Occupant Protection	93% (35.47 out of 38)
- Full Width Frontal Test [#]	7.20 (out of 8)
- Frontal Offset Test [#]	7.40 (out of 8)
- Side Impact Test [#]	8.00 (out of 8)
- Pole Test [#]	8.00 (out of 8)
- Whiplash Protection Test	1.92 (out of 3)
- AEB (City)	2.95 (out of 3)
Child Occupant Protection	85% (41.85 out of 49)
Safety Assist	72% (8.75 out of 12)
- Speed Assistance System	1.25 (out of 3)
- Seat Belt Reminders	3.00 (out of 3)
- Lane Support System	2.00 (out of 3)
- AEB (Interurban)	2.50 (out of 3)
Pedestrian Protection	74% (31.29 out of 42)
ANCAP Safety Rating	★★★★★
Rating Year[^]	2017

[#] Scaled scores. Total test score out of 16.00 points.

Adult Occupant Protection.

Full Width Frontal Test

Each body region is scored out of 4 points

Driver	Rear Passenger
Head: 4.00 points	Head: 4.00 points
Neck: 4.00 points	Neck: 3.67 points
Chest: 3.15 points	Chest: 1.97 points
Upper legs: 4.00 points	Upper legs: 4.00 points

In the full width frontal test, protection of the chest of the rear passenger was rated marginal. The neck of the rear passenger and chest of the driver was rated acceptable. All other critical body regions were rated good.

Frontal Offset Test

Each body region is scored out of 4 points

Driver / Front Passenger (lesser of each)
Head / neck: 4.00 points
Chest: 3.34 points
Upper legs: 4.00 points
Lower legs: 3.47 points

The passenger compartment of the Velar remained stable in the frontal offset test. Protection of the passenger dummy was good for all critical body areas. Protection of the driver's chest and lower leg was rated as acceptable. All doors remained closed during the test.

Side Impact Test

Pole Test

Each body region is scored out of 4 points

Side Impact Test	Pole Test
Head: 4.00 points	Head: 4.00 points
Chest: 4.00 points	Chest: 4.00 points
Abdomen: 4.00 points	Abdomen: 4.00 points
Pelvis: 4.00 points	Pelvis: 4.00 points

In both the side impact and the more severe pole test, protection of all critical body regions was rated good and the Velar scored maximum points.

Whiplash Protection

Front / Rear:	1.55 points
Rear:	0.38 points
AEB (City):	2.95 points

ANCAP Safety Rating

LAND ROVER

RANGE ROVER VELAR (September 2017 - onwards)



ANCAP

Safety ★★★★★



Child Occupant Protection.

Crash Test Performance

6 year old child:	11.89 points
10 year old child:	10.96 points

In the frontal offset test, protection of the 6 year and 10 year dummies was good or adequate, except for the neck of the 10 year dummy, protection of which was rated as marginal. In the side impact test, protection was good for all critical body areas of both dummies.

Child Safety Features & Child Seat Installation

Safety features:	7.00 points
Installation check:	12.00 points

NOTE: The child restraints tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. For more detailed information about Australian child restraints visit childcarseats.com.au.


Pedestrian Protection.

Pedestrian Test

Scored out of 42 points

Adult & child head impacts:	16.22 points
Upper leg impacts:	3.07 points
Lower leg impacts:	6.00 points
AEB (VRU):	6.00 points

This vehicle scored 31.29 out of 42 points. Protection provided to the head of a struck pedestrian was predominantly good or adequate over most of the bonnet surface, with some weak and poor results recorded on the stiff windscreen pillars. The bumper provided good protection to pedestrians' legs while protection of the pelvic areas was more mixed, with good and poor results recorded. The autonomous emergency braking (AEB) system can detect pedestrians and performed well in testing. (Tested by Euro NCAP v8.3)



Score Deductions.

Deductions from full width frontal test scores

Head:	No deductions
Neck:	No deductions
Chest:	No deductions
Upper legs:	No deductions
Overall:	No deductions

Deductions from frontal offset test scores

Head / neck:	No deductions
Chest:	No deductions
Upper legs:	No deductions
Lower legs:	No deductions
Overall:	No deductions

Deductions from side impact test score

Overall:	No deductions
----------	---------------

Deductions from pole test score

Overall:	No deductions
----------	---------------

Safety Features & Technologies.

Descriptions of each of these safety features and safety assist technologies (SAT) and detail on fitting requirements for each star rating level can be found at ancap.com.au.

Safety Feature / Safety Assist Technology	Availability
Seat belts (three-point, lap/sash) for all forward-facing seats	S
Seat belt pretensioners (front)	S
Seat belt pretensioners (rear outboard)	S
Intelligent seat belt reminder (driver)	S
Intelligent seat belt reminder (front passenger)	S
Intelligent seat belt reminder (2 nd row seats)	S
Intelligent seat belt reminder (3 rd row seats)	N/A
Airbag - Frontal (driver)	S
Airbag - Frontal (passenger)	S
Airbag - Side, chest protection (front seats)	S
Airbag - Side, chest protection (2 nd row seats)	X
Airbag - Side, head protection (front seats)	S
Airbag - Side, head protection (2 nd row seats)	S
Airbag - Side, head protection (3 rd row seats)	N/A
Airbag - Knee (driver)	X
Airbag - Knee (front passenger)	X
Head restraints for all seats	S
Adaptive cruise control (ACC)	V
Antilock braking system (ABS)	S
Autonomous emergency braking (AEB)	
- City	S
- Interurban	S
- Vulnerable road user	S
Automatic headlights	S
Automatic high beam	V
Blind spot monitoring (BSM)	V
Electronic brakeforce distribution (EBD)	S
Electronic stability control (ESC)	S
Emergency brake assist (EBA)	S
Lane departure warning (LDW)	S
Lane keep assist (LKA)	V
Daytime running lights (DRL)	S
Hill launch assist	S
Reversing collision avoidance	S
Speed assistance - automatic / intelligent speed limiting (ISA)	X
Speed assistance - manual speed limiting	S
Speed assistance - speed sign recognition & warning	X
Tyre pressure monitoring system (TPMS)	S

S = Standard on all variants.

O = Optional on base variant. May be standard on higher variants.

V = Not available on base variant but standard or optional on higher variants.

X = Not available on any variant.

E = Available in Europe but not available on any Australasian variant.

These specifications are subject to change. Please check with the manufacturer for the latest specifications.

Safety Assist.

Speed Assistance System (SAS)

Scored 1.25 out of 3 points

Speed information:	0.00
Speed assistance (manual):	1.25
Speed assistance (automatic / intelligent):	0.00

AEB (Interurban)

Scored 2.50 out of 3 points

Autonomous emergency braking (AEB):	1.33 out of 1.5
Forward collision warning (FCW):	0.92 out of 1.0
Human machine interface (HMI):	0.25 out of 0.5

Seat Belt Reminder (SBR)

Scored 3.00 out of 3 points

Driver and passenger:	2.00 out of 2.00
Rear:	1.00 out of 1.00

Lane Support Systems (LSS)

Scored 2.00 out of 3 points

Type: Lane Departure Warning

An intelligent seat belt reminder system is fitted to front and rear seating positions of the Velar. The standard-fit autonomous emergency braking (AEB) system is capable of operating at highway speeds and performed well in testing. A lane departure warning system and a manual speed limiter are also standard.

Approaching a stationary vehicle:

13.81 out of 18.00 points for Forward Collision Warning (FCW)



Approaching a slow moving vehicle:

10.62 out of 11.00 points for Autonomous Emergency Braking (AEB)



Approaching a braking vehicle with short headway:

1.56 out of 2.00 points for AEB, 2.00 out of 2.00 points for FCW



Approaching a braking vehicle with long headway:

1.65 out of 2.00 points for AEB, 2.00 out of 2.00 points for FCW



ANCAP Safety Rating

LAND ROVER

RANGE ROVER VELAR (September 2017 - onwards)



ANCAP

Safety ★★★★★



Injury Values & Measurements.

Body Region	Frontal offset test at 64km/h (v7.1)		Full width frontal test at 50km/h (v1.0)		Side impact test at 50km/h (v7.1)	Oblique pole test at 32km/h (v7.0)
	Driver	Front Passenger	Driver	Rear Passenger	Driver	Driver
Head						
HIC	304	179	283	407	24	229
Acceleration (g for 3ms)	54.80	44.50	53.32	64.02	19.80	49.09
Neck						
Shear (kN)	0.71	0.52	0.30	1.02	-	-
Tension (kN)	1.03	0.59	1.29	2.00	-	-
Extension (Nm)	7.10	14.20	8.79	10.20	-	-
Chest						
Acceleration (g for 3ms)	-	-	-	-	-	-
Compression (mm)	25.32	19.22	23.11	30.21	6.96	22.93
Viscous criterion (m/s)	0.07	0.06	0.11	0.15	0.03	0.19
Abdomen						
Compression (mm)	-	-	-	-	5.76	23.30
Pelvis						
Force (kN)	-	-	-	-	0.62	-
Upper legs						
Femur force left (kN)	0.93	0.79	1.35	0.21	-	-
Femur force right (kN)	0.01	0.71	0.00	0.00	-	-
Knee displacement left (mm)	0.09	3.91	5.38	0.32	-	-
Knee displacement right (mm)	0.04	3.82	0.63	0.40	-	-
Lower legs						
Force left (kN)	1.86	1.42	-	-	-	-
Force right (kN)	1.52	1.56	-	-	-	-
Index (upper / lower) left	0.52 / 0.28	0.23 / 0.15	-	-	-	-
Index (upper / lower) right	0.28 / 0.23	0.24 / 0.30	-	-	-	-
Intrusion Measurements						
Steering column						
Forward (mm)	-8	-	-	-	-	-
Upward (mm)	-7	-	-	-	-	-
Sideways (mm)	10	-	-	-	-	-
Pedals						
Clutch - rearward (mm)	-15	-	-	-	-	-
Clutch - upward (mm)	-32	-	-	-	-	-
A-Pillar						
Rearward (mm)	6	-	-	-	-	-

* **Model Variants:** ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on extending a rating to additional variants of a model. For further information about the application of ANCAP safety ratings to model variants, see the ANCAP Variant Policy.

^ **Rating Year:** The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and may be based on the year in which a new vehicle model is first launched into the Australian and/or New Zealand markets; the year in which the vehicle was tested (if tested by Euro NCAP); or, for vehicles which hold an existing ANCAP safety rating, the year in which the rating was updated (or earlier applicable year).

Assessment Details.

Tested Make / Model	Land Rover Range Rover Velar
Tested Vehicle(s) Built	2017
Tested Body Type	5 door wagon
Tested Vehicle Kerb Weight	1928 kg
Tested Vehicle Engine	2.0 litre diesel
Tested By	Euro NCAP
Assessed By	Euro NCAP
Document Reference	VELAR17
Document Created / Revised	4 October 2017
Rating Published	October 2017
Rating Updated	N/A



Oblique pole test at 32km/h