

# BYD SEAL 6



**APPLIES TO**  
All variants

**BUILT FROM**  
April 2026

**RATING CRITERIA**  
2023-2025

**VEHICLE TYPE**  
Large Car

**ON SALE FROM**  
May 2026

**RATING EXPIRES**  
December 2031

**ENGINE / MOTOR TYPES**  
Plug-in Hybrid

**MODEL SERIES**  
n/a

**AIRBAGS**  
Dual frontal, side chest,  
side head, centre



**ANCAP**  
SAFETY

TESTED  
2025



The BYD SEAL 6 was introduced in Australia and New Zealand in May 2026. This ANCAP safety rating applies to all variants.

Dual frontal, side chest-protecting and side head-protecting airbags are standard. A centre airbag, which provides added protection to front seat occupants in side impact crashes, is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing, Backover and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and a speed assistance system (SAS) with speed sign recognition, are standard.

## ASSESSMENT SCORES



**Adult Occupant Protection**

**92%**

36.90 out of 40



**Child Occupant Protection**

**90%**

44.31 out of 49



**Vulnerable Road User Protection**

**84%**

53.05 out of 63



**Safety Assist**

**84%**

15.22 out of 18

## RATING APPLICABILITY\*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
BYD SEAL 6	4 door sedan	1.5L PHEV	FWD	✓	✓
BYD SEAL 6 Touring	5 door wagon	1.5L PHEV	FWD	✓	✓

\* Correct at time of publication. Subject to change. Check with manufacturer.



Adult Occupant Protection

92%

36.90 out of 40

**FRONTAL OFFSET (MPDB)\***  
5.90 points out of 8

**OBLIQUE POLE\***  
6.00 points out of 6

**RESCUE & EXTRICATION**  
3.00 points out of 4

**FULL WIDTH FRONTAL\***  
8.00 points out of 8

**WHIPLASH PROTECTION**  
4.00 points out of 4

**SIDE IMPACT\***  
6.00 points out of 6

**FAR SIDE IMPACT**  
4.00 points out of 4

\* Scaled scores. Total test scored out of 16.00 points.

The passenger compartment remained stable in the **frontal offset (MPDB)** test. Protection of the driver chest and lower legs was ADEQUATE, with GOOD protection offered to all other body regions. GOOD protection was offered to all critical body regions of the passenger.

The front structure of the BYD SEAL 6 presented a moderate risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 2.08 point penalty (out of 8.00 points) was applied.


In the **full width frontal** test, protection was GOOD for all critical body regions for both the driver and rear passenger and maximum points were scored.

In the **side impact** and **oblique pole** tests, protection offered to all critical body regions of the driver was GOOD and the BYD SEAL 6 scored maximum points in these tests.

The BYD SEAL 6 is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as GOOD for the vehicle-to-vehicle impact scenario, and ADEQUATE in the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors and windows of the BYD Seal 6 would remain functional for the minimum required time period.

FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
<b>Head / Neck</b>	4.00 pts	4.00 pts
<b>Chest</b>	2.75 pts	4.00 pts
<b>Upper Legs</b>	4.00 pts	4.00 pts
<b>Lower Legs</b>	3.14 pts	4.00 pts
<b>Deductions</b>	Nil	Nil



**COMPATIBILITY**

<b>Deductions</b>	-2.08 pts
-------------------	-----------

FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
<b>Head</b>	4.00 pts	4.00 pts
<b>Neck</b>	4.00 pts	4.00 pts
<b>Chest</b>	4.00 pts	4.00 pts
<b>Upper Legs</b>	4.00 pts	4.00 pts
<b>Deductions</b>	Nil	Nil

SIDE IMPACT TEST - 60km/h



	DRIVER
<b>Head</b>	4.00 pts
<b>Chest</b>	4.00 pts
<b>Abdomen</b>	4.00 pts
<b>Pelvis</b>	4.00 pts
<b>Deductions</b>	Nil

OBLIQUE POLE TEST - 32km/h



	DRIVER
<b>Head</b>	4.00 pts
<b>Chest</b>	4.00 pts
<b>Abdomen</b>	4.00 pts
<b>Pelvis</b>	4.00 pts
<b>Deductions</b>	Nil



Adult Occupant Protection

92%

36.90 out of 40


FAR SIDE IMPACT TESTS - 60km/h and 32km/h



SIDE IMPACT (60km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OBLIQUE POLE (32km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OCCUPANT-TO-OCCUPANT	
Head Contact	No penalty

WHIPLASH PROTECTION TESTS



	DRIVER / FRONT PASSENGER	REAR PASSENGER
Rear Impact	3.00 pts	1.00 pts

RESCUE & EXTRICATION



Rescue Sheet	●	No penalty
Door Opening / Extrication	●	No penalty
Multi-Collision Braking	●	1.00 pt
Advanced eCall	✗	1.00 pt default
Vehicle Submergence		
- Door opening	●	0.50 pt
- Window opening	●	0.50 pt

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION ✗ NOT AVAILABLE - N/A



Child Occupant Protection

90%

44.31 out of 49

DYNAMIC TEST (FRONT)  
16.00 points out of 16

RESTRAINT INSTALLATION  
11.81 points out of 12

DYNAMIC TEST (SIDE)  
8.00 points out of 8

ON-BOARD SAFETY FEATURES  
8.50 points out of 13

In both the **frontal offset** and **side impact** tests, protection was GOOD for all critical body areas for both the 6 year and 10 year child dummies and maximum points were awarded.

The BYD SEAL 6 is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions, though one of the selected booster seats could not be correctly installed in the centre rear position.

A direct child presence detection (CPD) system, which provides an alert when a child may have been left in the vehicle, is fitted to all rear passenger seats as standard. The system can detect a child's presence in the vehicle and alert the vehicle user or third-party services.

FRONTAL OFFSET (MPDB) TEST - 50km/h

SIDE IMPACT TEST - 60km/h



6 YEAR OLD

10 YEAR OLD

10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorages	✗	●	✗	-	-
Top Tether Anchorage	✗	●	●	-	-
Airbag Disabling	✗	-	-	-	-
Child Presence Detection 1.50 pts (out of 4.00pts)	✗	●	●	-	-

● FITTED AS STANDARD ✗ NOT AVAILABLE - N/A

	CHILD RESTRAINT TYPE**	FRONT ROW PASSENGER			2nd ROW			3rd ROW		
		L	C	R	L	C	R	L	C	R
BELTED	Rearward-facing capsule	✗	●	●	●	-	-	-	-	-
	Rearward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-	-	-
	Rearward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-	-	-
	Forward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-	-	-
	Forward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-	-	-
	Booster - 4 to 8 years	✗	●	●	●	-	-	-	-	-
ISOFIX	Booster - 4 to 10 years	✗	●	●	●	-	-	-	-	-
	Rearward-facing capsule	✗	●	-	●	-	-	-	-	-
	Rearward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-	-	-
	Rearward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-	-	-

● INSTALL WITHOUT PROBLEM ● INSTALL WITH CARE ● CANNOT BE FITTED SAFELY ✗ INSTALLATION NOT ALLOWED - N/A

GOOD ADEQUATE MARGINAL WEAK POOR NOT TESTED

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childrearseats.com.au. \* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible. ^ The list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



Vulnerable Road User Protection

84%

53.05 out of 63

<b>HEAD PROTECTION (Adult, Child, Cyclist)</b> 10.78 points out of 18	<b>KNEE &amp; TIBIA PROTECTION</b> 9.00 points out of 9	<b>AEB CYCLIST</b> 8.75 points out of 9
<b>PELVIS PROTECTION</b> 4.46 points out of 4.5	<b>AEB PEDESTRIAN (Forward)</b> 6.06 points out of 7	<b>AEB MOTORCYCLE</b> 6.00 points out of 6
<b>FEMUR PROTECTION</b> 4.50 points out of 4.5	<b>AEB PEDESTRIAN (Backover)</b> 0.50 points out of 2	<b>LSS MOTORCYCLE</b> 3.00 points out of 3

In **pedestrian impact** tests, the bonnet and windscreen of the BYD SEAL 6 provided GOOD or ADEQUATE protection to the head of a struck pedestrian over most of its surface, with MARGINAL and POOR results recorded on the stiff windscreen pillars, the base of the windscreen and side and front edge of the bonnet surface. Protection of the pelvis was GOOD or ADEQUATE, while protection of the femurs and lower legs was GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists.

Testing of this system showed GOOD performance in forward **AEB Pedestrian** test scenarios, with collisions avoided or mitigated in most tests, including in some turning scenarios. Performance in reverse (**AEB Backover**) scenarios was MARGINAL.

GOOD performance was seen in **AEB Cyclist** test scenarios with collisions avoided or mitigated at all test speeds, including in turning scenarios. The vehicle provides information and warning to occupants when a bicycle is approaching from behind (**cyclist anti-dooring**).

GOOD performance was seen in the **AEB Motorcyclist** tests, including in turning and in emergency lane keeping scenarios, earning full points.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

<b>System Name</b>	Collision Avoidance Assist
<b>Type</b>	Autonomous emergency braking with forward collision warning
<b>Operational From</b>	8-130 km/h

	Cyclist traveling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist traveling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)	Cyclist crossing side road, car turning (nearside)	Cyclist crossing side road, car turning (farside)
	DAY	DAY	DAY	DAY	DAY	DAY	DAY
<b>AEB CYCLIST TEST SCENARIOS (forward)</b>							
<b>PERFORMANCE</b>	GOOD						

CYCLIST DOORING

<b>Information (driver door)</b>	●
<b>Warning (driver door)</b>	●
<b>Retention (driver door)</b>	✗
<b>Warning or retention (all other doors)</b>	●

● PASS ✗ FAIL - N/A





Vulnerable Road User Protection

84%

53.05 out of 63

AEB PEDESTRIAN TEST SCENARIOS (reverse)	Child / Adult standing behind reversing vehicle (25% offset)	Adult / Child standing behind reversing vehicle (50% offset)	Child / Adult standing behind reversing vehicle (75% offset)	Adult / Child walking behind reversing vehicle (50% offset)
	DAY	DAY	DAY	DAY
4km/h	MARGINAL			GOOD
8km/h	MARGINAL			
PERFORMANCE	MARGINAL			

AEB PEDESTRIAN TEST SCENARIOS (forward)	Adult walking along road		Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)		Adult crossing side road (farside), car turning		Adult crossing side road (nearside), car turning	
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT
PERFORMANCE	GOOD													

AEB MOTORCYCLE TEST SCENARIOS (forward)	Driving towards a stationary motorcycle			Driving towards a braking motorcycle (25% offset)			Turning across the path of an oncoming motorcycle		
	100% OFFSET	12m HEADWAY	40m HEADWAY	100% OFFSET	12m HEADWAY	40m HEADWAY	TARGET MOTORCYCLE SPEED		
AEB (10-50km/h)	GOOD			GOOD			GOOD		
FCW (30-80km/h)	GOOD			GOOD			GOOD		
PERFORMANCE	GOOD			GOOD			GOOD		

LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

System Name	Emergency Lane Keeping Assist (ELKA) - Lane Departure Assist (LDA)
Operational From	50-150 km/h

EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Motorcycle	Overtaking motorcycle (EMT at 60km/h)		Overtaking motorcycle (EMT at 80km/h)	
	UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL
PERFORMANCE	GOOD			

■ GOOD   
 ■ ADEQUATE   
 ■ MARGINAL   
 ■ WEAK   
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED   
 ■ NOT TESTED



Safety Assist

**84%**

15.22 out of 18

**SEAT BELT REMINDERS**  
1.00 points out of 1

**AEB / AES (Car-to-Car)**  
3.69 points out of 4

**LANE SUPPORT SYSTEMS**  
2.75 points out of 3

**DRIVER MONITORING**  
1.20 points out of 2

**AEB / AES (Junction & Crossing)**  
3.63 points out of 4

**SPEED ASSISTANCE SYSTEMS**  
2.58 points out of 3

**AEB / AES (Head-On)**  
0.38 points out of 1

The BYD SEAL 6 is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the **AEB (Car-to-Car)** system showed GOOD performance with collisions avoided or mitigated in all car-to-car rear and **AEB Junction** test scenarios, and in many of the **AEB Crossing** scenarios, where the test vehicle can autonomously brake to avoid crashes when crossing the path of an oncoming vehicle. **AEB Head-On** system functionality showed MARGINAL performance.

Tests of **LSS** functionality showed mostly GOOD performance, including in the more critical emergency lane keeping test scenarios.

A speed assistance system (SAS) with speed limit information function (SLIF) and intelligent adaptive cruise control (iACC) is standard, informing the driver of the local speed limit and allowing the driver to manually set the speed accordingly.

A seatbelt reminder system is fitted to all seating positions with occupancy detection available for the front passenger and all rear seating positions.

A direct driver monitoring system (DMS) that can detect driver drowsiness and distraction is fitted as standard. The system provides a warning to the driver and can adjust driver assistance parameters.

**AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)**

<b>System Name</b>	Collision Avoidance Assist
<b>Type</b>	Autonomous emergency braking with forward collision warning
<b>Operational From</b>	4-130 km/h



■ GOOD    
 ■ ADEQUATE    
 ■ MARGINAL    
 ■ WEAK    
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED    
 ■ NOT TESTED



Safety Assist

84%

15.22 out of 18

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)

		JUNCTION ASSIST Turning across the path of an oncoming vehicle			CROSSING (T-BONE) Crossing the path of another vehicle				
TARGET VEHICLE SPEED		30km/h	45km/h	60km/h	20km/h	30km/h	40km/h	50km/h	60km/h
TEST VEHICLE SPEED	Start from stop	-	-	-	Red	Red	Red	Red	Red
	10km/h	Green	Green	Green	-	-	-	-	-
	15km/h	Green	Green	Green	-	-	-	-	-
	20km/h	Green	Green	Green	Green	Green	Green	Red	Red
	30km/h	-	-	-	Green	Green	Green	Green	Red
	40km/h	-	-	-	Green	Green	Green	Green	Red
	50km/h	-	-	-	Green	Green	Green	Green	Red
	60km/h	-	-	-	Green	Green	Green	Green	Red
PERFORMANCE		GOOD			GOOD				

		TARGET VEHICLE SPEED		HEAD-ON In the path of oncoming vehicle	
		50km/h	70km/h	50km/h	70km/h
TEST VEHICLE SPEED	Travelling straight	50km/h		Green	-
		70km/h		-	Red
	Lane change	50km/h		Orange	-
		70km/h		-	Red
PERFORMANCE				MARGINAL	

LANE SUPPORT SYSTEMS (Car-to-Car)

**System Name** Emergency Lane Keeping Assist (ELKA) - Lane Departure Assist (LDA)  
**Operational From** 50-150 km/h

		Dashed line		Solid line	
LANE KEEP ASSIST (LKA) TEST SCENARIOS Car-to-Car					
PERFORMANCE		GOOD			

		Oncoming vehicle	Overtaking vehicle (GVT at 72km/h)		Overtaking vehicle (GVT at 80km/h)		Road edge		Solid line		
			UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL					
EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Car											
PERFORMANCE		Green	Green	Green	Green	Green	Red	Green	Green	Green	
		GOOD									

■ GOOD   
 ■ ADEQUATE   
 ■ MARGINAL   
 ■ WEAK   
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED   
 ■ NOT TESTED



Safety Assist

84%

15.22 out of 18

## OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●

## DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	●	●
Fatigue	●	●
Unresponsive Driver	-	✗

## SPEED ASSISTANCE SYSTEMS (SAS)

FEATURE	
Speed Limit Information Function (SLIF)	Camera based
Manual Speed Limiter	✗
Intelligent Adaptive Cruise Control (iACC)	●
Intelligent Speed Limitation (ISL)	✗

## HUMAN MACHINE INTERFACE (HMI)

FEATURE	
AEB: Supplementary Warning	●
AEB: Restraint activation / dynamic retractors / emergency steering support	✗
Lane Departure Warning (LDW)	●
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	●

## SAFETY FEATURES &amp; TECHNOLOGIES

SAFETY FEATURE / TECHNOLOGY*	AUS	NZ
Seat belt pre-tensioners (front seats)	●	●
Seat belt pre-tensioners (rear outboard seats) - 2nd row	●	●
Seat belt pre-tensioners (rear centre seat) - 2nd row	✗	✗
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - dual frontal (driver & front passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	✗	✗
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	●	●
Airbag - knee (driver)	✗	✗
Airbag - knee (front passenger)	✗	✗
Airbag - pedestrian (external)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	✗	✗
Autonomous emergency braking (AEB) - Car-to-Car	●	●
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	●	●
- AEB Backover	●	●
- AEB Cyclist	●	●
- AEB Motorcycle	●	●
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Car)	●	●
- AEB Junction (Pedestrian)	●	●
- AEB Junction (Cyclist)	●	●
- AEB Junction (Motorcycle)	●	●
Autonomous emergency braking (AEB) - Crossing	●	●
Automatic emergency call (eCall)	✗	✗
Blind spot monitor (BSM)	●	●
Child presence detection / alert	●	●
Cyclist dooring detection / alert	●	●
Driver monitoring system - Indirect	✗	✗
Driver monitoring system - Direct	●	●
Forward collision warning (FCW)	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)		
- LKA (Car-to-Car)	●	●
- LKA (Car-to-Motorcycle)	●	●
Secondary / multi-collision brake	●	●
Speed assistance - intelligent adaptive cruise control (iACC)	●	●
Speed assistance - auto / intelligent speed limiter	✗	✗
Speed assistance - manual speed limiter	✗	✗
Speed assistance - speed sign recognition & warning	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

● STANDARD ● AVAILABLE ON HIGHER VARIANTS ○ OPTIONAL ✗ NOT AVAILABLE - NOT APPLICABLE

\* Correct at time of publication. Subject to change. Check with manufacturer.

TESTED MAKE / MODEL  
BYD SEAL 6, Comfort Lite, LHD

TESTED VEHICLE ENGINE  
1.5L petrol PHEV

RATING UPDATED  
n/a

TESTED BODY TYPE  
4 door sedan

RATING PUBLISHED  
May 2026