

# VOLVO EX30



APPLIES TO  
All variants

BUILT FROM  
April 2024

RATING CRITERIA  
2023-2025

VEHICLE TYPE  
Small SUV

ON SALE FROM  
May 2024

RATING EXPIRES  
December 2031

ENGINE / MOTOR TYPES  
Battery Electric

MODEL SERIES  
n/a

AIRBAGS  
Dual frontal, side chest,  
side head, centre



**ANCAP**  
SAFETY

TESTED  
2024



The Volvo EX30 was introduced in Australia and New Zealand in May 2024. This ANCAP safety rating applies to all variants.

Dual frontal, side chest-protecting and side head-protecting airbags are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing, Backover and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and an advanced speed assistance system (SAS) with a speed sign recognition system, are standard on all variants.

## ASSESSMENT SCORES



Adult Occupant Protection

**88%**

35.27 out of 40



Child Occupant Protection

**85%**

42.03 out of 49



Vulnerable Road User Protection

**79%**

50.36 out of 63



Safety Assist

**80%**

14.48 out of 18

## RATING APPLICABILITY\*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
Volvo EX30 Single Motor	5 door SUV	Battery Electric Vehicle (BEV)	RWD	✓	✓
Volvo EX30 Twin Motor	5 door SUV	Battery Electric Vehicle (BEV)	AWD	✓	✓

\* Correct at time of publication. Subject to change. Check with manufacturer.



## Adult Occupant Protection

88%

35.27 out of 40

FRONTAL OFFSET (MPDB)<sup>#</sup>  
6.07 points out of 8

OBLIQUE POLE<sup>#</sup>  
4.97 points out of 6

RESCUE & EXTRICATION  
2.67 points out of 4

FULL WIDTH FRONTAL<sup>#</sup>  
7.57 points out of 8

WHIPLASH PROTECTION  
3.98 points out of 4

SIDE IMPACT<sup>#</sup>  
6.00 points out of 6

FAR SIDE IMPACT  
4.00 points out of 4

<sup>#</sup> Scaled scores. Total test scored out of 16.00 points.

The passenger compartment of the Volvo EX30 remained stable in the **frontal offset (MPDB)** test. ADEQUATE protection was seen for the lower legs of the driver and the chest of the front passenger. Structures in the dashboard were a potential source of injury for the driver and passenger, and protection of the upper legs was assessed as MARGINAL. Protection was GOOD for all other critical body regions for both the driver and front passenger in this test.

The front structure of the Volvo EX30 presented a lower risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 1.54 point penalty (out of 8.00 points) was applied.

In the **full width frontal** test, GOOD protection was offered to all critical body regions of both the driver and rear passenger except the chest of rear passenger, which was MARGINAL.

In the **side impact** test, protection offered to all critical body regions was GOOD.

In the more severe **oblique pole** test, chest protection was WEAK, while protection for the head, abdomen and pelvis was GOOD.

The Volvo EX30 is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as GOOD for the vehicle-to-vehicle impact scenario, and ADEQUATE in the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors and windows of the Volvo EX30 would remain functional for the minimum required time period.

## FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
<b>Head / Neck</b>	4.00 pts	4.00 pts
<b>Chest</b>	4.00 pts	3.95 pts
<b>Upper Legs</b>	2.00 pts	2.00 pts
<b>Lower Legs</b>	3.73 pts	4.00 pts
<b>Deductions</b>	-1.00 pts (variable contact) -1.00 pts (concentrated load)	-1.00 pts (variable contact) -1.00 pts (concentrated load)



## COMPATIBILITY

<b>Deductions</b>	-1.54 pts
-------------------	-----------

## FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
<b>Head</b>	4.00 pts	4.00 pts
<b>Neck</b>	4.00 pts	4.00 pts
<b>Chest</b>	4.00 pts	2.29 pts
<b>Upper Legs</b>	4.00 pts	4.00 pts
<b>Deductions</b>	Nil	Nil

## SIDE IMPACT TEST - 60km/h



	DRIVER
<b>Head</b>	4.00 pts
<b>Chest</b>	4.00 pts
<b>Abdomen</b>	4.00 pts
<b>Pelvis</b>	4.00 pts
<b>Deductions</b>	Nil

## OBLIQUE POLE TEST - 32km/h



	DRIVER
<b>Head</b>	4.00 pts
<b>Chest</b>	1.26 pts
<b>Abdomen</b>	4.00 pts
<b>Pelvis</b>	4.00 pts
<b>Deductions</b>	Nil



## Adult Occupant Protection

88%

35.27 out of 40

## FAR SIDE IMPACT TESTS - 60km/h and 32km/h



SIDE IMPACT (60km/h)	DRIVER
<b>Head</b>	4.00 pts
<b>Neck</b>	4.00 pts
<b>Chest &amp; Abdomen</b>	4.00 pts
<b>Pelvis</b>	No penalty



OBLIQUE POLE (32km/h)	DRIVER
<b>Head</b>	4.00 pts
<b>Neck</b>	4.00 pts
<b>Chest &amp; Abdomen</b>	4.00 pts
<b>Pelvis</b>	No penalty



OCCUPANT-TO-OCCUPANT	DRIVER
<b>Head Contact</b>	No penalty

## WHIPLASH PROTECTION TESTS



	DRIVER / FRONT PASSENGER	REAR PASSENGER
<b>Rear Impact</b>	2.98 pts	1.00 pts

## RESCUE &amp; EXTRICATION



<b>Rescue Sheet</b>	●	No penalty
<b>Door Opening / Extrication</b>	●	No penalty
<b>Multi-Collision Braking</b>	●	1.00 pt
<b>Advanced eCall</b>	✗	0.67 pt default
<b>Vehicle Submergence</b>		
- <b>Door opening</b>	●	0.50 pt
- <b>Window opening</b>	●	0.50 pt

● FITTED TO TEST CAR AS STANDARD   ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION   ✗ NOT AVAILABLE   - N/A



## Child Occupant Protection

85%

42.03 out of 49

DYNAMIC TEST (FRONT)  
16.00 points out of 16RESTRAINT INSTALLATION  
11.03 points out of 12DYNAMIC TEST (SIDE)  
8.00 points out of 8ON-BOARD SAFETY FEATURES  
7.00 points out of 13

In both the **frontal offset** and **side impact** tests, protection was **GOOD** for all critical body areas for both the 6 year and 10 year child dummies.

The Volvo EX30 is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

A child presence detection (CPD) system, which provides an alert if a child may have been left in the vehicle, is not available.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions. However the belted Type A capsule and one of the selected Type A convertible seats in rearward facing mode using the ISOFix anchorages could not be correctly installed in the rear outboard seating positions, and one of the selected booster seats could not be correctly installed in the centre rear seating position.

## FRONTAL OFFSET (MPDB) TEST - 50km/h



6 YEAR OLD

10 YEAR OLD

## SIDE IMPACT TEST - 60km/h



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorage	✗	●	✗	-	-
Top Tether Anchorage	✗	●	●	-	-
Airbag Disabling	✗	-	-	-	-
Child Presence Detection	✗	✗	✗	-	-
0.00 pts (out of 4.00pts)					

● FITTED AS STANDARD   ✗ NOT AVAILABLE   - N/A

CHILD RESTRAINT TYPE <sup>**</sup>	FRONT ROW PASSENGER	2nd ROW			3rd ROW		
		L	C	R	L	C	R
Rearward-facing capsule	✗	●	●	●	-	-	-
Rearward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-
Rearward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-
Forward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-
Forward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-
Booster - 4 to 8 years	✗	●	●	●	-	-	-
Booster - 4 to 10 years	✗	●	●	●	-	-	-
Rearward-facing capsule	✗	●	-	●	-	-	-
Rearward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
Rearward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-
Forward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
Forward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-

● INSTALL WITHOUT PROBLEM   ○ INSTALL WITH CARE   ● CANNOT BE FITTED SAFELY   ✗ INSTALLATION NOT ALLOWED   - N/A

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australian consumers this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australian child restraints - see [www.childcarseats.com.au](http://www.childcarseats.com.au).  
 \* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.  
 ^ The list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



## Vulnerable Road User Protection

79%

50.36 out of 63

HEAD PROTECTION (Adult, Child, Cyclist) 11.33 points out of 18	KNEE & TIBIA PROTECTION 9.00 points out of 9	AEB CYCLIST 7.10 points out of 9
PELVIS PROTECTION 4.38 points out of 4.5	AEB PEDESTRIAN (Forward) 5.18 points out of 7	AEB MOTORCYCLE 5.88 points out of 6
FEMUR PROTECTION 4.50 points out of 4.5	AEB PEDESTRIAN (Backover) 0.00 points out of 2	LSS MOTORCYCLE 3.00 points out of 3

In **physical impact** tests, the bonnet and windscreen provided predominantly GOOD or ADEQUATE protection to the head of a struck pedestrian, while MARGINAL and POOR results were recorded at the rear of the bonnet, at the base of the windscreen and on the stiff windscreen pillars.

Protection of the pelvis was GOOD at almost all test locations. Protection of the femurs and lower legs was GOOD and maximum points were awarded.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists.

Testing of this system showed ADEQUATE performance in **AEB Pedestrian** test scenarios including in turning scenarios, with collisions avoided or mitigated in most tests. The **AEB Backover** system is not default ON at the start of each journey, and these scenarios were therefore not tested.

GOOD performance was seen in **AEB Cyclist** test scenarios with collisions avoided or mitigated at most test speeds, including in the turning scenarios. The vehicle provides information and warning when a bicycle is approaching from behind (**Cyclist Anti-dooring**), however this system is also not default ON and therefore received a nil score.

GOOD performance was also seen in the **AEB** and **LSS Motorcyclist** tests, including in the turning and in overtaking scenarios.

## PEDESTRIAN &amp; CYCLIST IMPACT TESTS



## AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian &amp; Motorcycle)

System Name	Safe Space						
Type	Autonomous emergency braking with forward collision warning						
Operational From	4-90km/h						
	Cyclist traveling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist traveling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)	Cyclist crossing side road, car turning (nearside)	Cyclist crossing side road, car turning (farside)
AEB CYCLIST TEST SCENARIOS (forward)	DAY	DAY	DAY	DAY	DAY	DAY	DAY
							
PERFORMANCE	GOOD						

## CYCLIST DOORING

Information (driver door)	✗
Warning (driver door)	✗
Retention (driver door)	✗
Warning or retention (all other doors)	✗

● PASS    ✗ FAIL - N/A

GOOD

ADEQUATE

MARGINAL

WEAK

POOR / NOT TESTED DUE TO  
NO PERFORMANCE PREDICTED




NOT TESTED



## Vulnerable Road User Protection


79%

50.36 out of 63



## LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

System Name	Safe Space
Operational From	65-180 km/h





Safety Assist

**80%**

14.48 out of 18

SEAT BELT REMINDERS <b>1.00 points</b> out of 1	AEB / AES (Car-to-Car) <b>3.70 points</b> out of 4	LANE SUPPORT SYSTEMS <b>3.00 points</b> out of 3
DRIVER MONITORING <b>0.55 points</b> out of 2	AEB / AES (Junction & Crossing) <b>3.44 points</b> out of 4	
SPEED ASSISTANCE SYSTEMS <b>2.16 points</b> out of 3	AEB / AES (Head-On) <b>0.63 points</b> out of 1	

The Volvo EX30 is fitted with an autonomous emergency braking system capable of functioning at highway speeds, and a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality.

Tests of the **AEB (Car-to-Car)** system showed **GOOD** performance with collisions avoided or mitigated in many test scenarios, including in many of the **AEB Junction** and **AEB Crossing** scenarios where the test vehicle can autonomously brake to avoid crashes when turning across or into the path of an oncoming vehicle. Tests of the **AEB Head-On** system functionality showed **ADEQUATE** performance.

Tests of **lane support system** functionality showed **GOOD** performance, including in the more critical emergency lane keeping test scenarios.

A speed assistance system (SAS) with speed limit information function (SLIF) and intelligent adaptive cruise control (iACC) is standard, informing the driver of the local speed limit and automatically changing the speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all seating positions. A direct driver monitoring system (DMS) that can detect driver drowsiness and distraction is fitted as standard.

#### AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

System Name	Safe Space			
Type	Autonomous emergency braking with forward collision warning			
Operational From	4-150 km/h			
Driving towards a stationary car	OFFSETS +/- 50%, 75%, 100%			
Driving towards a slower moving car	OFFSETS +/- 50%, 75%, 100%			
Driving towards a lightly braking car		HEADWAY 12m & 40m		
Driving towards a heavily braking car		HEADWAY 12m & 40m		
TEST VEHICLE SPEED				
AEB	10km/h			
AEB	15km/h			
AEB	20km/h			
AEB	25km/h			
AEB	30km/h			
AEB	35km/h			
AEB	40km/h			
AEB	45km/h			
AEB	50km/h			
AEB	55km/h			
AEB	60km/h			
AEB	65km/h			
FCW	70km/h			
FCW	75km/h			
FCW	80km/h			
PERFORMANCE	GOOD	GOOD	GOOD	GOOD

GOOD   ADEQUATE   MARGINAL   WEAK   POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED   NOT TESTED



## Safety Assist

80%

14.48 out of 18

## AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)

		JUNCTION ASSIST Turning across the path of an oncoming vehicle			CROSSING (T-BONE) Crossing the path of another vehicle				
TARGET VEHICLE SPEED		30km/h	45km/h	60km/h	20km/h	30km/h	40km/h	50km/h	60km/h
TEST VEHICLE SPEED	Start from stop	-	-	-	-	-	-	-	-
	10km/h	-	-	-	-	-	-	-	-
	15km/h	-	-	-	-	-	-	-	-
	20km/h	-	-	-	-	-	-	-	-
	30km/h	-	-	-	-	-	-	-	-
	40km/h	-	-	-	-	-	-	-	-
	50km/h	-	-	-	-	-	-	-	-
	60km/h	-	-	-	-	-	-	-	-
	PERFORMANCE	GOOD			GOOD				

TEST VEHICLE SPEED	TARGET VEHICLE SPEED	HEAD-ON In the path of oncoming vehicle	
		50km/h	70km/h
Travelling straight	50km/h		-
	70km/h	-	
Lane change	50km/h		-
	70km/h	-	

## LANE SUPPORT SYSTEMS (Car-to-Car)

<b>System Name</b>	Lane Keeping Aid
<b>Operational From</b>	65-180 km/h

LANE KEEP ASSIST (LKA)  
TEST SCENARIOS  
Car-to-Car

Dashed line      Solid line

PERFORMANCE

GOOD

Oncoming vehicle	Overtaking vehicle (GVT at 72km/h)		Overtaking vehicle (GVT at 80km/h)		Road edge	Solid line
	UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL		
EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Car						
PERFORMANCE				GOOD		



Safety Assist

80%

14.48 out of 18

## OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●

## DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	●	✗
Fatigue	●	✗
Unresponsive Driver	-	✗

## SPEED ASSISTANCE SYSTEMS (SAS)

## FEATURE

Speed Limit Information Function (SLIF)	Camera & map
Manual Speed Limiter	✗
Intelligent Adaptive Cruise Control (iACC)	●
Intelligent Speed Limitation (ISL)	✗

## HUMAN MACHINE INTERFACE (HMI)

## FEATURE

AEB: Supplementary Warning	●
AEB: Restraint activation / dynamic retractors	✗
Lane Departure Warning (LDW)	●
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	●

## SAFETY FEATURES & TECHNOLOGIES

SAFETY FEATURE / TECHNOLOGY*	AUS	NZ
Seat belt pre-tensioners (front seats)	●	●
Seat belt pre-tensioners (rear outboard seats) - 2nd row	●	●
Seat belt pre-tensioners (rear centre seat) - 2nd row	●	●
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - dual frontal (driver & front passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	✗	✗
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	●	●
Airbag - knee (driver)	✗	✗
Airbag - knee (front passenger)	✗	✗
Airbag - pedestrian (external)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	✗	✗
Autonomous emergency braking (AEB) - Car-to-Car	●	●
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	●	●
- AEB Backover	●	●
- AEB Cyclist	●	●
- AEB Motorcycle	●	●
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Car)	●	●
- AEB Junction (Pedestrian)	●	●
- AEB Junction (Cyclist)	●	●
- AEB Junction (Motorcycle)	●	●
Autonomous emergency braking (AEB) - Crossing	●	●
Automatic emergency call (eCall)	●	●
Blind spot monitor (BSM)	●	●
Child presence detection / alert	✗	✗
Cyclist dooring detection / alert	●	●
Driver monitoring system - Indirect	●	●
Driver monitoring system - Direct	●	●
Forward collision warning (FCW)	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)		
- LKA (Car-to-Car)	●	●
- LKA (Car-to-Motorcycle)	●	●
Secondary / multi-collision brake	●	●
Speed assistance - intelligent adaptive cruise control (iACC)	●	●
Speed assistance - auto / intelligent speed limiter	●	●
Speed assistance - manual speed limiter	●	●
Speed assistance - speed sign recognition & warning	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

● STANDARD    ○ AVAILABLE ON HIGHER VARIANTS    ○ OPTIONAL    ✗ NOT AVAILABLE    - NOT APPLICABLE

\* Correct at time of publication. Subject to change. Check with manufacturer.

TESTED MAKE / MODEL  
Volvo EX30 Plus, Single Motor  
Extended Range, LHD

TESTED VEHICLE ENGINE  
Battery Electric (BEV)

RATING UPDATED  
December 2025

TESTED BODY TYPE  
5 door SUV

RATING PUBLISHED  
December 2024