

RENAULT SCENIC E-TECH

NOVEMBER 2025 - ONWARDS
ALL VARIANTS



ANCAP

SAFETY

TESTED
2022



RATING YEAR

2022

VEHICLE TYPE

Medium SUV

ENGINE TYPE

Battery Electric Vehicle (BEV)

BUILT FROM

July 2025

ON SALE FROM

November 2025

SERIES

N/A

AIRBAGS

Dual frontal, side chest, side head, centre

The Renault Scenic E-Tech was introduced in Australia in November 2025. This ANCAP safety rating applies to all variants.

The ANCAP safety rating for the Renault Scenic E-Tech is based on testing of the closely-related Renault Megane E-Tech. Additional tests were performed on the Renault Scenic E-Tech.

Dual frontal, side chest-protecting and side head-protecting (curtain) airbags are standard. A centre airbag, which provides added protection to front seat occupants in side impact crashes, is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction Assist and Backover) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and an advanced speed assistance system (SAS) with a speed sign recognition system, are standard on all variants.



88%

ADULT OCCUPANT PROTECTION



92%

CHILD OCCUPANT PROTECTION



77%

VULNERABLE ROAD USER PROTECTION



85%

SAFETY ASSIST

RATING APPLICABILITY

VARIANT	BODY TYPE	ENGINE	DRIVETRAIN	AUS	NZ
Renault Scenic E-Tech Techno	5 door SUV	Battery Electric Vehicle (BEV)	FWD	✓	-
Renault Scenic E-Tech Techno Long Range	5 door SUV	Battery Electric Vehicle (BEV)	FWD	✓	-
Renault Scenic E-Tech Techno Esprit Alpine	5 door SUV	Battery Electric Vehicle (BEV)	FWD	✓	-

ADULT OCCUPANT PROTECTION



88%

33.74 POINTS
OUT OF 38

The passenger compartment of the Renault Scenic E-Tech remained stable in the frontal offset (MPDB) test. Dummy readings indicated MARGINAL protection for the chest of both the driver and front passenger, and ADEQUATE protection for the lower legs of the driver. Protection was GOOD for all other critical body regions for both the driver and front passenger.

The front structure of the Renault Scenic E-Tech presented a moderate risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 2.12 point penalty was applied.

In the full width frontal test, ADEQUATE protection was shown for the chest of both the driver and rear passenger, and for the neck of the rear passenger. GOOD protection was offered to all other critical body regions for both the driver and rear passenger.

In the side impact test, protection of all critical body areas was GOOD and the Renault Scenic E-Tech scored maximum points. In the oblique pole test, chest protection was ADEQUATE, with GOOD protection of all other critical body areas.

The Renault Scenic E-Tech is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the far side impact tests was assessed as ADEQUATE for the vehicle-to-vehicle impact scenario and MARGINAL for the vehicle-to-pole scenario.

FRONTAL OFFSET (MPDB) (50km/h)



DRIVER

Head / neck: 4.00 pts
Chest: 1.34 pts
Upper legs: 4.00 pts
Lower legs: 3.95 pts
Deductions: Nil

FRONT PASSENGER

Head / neck: 4.00 pts
Chest: 2.59 pts
Upper legs: 4.00 pts
Lower legs: 4.00 pts
Deductions: Nil

COMPATIBILITY

Deductions: -2.12 pts



FULL WIDTH FRONTAL (50km/h)



DRIVER

Head: 4.00 pts
Neck: 4.00 pts
Chest: 2.85 pts
Upper legs: 4.00 pts
Deductions: Nil

REAR PASSENGER

Head: 4.00 pts
Neck: 3.77 pts
Chest: 3.77 pts
Upper legs: 4.00 pts
Deductions: Nil

RESCUE & EXTRICATION

Rescue Sheet

● No penalty

Door Opening / Extrication

● No penalty

Multi-Collision Braking

● 1.00 pt

Advanced eCall


✗ 1.00 pt default

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted.

FRONTAL OFFSET (MPDB)†	5.58	(out of 8)
FULL WIDTH FRONTAL†	7.60	(out of 8)
SIDE IMPACT†	6.00	(out of 6)
OBIQUE POLE†	5.58	(out of 6)
WHIPLASH PROTECTION	3.48	(out of 4)
FAR SIDE IMPACT	3.50	(out of 4)
RESCUE & EXTRICATION	2.00	(out of 2)

† Scaled scores. Total test scored out of 16.00 points.

SIDE IMPACT OBIQUE POLE



SIDE IMPACT (MDB) (60km/h)

Head: 4.00 pts
Chest: 4.00 pts
Abdomen: 4.00 pts
Pelvis: 4.00 pts
Deductions: Nil

OBIQUE POLE (32km/h)


Head: 4.00 pts
Chest: 2.88 pts
Abdomen: 4.00 pts
Pelvis: 4.00 pts
Deductions: Nil

FAR SIDE IMPACT




SIDE IMPACT (MDB)

Head: 4.00 pts
Neck: 4.00 pts
Chest & Abdomen: 4.00 pts
Pelvis: No penalty



OBIQUE POLE

Head: 3.00 pts
Neck: 3.00 pts
Chest & Abdomen: 3.00 pts
Pelvis: No penalty



OCCUPANT-TO-OCCUPANT

Head contact: No penalty

WHIPLASH (REAR IMPACT) PROTECTION



Driver / front passenger: 2.73 pts
Rear passenger: 0.75 pts

CHILD OCCUPANT PROTECTION



92%

45.48 POINTS
OUT OF 49

In the frontal offset test, dummy readings indicated GOOD protection for all critical body areas of both child dummies, except the neck of the 10 year dummy, which was assessed as ADEQUATE.

In the side impact test, protection of all critical body areas was GOOD for both child dummies, and maximum points were scored.

The Renault Scenic E-Tech is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions. A lower ISOFix anchorage and top tether anchorage suitable for the installation of forward-facing child restraints is fitted to the front passenger seat. Rearward-facing child restraints however must not be installed in the front passenger seating position.

Users are advised to consult state / territory road rules and usage advice before travelling with a child in the front passenger seat.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most passenger seating positions, though the Type A capsule could not be correctly installed in the centre rear position.

FRONTAL OFFSET (MPDB) (50km/h)



6 YEAR OLD

10 YEAR OLD

SIDE IMPACT (60km/h)



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES

FEATURE	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFix	●	●	✗	-	-
Integrated child restraints	✗	✗	✗	-	-
Top tether anchorage	●	●	●	-	-
Airbag disabling	●	-	-	-	-

● FITTED TO TEST CAR AS STANDARD

● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION

✗ NOT AVAILABLE

- NOT APPLICABLE

GOOD ADEQUATE MARGINAL WEAK POOR

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.



92%

45.48 POINTS
OUT OF 49

CHILD RESTRAINT INSTALLATION*

CHILD RESTRAINT (CRS) TYPE^		FRONT ROW		2nd ROW			3rd ROW		
		PASSENGER	LEFT	CENTRE	RIGHT	LEFT	CENTRE	RIGHT	
BELTED	Rearward facing capsule	✗	●	●	●	—	—	—	—
	TYPE A Rearward facing with harness - convertible (Model A)	✗	●	●	●	—	—	—	—
	Rearward facing with harness - convertible (Model B)	✗	●	●	●	—	—	—	—
	TYPE B Forward facing with harness - convertible (Model A)	●	●	●	●	—	—	—	—
ISOFIX	Forward facing with harness - convertible (Model B)	●	●	●	●	—	—	—	—
	TYPE E Booster - 4 to 8 years	●	●	●	●	—	—	—	—
	TYPE F Booster - 4 to 10 years	●	●	●	●	—	—	—	—
	Rearward facing capsule	✗	●	—	●	—	—	—	—
TYPE A	Rearward facing with harness - convertible (Model A)	✗	●	—	●	—	—	—	—
	Rearward facing with harness - convertible (Model B)	✗	●	—	●	—	—	—	—
	TYPE B Forward facing with harness - convertible (Model A)	●	●	—	●	—	—	—	—
	Forward facing with harness - convertible (Model B)	●	●	—	●	—	—	—	—

* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.

^ The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



77%

42.00 POINTS
OUT OF 54

The bonnet of the Renault Scenic E-Tech provided GOOD or ADEQUATE protection to the head of a struck pedestrian over most of its surface, with MARGINAL and POOR results recorded at the base of the windscreen, on the stiff windscreen pillars and on the front edge of the bonnet.

Protection of the pelvis was mixed, varying from GOOD to MARGINAL performance, while the bumper provided GOOD protection for lower leg impacts.

The Renault Scenic E-Tech is fitted with an autonomous emergency braking system capable of recognising and reacting to pedestrians and cyclists. This system showed GOOD performance in AEB Pedestrian scenarios. The AEB system fitted to Australian vehicles reacts to vulnerable road users in reverse (AEB Backover) however the system was not standard on the tested variant and hence these tests were not conducted.

GOOD performance was seen in AEB Cyclist test scenarios, with collisions avoided or mitigated at all test speeds.

AUTONOMOUS EMERGENCY BRAKING (PEDESTRIAN, CYCLIST & BACKOVER)

SYSTEM NAME:	Active Emergency Braking system
TYPE:	Autonomous emergency braking with forward collision warning
OPERATIONAL FROM:	8-85 km/h
DESCRIPTION:	System functions in the daytime and night

AUTONOMOUS EMERGENCY BRAKING - CYCLIST					
TEST SCENARIO	FCW	FORWARD			
	Cyclist travelling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist travelling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)
	DAY	DAY	DAY	DAY	DAY
PERFORMANCE		GOOD			



SAFETY ASSIST



85%

13.63 POINTS
OUT OF 16

The Renault Scenic E-Tech is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the AEB (Car-to-Car) system showed GOOD performance with collisions avoided or mitigated in most scenarios, including AEB Junction Assist where the test vehicle can autonomously brake to avoid crashes when turning across the path of an oncoming vehicle.

Tests of the LSS functionality showed GOOD performance in LKA tests, with the system intervening in some ELK test scenarios. ELK Overtaking functionality is standard on Australian vehicles, but was not fitted to the test vehicle and has therefore not been tested.

A speed assistance system (SAS) with speed limit information function (SLIF) is standard, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all seating positions. A driver drowsiness monitor system is fitted as standard.

LANE SUPPORT SYSTEMS (LSS)

SYSTEM NAME: Lane Keep Assist
OPERATIONAL FROM: 65-180 km/h

EMERGENCY LANE KEEPING (ELK)							
TEST SCENARIO	Oncoming vehicle	Overtaking vehicle (GVT at 72 km/h)		Overtaking vehicle (GVT at 80 km/h)		Road edge	Solid line
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL		
PERFORMANCE							
	ADEQUATE						

LANE KEEP ASSIST (LKA)				
TEST SCENARIO	Dashed Line		Solid Line	
PERFORMANCE				
	GOOD			

HUMAN MACHINE INTERFACE (HMI)		
FUNCTION	Lane Departure Warning (LDW)	PASS
	Blind Spot Monitoring (BSM)	PASS



85%

13.63 POINTS
OUT OF 16

AUTONOMOUS EMERGENCY BRAKING (CAR-TO-CAR)

SYSTEM NAME: Active Emergency Braking System
TYPE: Autonomous emergency braking with forward collision warning
OPERATIONAL FROM: 7-160 km/h
DESCRIPTION: Defaults ON for every journey

HUMAN MACHINE INTERFACE (HMI)			
FUNCTION	Supplementary warning	[NOT FITTED]	
	Restraint activation / dynamic retractors	[NOT FITTED]	

TEST SCENARIO	Driving towards a stationary car					TEST VEHICLE SPEED	Turning across the path of oncoming vehicle		
	-50% OFFSET	-75% OFFSET	100% OFFSET	75% OFFSET	50% OFFSET		TARGET VEHICLE SPEED		
							30 KM/H	45 KM/H	55 KM/H
AEB (10-50 km/h)						10 KM/H			
FCW (30-80 km/h)						15 KM/H			
PERFORMANCE	GOOD					20 KM/H	GOOD		

TEST SCENARIO	AUTONOMOUS EMERGENCY BRAKING - CAR-TO-CAR				Driving towards a slower moving car*				
	Toward car braking lightly		Toward car braking heavily		Driving towards a slower moving car*				
	12m HEADWAY	40m HEADWAY	12m HEADWAY	40m HEADWAY					
AEB (10-50 km/h)									
FCW (50*-80 km/h)									
PERFORMANCE	GOOD								

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	—	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●
Driver Monitoring	●	—	—

SPEED ASSISTANCE SYSTEMS (SAS)

SAS FEATURE	DESCRIPTION
Speed Limit Information Function	Camera based
Speed Limitation Function	System advised

● PASS ● FAIL ✕ NOT AVAILABLE — NOT APPLICABLE

■ GOOD ■ ADEQUATE ■ MARGINAL ■ WEAK ■ POOR ■ NOT TESTED

SAFETY FEATURES & TECHNOLOGIES

FEATURE / TECHNOLOGY~	AVAILABILITY	
	AUS	NZ
Seat belts (three-point) for all forward-facing seats	●	—
Seat belt pre-tensioners (front)	●	—
Seat belt pre-tensioners (rear outboard) - 2nd row	●	—
Seat belt pre-tensioners (rear centre) - 2nd row	●	—
Seat belt pre-tensioners (rear outboard) - 3rd row	—	—
Intelligent seat belt reminder (driver)	●	—
Intelligent seat belt reminder (front passenger)	●	—
Intelligent seat belt reminder (2nd row seats)	●	—
Intelligent seat belt reminder (3rd row seats)	—	—
Airbag - frontal (driver)	●	—
Airbag - frontal (passenger)	●	—
Airbags - side, chest protection (front seats)	●	—
Airbags - side, chest protection (2nd row seats)	✗	—
Airbags - side, chest protection (3rd row seats)	—	—
Airbags - side, head protection (front seats)	●	—
Airbags - side, head protection (2nd row seats)	●	—
Airbags - side, head protection (3rd row seats)	—	—
Airbag - centre	●	—
Airbag - knee (driver)	✗	—
Airbag - knee (front passenger)	✗	—
Airbag disabling switch - automatic (front passenger)	●	—
Airbag disabling switch - manual (front passenger)	✗	—
Head restraints for all seats	●	—
Active bonnet	✗	—
Adaptive cruise control (ACC)	●	—
Anti-lock braking system (ABS)	●	—
Autonomous emergency braking (AEB) - Car-to-Car	●	—
Autonomous emergency braking (AEB) - VRU	●	—
Autonomous emergency braking (AEB) - Backover	●	—
Autonomous emergency braking (AEB) - Junction Assist	●	—
Automatic emergency call (eCall)	✗	—
Blind spot monitor (BSM)	●	—
Child presence alert	●	—
Electronic brakeforce distribution (EBD)	●	—
Event data recorder (EDR)	●	—
Electronic stability control (ESC)	●	—
Emergency brake assist (EBA)	●	—
Emergency stop signal (ESS)	●	—
Fatigue reminder	●	—
Fatigue monitor / detection	●	—
Forward collision warning (FCW)	●	—
ISOFix	●	—
Lane departure warning (LDW)	●	—
Lane keep assist (LKA)	●	—
Pre-crash systems	●	—
Rear cross-traffic alert (RCTA)	●	—
Reversing collision avoidance (camera)	●	—
Roll stability system	●	—
Secondary / multi-collision brake	●	—
Speed assistance - auto / intelligent speed limiter	●	—
Speed assistance - manual speed limiter	●	—
Speed assistance - speed sign recognition & warning	●	—
Smart (intelligent) key	✗	—
Vehicle-to-infrastructure communication (V2I)	●	—
Vehicle-to-vehicle communication (V2V)	✗	—

TESTED MAKE / MODEL

Renault Scenic E-Tech,
Techno, LHD

Renault Megane E-Tech,
Techno, LHD

TESTED VEHICLE(S) BUILT

2022

TESTED BODY TYPE

5 door SUV

TESTED VEHICLE ENGINE

87kwh 220ps

EV60 220ch

RATING PUBLISHED

December 2025

RATING UPDATED

n/a

MODEL VARIANTS:

ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on the extension of a rating to additional variants of a model.

RATING YEAR (DATESTAMP):

The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and, for vehicles rated from 2018, the Rating Year is the year in which the vehicle was tested.

~ Specifications & availability subject to change. Please check with the vehicle manufacturer for confirmation of vehicle specification.

● STANDARD ○ OPTIONAL ✗ NOT AVAILABLE

● NOT AVAILABLE ON BASE VARIANT BUT STANDARD OR OPTIONAL ON HIGHER VARIANTS