

BMW X3



APPLIES TO
All variants

BUILT FROM
August 2024

RATING CRITERIA
2023-2025

VEHICLE TYPE
Medium SUV

ON SALE FROM
December 2024

RATING EXPIRES
December 2031

ENGINE / MOTOR TYPES
Petrol + Diesel + Plug-in Hybrid

MODEL SERIES
G45

AIRBAGS
Dual frontal, side chest,
side head, centre



ANCAP
SAFETY

TESTED
2025



The BMW X3 was introduced in Australia and New Zealand in December 2024. This ANCAP safety rating applies to all BMW X3 variants.

Dual frontal, side chest-protecting and side head-protecting are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing, Backover and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and a speed assistance system (SAS), are standard.

ASSESSMENT SCORES



Adult Occupant Protection

88%

35.30 out of 40



Child Occupant Protection

86%

42.52 out of 49



Vulnerable Road User Protection

77%

48.82 out of 63



Safety Assist

81%

14.63 out of 18

RATING APPLICABILITY*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
BMW X3 20 xDrive M Sport ♦	5 door SUV	2.0L petrol	AWD	✓	✓
BMW X3 30e xDrive M Sport	5 door SUV	2.0L PHEV	AWD	✓	✓
BMW X3 40d xDrive M Sport	5 door SUV	3.0L diesel	AWD	✓	-
BMW X3 M50 xDrive	5 door SUV	3.0L petrol	AWD	✓	✓

* Correct at time of publication. Subject to change. Check with manufacturer.



Adult Occupant Protection

88%

35.30 out of 40

FRONTAL OFFSET (MPDB)*
5.59 points out of 8

OBLIQUE POLE*
5.72 points out of 6

RESCUE & EXTRICATION
2.67 points out of 4

FULL WIDTH FRONTAL*
7.65 points out of 8

WHIPLASH PROTECTION
3.67 points out of 4

SIDE IMPACT*
6.00 points out of 6

FAR SIDE IMPACT
4.00 points out of 4

* Scaled scores. Total test scored out of 16.00 points.

The passenger compartment of the BMW X3 remained stable in the **frontal offset (MPDB)** test. Dummy readings indicated MARGINAL protection for the driver's chest and ADEQUATE protection for the lower legs. Protection of the front passenger chest and lower legs was ADEQUATE, while protection was GOOD for all other critical body regions for both the driver and front passenger.

The front structure of the BMW X3 presented a moderate risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 2.73 point penalty (out of 8.00 points) was applied.


In the **full width frontal** test, GOOD protection was offered to all critical body regions of both the driver and rear passenger, except the chest of the rear passenger, where protection was MARGINAL.

In the **side impact** test, protection offered to all critical body regions of the driver was GOOD and maximum points were scored. In the oblique pole test, protection was ADEQUATE for the chest of the driver and GOOD for all other critical body regions.

The BMW X3 is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impact crashes and it provided GOOD protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as GOOD for the vehicle-to-vehicle impact scenario, and ADEQUATE in the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors and windows of the BMW X3 would remain functional for the minimum required time period.

FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
Head / Neck	4.00 pts	4.00 pts
Chest	2.36 pts	3.69 pts
Upper Legs	4.00 pts	4.00 pts
Lower Legs	3.56 pts	3.82 pts
Deductions	Nil	Nil



COMPATIBILITY	
Deductions	-2.73 pts

FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
Head	4.00 pts	4.00 pts
Neck	4.00 pts	4.00 pts
Chest	4.00 pts	2.59 pts
Upper Legs	4.00 pts	4.00 pts
Deductions	Nil	Nil

SIDE IMPACT TEST - 60km/h



	DRIVER
Head	4.00 pts
Chest	4.00 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil

OBLIQUE POLE TEST - 32km/h



	DRIVER
Head	4.00 pts
Chest	3.26 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil




Adult Occupant Protection

88%

35.30 out of 40

FAR SIDE IMPACT TESTS - 60km/h and 32km/h



SIDE IMPACT (60km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OBLIQUE POLE (32km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OCCUPANT-TO-OCCUPANT	
Head Contact	No penalty

WHIPLASH PROTECTION TESTS



	DRIVER / FRONT PASSENGER	REAR PASSENGER
Rear Impact	2.92 pts	0.75 pts

RESCUE & EXTRICATION



Rescue Sheet	●	No penalty
Door Opening / Extrication	●	No penalty
Multi-Collision Braking	●	1.00 pt
Advanced eCall	✗	0.67 pt default
Vehicle Submergence		
- Door opening	●	0.50 pt
- Window opening	●	0.50 pt

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION ✗ NOT AVAILABLE - N/A



Child Occupant Protection

86%

42.52 out of 49

DYNAMIC TEST (FRONT)
15.52 points out of 16

RESTRAINT INSTALLATION
12.00 points out of 12

DYNAMIC TEST (SIDE)
8.00 points out of 8

ON-BOARD SAFETY FEATURES
7.00 points out of 13

In the **frontal offset** test, dummy readings indicated GOOD protection for all critical body areas of both child dummies, apart from the neck of the 10 year dummy where protection was ADEQUATE.

In the **side impact** test, protection of all critical body areas was GOOD for both child dummies, and maximum points were scored.

The BMW X3 is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions. Installation of typical child restraints available in Australia and New Zealand showed GOOD results and the BMW X3 scored full points for this assessment.

A child presence detection (CPD) system is not available.

FRONTAL OFFSET (MPDB) TEST - 50km/h



6 YEAR OLD

10 YEAR OLD

SIDE IMPACT TEST - 60km/h



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorages	✗	●	✗	-	-
Top Tether Anchorage	✗	●	●	-	-
Airbag Disabling	✗	-	-	-	-
Child Presence Detection 0.00 pts (out of 4.00pts)	✗	✗	✗	-	-

● FITTED AS STANDARD ✗ NOT AVAILABLE - N/A

CHILD RESTRAINT TYPE ^{^*}		FRONT ROW PASSENGER	2nd ROW			3rd ROW		
			L	C	R	L	C	R
BELTED	Rearward-facing capsule	✗	●	●	●	-	-	-
	Rearward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-
	Rearward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-
	Forward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-
	Forward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-
	Booster - 4 to 8 years	✗	●	●	●	-	-	-
ISOFIX	Booster - 4 to 10 years	✗	●	●	●	-	-	-
	Rearward-facing capsule	✗	●	-	●	-	-	-
	Rearward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
	Rearward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-
	Forward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-

● INSTALL WITHOUT PROBLEM ● INSTALL WITH CARE ● CANNOT BE FITTED SAFELY ✗ INSTALLATION NOT ALLOWED - N/A

GOOD ADEQUATE MARGINAL WEAK POOR NOT TESTED

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.
* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.
^ The list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



Vulnerable Road User Protection

77%
48.82 out of 63

HEAD PROTECTION (Adult, Child, Cyclist)
12.92 points out of 18

KNEE & TIBIA PROTECTION
4.92 points out of 9

AEB CYCLIST
8.75 points out of 9

PELVIS PROTECTION
1.98 points out of 4.5

AEB PEDESTRIAN (Forward)
6.76 points out of 7

AEB MOTORCYCLE
6.00 points out of 6

FEMUR PROTECTION
4.50 points out of 4.5

AEB PEDESTRIAN (Backover)
0.00 points out of 2

LSS MOTORCYCLE
3.00 points out of 3

The BMW X3 has an ‘active’ bonnet. Sensors detect when a pedestrian is struck and actuators lift the bonnet to provide greater clearance to stiff components in the engine bay. In **pedestrian impact** tests, the BMW X3 was tested with the bonnet in the raised position and GOOD or ADEQUATE results were recorded over most of the bonnet area with MARGINAL, WEAK and POOR results recorded around the windscreen pillars and at the front of the bonnet.

Protection of the pelvis and lower legs was mixed, with areas of GOOD, WEAK and POOR performance, while protection of the femur was GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists.

Testing of this system showed GOOD performance in forward **AEB Pedestrian** test scenarios, including turning scenarios, with collisions avoided or mitigated in most tests. The AEB system reacts to vulnerable road users in reverse (**AEB Backover**) but the system was not standard on the tested vehicle, and hence AEB Backover tests were not conducted.

GOOD performance was seen in **AEB Cyclist** test scenarios with collisions avoided or mitigated at all test speeds including in the turning scenarios. The vehicle provides information and warning for all front and rear doors when a bicycle is approaching from behind (**cyclist anti-dooring**).

GOOD performance was seen in the **AEB Motorcyclist** tests, including in turning scenarios, and in emergency lane keeping scenarios, earning full points.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

System Name	Warning function for pedestrians
Type	Autonomous emergency braking with forward collision warning
Operational From	5-80 km/h

AEB CYCLIST TEST SCENARIOS (forward)	Cyclist traveling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist traveling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)	Cyclist crossing side road, car turning (nearside)	Cyclist crossing side road, car turning (farside)
	DAY	DAY	DAY	DAY	DAY	DAY	DAY
PERFORMANCE	GOOD						

CYCLIST DOORING

Information (driver door)	●
Warning (driver door)	●
Retention (driver door)	✗
Warning or retention (all other doors)	●

● PASS ✗ FAIL - N/A

GOOD ADEQUATE MARGINAL WEAK POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED NOT TESTED



Vulnerable Road User Protection

77%

48.82 out of 63

AEB PEDESTRIAN TEST SCENARIOS (reverse)	Child / Adult standing behind reversing vehicle (25% offset)	Adult / Child standing behind reversing vehicle (50% offset)	Child / Adult standing behind reversing vehicle (75% offset)	Adult / Child walking behind reversing vehicle (50% offset)
	DAY	DAY	DAY	DAY
4km/h				
8km/h				
PERFORMANCE	[NOT ASSESSED]			

AEB PEDESTRIAN TEST SCENARIOS (forward)	Adult walking along road		Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)		Adult crossing side road (farside), car turning		Adult crossing side road (nearside), car turning	
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT
PERFORMANCE														
GOOD														

AEB MOTORCYCLE TEST SCENARIOS (forward)	Driving towards a stationary motorcycle			Driving towards a braking motorcycle (25% offset)			Turning across the path of an oncoming motorcycle		
	100% OFFSET			12m HEADWAY			TARGET MOTORCYCLE SPEED		
				40m HEADWAY			30km/h	45km/h	60km/h
AEB (10-50km/h)									
FCW (30-80km/h)									
PERFORMANCE							GOOD		
TEST VEHICLE SPEED									
10km/h									
15km/h									
20km/h									
PERFORMANCE							GOOD		

LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

System Name	Lane Departure Warning with active return
Operational From	60-210 km/h

EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Motorcycle	Oncoming motorcycle	Overtaking motorcycle (EMT at 60km/h)		Overtaking motorcycle (EMT at 80km/h)	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL
PERFORMANCE					
GOOD					

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED
 ■ NOT TESTED



Safety Assist

81%

14.63 out of 18

SEAT BELT REMINDERS
1.00 points out of 1

DRIVER MONITORING
0.25 points out of 2

SPEED ASSISTANCE SYSTEMS
2.15 points out of 3

AEB / AES (Car-to-Car)
3.74 points out of 4

AEB / AES (Junction & Crossing)
3.49 points out of 4

AEB / AES (Head-On)
1.00 points out of 1

LANE SUPPORT SYSTEMS
3.00 points out of 3

The BMW X3 is fitted with an autonomous emergency braking (AEB) system, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the **AEB (Car-to-Car)** system showed GOOD overall performance with collisions avoided or mitigated in all car-to-car rear and **AEB Junction** test scenarios, and many **AEB Crossing** scenarios, where the test vehicle can autonomously brake to avoid crashes when crossing the path of an oncoming vehicle. **AEB Head-On** system functionality showed GOOD performance.

Tests of **lane support system** functionality showed GOOD performance, including in the more critical emergency lane keeping test scenarios, earning full score.

A speed assistance system (SAS) with speed limit information function (SLIF), intelligent adaptive cruise control (iACC) and intelligent speed limiter (ISL) is standard, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly.

A seatbelt reminder system is fitted to all seating positions with occupancy detection available for the front passenger and all rear seating positions.

A driver monitoring system (DMS) detecting driver drowsiness (indirect) is fitted as standard.

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

System Name	Front collision warning with brake intervention
Type	Autonomous emergency braking with forward collision warning
Operational From	5-210 km/h





Safety Assist

81%

14.63 out of 18

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)

		JUNCTION ASSIST Turning across the path of an oncoming vehicle			CROSSING (T-BONE) Crossing the path of another vehicle			
TARGET VEHICLE SPEED		30km/h	45km/h	60km/h	20km/h	30km/h	40km/h	50km/h
TEST VEHICLE SPEED	Start from stop	-	-	-				
	10km/h				-	-	-	-
	15km/h				-	-	-	-
	20km/h							
	30km/h	-	-	-				
	40km/h	-	-	-				
	50km/h	-	-	-				
	60km/h	-	-	-				
PERFORMANCE		GOOD			GOOD			

				HEAD-ON	
				In the path of oncoming vehicle	
		TARGET VEHICLE SPEED		50km/h	70km/h
TEST VEHICLE SPEED	Travelling straight	50km/h			-
		70km/h		-	
	Lane change	50km/h			-
		70km/h		-	
PERFORMANCE				GOOD	

LANE SUPPORT SYSTEMS (Car-to-Car)

System Name	Lane Departure Warning with active return
Operational From	60-210 km/h

		Dashed line	Solid line
LANE KEEP ASSIST (LKA) TEST SCENARIOS Car-to-Car			
PERFORMANCE			
		GOOD	

		Oncoming vehicle	Overtaking vehicle (GVT at 72km/h)		Overtaking vehicle (GVT at 80km/h)	Road edge		Solid line	
			UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL			
EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Car									
PERFORMANCE									
		GOOD							



Safety Assist

81%

14.63 out of 18

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●

DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	×	×
Fatigue	●	×
Unresponsive Driver	-	×

SPEED ASSISTANCE SYSTEMS (SAS)

FEATURE

Speed Limit Information Function (SLIF)	Camera & map
Manual Speed Limiter	●
Intelligent Adaptive Cruise Control (iACC)	[NOT ASSESSED]
Intelligent Speed Limitation (ISL)	●

HUMAN MACHINE INTERFACE (HMI)

FEATURE

AEB: Supplementary Warning	●
AEB: Restraint activation / dynamic retractors / emergency steering support	×
Lane Departure Warning (LDW)	●
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	●

SAFETY FEATURES & TECHNOLOGIES

SAFETY FEATURE / TECHNOLOGY*	AUS	NZ
Seat belt pre-tensioners (front seats)	●	●
Seat belt pre-tensioners (rear outboard seats) - 2nd row	●	●
Seat belt pre-tensioners (rear centre seat) - 2nd row	●	●
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - dual frontal (driver & front passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	●	●
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	●	●
Airbag - knee (driver)	✗	✗
Airbag - knee (front passenger)	✗	✗
Airbag - pedestrian (external)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	✗	✗
Autonomous emergency braking (AEB) - Car-to-Car	●	●
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	●	●
- AEB Backover	●	●
- AEB Cyclist	●	●
- AEB Motorcycle	●	●
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Car)	●	●
- AEB Junction (Pedestrian)	●	●
- AEB Junction (Cyclist)	●	●
- AEB Junction (Motorcycle)	●	●
Autonomous emergency braking (AEB) - Crossing	●	●
Automatic emergency call (eCall)	●	●
Blind spot monitor (BSM)	●	●
Child presence detection / alert	✗	✗
Cyclist dooring detection / alert	●	●
Driver monitoring system - Indirect	●	●
Driver monitoring system - Direct	✗	✗
Forward collision warning (FCW)	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)		
- LKA (Car-to-Car)	●	●
- LKA (Car-to-Motorcycle)	●	●
Secondary / multi-collision brake	●	●
Speed assistance - intelligent adaptive cruise control (iACC)	●	●
Speed assistance - auto / intelligent speed limiter	●	●
Speed assistance - manual speed limiter	●	●
Speed assistance - speed sign recognition & warning	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

● STANDARD ● AVAILABLE ON HIGHER VARIANTS ● OPTIONAL ✗ NOT AVAILABLE - NOT APPLICABLE

* Correct at time of publication. Subject to change. Check with manufacturer.

TESTED MAKE / MODEL
BMW X3 20 xDrive M Sport LHD

TESTED VEHICLE ENGINE
2.0L petrol

RATING UPDATED
n/a

TESTED BODY TYPE
5 door SUV

RATING PUBLISHED
July 2026