

CHERY TIGGO 4

CHERY TIGGO 4 PRO



APPLIES TO	BUILT FROM	RATING CRITERIA
Petrol variants (see Safety Note)	September 2024 (see Safety Note)	2023-2025
VEHICLE TYPE	ON SALE FROM	RATING EXPIRES
Small SUV	October 2024 (see Safety Note)	December 2031

ENGINE / MOTOR TYPES	MODEL SERIES	AIRBAGS
Petrol	N/A	Dual frontal, side chest, side head, centre



ANCAP
SAFETY

TESTED
2023



The Chery Tiggo 4 Pro was introduced in Australia in October 2024 and New Zealand in July 2025. The ANCAP safety rating for the Chery Tiggo 4 Pro is based on testing of its partner model, the Chery Tiggo 7 Pro. ANCAP conducted additional autonomous emergency braking and lane support tests and was provided with technical information to show that the test results of the Chery Tiggo 7 Pro also apply to the Chery Tiggo 4 Pro.

The Chery Tiggo 4 Pro in Australia was renamed Chery Tiggo 4 in April 2025, and ANCAP has confirmed the Tiggo 4 holds identical safety specification to the Tiggo 4 Pro. This ANCAP safety rating applies to all petrol Chery Tiggo 4 and Chery Tiggo 4 Pro variants in Australia and New Zealand (see Safety Note). Hybrid variants are unrated.

Dual frontal airbags, side chest-protecting, and side head-protecting airbags are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing, Backover and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and an advanced speed assistance system (SAS) are standard on all variants.

ASSESSMENT SCORES



Adult Occupant Protection

88%

35.52 out of 40



Child Occupant Protection

87%

42.74 out of 49



Vulnerable Road User Protection

79%

50.37 out of 63



Safety Assist

85%

15.31 out of 18

RATING APPLICABILITY*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
Chery Tiggo 4 Pro Urban ♦	5 door SUV	1.5T petrol	2WD	✓	-
Chery Tiggo 4 Pro Ultimate	5 door SUV	1.5T petrol	2WD	✓	-
Chery Tiggo 4 Urban	5 door SUV	1.5T petrol	2WD	✓	✓
Chery Tiggo 4 Ultimate	5 door SUV	1.5T petrol	2WD	✓	✓
Chery Tiggo 4 Urban	5 door SUV	1.5L hybrid	2WD	✗	✗
Chery Tiggo 4 Ultimate	5 door SUV	1.5L hybrid	2WD	✗	✗

* Correct at time of publication. Subject to change. Check with manufacturer.



Adult Occupant Protection

88%

35.52 out of 40

FRONTAL OFFSET (MPDB)[#]
5.49 points out of 8

OBLIQUE POLE[#]
4.84 points out of 6

RESCUE & EXTRICATION
4.00 points out of 4

FULL WIDTH FRONTAL[#]
7.48 points out of 8

WHIPLASH PROTECTION
3.71 points out of 4

SIDE IMPACT[#]
6.00 points out of 6

FAR SIDE IMPACT
4.00 points out of 4

[#] Scaled scores. Total test scored out of 16.00 points.

The passenger compartment remained stable in the **frontal offset (MPDB) test**. Dummy readings indicated that protection of the driver's chest was **WEAK** and the driver's lower legs was **ADEQUATE**, while protection of the front passenger chest was **ADEQUATE**. Protection of all other critical body regions for the driver and front passenger was **GOOD**.

The front structure of the vehicle presented a lower risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 1.38 point penalty (out of 8 points) was applied.

In the **full width frontal** test, protection of the driver dummy chest was **ADEQUATE** and protection was also **ADEQUATE** for the neck and chest of the rear passenger. **GOOD** protection was offered for all other critical body regions of both the driver and rear passenger.

In the **side impact** test, protection offered to all critical body regions of the driver was **GOOD** and maximum points were scored in this test. In the **oblique pole** test, protection of the chest was **WEAK**, while protection was **GOOD** for all other critical body regions.

The Chery Tiggo 4 Pro is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts, and it provided **GOOD** protection for the head of both front seat occupants. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as **ADEQUATE** for the vehicle-to-vehicle impact scenario, and **ADEQUATE** in the vehicle-to-pole scenario.

A Rescue Sheet providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors of the vehicle would remain functional for the minimum required time period, and an escape hammer is provided to allow egress via the windows.

FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
Head / Neck	4.00 pts	4.00 pts
Chest	1.30 pts	2.86 pts
Upper Legs	4.00 pts	4.00 pts
Lower Legs	3.07 pts	4.00 pts
Deductions	Nil	Nil

COMPATIBILITY

Deductions -1.38 pts



FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
Head	4.00 pts	4.00 pts
Neck	4.00 pts	3.96 pts
Chest	3.20 pts	2.74 pts
Upper Legs	4.00 pts	4.00 pts
Deductions	Nil	Nil

SIDE IMPACT TEST - 60km/h



	DRIVER
Head	4.00 pts
Chest	4.00 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil

OBLIQUE POLE TEST - 32km/h



	DRIVER
Head	4.00 pts
Chest	0.92 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



Adult Occupant Protection

88%

35.52 out of 40

FAR SIDE IMPACT TESTS - 60km/h and 32km/h



SIDE IMPACT (60km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	Nil



OBLIQUE POLE (32km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	Nil



OCCUPANT-TO-OCCUPANT	
Head Contact	No penalty

WHIPLASH PROTECTION TESTS



	DRIVER / FRONT PASSENGER	REAR PASSENGER
Rear Impact	2.71 pts	1.00 pts

RESCUE & EXTRICATION



Rescue Sheet	●	No penalty
Door Opening / Extrication	●	No penalty
Multi-Collision Braking	●	1.00 pt
Advanced eCall	✗	2.00 pt default
Vehicle Submergence		
- Door opening	●	0.50 pt
- Window opening	●	0.50 pt

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION ✗ NOT AVAILABLE - N/A



Child Occupant Protection

87%

42.74 out of 49

DYNAMIC TEST (FRONT)
15.70 points out of 16

RESTRAINT INSTALLATION
11.43 points out of 12

DYNAMIC TEST (SIDE)
7.62 points out of 8

ON-BOARD SAFETY FEATURES
8.00 points out of 13

In the **frontal offset** test, protection of the neck of the 10 year dummy was **ADEQUATE**, while the protection offered to all other critical body regions of both the 6 and 10 year dummies was **GOOD**.

In the **side impact** test, protection of the head of the 10 year dummy was **ADEQUATE**, while that of other body areas of both the 6 year and 10 year dummies was **GOOD**.

The Chery Tiggo 4 Pro is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

An indirect child presence detection (CPD) system, which provides an alert when a child may have been left in the rear passenger seats of the vehicle, is fitted as standard.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions, though for the centre rear position the Type A capsule, one of the convertible seats (forward facing), and one of the selected booster seats could not be correctly installed.

FRONTAL OFFSET (MPDB) TEST - 50km/h



6 YEAR OLD

10 YEAR OLD

SIDE IMPACT TEST - 60km/h



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorage	✗	●	✗	—	—
Top Tether Anchorage	✗	●	●	—	—
Airbag Disabling	✗	—	—	—	—
Child Presence Detection	✗	●	●	—	—
1.00 pts (out of 4.00pts)					

● FITTED AS STANDARD ✗ NOT AVAILABLE — N/A

CHILD RESTRAINT TYPE ^{**}	FRONT ROW PASSENGER	2nd ROW			3rd ROW		
		L	C	R	L	C	R
Rearward-facing capsule	✗	●	●	●	—	—	—
Rearward-facing with harness - convertible (Model A)	✗	●	●	●	—	—	—
Rearward-facing with harness - convertible (Model B)	✗	●	●	●	—	—	—
Forward-facing with harness - convertible (Model A)	✗	●	●	●	—	—	—
Forward-facing with harness - convertible (Model B)	✗	●	●	●	—	—	—
Booster - 4 to 8 years	✗	●	●	●	—	—	—
Booster - 4 to 10 years	✗	●	●	●	—	—	—
Rearward-facing capsule	✗	●	—	●	—	—	—
Rearward-facing with harness - convertible (Model A)	✗	●	—	●	—	—	—
Rearward-facing with harness - convertible (Model B)	✗	●	—	●	—	—	—
Forward-facing with harness - convertible (Model A)	✗	●	—	●	—	—	—
Forward-facing with harness - convertible (Model B)	✗	●	—	●	—	—	—

● INSTALL WITHOUT PROBLEM ○ INSTALL WITH CARE ● CANNOT BE FITTED SAFELY ✗ INSTALLATION NOT ALLOWED — N/A

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australian consumers this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australian child restraints - see www.childcarseats.com.au.
* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.
^ The list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



Vulnerable Road User Protection

79%

50.37 out of 63

HEAD PROTECTION (Adult, Child, Cyclist) 13.48 points out of 18	KNEE & TIBIA PROTECTION 9.00 points out of 9	AEB CYCLIST 8.07 points out of 9
PELVIS PROTECTION 0.58 points out of 4.5	AEB PEDESTRIAN (Forward) 5.31 points out of 7	AEB MOTORCYCLE 5.67 points out of 6
FEMUR PROTECTION 4.50 points out of 4.5	AEB PEDESTRIAN (Backover) 1.00 points out of 2	LSS MOTORCYCLE 2.75 points out of 3


The bonnet of the vehicle provided predominantly GOOD or ADEQUATE protection to the head of a struck pedestrian, while MARGINAL and POOR results were recorded at the rear of the bonnet, on the stiff windscreen pillars, and at the front of the bonnet. Protection of the pelvis was mostly POOR, while protection of the femurs and lower legs was GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists and motorcyclists. Testing of this system showed GOOD performance in **AEB pedestrian** test scenarios including in turning scenarios, with collisions avoided or mitigated at most tests. Performance in reverse (AEB Backover) scenarios was MARGINAL.

GOOD performance was seen in **AEB cyclist** test scenarios with collisions avoided or mitigated at most test speeds including in the turning scenarios. The vehicle provides information and warning when a bicycle is approaching from behind (cyclist anti-dooring).

GOOD performance was seen in all **AEB motorcyclist** tests.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

System Name	Autonomous Emergency Braking System						
Type	Autonomous emergency braking with forward collision warning						
Operational From	5-80 km/h						
	Cyclist traveling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist traveling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)	Cyclist crossing side road, car turning (nearside)	Cyclist crossing side road, car turning (farside)
AEB CYCLIST TEST SCENARIOS (forward)	DAY	DAY	DAY	DAY	DAY	DAY	DAY
PERFORMANCE							

GOOD

CYCLIST DOORING

Information (driver door)	●
Warning (driver door)	●
Retention (driver door)	✗
Warning or retention (all other doors)	●

● PASS ✗ FAIL - N/A




GOOD ADEQUATE MARGINAL WEAK POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED NOT TESTED



Vulnerable Road User Protection

79%


50.37 out of 63



LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

System Name
Operational From

Chery Smart Driver Assistance System
45-130 km/h





Safety Assist

85%

15.31 out of 18

SEAT BELT REMINDERS 1.00 point out of 1	AEB / AES (Car-to-Car) 3.75 points out of 4	LANE SUPPORT SYSTEMS 3.00 points out of 3
DRIVER MONITORING 1.65 points out of 2	AEB / AES (Junction & Crossing) 2.71 points out of 4	
SPEED ASSISTANCE SYSTEMS 2.33 points out of 3	AEB / AES (Head-On) 0.88 points out of 1	

The Chery Tiggo 4 Pro is fitted with autonomous emergency braking (AEB), a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).



Tests of the **AEB (Car-to-Car)** system showed GOOD performance with collisions avoided or mitigated in all test scenarios, including in many of the **AEB Junction** and **AEB Crossing** scenarios where the test vehicle can autonomously brake to avoid crashes when turning across or crossing into the path of an oncoming vehicle.

Tests of **lane support system** (LSS) functionality showed GOOD performance across most test scenarios, including in the more critical emergency lane keeping test scenarios. Full points were scored for LSS functionality.

A **speed assistance system** (SAS) with speed limit information function (SLIF) and intelligent adaptive cruise control (iACC) are fitted, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all seating positions. A direct driver drowsiness monitor system is fitted as standard. The system warns the driver if drowsiness or distraction is detected, and adjusts the vehicle sensitivity (lane departure warning and forward collision warning) accordingly.

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

System Name	Autonomous Emergency Braking System			
Type	Autonomous emergency braking system with forward collision warning			
Operational From	5-135 km/h			
	Driving towards a stationary car OFFSETs +/- 50%, 75%, 100%	Driving towards a slower moving car OFFSETs +/- 50%, 75%, 100%	Driving towards a lightly braking car HEADWAY 12m & 40m	Driving towards a heavily braking car HEADWAY 12m & 40m
				
TEST VEHICLE SPEED	10km/h	AEB	AEB	
AEB	15km/h			
	20km/h			
	25km/h			
	30km/h			
	35km/h			
	40km/h			
	45km/h			
	50km/h			
	55km/h			
	60km/h			
	65km/h			
FCW	70km/h			
	75km/h			
	80km/h			
PERFORMANCE	GOOD	GOOD	GOOD	GOOD



Safety Assist

85%

15.31 out of 18

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)

TARGET VEHICLE SPEED	JUNCTION ASSIST Turning across the path of an oncoming vehicle			CROSSING (T-BONE) Crossing the path of another vehicle				
	30km/h	45km/h	60km/h	20km/h	30km/h	40km/h	50km/h	60km/h
Start from stop	-	-	-	-	-	-	-	-
10km/h	GOOD	GOOD	GOOD	-	-	-	-	-
15km/h	GOOD	GOOD	GOOD	-	-	-	-	-
20km/h	GOOD	GOOD	GOOD	-	-	-	-	-
30km/h	-	-	-	GOOD	GOOD	MARGINAL	MARGINAL	MARGINAL
40km/h	-	-	-	GOOD	GOOD	MARGINAL	MARGINAL	MARGINAL
50km/h	-	-	-	GOOD	GOOD	MARGINAL	MARGINAL	MARGINAL
60km/h	-	-	-	GOOD	GOOD	MARGINAL	MARGINAL	MARGINAL
PERFORMANCE	GOOD			Adequate				

TEST VEHICLE SPEED	HEAD-ON In the path of oncoming vehicle		
	50km/h	70km/h	PERFORMANCE
Travelling straight			GOOD
Lane change			GOOD
PERFORMANCE	GOOD		

LANE SUPPORT SYSTEMS (Car-to-Car)

System Name	Chery Smart Driver Assistance System
Operational From	45-130 km/h

TEST SCENARIOS Car-to-Car	Dashed line	Solid line
LANE KEEP ASSIST (LKA)		
PERFORMANCE	GOOD	

EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Car	Oncoming vehicle	Overtaking vehicle (GVT at 72km/h)		Overtaking vehicle (GVT at 80km/h)		Road edge	Solid line
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL		
PERFORMANCE						GOOD	

GOOD
 ADEQUATE
 MARGINAL
 WEAK
 POOR / NOT TESTED DUE TO
NO PERFORMANCE PREDICTED
 NOT TESTED



Safety Assist

85%

15.31 out of 18

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●

DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	●	●
Fatigue	●	●
Unresponsive Driver	-	✗

SPEED ASSISTANCE SYSTEMS (SAS)

FEATURE

Speed Limit Information Function (SLIF)	Camera only
Manual Speed Limiter	✗
Intelligent Adaptive Cruise Control (iACC)	●
Intelligent Speed Limitation (ISL)	✗

HUMAN MACHINE INTERFACE (HMI)

FEATURE

AEB: Supplementary Warning	●
AEB: Restraint activation / dynamic retractors	✗
Lane Departure Warning (LDW)	●
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	●

SAFETY FEATURES & TECHNOLOGIES

SAFETY FEATURE / TECHNOLOGY*	AUS	NZ
Seat belt pre-tensioners (front seats)	●	●
Seat belt pre-tensioners (rear outboard seats) - 2nd row	●	●
Seat belt pre-tensioners (rear centre seat) - 2nd row	✗	✗
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - dual frontal (driver & front passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	✗	✗
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	●	●
Airbag - knee (driver)	✗	✗
Airbag - knee (front passenger)	✗	✗
Airbag - pedestrian (external)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	✗	✗
Autonomous emergency braking (AEB) - Car-to-Car	●	●
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	●	●
- AEB Backover	●	●
- AEB Cyclist	●	●
- AEB Motorcycle	●	●
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Pedestrian)	●	●
- AEB Junction (Cyclist)	●	●
- AEB Junction (Motorcycle)	●	●
Autonomous emergency braking (AEB) - Crossing	●	●
Automatic emergency call (eCall)	✗	✗
Blind spot monitor (BSM)	●	●
Child presence detection / alert	●	●
Cyclist dooring detection / alert	●	●
Driver monitoring system - Indirect	✗	✗
Driver monitoring system - Direct	●	●
Forward collision warning (FCW)	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)		
- LKA (Car-to-Car)	●	●
- LKA (Car-to-Motorcycle)	●	●
Secondary / multi-collision brake	●	●
Speed assistance - intelligent adaptive cruise control (iACC)	●	●
Speed assistance - auto / intelligent speed limiter	✗	✗
Speed assistance - manual speed limiter	✗	✗
Speed assistance - speed sign recognition & warning	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

● STANDARD ○ AVAILABLE ON HIGHER VARIANTS ○ OPTIONAL ✗ NOT AVAILABLE - NOT APPLICABLE

* Correct at time of publication. Subject to change. Check with manufacturer.

TESTED MAKE / MODEL

Chery Tiggo 4 Pro Urban, RHD
Chery Tiggo 7 Pro Urban, RHD

TESTED VEHICLE ENGINE

1.5 litre petrol
1.6 litre petrol

RATING UPDATED

December 2025

TESTED BODY TYPE

5 door SUV

RATING PUBLISHED

February 2025