

LEXUS LBX



APPLIES TO
1.5L hybrid variants

BUILT FROM
December 2023

RATING CRITERIA
2023-2025

VEHICLE TYPE
Small SUV

ON SALE FROM
AUS: March 2024
NZ: April 2024

RATING EXPIRES
December 2031

ENGINE / MOTOR TYPES
Hybrid

MODEL SERIES
n/a

AIRBAGS
Dual frontal, side chest, side head,
centre, driver knee



ANCAP
SAFETY

TESTED
2024



The Lexus LBX was introduced in Australia in March 2024 and New Zealand in April 2024. This ANCAP safety rating applies to 1.5L hybrid variants only. 1.6L turbo petrol variants are unrated.

Dual frontal, side chest-protecting and side head-protecting airbags and a driver knee airbag are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction & Crossing, Backover and Head-On) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and an advanced speed assistance system (SAS) with a speed sign recognition system are standard.

ASSESSMENT SCORES



Adult Occupant Protection

82%

33.08 out of 40



Child Occupant Protection

86%

42.60 out of 49



Vulnerable Road User Protection

79%

50.02 out of 63



Safety Assist

79%

14.33 out of 18

RATING APPLICABILITY*

VARIANT	BODY TYPE	ENGINE / POWERTRAIN	DRIVETRAIN	AUS	NZ
Lexus LBX Luxury	5 door SUV	1.5L hybrid	2WD	✓	-
Lexus LBX Sports Luxury	5 door SUV	1.5L hybrid	2WD	✓	-
Lexus LBX Sports Luxury	5 door SUV	1.5L hybrid	AWD	✓	-
Lexus LBX Morizo RR	5 door SUV	1.6L turbo petrol	AWD	✗	✗
Lexus LBX Active	5 door SUV	1.5L hybrid	2WD	-	✓
Lexus LBX Relax	5 door SUV	1.5L hybrid	2WD	-	✓
Lexus LBX Relax	5 door SUV	1.5L hybrid	AWD	-	✓
Lexus LBX Cool	5 door SUV	1.5L hybrid	2WD	-	✓
Lexus LBX Cool	5 door SUV	1.5L hybrid	AWD	-	✓

* Correct at time of publication. Subject to change. Check with manufacturer.



Adult Occupant Protection

82%
33.08 out of 40

FRONTAL OFFSET (MPDB)*
4.36 points out of 8

FULL WIDTH FRONTAL*
7.30 points out of 8

SIDE IMPACT*
6.00 points out of 6

OBLIQUE POLE*
6.00 points out of 6

WHIPLASH PROTECTION
3.75 points out of 4

FAR SIDE IMPACT
3.00 points out of 4

RESCUE & EXTRICATION
2.67 points out of 4

* Scaled scores. Total test scored out of 16.00 points.

The passenger compartment of the Lexus LBX remained stable in the **frontal offset (MPDB)** test. Dummy readings indicated MARGINAL protection for the driver's chest and ADEQUATE protection for the lower legs. Protection of the front passenger dummy's chest and lower legs was ADEQUATE. Structures in the dashboard were a potential source of injury for the driver and passenger, and protection of the upper legs was rated MARGINAL. Protection was GOOD for all other critical body regions for both the driver and front passenger.

The front structure of the Lexus LBX presented a lower risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 1.85 point penalty (out of 8.00 points) was applied.

In the **full width frontal** test, protection of the driver dummy was ADEQUATE for the chest and GOOD for all other critical body regions. Protection of the rear passenger neck was ADEQUATE. The seat belt for the rear passenger allowed excessive forward movement and protection of the head was rated as MARGINAL. Protection offered to other body regions was GOOD.

In the **side impact** and **oblique pole** tests, protection offered to all critical body regions was GOOD and the Lexus LBX scored maximum points in these tests.

The Lexus LBX is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impact crashes however it was not tested due to possible interference with the near-side test result. Prevention of excursion (movement towards the other side of the vehicle) in the **far side impact** tests was assessed as ADEQUATE for both the vehicle-to-vehicle impact scenario and the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted. It was demonstrated that, if the car entered water, the doors and windows of the Lexus LBX would remain functional for the minimum required time period.

FRONTAL OFFSET (MPDB) TEST - 50km/h



	DRIVER	FRONT PASSENGER
Head / Neck	4.00 pts	4.00 pts
Chest	1.50 pts	3.31 pts
Upper Legs	2.00 pts	2.00 pts
Lower Legs	3.07 pts	3.56 pts
Deductions	-1.00 pts (variable contact) -1.00 pts (concentrated load)	-1.00 pts (variable contact) -1.00 pts (concentrated load)



COMPATIBILITY

Deductions -1.85 pts

FULL WIDTH FRONTAL TEST - 50km/h



	DRIVER	REAR PASSENGER
Head	4.00 pts	2.00 pts
Neck	4.00 pts	3.95 pts
Chest	3.26 pts	4.00 pts
Upper Legs	4.00 pts	4.00 pts
Deductions	Nil	-1.00 pts (head excursion)

SIDE IMPACT TEST - 60km/h



	DRIVER
Head	4.00 pts
Chest	4.00 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil

OBLIQUE POLE TEST - 32km/h



	DRIVER
Head	4.00 pts
Chest	4.00 pts
Abdomen	4.00 pts
Pelvis	4.00 pts
Deductions	Nil



Adult Occupant Protection

82%

33.08 out of 40

FAR SIDE IMPACT TESTS - 60km/h and 32km/h



SIDE IMPACT (60km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OBLIQUE POLE (32km/h)	DRIVER
Head	4.00 pts
Neck	4.00 pts
Chest & Abdomen	4.00 pts
Pelvis	No penalty



OCCUPANT-TO-OCCUPANT	
Head Contact [NOT ASSESSED]	-1.00 pts

WHIPLASH PROTECTION TESTS



	DRIVER / FRONT PASSENGER	REAR PASSENGER
Rear Impact	3.00 pts	0.75 pts

RESCUE & EXTRICATION



Rescue Sheet	●	No penalty
Door Opening / Extrication	●	No penalty
Multi-Collision Braking	●	1.00 pt
Advanced eCall	✗	0.67 pt default
Vehicle Submergence		
- Door opening	●	0.50 pt
- Window opening	●	0.50 pt

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION ✗ NOT AVAILABLE - N/A



Child Occupant Protection

86%

42.60 out of 49

DYNAMIC TEST (FRONT)
14.98 points out of 16

RESTRAINT INSTALLATION
12.00 points out of 12

DYNAMIC TEST (SIDE)
7.62 points out of 8

ON-BOARD SAFETY FEATURES
8.00 points out of 13

In the **frontal offset** test, protection of the neck of both the 10 year and 6 year dummies was ADEQUATE, while the protection offered to all other critical body regions was GOOD.

In the **side impact** test, protection of the head of the 10 year dummy was ADEQUATE while that of all other body areas of both the 6 year and 10 year dummies was GOOD.

The Lexus LBX is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

An indirect child presence detection (CPD) system, which provides an alert when a child may have been left in the passenger seats of the vehicle, is fitted as standard.

Installation of typical child restraints available in Australia and New Zealand showed GOOD results and the Lexus LBX scored full points for this assessment.

FRONTAL OFFSET (MPDB) TEST - 50km/h

SIDE IMPACT TEST - 60km/h



6 YEAR OLD

10 YEAR OLD



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFIX Anchorages	✗	●	✗	-	-
Top Tether Anchorage	✗	●	●	-	-
Airbag Disabling	✗	-	-	-	-
Child Presence Detection 1.00 pts (out of 4.00pts)	●	●	●	-	-

● FITTED AS STANDARD ✗ NOT AVAILABLE - N/A

CHILD RESTRAINT TYPE ^{^*}		FRONT ROW PASSENGER	2nd ROW			3rd ROW		
BELTED			L	C	R	L	C	R
	Rearward-facing capsule	✗	●	●	●	-	-	-
	Rearward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-
	Rearward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-
	Forward-facing with harness - convertible (Model A)	✗	●	●	●	-	-	-
	Forward-facing with harness - convertible (Model B)	✗	●	●	●	-	-	-
ISOFIX	Booster - 4 to 8 years	✗	●	●	●	-	-	-
	Booster - 4 to 10 years	✗	●	●	●	-	-	-
	Rearward-facing capsule	✗	●	-	●	-	-	-
	Rearward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
	Rearward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-
	Forward-facing with harness - convertible (Model A)	✗	●	-	●	-	-	-
	Forward-facing with harness - convertible (Model B)	✗	●	-	●	-	-	-

● INSTALL WITHOUT PROBLEM ● INSTALL WITH CARE ● CANNOT BE FITTED SAFELY ✗ INSTALLATION NOT ALLOWED - N/A

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.
* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.
^ The list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



Vulnerable Road User Protection

79%
50.02 out of 63

HEAD PROTECTION (Adult, Child, Cyclist) 12.68 points out of 18	KNEE & TIBIA PROTECTION 9.00 points out of 9	AEB CYCLIST 7.82 points out of 9
PELVIS PROTECTION 3.54 points out of 4.5	AEB PEDESTRIAN (Forward) 6.75 points out of 7	AEB MOTORCYCLE 6.00 points out of 6
FEMUR PROTECTION 2.23 points out of 4.5	AEB PEDESTRIAN (Backover) NOT TESTED points out of 2	LSS MOTORCYCLE 2.00 points out of 3

In **physical impact** tests, the bonnet and windscreen of the Lexus LBX provided GOOD or ADEQUATE protection to the head of a struck pedestrian over most of its surface, with MARGINAL and POOR results recorded on the stiff windscreen pillars and the rear of the bonnet.

Protection of the pelvis and femurs was mixed, ranging from GOOD to POOR, while protection of the lower legs was GOOD.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians, cyclists, and motorcyclists.

Testing of this system showed GOOD performance in **AEB Pedestrian** test scenarios including in turning scenarios, with collisions avoided or mitigated in most tests. The AEB system fitted to vehicles in Australia and New Zealand reacts to vulnerable road users in reverse (**AEB Backover**) but was not standard on the tested vehicle and hence these tests were not conducted.

GOOD performance was seen in **AEB Cyclist** test scenarios with collisions avoided or mitigated at all test speeds including in the turning scenarios. A **cyclist anti-dooring** system is standard in Australia and New Zealand vehicles but was not fitted to the tested vehicle, and tests of this system were therefore not conducted.

GOOD performance was seen in the **AEB Motorcyclist** tests, including in the turning scenarios. ADEQUATE performance was seen in the **LSS Motorcyclist** tests.

PEDESTRIAN & CYCLIST IMPACT TESTS



AUTONOMOUS EMERGENCY BRAKING (Cyclist, Pedestrian & Motorcycle)

System Name	Pre-Collision System with Pedestrian Detection as part of Toyota Safety Sense
Type	Autonomous emergency braking with forward collision warning
Operational From	5-80 km/h

AEB CYCLIST TEST SCENARIOS (forward)	Cyclist traveling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist traveling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)	Cyclist crossing side road, car turning (nearside)	Cyclist crossing side road, car turning (farside)
	DAY	DAY	DAY	DAY	DAY	DAY	DAY
PERFORMANCE	GOOD						

CYCLIST DOORING

Information (driver door)	-
Warning (driver door)	-
Retention (driver door)	-
Warning or retention (all other doors)	-

● PASS ✖ FAIL - N/A

GOOD ADEQUATE MARGINAL WEAK POOR / NOT TESTED DUE TO NO PERFORMANCE PREDICTED NOT TESTED



Vulnerable Road User Protection

79%
50.02 out of 63

AEB PEDESTRIAN TEST SCENARIOS (reverse)	Child / Adult standing behind reversing vehicle (25% offset)	Adult / Child standing behind reversing vehicle (50% offset)	Child / Adult standing behind reversing vehicle (75% offset)	Adult / Child walking behind reversing vehicle (50% offset)
	DAY	DAY	DAY	DAY
4km/h				
8km/h				
PERFORMANCE	NOT TESTED			

AEB PEDESTRIAN TEST SCENARIOS (forward)	Adult walking along road		Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)		Adult crossing side road (farside), car turning		Adult crossing side road (nearside), car turning	
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT
PERFORMANCE														
	GOOD													

AEB MOTORCYCLE TEST SCENARIOS (forward)	Driving towards a stationary motorcycle			Driving towards a braking motorcycle (25% offset)			Turning across the path of an oncoming motorcycle		
	100% OFFSET			12m HEADWAY			TARGET MOTORCYCLE SPEED		
				40m HEADWAY			30km/h	45km/h	60km/h
AEB (10-50km/h)									
FCW (30-80km/h)									
PERFORMANCE	GOOD						GOOD		

LANE SUPPORT SYSTEMS (Car-to-Motorcycle)

System Name	Lane Departure Alert (LDA) & Lane Tracking Assist (LTA)
Operational From	50-200 km/h

EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Motorcycle	Oncoming motorcycle	Overtaking motorcycle (EMT at 60km/h)		Overtaking motorcycle (EMT at 80km/h)	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL
PERFORMANCE					
	ADEQUATE				



Safety Assist

79%
14.33 out of 18

SEAT BELT REMINDERS
1.00 points out of 1

DRIVER MONITORING
0.25 points out of 2

SPEED ASSISTANCE SYSTEMS
2.63 points out of 3

AEB / AES (Car-to-Car)
4.00 points out of 4

AEB / AES (Junction & Crossing)
2.96 points out of 4

AEB / AES (Head-On)
1.00 points out of 1

LANE SUPPORT SYSTEMS
2.50 points out of 3

The Lexus LBX is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, and a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality.

Tests of the **AEB (Car-to-Car)** system showed GOOD performance with collisions avoided or mitigated in test scenarios, including in **AEB Junction** and **AEB Crossing** scenarios where the test vehicle can autonomously brake to avoid crashes when turning across or into the path of an oncoming vehicle. Tests of the **AEB Head-On** system functionality also showed GOOD performance.


Tests of **lane support system** functionality showed some GOOD performance, including in several of the more critical emergency lane keeping test scenarios.

A speed assistance system (SAS) with speed limit information function (SLIF) and intelligent adaptive cruise control (iACC) is standard, informing the driver of the local speed limit and allowing the driver to accept the change in speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all seating positions. A driver drowsiness monitor system (indirect) is fitted as standard.

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car)

System Name	Pre-Collision System
Type	Autonomous emergency braking with forward collision warning
Operational From	5-180 km/h















Safety Assist

79%

14.33 out of 18

AUTONOMOUS EMERGENCY BRAKING (Car-to-Car Junction, Crossing and Head-On)

		JUNCTION ASSIST Turning across the path of an oncoming vehicle			CROSSING (T-BONE) Crossing the path of another vehicle				
TARGET VEHICLE SPEED		30km/h	45km/h	60km/h	20km/h	30km/h	40km/h	50km/h	60km/h
									
TEST VEHICLE SPEED	Start from stop	-	-	-					
	10km/h				-	-	-	-	-
	15km/h				-	-	-	-	-
	20km/h								
	30km/h	-	-	-					
	40km/h	-	-	-					
	50km/h	-	-	-					
	60km/h	-	-	-					
PERFORMANCE		GOOD			ADEQUATE				

		TARGET VEHICLE SPEED		HEAD-ON In the path of oncoming vehicle	
				50km/h	70km/h
TEST VEHICLE SPEED	Travelling straight	50km/h			-
		70km/h		-	
	Lane change	50km/h			-
		70km/h		-	
PERFORMANCE				GOOD	

LANE SUPPORT SYSTEMS (Car-to-Car)

System Name	Lane Departure Alert (LDA) & Lane Tracking Assist (LTA)
Operational From	50-200 km/h

		Dashed line	Solid line
LANE KEEP ASSIST (LKA) TEST SCENARIOS Car-to-Car			
PERFORMANCE			
		GOOD	

		Overtaking vehicle (GVT at 72km/h)		Overtaking vehicle (GVT at 80km/h)		Road edge		Solid line	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL				
EMERGENCY LANE KEEPING (ELK) TEST SCENARIOS Car-to-Car									
PERFORMANCE									
		ADEQUATE							



Safety Assist

79%

14.33 out of 18

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●

DRIVER MONITORING

	WARNING	INTERVENTION
Distraction	×	×
Fatigue	●	×
Unresponsive Driver	-	×

SPEED ASSISTANCE SYSTEMS (SAS)

FEATURE	
Speed Limit Information Function (SLIF)	Camera & map
Manual Speed Limiter	×
Intelligent Adaptive Cruise Control (iACC)	●
Intelligent Speed Limitation (ISL)	×

HUMAN MACHINE INTERFACE (HMI)

FEATURE	
AEB: Supplementary Warning	●
AEB: Restraint activation / dynamic retractors	●
Lane Departure Warning (LDW)	●
Blind Spot Monitoring (BSM): Car-to-Car & Car-to-Motorcycle	●

SAFETY FEATURES & TECHNOLOGIES

SAFETY FEATURE / TECHNOLOGY*	AUS	NZ
Seat belt pre-tensioners (front seats)	●	●
Seat belt pre-tensioners (rear outboard seats) - 2nd row	●	●
Seat belt pre-tensioners (rear centre seat) - 2nd row	✗	✗
Seat belt pre-tensioners (rear outboard seats) - 3rd row	-	-
Seat belt pre-tensioners (rear centre seat) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - dual frontal (driver & front passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	✗	✗
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	●	●
Airbag - knee (driver)	●	●
Airbag - knee (front passenger)	✗	✗
Airbag - pedestrian (external)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	✗	✗
Autonomous emergency braking (AEB) - Car-to-Car	●	●
Autonomous emergency braking (AEB) - Vulnerable Road User		
- AEB Pedestrian	●	●
- AEB Backover	●	●
- AEB Cyclist	●	●
- AEB Motorcycle	●	●
Autonomous emergency braking (AEB) - Junction		
- AEB Junction (Car)	●	●
- AEB Junction (Pedestrian)	●	●
- AEB Junction (Cyclist)	●	●
- AEB Junction (Motorcycle)	●	●
Autonomous emergency braking (AEB) - Crossing	●	●
Automatic emergency call (eCall)	●	✗
Blind spot monitor (BSM)	●	●
Child presence detection / alert	●	●
Cyclist dooring detection / alert	●	●
Driver monitoring system - Indirect	●	●
Driver monitoring system - Direct	●	●
Forward collision warning (FCW)	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)		
- LKA (Car-to-Car)	●	●
- LKA (Car-to-Motorcycle)	●	●
Secondary / multi-collision brake	●	●
Speed assistance - intelligent adaptive cruise control (iACC)	●	●
Speed assistance - auto / intelligent speed limiter	●	●
Speed assistance - manual speed limiter	✗	✗
Speed assistance - speed sign recognition & warning	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

● STANDARD ● AVAILABLE ON HIGHER VARIANTS ● OPTIONAL ✗ NOT AVAILABLE - NOT APPLICABLE

* Correct at time of publication. Subject to change. Check with manufacturer.

TESTED MAKE / MODEL
Lexus LBX LHD

TESTED VEHICLE ENGINE
1.5L hybrid

RATING UPDATED
December 2025

TESTED BODY TYPE
5 door SUV

RATING PUBLISHED
December 2024